ובדמחם ב שכח

DIRECTIONS FOR FILLING OUT FORM:

Please fill out as complete as possible and fax to Cory Secher at 303-823-5768 or mail to 5625 Ute Highway, Longmont CO 80503-9130, or bring to scheduled marking appointment.

Any Bolded categories will be filled in by the CSFS representative at the time of initial site visit and tree marking for the defensible space. If you have any questions about this form please contact Cory Secher at 303-823-5774 or by email at csecher@lamar.colostate.edu.

# Wildfire Mitigation Plan FIELD DATA FORM

3-24-06
Sandy Nelson Sandynelson equest
PO Box 193 :
altenspark CO 80510
1280 x 1292 County Road 84 W
(303) 747-2594 (Fap) this foun
(Directions from main access road)
(not yet assignati) (SPR, LU, Etc.)
24° SPR-06-028
JN_
776

\* NFPA 13 D Sprinklin System

100	
FPD:	Alloughank FPD.
Dominant fuel type:	(Grass/forbs/shrubs/slash/etc)
Dominant overstory	0.0
Co-dominant overst	ory: P.P. / D. F.
Fuel model type:	9 /
Slash disposal:	(Chipped/hauled(burned)lop-scatter)
Aspect:	South-Southeust (Direction of slope)
Slope:	-2-741
Élevation:	(feet) ~8,200 Pt
Building site:	(Chimney/saddle/valley/ridge/mid-slope)
Site moistare:	DM
Natural fire barrier:	wond they 7, 87w/w Strem.
Insect & Disease Dia;	
Lot size (acres):	, T (Acres)
Number of Structures:	(All structures to be present
Existing Structures:	none (House/bam/garage/etc.)
New Structure:	House/Barn/new addition/etc)
Driveway length:	300 (Actual length in feet from road to home)
Driveway trees remove	
Home buffer material:	(Stone/crushed gravel/decorative stone)
House design:	(simple/complex)
Roof Design:	(simple complex)
Roof material:	1 spha H Shing k (Asphalt shingles/concrete tiles/metal)
	•

242/64

			•
. *	Soffits type:		(Flywood/hardboard/cement board)
	Siding material:	Cedar	(Cement/hardboard/log/stucco/stone/wood)
	Windows (#):	-22 (approximate	e number of windows)
	Windows Size:	1. al.	: small/medium/large)
*	Windows Frames:	Viny-Clad	_ (Wood/aluminum/aluminum clad)
•	Windows Aspect:	Sattern.	_ (Dominant viewing direction)
٠.	Window Construction		
		11	(Tempered glass/e-coating/etc.)
•	Door Material:	metal	(Wood/steel/fiberglass/composite)
	Deck material:	Trex	(Wood/composite materials)
	Deck Description:	Open	(Enclosed/open)
	Deck support type:	Gx6 timber posts.	(Timber posts/logs/steel/concrete/stone)
*	Deck buffer material:	Crushed rook	(Crushed rock/gravel)
	Deck weed barrier:	Lburghars	(Fiberglass/polyester)
	Structure SQR. FT.:	3,833 total	(Total square feet of structure) 2,441 Finished
	Utility Location:	surred from South a	(Pole/buried: Direction from structure)
	Structure aspect:	Sante-Southers D	(Dominant facing direction/view)
	Leach field:	~90 N.W	(Distance from house, and direction)
	Cistem:	-90 N.E	(Distance from house, and direction)
	Cistem Type:	Fue,	(Domestic Cistern or Fire Cistern)
	Cistem size:	180 5.	(gallons)
	Well (if applicable):	-170 K NE	(Distance form house, and direction)
,	Propage Tank location:	TCICT	(Distance from house and direction)
			•
	( = 1	Ly (na) Cytaura	(1206-25cig.)
-	A John 1	Cos (evol	

# WILDFIRE MITIGATION PLAN

For Sandy Nelson Residence 1292 County Road 84 W, Allenspark CO 80510

Docket: SPR - 06 - 028 Inspection date: 3/20/2006

Knowledge to Go Places

Prepared by:

Conv Socher Forester Boulder District
5625 Ute Highway

Cory Secher - Forester
Boulder District
Phone: (303) 823-5774

5625 Ute Highway
Longmont, Colorado 80503-9130
(303) 823-5774

E-mail: csecher@lamar.colostate.edu

## Prepared for:

Sandy Nelson P.O. Box 193 Allenspark, CO 80510 Phone: 303-747-2594

## PURPOSE OF A WILDFIRE MITIGATION PLAN

The purpose of a Wildfire Mitigation plan is to give guidelines to reduce wildfire hazards around a home or other structures through fuels reduction. It is a document to inform urban interface home owners of the dangers and responsibilities of living in the interface. This plan will help outline the initial and ongoing fuels reduction needed to create and maintain an effective wildfire defensible space. However, having a wildfire mitigation plan, implementation of a defensible space thinning, and following all the recommendations as outlined in this plan does not guarantee that your home will survive a wildland fire; however, in combination they will give your home the best potential probability to survive a wildland fire.

## SITE LOCATION AND PROPERTY DESCRIPTION

The property is located at Section 26, Township 3N, and Range 73W Lots 21-25 of Copeland Lake Subdivision. The fire protection district is the Allenspark fire protection district (303-747-2586). There will be a new residence with attached garage built on site. The lot is .7 acres in size and has a ~3-7% percent slope with a south-southeast aspect. The residence is at 8,200 feet in elevation, and has total of 3,833 square feet. The proposed building site is mid-slope and it is a relatively dry site. County Road 84 W to the north and Hwy 7 to the east create small barriers that may help stop or slow the spread of a surface/crown fire on the site. There is also a large open space/riparian area and stream directly to the south of the residence that may also create small natural barriers that may help stop or slow the spread of a surface/crown fire on site.

#### CONSTRUCTION DESIGN AND MATERIALS

The proposed house has a relatively simple design with a simple roofline and is oriented with a south-southeast aspect. The roofing material will consist of asphalt shingles. The exterior wall material is to be cedar. Soffits are to be 3/4" thick plywood.

The structure has 22 medium sized windows with the primary viewing direction being toward the southern side of the structure. Windows will be double glazed with low e-coated tempered glass and frames made of vinyl clad. Exterior doors are to be 1-3/4", fire-rated, and made of metal.

The one deck will be constructed of composite material (Trex) materials and supported by 6x6 timber posts. The deck will be open and isolated from the surrounding landscape with crushed stone over a fiberglass weed barrier.

The propane tank will be set on a pad of crushed rock overlaying a fiberglass weedbarrier approximately 35 feet east of the residence. Vegetation within 10 feet of the propane tank will be kept cleared. Utilities for the property will be buried from a pole located ~70 feet south of the residence. The septic field is located ~90 feet to the northwest of the residence. A well will be located ~130 feet to the northeast of the residence located off the hammer hear turn around.

## **DRIVEWAY ACCESS FOR EMERGENCY VEHICLES**

Access to the property from Lyons take Hwy 7 west past Allenspark and turn left (south) onto CR84W and continue to property. The existing driveway will not create additional site disturbance or soil compaction and will require the removal of only a few trees. The driveway is 12 feet wide with a vertical clearance of 13'6" and a grade that is less than 12%. The driveway is approximately 300 feet long therefore a turn around will be required (see map for details). The driveway is less than 400 feet therefore no pull-outs will be required.

### **EMERGENCY WATER SUPPLY FOR FIRE FIGHTING**

The water source will be from a 1,800 gallon fire cistern located ~90 feet northeast of the residence with a full interior NFPA 13 D Sprinker system as required by Boulder County. The cistern will be located a minimum of 50 feet from the front of the house and no further than 150 feet from the rear of the structure. The cistern will have a dry hydrant connection with a 6 inch NH threaded connection and cap. Contact the Allenspark fire protection district (303-747-2586) for more information and specific details.

## **FUELS REDUCTION**

All trees to be removed are marked with blue spray paint. All trees that are to remain within zones 1 and 2 will be unmarked. If the property is less than 1 acre it may not have zones marked due to boundary interference. Harvested wood that remains on site will be stacked at least 30 feet from the house and at the same elevation when possible. Slash from the harvest will be piled and burned. Note that if you decide to burn piles, you must obtain a valid Open Burning

Permit from the Boulder County Environmental Health Department (303-441-1180) and notify your local fire protection district (Allenspark fire protection district (303-747-2586)).

#### **DEFENSIBLE SPACE ZONES AND FOREST MANAGEMENT**

The site has a dominant overstory consisting of ponderosa pine (Pinus ponderosa) with a ponderosa pine (Pinus ponderosa), Douglas-fir (Pseudotsuga menziesii) understory component. The area is predominantly fuel model 9 with ground fuels consisting of grasses and forbs. Fuel model 9 is represented by closed canopy stands of ponderosa pine and mixed conifer. Understory may consist of small trees and shrubs, grasses, and moderate concentrations of down, dead woody litter. There is no sign of any current insect and disease problems on the property at the time of inspection.

There are three defensible space zones to be created around the structure(s) on the site. Please note that it is possible that one or more of these zones will cross over the subject property onto adjacent properties. Property boundaries must be respected; mitigation work is not required beyond immediate boundaries. However, landowners are encouraged to contact and work with neighbors if property lines limit the ability to mitigate within the prescribed area. Defensible space is a benefit, not only to the individual but also to the community as a whole.

**Zone 1** - Starts at the foundation and extends out 15 feet in all directions from the outside edge of the structure(s). Zone 1 is broken down into three segments:

**Zone 1A** - Consists of the structure(s) themselves and the area immediately adjacent to and surrounding the structure(s) on all sides. A three-foot wide, non-flammable strip will be created using crushed stone over a fiberglass weed barrier material. This strip will also extend back under, and out to, two feet past the drip line of any decks.

**Zone 1B** - Extends out from Zone 1A. In this zone, all highly flammable vegetation is to be removed. Any large dead woody material on the ground will also be removed. Firewise plants will be used for landscaping and revegetation. Grasses will be irrigated when possible and mowed to a maximum height of 6 to 8 inches twice per growing season to a distance of 30 feet from the structure.

**Zone 1C** - This zone extends out from Zone 1B to 15 feet from the house. All understory trees (ladder fuels) will be removed as marked. These are small seedling and sapling size trees that can be ladders for fire to get in the crowns of the larger trees. A few of the larger, healthy trees are to be retained for screening. All remaining trees in this zone will be pruned to a height of 10 feet. They must be well spaced so that the crowns are not touching (10 foot minimum crown spacing). No trees will overhang the house or decks, unless approved by Boulder County or CSFS as "part of the structure" with additional fuels reduction around those trees to insure the defensible space integrity. Trees should be at least 15 feet away from the house on all sides, and a minimum of 10 feet from chimneys.

Zone 2 - This zone extends out from Zone 1C, and acts as a transition zone between the heavily thinned areas near the house to the existing forest setting. It extends down slope between 100-170 feet depending upon slope steepness. Zone 2 also extends on either side of the structure a minimum of 100 feet and behind the house between 70-100 feet assuming no boundary restrictions. Tree spacing begins as in Zone 1C and gradually decreases as you approach the outer edge of the zone. Thinning and crown spacing becomes greater in areas of steep slopes. Ladder fuels and poor quality, suppressed and/or diseased trees, 6 to 8 inches in diameter, make up the majority of the removals. The remaining mature trees will be pruned to a height of 10 feet at the intersection of Zones 1 and 2 with limbing reduced in height to 6 feet as you approach Zone 3. If there are any questions pertaining to slope and the changes in thinning spacing and distance regulations please refer to <a href="https://www.colostate.edu/Depts/CSFS/">www.colostate.edu/Depts/CSFS/</a> and find the <a href="https://www.colostate.edu/Depts/CSFS/">Questions please refer to <a href="https://www.colostate.edu/Depts/CSFS/">www.colostate.edu/Depts/CSFS/</a> and find the <a href="https://www.colostate.edu/Depts/CSFS/">Questions please refer to <a href="https://www.colostate.edu/Depts/CSFS/">www.colostate.edu/Depts/CSFS/</a> and find the <a href="https://www.colostate.edu/Depts/CSFS/">Questions please refer to <a href="https://www.colostate.edu/Depts/CSFS/">www.colostate.edu/Depts/CSFS/</a> and find the <a href="https://www.colostate.edu/Depts/CSFS/">Questions please refer to <a href="https://www.colostate.edu/Depts/CSFS/">www.colostate.edu/Depts/CSFS/</a> and find the <a href="https://www.colostate.edu/Depts/CSFS/">Questions please refer to <a href="https://www.colostate.edu/Depts/CSFS/">www.colostate.edu/Depts/CSFS/</a> and find the <a href="https://www.colostate.edu/Depts/CSFS/">Questions please refer to <a href="https://wwww.colostate.edu/Depts/CSFS/">www.colost

**Zone 3** - This zone extends out from Zone 2 to the edge of the property. It may extend out to areas that are not part of the immediate mitigation efforts. In this zone, a few thicker clumps of trees are acceptable, as well as some unpruned trees near the outer edge. Thinning in this zone adds some protection, but is aimed more at forest health. Trees that are of poor quality or form, or have insect or disease infestations, should be removed. Slash in this zone can be lopped and scattered and/or piled for wildlife use.

- Thin suppressed trees and trees with disease and insect infestations and retain the larger, healthier trees.
- Snags should be retained for wildlife.
- Some slash in this zone can be lopped and scattered and/or piled for wildlife enhancement and shelter.
- Large amounts of slash should be disposed of by chipping, hauling to an approved site, or burning.
- For burning permits, check with your local fire protection district.

## MAINTENANCE AND RECOMMENDATIONS

As detailed in fact sheet 6.302, Creating Wildfire Defensible Zones, an important factor that determines a structure's ability to survive wildfire is defensible space. Defensible space is a maintained area around a structure where fuels (flammable materials) are modified to slow the possible spread of wildfire to the structure, as well as from the structure to the surrounding areas. Defensible space provides a place where structure protection and fire suppression operations may occur. Wildfire hazard mitigation work breaks up fuel continuity, potentially decreasing a wildfire's intensity, and for more effectiveness should be completed beyond a home's defensible space, zone 1 and 2, area into zone 3.

In addition to the above recommendations, several other measures can be taken to make your home more fire safe and add an additional measure of safety for your family. While not required through site plan review, the following measures should be undertaken to maintain the home and defensible space in the future.

- Maintain your defensible space yearly; contact your local forester for a 5-year maintenance inspection
- Establish an escape route and safety zone with the aid of your local fire protection district
- Keep firewood at least 30 feet away from buildings; clear weeds and grass from around pile
- Do not stack fresh cut wood against live trees this could invite unwanted insects
- When possible, maintain an irrigated green space; mow grasses 6" to 8" high
- Connect, and have available, a minimum of 50 feet of garden hose with an adjustable nozzle
- Have an emergency evacuation plan in place (included in wildfire mitigation plan)
- Be aware of fire danger; check the Boulder Fire Weather website at www.crh.hoaa.gov/den/fireindx.html
- Keep driveways and property address marked with reflective easy to see signs
- Maintain screens on foundations, soffit vents, roof vents, and attic openings
- Get rid of unnecessary accumulations of debris and trash from yards
- Keep tools such as shovels, rakes, ladders, and axes available and ready for use
- Clean debris from the roof and gutters at least two times annually
- Check screens and maintain spark arresters on chimneys annually
- Avoid storing combustibles under decks such as wood piles, scrap lumber, and fuels

### **DEFINITIONS**

Aspect - Exposure. The direction a slope faces.

Canopy - The cover of branches and foliage formed collectively by crowns of adjacent trees.

Crown - Branches and foliage of a tree.

Dominant fuel type - Matter that would carry a fire, found on the ground.

Fuel Model - A number system that identifies the types of fuels found on the property that will directly influence fire behavior

Fire danger - An assessment of both fixed and variable factors of the fire environment, which determine the ease of ignition, rate of spread, difficulty of control, and the fire impact.

Fire hazard - The potential fire behavior for a fuel type, regardless of the fuel type's weather-influenced fuel moisture content or its resistance to fireguard construction. Assessment is based on physical fuel characteristics, such as fuel arrangement, fuel load, condition of herbaceous vegetation, and presence of elevated fuels.

Fire management - The activities concerned with the protection of people, property and forest areas from wildfire and the use of prescribed burning for the attainment of forest management and other land use objectives, all conducted in a manner that considers environmental, social and economic criteria.

Fire risk - The probability or chance of fire starting determined by the presence and activities of causative agents. Fire season - The period(s) of the year during which firs are likely to start, spread and do damage to values-at-risk sufficient to warrant organized fire suppression; a period of the year set out and commonly referred to in fire prevention legislation. In B.C. the fire season is considered to extend from April 1 to October 31.

Fuel continuity - The proximity of fuels to each other. Helps determine if a fire can sustain itself.

Forest ecology - The relationships between forest organisms and their environment.

Forest health - A forest condition that is naturally resilient to damage; characterized by biodiversity, it contains sustained habitat for timber, fish, wildlife, and humans, and meets present and future resource management objectives.

Ladder fuels - Fuels that provide vertical continuity between the surface fuels and crown fuels in a forest stand, thus contributing to the ease of torching and crowning.

Limb (verb) -To remove the branches from a tree.

New forestry - A philosophy or approach to forest management that has as its basic premise the protection and maintenance of ecological systems. In new forestry the ecological processes of natural forests are used as a model to quide the design of the managed forest.

Noxious weeds - Any weed so designated by the Weed Control Regulations and identified on a regional district noxious weed control list.

Overstory - The tree species that forms the uppermost forest layer (dominant and co-dominant).

Snag – Standing dead tree, often used by wildlife such as woodpeckers, owls, and other various mammals.





## Annual fire safety checklist

- Thin trees and brush properly within defensible space.
- · Remove trash and debris from defensible space.
- · Remove trees growing through a porch or other portions of a structure.
- Clear leaves and debris from the roof and gutters of structures.
- · Remove branches that overhang a chimney or roof.
- Stack firewood uphill from a home or on a contour away from the home.
- Use noncombustible roof materials.
- · Place shutters, fire curtains or heavy drapes on windows.
- Place screens on foundation and eave vents.
- · Enclose sides of stilt foundations and decks.
- · Use a chimney screen or spark arrester in fireplaces.
- Clear vegetation from around fire hydrants, cisterns, propane tanks, etc.
- Make sure that an outdoor water supply is available with a hose, nozzle and pump.
- Post address signs that are clearly visible from the street or road.
- · Make sure that driveways are wide enough for fire trucks and equipment.
- Check with appropriate highway agencies to make sure load limits are posted on bridges and for the appropriate protocol for posting load limits for bridges on private property.
- Install and test smoke detectors.
- · Practice a family fire drill and evacuation plan.

### **Evacuation tips**

- If a wildfire is threatening your area, listen to the radio for updated reports and evacuation information.
- Confine pets to one room and make plans to take care of them in the event of evacuation.
- Arrange for temporary housing with a friend or relative whose home is outside
  the threatened area. Leave a note in a prominent place in your home that
  says where and how you can be contacted.
- If your home is threatened by wildfire, you will be contacted and advised by law enforcement officers to evacuate. If you are not contacted or you decide to stay and help defend your home, evacuate pets and family members who are not needed to protect your home.
- Remove important documents, mementos, etc. from the possible fire area.
- Choose an evacuation route away from the fire if possible. Watch for changes in the speed and direction of the fire and smoke.

- Take a disaster supply kit containing:
  - Drinking water.
  - · A change of clothing and footwear for each family member.
  - · Blanket or sleeping bag for each person.
  - · First-aid kit and prescription medications.
  - Emergency tools including a battery-powered radio, flashlight and extra batteries.
  - · Extra set of car keys and credit cards, cash or traveler's checks.
  - Extra pairs of eyeglasses or other special items for infants, elderly or disabled family members.

### **Defending your home**

Whether you choose to stay to defend your home or to evacuate, complete as many of the following preparations as possible.

- DO NOT JEOPARDIZE YOUR LIFE. NO MATERIAL ITEM IS WORTH A LIFE.
- · Wear fire-resistant clothing and protective gear.
- · Remove combustible materials from around structures.
- · Close or cover outside vents and shutters.
- Position garden hoses to reach the entire house, but do not turn the water on until it is needed. Hoses should have an adjustable nozzle.
- Place large, full water containers around the house. Soak burlap sacks, small rugs or large rags in the containers.
- Place a ladder against the roof of the house on the opposite side of the approaching wildfire. Place a garden hose near the ladder, prepared as described previously.
- Place portable pumps near available water supplies, such as pools, hot tubs, creeks, etc.
- · Close all windows and doors. Do not lock them.
- · Close all inside doors.
- Turn on a light in each room and all outside lights. Leave them on even during daylight hours.
- · Fill tubs, sinks and similar containers with water.
- Shut off gas supplies to structures at outside meters. Shut of propane supplies at the outside meter of the tank.
- Remove curtains made of lace, nylon or other light materials. Close blinds, heavy drapes and fire resistant window covers.
- Move overstuffed furniture into the center of the house, away from windows and sliding doors.
- Cars should be parked in the garage, facing out. Close the windows of the vehicle but do not lock the doors. Leave the keys in the ignition.
- Close the garage door but leave it unlocked. Disconnect automatic garage door openers.

For additional copies of these checklists, visit <a href="www.colostate.edu">www.colostate.edu</a> and search for wildfire, view the Colorado State Cooperative Extension fact sheet on <a href="Forest Home">Forest Home</a> <a href="Fire Safety">Fire Safety</a>, or contact the local Cooperative Extension office usually listed under the county government section of your local phone book.

(Information provided by Colorado State University Cooperative Extension and the Colorado State Forest Service.)

## Safety Zone Guidelines

A Safety Zone is an area that in the event of a wildland fire you could survive the passing fire without the aid of a fire shelter. A natural safety zone could be an area already burned clean by the fire (in the black), rock areas where flashy fuels are absent, or large bodies of water. A manmade safety zones could be pre-constructed sites such as clear cuts. It should be close enough to your home to consider escape time to reach the safety zone. They should not be located upslope or downwind of the fire or in heavy fuels.

- 1. Avoid locations that are downwind from the fire.
- 2. Avoid locations that are in chimneys, saddles, or narrow canyons.
- 3. Avoid locations that require a steep uphill escape route.
- Take advantage of heat barriers such as lee side of ridges, large rocks, or solid structures.
- 5. Burn out safety zones prior to flame front approach.
- 6. For <u>radiant heat only</u>, the distance separation between you and the flames must be at least four times the maximum flame height. This distance must be maintained on all sides, if the fire has ability to burn completely around the safety zone. Convective heat from wind and/or terrain influences will increase this distance requirement.


## Calculations Assuming No Slope and No Wind


Flame Heights	Distance separation	Area in Acres
10 feet	40 feet	1/10 acre
20 feet	80 feet	1/2 acre
50 feet	200 feet	3 acres
75 feet	300 feet	7 acres
100 feet	400 feet	12 acres
200 feet	800 feet	50 acres

**Note**: Distance separation is the radius from the center of the safety zone to the nearest fuels. When fuels are present that will allow the fire to burn on all sides of the safety zone this distance must be doubled in order to maintain effective separation in front, to the sides, and behind the person.

Area in Acres is calculated to allow for distance separation on all sides for a <a href="three-person family and a vehicle">three-person family and a vehicle</a>. One acre is approximately the size of a football field or exactly 208 feet x 208 feet.

**Example**: Given a fire with 10 foot flame heights (no wind or slope). You would need a minimum of 40 feet between you and the flames. So your total safety zone should be 80 feet x 80 feet. If you are settled into the middle of the safety zone you will have a minimum distance of 40 feet to each edge of the zone.





Colorado State FOREST SERVICE

Chief Mike Osmun P.O. Box 153 Allenspark, CO 80510

Knowledge to Go Places

Boulder District 5625 Ute Highway Longmont, Colorado 80503-9130 (303) 823-5774

Dear Chief Mike Osmun,

I have completed the mandatory Wildfire Mitigation Plan, per Boulder County Land Use regulations, for Sandy Nelson, Docket number SPR - 06 - 028. The property address is 1292 County Road 84 W, Allenspark CO 80510 and the mailing address is P.O. Box 193, Allenspark, CO 80510. You can contact Sandy Nelson at 303-747-2594 if you need further information from the landowner.

Please file this document appropriately for reference in the case of a wildfire in the vicinity of 1292 County Road 84 W, Allenspark CO 80510.

Please find enclosed a copy of the Wildfire Mitigation Plan that was submitted to Boulder County Land Use Department. If you have any questions or comments regarding the plan please contact me at 303-823-5774 or by email at <a href="mailto:csecher@lamar.colostate.edu">csecher@lamar.colostate.edu</a>. Also you can contact Mr. Eric Philips, Wildfire Mitigation Coordinator; Boulder County Land Use Department at 303-441-3930 if you have questions regarding the Site Plan Review process.

Sincerely,

Cory Secher

District Field Forester

Wildfire Mitigation Consultant

State Programs Administrator



Knowledge to Go Places

Boulder District 5625 Ute Highway Longmont, Colorado 80503-9130 (303) 823-5774

# **BOULDER COUNTY LAND USE DEPARTMENT**

March 20, 2006

Mr. Eric Philips
Wildfire Mitigation Coordinator
Boulder County Land Use Department
P.O. Box 471
Boulder, CO 80306

]	Fire Mitigation Plan Approval Stamp Area						

Dear Mr. Eric Philips,

Enclosed is a copy of the Wildfire Mitigation Plan for Docket # SPR - 06 - 028, for the Sandy Nelson property. The property address is 1292 County Road 84 W, Allenspark CO 80510. My initial inspection was on 3/20/2006.

Sandy Nelson plans on building a residence with attached garage. The contact number is 303-747-2594. Sandy Nelson has been informed to contact you for the final inspection once the work has been completed.

If you have any questions regarding the Fire Mitigation Plan please contact me at 303-823-5774.

Sincerely,

Cory Secher

Boulder District Field Forester

Forest Health & Fire Mitigation Consultant

State Programs & Cost-Share Coordinator

csecher@lamar.colostate.edu

(303) - 823 - 5774



March 20, 2006

Knowledge to Go Places

Sandy Nelson P.O. Box 193 Allenspark, CO 80510 Boulder District 5625 Ute Highway Longmont, Colorado 80503-9130 (303) 823-5774

Dear Sandy Nelson,

Upon your request the Colorado State Forest Service has completed your Wildfire Mitigation Plan per Boulder County Land Use regulations for your property located at 1292 County Road 84 W, Allenspark CO 80510. We have submitted a copy of this plan to Boulder County Land Use and your local fire chief the day we sent this plan to you. Please review the plan for changes that may have occurred due to Boulder County regulations.

The next step in this process is to remove all trees marked with blue spray paint. Trees that do not have blue marking on them should be pruned 6-10 feet from base of tree or  $1/3^{rd}$  the height of the tree; which ever is less. Once trees have been removed and pruned please call for an appointment of inspection. Either Boulder County Land Use or the Colorado State Forest Service must inspect all Site Plan Review properties before final plan approval is granted.

We have enclosed an invoice for our services and would like payment within one month of the date it was written.

We thank you for your compliance and look forward to assisting you in the future. If you have any questions regarding the Site Plan Review process please contact your local Land Use Department, Eric Philips – Wildfire Mitigation Coordinator at 720-564-2625 or if you have question regarding the Wildfire Mitigation Plan or forest health please call Cory Secher at 303-823-5774.

Sincerely,

Cory Secher

Cony Suhar

Boulder District Field Forester

Forest Health & Fire Mitigation Consultant

State Programs & Cost-Share Coordinator csecher@lamar.colostate.edu

(303) - 823 - 5774