

WIND-TUNNEL STUDY OF
ENERGY CENTRE, NEW ORLEANS

by

J. A. Peterka* and J. E. Cermak**

for

Harwood K. Smith & Partners
1111 Plaza of the Americas North
LB 307
Dallas, Texas 75201

Fluid Mechanics and Wind Engineering Program
Fluid Dynamics and Diffusion Laboratory
Department of Civil Engineering
Colorado State University
Fort Collins, Colorado 80523

CSU Project 2-95020

June 1982

*Associate Professor

**Professor-in-Charge, Fluid Mechanics and
Wind Engineering Program

CER81-82JAP-JEC77

TABLE OF CONTENTS

<u>Chapter</u>		<u>Page</u>
	LIST OF FIGURES	ii
	LIST OF TABLES	iii
	LIST OF SYMBOLS	iv
1	INTRODUCTION	1
	1.1 General	1
	1.2 The Wind-Tunnel Test	2
2	EXPERIMENTAL CONFIGURATION	5
	2.1 Wind Tunnel	5
	2.2 Model	5
3	INSTRUMENTATION AND DATA ACQUISITION	8
	3.1 Flow Visualization	8
	3.2 Pressures	8
	3.3 Velocity	10
4	RESULTS	12
	4.1 Flow Visualization	12
	4.2 Velocity	12
	4.3 Pressures	15
	4.4 Forces and Moments	19
5	DISCUSSION	21
	5.1 Flow Visualization	21
	5.2 Pedestrian Winds	21
	5.3 Pressures	23
	REFERENCES	25
	FIGURES	26
	TABLES	64
	APPENDIX A	160

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Fluid Dynamics and Diffusion Laboratory	27
2	Wind-Tunnel Configuration	28
3	Pressure Tap Locations	29
4	Building Location and Pedestrian Wind Velocity Measuring Positions	36
5	Completed Model in Wind Tunnel	38
6	Data Sampling Time Verification	40
7	Mean Velocity and Turbulence Profiles approaching the Model	41
8	Mean Velocities and Turbulence Intensities at Pedestrian Locations	42
9	Wind-Velocity Probabilities for Pedestrian Locations	53
10	Peak-Pressure Contours on the Building for Cladding Loads	58
11	Load, Shear, and Moment Diagrams for Selected Wind Directions	62

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Motion Picture Scene Guide	65
2	Pedestrian Wind Velocities and Turbulence Intensities	66
3	Annual Percentage Frequencies of Wind Direction and Speed	73
4	Summary of Wind Effects on People	74
5	Calculation of Reference Pressure	75
6	Maximum Pressure Coefficients and Loads in PSF . . .	78
7	Loads, Shears, and Moments for each Wind Direction .	86

LIST OF SYMBOLS

<u>Symbol</u>	<u>Definition</u>
U	Local mean velocity
D	Characteristic dimension (building height, width, etc.)
ν, ρ	Kinematic viscosity and density of approach flow
$\frac{UD}{\nu}$	Reynolds number
E	Mean voltage
A, B, n	Constants
U_{rms}	Root-mean-square of fluctuating velocity
E_{rms}	Root-mean-square of fluctuating voltage
U_{∞}	Reference mean velocity outside the boundary layer
X, Y	Horizontal coordinates
Z	Height above surface
δ	Height of boundary layer
T_u	Turbulence intensity $\frac{U_{rms}}{U_{\infty}}$ or $\frac{U_{rms}}{U}$
$C_{p_{mean}}$	Mean pressure coefficient, $\frac{(p-p_{\infty})_{mean}}{0.5 \rho U_{\infty}^2}$
$C_{p_{rms}}$	Root-mean-square pressure coefficient, $\frac{((p-p_{\infty}) - (p-p_{\infty})_{mean})_{rms}}{0.5 \rho U_{\infty}^2}$
$C_{p_{max}}$	Peak maximum pressure coefficient, $\frac{(p-p_{\infty})_{max}}{0.5 \rho U_{\infty}^2}$
$C_{p_{min}}$	Peak minimum pressure coefficient, $\frac{(p-p_{\infty})_{min}}{0.5 \rho U_{\infty}^2}$
$()_{min}$	Minimum value during data record
$()_{max}$	Maximum value during data record

<u>Symbol</u>	<u>Definition</u>
p	Fluctuating pressure at a pressure tap on the structure
p_{∞}	Static pressure in the wind tunnel above the model
F_x, F_y	Forces in X, Y direction
A_R	Reference Area
CF_x	Force coefficient, X direction, $\frac{F_x}{A_R 0.5\rho U_{\infty}^2}$
CF_y	Force coefficient, Y direction, $\frac{F_y}{A_R 0.5\rho U_{\infty}^2}$

1. INTRODUCTION

1.1 General

A significant characteristic of modern building design is lighter cladding and more flexible frames. These features produce an increased vulnerability of glass and cladding to wind damage and result in larger deflections of the building frame. In addition, increased use of pedestrian plazas at the base of the buildings has brought about a need to consider the effects of wind and gustiness in the design of these areas.

The building geometry itself may increase or decrease wind loading on the structure. Wind forces may be modified by nearby structures which can produce beneficial shielding or adverse increases in loading. Overestimating loads results in uneconomical design; underestimating may result in cladding or window failures. Tall structures have historically produced unpleasant wind and turbulence conditions at their bases. The intensity and frequency of objectionable winds in pedestrian areas is influenced both by the structure shape and by the shape and position of adjacent structures.

Techniques have been developed for wind tunnel modeling of proposed structures which allow the prediction of wind pressures on cladding and windows, overall structural loading, and also wind velocities and gusts in pedestrian areas adjacent to the building. Information on sidewalk-level gustiness allows plaza areas to be protected by design changes before the structure is constructed. Accurate knowledge of the intensity and distribution of the pressures on the structure permits adequate but economical selection of cladding strength to meet selected maximum design winds and overall wind loads for the design of the frame for flexural control.

Modeling of the aerodynamic loading on a structure requires special consideration of flow conditions in order to guarantee similitude between model and prototype. A detailed discussion of the similarity requirements and their wind-tunnel implementation can be found in references (1), (2), and (3). In general, the requirements are that the model and prototype be geometrically similar, that the approach mean velocity at the building site have a vertical profile shape similar to the full-scale flow, that the turbulence characteristics of the flows be similar, and that the Reynolds number for the model and prototype be equal.

These criteria are satisfied by constructing a scale model of the structure and its surroundings and performing the wind tests in a wind tunnel specifically designed to model atmospheric boundary-layer flows. Reynolds number similarity requires that the quantity UD/ν be similar for model and prototype. Since ν , the kinematic viscosity of air, is identical for both, Reynolds numbers cannot be made precisely equal with reasonable wind velocities. To accomplish this the air velocity in the wind tunnel would have to be as large as the model scale factor times the prototype wind velocity, a velocity which would introduce unacceptable compressibility effects. However, for sufficiently high Reynolds numbers ($>2 \times 10^4$) the pressure coefficient at any location on the structure will be essentially constant for a large range of Reynolds numbers. Typical values encountered are 10^7 - 10^8 for the full-scale and 10^5 - 10^6 for the wind-tunnel model. In this range acceptable flow similarity is achieved without precise Reynolds number equality.

1.2 The Wind-Tunnel Test

The wind-engineering study is performed on a building or building group modeled at scales ranging from 1:150 to 1:400. The building model

is constructed of clear plastic fastened together with screws. The structure is modeled in detail to provide accurate flow patterns in the wind passing over the building surfaces. The building under test is often located in a surrounding where nearby buildings or terrain may provide beneficial shielding or adverse wind loading. To achieve similarity in wind effects the area surrounding the test building is also modeled. A flow visualization study is first made (smoke is used to make the air currents visible) to define overall flow patterns and identify regions where local flow features might cause difficulties in building curtain-wall design or produce pedestrian discomfort.

The test model, equipped with pressure taps (200 to 600 or more), is exposed to an appropriately modeled atmospheric wind in the wind tunnel and the fluctuating pressure at each tap measured electronically. The model, and the modeled area, are rotated 10 or 15 degrees and another set of data recorded for each pressure tap. Normally, 24 or 36 sets of data (360 degrees of turning) are taken; however, when flow visualization or recorded data indicate high pressure regions of small azimuthal extent, data is obtained in smaller azimuthal steps.

Data are recorded, analyzed and processed by an on-line computerized data-acquisition system. Pressure coefficients of several types are calculated by the computer for each reading on each piezometer tap and are printed in tabular form as computer readout. Using wind data applicable to the building site, representative wind velocities are selected for combination with measured pressures on the building model. Integration of test data with wind data results in prediction of peak local wind pressures for design of glass or cladding and may include overall forces and moments on the structure (by floor if desired) for design of

the structural frame. Pressure contours are drawn on the developed building surfaces showing the intensity and distribution of peak wind loads on the building. These results may be used to divide the building into zones where lighter or heavier cladding or glass may be desirable.

Based on the visualization (smoke) tests and on a knowledge of heavy pedestrian use areas, a dozen or more locations may be chosen at the base of the building where wind velocities can be measured to determine the relative comfort or discomfort of pedestrians in plaza areas, near building entrances, near building corners, or on sidewalks. Usually a reference pedestrian position is also tested to determine whether the wind environment in the building area is better or worse than the environment a block or so away in an undisturbed area.

The following pages discuss in greater detail the procedures followed and the equipment and data collecting and processing methods used. In addition, the data presentation format is explained and the implications of the data are discussed.

2. EXPERIMENTAL CONFIGURATION

2.1 Wind Tunnel

Wind-engineering studies are performed in the Fluid Dynamics and Diffusion Laboratory at Colorado State University (Figure 1). Three large wind tunnels are available for wind loading studies depending on the detailed requirements of the study. The wind tunnel used for this investigation is shown in Figure 2. All tunnels have a flexible roof adjustable in height to maintain a zero pressure gradient along the test section. The mean velocity can be adjusted continuously in each tunnel to the maximum velocity available.

2.2 Model

In order to obtain an accurate assessment of local pressures using piezometer taps, models are constructed to the largest scale that does not produce significant blockage in the wind-tunnel test section. The models are constructed of 1/2 in. thick Lucite plastic and fastened together with metal screws. Significant variations in the building surface, such as mullions, are machined into the plastic surface. Piezometer taps (1/16 in. diameter) are drilled normal to the exterior vertical surfaces in rows at several or more elevations between the bottom and top of the building. Similarly, taps are placed in the roof and on any sloping, protruding, or otherwise distinctive features of the building that might need investigation.

Pressure tap locations are chosen so that the entire surface of the building can be investigated for pressure loading and at the same time permit critical examination of areas where experience has shown that maximum wind effects may be expected to occur. Locations of the pressure taps for this study are shown in Figure 3. Dimensions are

given both for full-scale building (in ft) and for model (in in.). The pressure tap numbers are shown adjacent to the taps.

The pressure tests are sometimes made in two stages. In the first stage measurements are made on the initial distribution of pressure taps. If it becomes apparent from the data that the loading on the building is being influenced by some unsuspected geometry of the building or adjacent structures, additional pressure taps are installed in the critical areas. The locations of the taps are selected so that the maximum loading can be detected and the area over which this loading is acting can be defined. Any added taps are also shown in Figure 3.

A circular area 750 to 2000 ft in radius depending on model scale and characteristics of the surrounding buildings and terrain is modeled in detail. Structures within the modeled region are made from styrofoam and cut to the individual building geometries. They are mounted on the turntable in their proper locations. Significant terrain features are included as needed. The model is mounted on a turntable (Figure 2) near the downwind end of the test section. Any buildings or terrain features which do not fit on the turntable are placed on removable pieces which are placed upwind of the turntable for appropriate wind directions. A plan view of the building and its surroundings is shown in Figure 4. The turntable is calibrated to indicate azimuthal orientation to 0.1 degree.

The region upstream from the modeled area is covered with a randomized roughness constructed using various sized cubes placed on the floor of the wind tunnel. Different roughness sizes may be used for different wind directions. Spires are installed at the test-section entrance to provide a thicker boundary layer than would otherwise be

available. The thicker boundary layer permits a somewhat larger scale model than would otherwise be possible. The spires are approximately triangularly shaped pieces of 1/2 in. thick plywood 6 in. wide at the base and 1 in. wide at the top, extending from the floor to the top of the test section. They are placed so that the broad side intercepts the flow. A barrier approximately 8 in. high is placed on the test-section floor downstream of the spires to aid in development of the boundary-layer flow.

The distribution of the roughness cubes and the spires in the roughened area was designed to provide a boundary-layer thickness of approximately 4 ft, a velocity profile power-law exponent similar to that expected to occur in the region approaching the modeled area for each wind direction (a number of wind directions may have the same approach roughness). A photograph of the completed model in the wind tunnel is shown in Figure 5. The wind-tunnel ceiling is adjusted after placement of the model to obtain a zero pressure gradient along the test section.

3. INSTRUMENTATION AND DATA ACQUISITION

3.1 Flow Visualization

Making the air flow visible in the vicinity of the model is helpful (a) in understanding and interpreting mean and fluctuating pressures, (b) in defining zones of separated flow and reattachment and zones of vortex formation where pressure coefficients may be expected to be high and (c) in indicating areas where pedestrian discomfort may be a problem. Titanium tetrachloride smoke is released from sources on and near the model to make the flow lines visible to the eye and to make it possible to obtain motion picture records of the tests. Conclusions obtained from these smoke studies are discussed in Sections 4.1 and 5.1.

3.2 Pressures

Mean and fluctuating pressures are measured at each of the pressure taps on the model structure. Data are obtained for 24 or 36 wind directions, rotating the entire model assembly in a complete circle. Seventy-six pieces of 1/16 in. I.D. plastic tubing are used to connect 76 pressure ports at a time to an 80 tap pressure switch mounted inside the model. The switch was designed and fabricated in the Fluid Dynamics and Diffusion Laboratory to minimize the attenuation of pressure fluctuations across the switch. Each of the 76 measurement ports is directed in turn by the switch to one of four pressure transducers mounted close to the switch. The four pressure input taps not used for transmitting building surface pressures are connected to a common tube leading outside the wind tunnel. This arrangement provides both a means of performing in-place calibration of the transducers and, by connecting this tube to a pitot tube mounted inside the wind tunnel, a means of automatically monitoring the tunnel speed. The switch is operated by means of a shaft projecting through

the floor of the wind tunnel. A computer-controlled stepping motor steps the switch into each of the 20 required positions. The computer keeps track of switch position but a digital readout of position is provided at the wind tunnel.

The pressure transducers used are setra differential transducers (Model 237) with a 0.10 psid range. Reference pressures are obtained by connecting the reference sides of the four transducers, using plastic tubing, to the static side of a pitot-static tube mounted in the wind tunnel free stream above the model building. In this way the transducer measures the instantaneous difference between the local pressures on the surface of the building and the static pressure in the free stream above the model.

Output from the pressure transducers is fed to an on-line data acquisition system consisting of a Hewlett-Packard 21 MX computer, disk unit, card reader, printer, Digi-Data digital tape drive and a Preston Scientific analog-to-digital converter. The data are processed immediately into pressure coefficient form as described in Section 4.3 and stored for printout or further analysis.

All four transducers are recorded simultaneously for 16 seconds at a 250 sample per second rate. The results of an experiment to determine the length of record required to obtain stable mean and rms (root-mean-square) pressures and to determine the overall accuracy of the pressure data acquisition system is shown in Figure 6. A typical pressure port record was integrated for a number of different time periods to obtain the data shown. Examination of a large number of pressure taps showed that the overall accuracy for a 16 second period is, in pressure coefficient form, 0.03 for mean pressures, 0.1 for peak pressures, and 0.01 for rms pressures. Pressure coefficients are defined in Section 4.3.

3.3 Velocity

Mean velocity and turbulence intensity profiles are measured upstream of the model to determine that an approach boundary-layer flow appropriate to the site has been established. Tests are made at one wind velocity in the tunnel. This velocity is well above that required to produce Reynolds number similarity between the model and the prototype as discussed in Section 1.1.

In addition, mean velocity and turbulence intensity measurements are made 5 to 7 ft (prototype) above the surface at a dozen or more locations on and near the building for 16 wind directions. The measurement locations are shown on Figure 4. The surface measurements are indicative of the wind environment to which a pedestrian at the measurement location would be subjected. The locations are chosen to determine the degree of pedestrian comfort or discomfort at the building corners where relatively severe conditions frequently are found, near building entrances and on adjacent sidewalks where pedestrian traffic is heavy, and in open plaza areas. In most studies a reference pedestrian position, located about a block away, is also tested. These data are helpful in evaluating the degree of pedestrian comfort or discomfort in the proposed plaza area in terms of the undisturbed environment in the immediate vicinity.

Measurements are made with a single hot-wire anemometer mounted with its axis vertical. The instrumentation used is a Thermo Systems constant temperature anemometer (Model 1050) with a 0.001 in. diameter platinum film sensing element 0.020 in. long. Output is directed to the on-line data acquisition system for analysis.

Calibration of the hot-wire anemometer is performed by comparing output with the pitot-static tube in the wind tunnel. The calibration

data are fit to a variable exponent King's Law relationship of the form

$$E^2 = A + BU^n$$

where E is the hot-wire output voltage, U the velocity and A , B , and n are coefficients selected to fit the data. The above relationship was used to determine the mean velocity at measurement points using the measured mean voltage. The fluctuating velocity in the form U_{rms} (root-mean-square velocity) was obtained from

$$U_{\text{rms}} = \frac{2 E E_{\text{rms}}}{B n U^{n-1}}$$

where E_{rms} is the root-mean-square voltage output from the anemometer. For interpretation all turbulence measurements for pedestrian winds were divided by the mean velocity outside the boundary-layer U_{∞} . Turbulence intensity in velocity profile measurements used the local mean velocity.

4. RESULTS

4.1 Flow Visualization

A film is included as part of this report showing the characteristics of flow about the structure using smoke to make the flow visible. A listing of the contents of the film is shown in Table 1. Several features can be noted from the visualization. As with all large structures, wind approaching the building is deflected down to the plaza level, up over the structure and around the sides. A description of the smoke test results emphasizing flow patterns of concern relative to possible high-wind load areas and pedestrian comfort is given in Section 5.1.

4.2 Velocity

Velocity and turbulence profiles are shown in Figure 7. Profiles were taken upstream from the model which are characteristic of the boundary layer approaching the model and sometimes at the building site with building removed. The boundary-layer thickness, δ , is shown in Figure 7. The corresponding prototype value of δ for this study is also shown in the figure. This value was established as a reasonable height for this study. The mean velocity profile approaching the modeled area has the form

$$\frac{U}{U_{\infty}} = \left(\frac{z}{\delta}\right)^n.$$

The exponent n for the approach flow established for this study is shown in Figure 7.

Profiles of longitudinal turbulence intensity in the flow approaching the modeled area are shown in Figure 7. The turbulence intensities are appropriate for the approach mean velocity profile selected. For the velocity profiles, turbulence intensity is defined

as the root-mean-square about the mean of the longitudinal velocity fluctuations divided by the local mean velocity U ,

$$Tu = \frac{U_{rms}}{U} .$$

Velocity data obtained at each of the pedestrian measurement locations shown in Figure 4 are listed in Table 2 as mean velocity U/U_∞ , turbulence intensity U_{rms}/U_∞ , and largest effective gust

$$U_{pk} = \frac{U + 3U_{rms}}{U_\infty} .$$

These data are plotted in polar form in Figure 8. Measurements were taken 5 to 7 ft above the ground surface. A site map is superimposed on the polar plots to aid in visualization of the effects of the nearby structures on the velocity and turbulence magnitudes. An analysis of these wind data is given in Section 5.2.

To enable a quantitative assessment of the wind environment, the wind-tunnel data were combined with wind frequency and direction information obtained at the local airport. Table 3 shows wind frequency by direction and magnitude obtained from summaries published by the National Weather Service. These data, usually obtained at an elevation of about 30-40 ft, were converted to velocities at the reference velocity height for the wind-tunnel measurements and combined with the wind-tunnel data to obtain cumulative probability distributions (percent time a given velocity is exceeded) for wind velocity at each measuring location. The percentage times were summed by wind direction to obtain a percent time exceeded at each measuring position independent of wind direction (but accounting for the fact that the wind blows from different directions with varying frequency). These results are plotted in Figure 9.

Interpretation of Figure 9 is aided by a description of the effects of wind of various magnitudes on people. The earliest quantitative description of wind effects was established by Sir Francis Beaufort in 1806 for use at sea and is still in use today. Several recent investigators have added to the knowledge of wind effects on pedestrians. These investigations along with suggested criteria for acceptance have been summarized by Penwarden and Wise (4) and Melbourne (5). The Beaufort scale (from ref. 4), based on mean velocity only, is reproduced as Table 4 including qualitative descriptions of wind effects. Table 4 suggests that mean wind speeds below 12 mph are of minor concern and that mean speeds above 24 mph are definitely inconvenient. Quantitative criteria for acceptance from reference 5 are superimposed as dashed lines on Figure 9. The peak gust curves shown in Figure 9 are the percent of time during which a short gust of the stated magnitude could occur (say about one of these gusts per hour). Implications of the data plotted in Figure 9 are presented in Section 5.2.

Because some pedestrian wind measuring positions are purposely chosen at sites where the smoke tests showed large velocities of small spacial extent, the general wind environment about the structure may be less severe than one might infer from a strict analysis of Table 2 and Figure 9.

4.3 Pressures

For each of the pressure taps examined at each wind direction, the data record is analyzed to obtain four separate pressure coefficients. The first is the mean pressure coefficient

$$C_{p_{\text{mean}}} = \frac{(p-p_{\infty})_{\text{mean}}}{0.5 \rho U_{\infty}^2}$$

where the symbols are as defined in the List of Symbols. It represents the mean of the instantaneous pressure difference between the building pressure tap and the static pressure in the wind tunnel above the building model, nondimensionalized by the dynamic pressure

$$0.5 \rho U_{\infty}^2$$

at the reference velocity position. This relationship produces a dimensionless coefficient which indicates that the mean pressure difference between building and ambient wind at a given point on the structure is some fraction less or some fraction greater than the undisturbed wind dynamic pressure near the upper edge of the boundary layer. Using the measured coefficient, prototype mean pressure values for any wind velocity may be calculated.

The magnitude of the fluctuating pressure is obtained by the rms pressure coefficient

$$C_{p_{\text{rms}}} = \frac{\left((p-p_{\infty}) - (p-p_{\infty})_{\text{mean}} \right)_{\text{rms}}}{0.5 \rho U_{\infty}^2}$$

in which the numerator is the root-mean-square of the instantaneous pressure difference about the mean .

If the pressure fluctuations followed a Gaussian probability distribution, no additional data would be required to predict the

frequency with which any given pressure level would be observed. However, the pressure fluctuations do not, in general, follow a Gaussian probability distribution so that additional information is required to show the extreme values of pressure expected. The peak maximum and peak minimum pressure coefficients are used to determine these values:

$$C_{p_{\max}} = \frac{(p-p_{\infty})_{\max}}{0.5 \rho U_{\infty}^2}$$

$$C_{p_{\min}} = \frac{(p-p_{\infty})_{\min}}{0.5 \rho U_{\infty}^2}$$

The values of $p-p_{\infty}$ which were digitized at 250 samples per second for 16 seconds, representing about one hour of time in the full-scale, are examined individually by the computer to obtain the most positive and most negative values during the 16-second period. These are converted to $C_{p_{\max}}$ and $C_{p_{\min}}$ by nondimensionalizing with the free stream dynamic pressure.

The four pressure coefficients are calculated by the on-line data acquisition system computer and tabulated along with the approach wind azimuth in degrees from true north. The list of coefficients is included as Appendix A. The pressure tap code numbers used in the appendix are explained in Figure 3.

To determine the largest peak loads acting at any point on the structure for cladding design purposes, the pressure coefficients for all wind directions were searched to obtain, at each pressure tap, the largest peak positive and peak negative pressure coefficients. Table 6 lists the larger values and associated wind directions. Included in Section 5.3 is an analysis of the coefficients of Table 6 including the maximum values obtained and where they occurred on the building.

The pressure coefficients of Table 6 can be converted to full-scale loads by multiplication by a suitable reference pressure selected for the field site. This reference pressure is represented in the equations for pressure coefficients by the $0.5 \rho U_{\infty}^2$ denominator. This value is the dynamic pressure associated with an hourly mean wind at the reference velocity measurement position at the edge of the boundary layer. In general, the method of arriving at a design reference pressure for a particular site involves selection of a design wind velocity, translation of the velocity to an hourly mean wind at the reference velocity location and conversion to a reference pressure. Selection of the design velocity can be made from statistical analysis of extreme wind data or selected from wind maps contained in the proposed wind loading code ANSI A58.1 of the American National Standards Institute (6). The calculation of reference pressure for this study is shown in Table 5. The factor used in Table 5 to reduce gust winds to hourly mean winds is given in reference (7).

The reference pressure associated with the design hourly mean velocity at the reference velocity location can be used directly with the peak-pressure coefficients to obtain peak local design wind loads for cladding design. Local, instantaneous peak loads on the full-scale building suitable for cladding design were computed by multiplying the reference pressure of Table 5 by the peak coefficients of Table 6 and are listed as peak pressures in that table. The maximum psf loads given at each tap location are the largest peak positive and peak negative values found in the tests. For ease in visualizing the loads on the structure, contours of equal peak pressures for cladding load shown in Table 6 have been plotted on developed elevation views of the structure,

Figure 10. For control of water infiltration from outside to inside, the largest positive (inward-acting) pressure at each tap location is tabulated in Table 6.

For glass design pressures, a glass load factor is used to account for the different duration between measured peak pressures and the one minute loading commonly used in glass design charts. The design pressure used for glass is normally less than the peak pressures used for cladding design because of the static fatigue property of glass which can withstand higher pressures for short duration loads than for long duration loads. Recent research (8) indicates that the period of application of the peak pressures reported herein is about 5-10 seconds or less. If a glass design is based on these peak-pressure values, then a glass strength associated with this duration load should be used. Because glass design charts are normally based on some alternate load duration--usually one minute--then some reduction in peak loads should be made. An estimate of a load reduction factor can be obtained from an empirical relation of glass strength as a function of load duration. Current glass selection charts showing glass strength as a function of load duration (9) and older references (10) indicate the following load reduction factors:

	ref 9	ref 10
annealed float	0.80	0.81
heat strengthened	0.94	
tempered	0.97	0.98

Loadings appropriate for glass design can be computed by multiplying the peak-pressure loads of Table 6 by these load factors.

4.4 Forces and Moments

Force coefficients in the horizontal X and Y directions and moment coefficients about the X, Y, and Z axes with the origin at ground level at the base of the building with Z axis vertical may be computed for all wind directions tested by integration of mean pressures on the building. Overall forces and moments acting on the full-scale building due to wind loading which are useful in designing the structural framing of the proposed building may be obtained from use of these coefficients.

Force coefficients were computed for each floor for each wind direction using the equations shown below.

$$CF_X = \frac{F_X}{A_R 0.5 \rho U_\infty^2} \quad CF_Y = \frac{F_Y}{A_R 0.5 \rho U_\infty^2}$$

Terms and symbols used in the equations are defined in the List of Symbols and the axes are defined for the building in Figure 3. Force coefficients CF_X and CF_Y were computed for the horizontal forces acting along the X and Y axes using the mean pressure coefficient at each pressure tap. A_R represents a constant reference area for nondimensionalization of the forces and moments.

The total forces acting on the full-scale building for each floor and wind direction were computed by multiplying the above coefficients by the appropriate full-scale reference area, by the reference pressure of Table 5, and by a gust load factor selected for an appropriate wind gust duration. The gust load factor, shown in Table 5, was selected to increase the loads from an hourly mean load to that of a gust whose duration would be sufficient for its effect to be fully felt by the structure. A table of gust load factors for various gust durations is

incorporated in Table 5 so that force and moment data of Table 7 may be adjusted to a different load duration if desired.

The forces obtained at each floor were used to obtain load, shear, and moment diagrams for the building for each wind direction. The shear diagram, in kips, was obtained by algebraic sum of all forces in each coordinate direction acting above the floor of interest. The load diagram, in psf, was obtained by dividing the shear values by their contributing areas (listed in Table 7). The moment diagram, in 1000 ft-kips, was obtained by integration of the shear values so that the moment due to forces acting above the floor level of interest was calculated. The sign of the moment was established by the right-hand rule about an X', Y' axis through the floor of interest. Moments about the Z axis were calculated by considering the displacement of forces in the X and Y directions from the Z axis shown in Figure 3. Eccentricities were computed such that the product of the Y force and X eccentricity minus the product of the X force and Y eccentricity equaled the Z moment. Load, shear, and moment diagrams are shown in Figure 11 for several wind directions.

5. DISCUSSION

5.1 Flow Visualization

Flow patterns identified with smoke showed that the largest pressures would probably be found on or adjacent to the acute-angle corners of the building due to flow separation phenomena. A tendency for vortex formation near the top and bottom ends of these corners could produce larger local negative (outward-acting) pressures. Neither the vertical indentations on the diagonal faces nor the setbacks near the top of the building appeared to cause flow patterns which might result in higher pressures. The intersection of the setbacks with the planes of the east and west walls appeared to provide locations for small vortices which might increase negative pressures in local areas on the east and west walls.

Wind flow patterns about the building in pedestrian-level areas indicated high wind speeds around the northeast acute-angle corner and also about the southwest and southeast corners for critical wind directions. Wind speeds in the undercut pedestrian walkway on the west side appeared to be modest although the wind in the adjacent street appeared much higher. Winds at the far east end of that pedestrian walk were relatively high for critical wind directions. Winds near the entrance on the northwest diagonal and in the adjacent plaza appeared to be reasonably low.

5.2 Pedestrian Winds

Figure 4 shows the 21 locations selected for investigation of pedestrian wind comfort. Location 1 in Figure 4a was selected as a reference location which should be only moderately disturbed by presence of the Energy Centre building. Table 2 and Figure 8 show that

the largest values of mean velocity about the base of the building were measured at location 18 near the northeast acute-angle corner of the building with values ranging from 64 to 71 percent of the mean velocity, U_{∞} , at the boundary-layer height for three approach wind directions. The largest value at reference location 1 was 74 percent of U_{∞} . In an open-country environment, a value of about 40 to 45 percent might be expected.

The largest values of fluctuating velocity, U_{rms} , were measured at locations 1, 2, 3, 17 and 18 with the values ranging from 19 to 23 percent of U_{∞} . These are typical largest values for a city environment. For comparison, an open-country environment might expect values of 10 to 12 percent. The largest value of peak gust, represented by the mean plus 3 rms as discussed in Section 4.2, were measured at reference location 1 and at location 18 with values ranging from 113 to 114 percent of U_{∞} for 3 wind directions at reference location 1 and from 106 to 116 percent for 6 wind directions at location 18. For comparison, an open-country environment might expect values of 75 to 85 percent of U_{∞} .

Velocity data of Table 2 integrated with local wind data listed in Table 3 are shown in Figure 9. Based on the data of this figure, the windiest locations about the base of the building should be 4, 18 and 19 which should become uncomfortable for walking about 10 to 15 percent of the time. Location 18 should be considered marginally acceptable about 1 percent of the time. These were the locations identified with smoke visualization as potentially windy locations. Reference location 1 is very similar in windiness to location 18. All other locations about the building have quite low to moderate winds.

The results of the pedestrian wind analysis showed that the windiest locations about the base of the Energy Centre building, locations 4 and 18 at the northeast corner and southwest corner, had very similar wind characteristics to reference location 1. These locations should be uncomfortable for walking about 10 to 15 percent of the time. Except for these two local areas, the pedestrian environment should not experience significant pedestrian inconvenience due to winds. On the whole, the pedestrian wind environment should be less windy than those commonly found in a large-building environment.

5.3 Pressures

Table 6 shows the largest peak pressure coefficients and corresponding loads measured on the building for each pressure tap location. Data identified as Configuration A in Table 6 and Appendix A represent data obtained at all tap locations for 36 wind directions. Configuration B represents data obtained at selected taps at 2-degree azimuthal increments near azimuths where large pressure peaks were observed in Configuration A to ensure that the largest peaks were obtained. The largest peak pressure coefficient measured on the building was -3.4 at tap 667 for an approach wind direction of 190 degrees. This location is on the west face of the building at the lower setback where a vortex development was observed during flow visualization. This largest coefficient, using the 50-year recurrence wind reference pressure and directional load factors of Table 5, represents a peak cladding pressure of -124 psf. As shown in Figure 10, most areas of the building had peak cladding pressures in the 30 to 50 psf range.

Some variability in measured peak pressures was observed at a few pressure tap locations as seen by a comparison of data from Configurations A and B--for example, the peak pressures at taps 667 and 191 were -107 and -121 psf during the Configuration B data run as compared to -124 and -96, respectively, measured during the Configuration A data run. This variability is inherent in a semi-attached vortex flow. The contours of peak pressure shown in Figure 10 represent an adequate definition of design wind load for cladding despite this variability.

Figure 11 shows load, shear and moment distributions plotted from Table 7 for the largest loads in the X and Y directions. The maximum load in each direction is accompanied by a significant load component in the perpendicular direction.

REFERENCES

1. Cermak, J. E., "Laboratory Simulation of the Atmospheric Boundary Layer," AIAA J1., Vol. 9, September 1971.
2. Cermak, J. E., "Applications of Fluid Mechanics to Wind Engineering," A Freeman Scholar Lecture, ASME J1. of Fluids Engineering, Vol. 97, No. 1, March 1975.
3. Cermak, J. E., "Aerodynamics of Buildings," Annual Review of Fluid Mechanics, Vol. 8, 1976, pp. 75-106.
4. Penwarden, A. D., and Wise, A. F. E., "Wind Environment Around Buildings," Building Research Establishment Report, HMSO, 1975.
5. Melbourne, W. H., "Criteria for Environmental Wind Conditions," J1. Industrial Aerodynamics, vol. 3, pp. 241-247, 1978.
6. American National Standards Institute, "American National Standard Building Code Requirements for Minimum Design Loads in Buildings and Other Structures," ANSI Standard A58.1, 1972.
7. Hollister, S. C., "The Engineering Interpretation of Weather Bureau Records for Wind Loading on Structures," Building Science Series 30--Wind Loads on Buildings and Structures, National Bureau of Standards, pp. 151-164, 1970.
8. Peterka, J. A., and Cermak, J. E., "Peak-Pressure Duration in Separated Regions on a Structure," U.S.-Japan Research Seminar on Wind Effects on Structures, Kyoto, Japan, 9-13 September 1974; Report CEP74-75JAP-JEC8, Fluid Mechanics Program, Colorado State University, September 1974.
9. PPG Glass Thickness Recommendations to Meet Architects' Specified 1-Minute Wind Load, Pittsburgh Plate Glass Industries, April 1979.
10. Shand, E. B., "Glass Engineering Handbook," Second Edition, McGraw-Hill, New York, p. 51, 1958.

FIGURES






Figure 1. FLUID DYNAMICS AND DIFFUSION LABORATORY
COLORADO STATE UNIVERSITY



ENVIRONMENTAL WIND TUNNEL
Figure 2. Wind-Tunnel Configuration






Figure 3b. Pressure Tap Locations




Figure 3c. Pressure Tap Locations




Figure 3d. Pressure Tap Locations




Figure 3e. Pressure Tap Locations




Figure 3f. Pressure Tap Locations




Figure 3g. Pressure Tap Locations




Figure 4a. Building Location and Pedestrian Wind Velocity Measuring Positions




Figure 4b. Building Location and Pedestrian Wind Velocity Measuring Positions



Figure 5. Completed Model in Wind Tunnel



Figure 5. Completed Model in Wind Tunnel




Figure 6. Data Sampling Time Verification






Figure 7. Mean Velocity and Turbulence Profiles Approaching the Model

$\frac{U_{mean}}{U_{inf}}$ ———
 $\frac{U_{mean} + 3 \cdot U_{rms}}{U_{inf}}$ - - - -

Location 1

$\frac{U_{rms}}{U_{inf}}$ - - - -
.25/Div



$\frac{U_{mean}}{U_{inf}}$ ———
 $\frac{U_{mean} + 3 \cdot U_{rms}}{U_{inf}}$ - - - -

Location 2

$\frac{U_{rms}}{U_{inf}}$ - - - -
.25/Div




Figure 8a. Mean Velocities and Turbulence Intensities at Pedestrian Locations 1 and 2

$\frac{U_{mean}}{U_{inf}}$ ———


$\frac{U_{mean} + 3 \cdot U_{rms}}{U_{inf}}$ - - -

Location 3

$\frac{U_{rms}}{U_{inf}}$ - - -

.25/Div

.05/Div



$\frac{U_{mean}}{U_{inf}}$ ———

$\frac{U_{mean} + 3 \cdot U_{rms}}{U_{inf}}$ - - -

Location 4

$\frac{U_{rms}}{U_{inf}}$ - - -

.25/Div

.05/Div




Figure 8b. Mean Velocities and Turbulence Intensities at Pedestrian Locations 3 and 4





Figure 8c. Mean Velocities and Turbulence Intensities at Pedestrian Locations 5 and 6





Figure 8d. Mean Velocities and Turbulence Intensities at Pedestrian Locations 7 and 8





Figure 8e. Mean Velocities and Turbulence Intensities at Pedestrian Locations 9 and 10


$\frac{U_{mean}}{U_{inf}}$ ———

$\frac{U_{mean} + 3*U_{rms}}{U_{inf}}$ - - -

Location 11

$\frac{U_{rms}}{U_{inf}}$ - - -

.25/Div



$\frac{U_{rms}}{U_{inf}}$ - - -

.05/Div


$\frac{U_{mean}}{U_{inf}}$ ———

$\frac{U_{mean} + 3*U_{rms}}{U_{inf}}$ - - -

Location 12

$\frac{U_{rms}}{U_{inf}}$ - - -

.25/Div



$\frac{U_{rms}}{U_{inf}}$ - - -

.05/Div

Figure 8f. Mean Velocities and Turbulence Intensities at Pedestrian Locations 11 and 12


$\frac{U_{mean}}{U_{inf}}$ ———

$\frac{U_{mean} + 3*U_{rms}}{U_{inf}}$ - - -

.25/Div

$\frac{U_{rms}}{U_{inf}}$ - - -

.05/Div



$\frac{U_{mean}}{U_{inf}}$ ———

$\frac{U_{mean} + 3*U_{rms}}{U_{inf}}$ - - -

.25/Div

$\frac{U_{rms}}{U_{inf}}$ - - -

.05/Div




Figure 8g. Mean Velocities and Turbulence Intensities at Pedestrian Locations 13 and 14

$$\frac{U_{mean}}{U_{inf}} \text{ ———}$$

$$U_{inf}$$


$$\frac{U_{mean} + 3 \cdot U_{rms}}{U_{inf}} \text{ - - -}$$

$$U_{inf}$$

$$.25/Div$$

$$\frac{U_{rms}}{U_{inf}} \text{ - - -}$$

$$U_{inf}$$

$$.05/Div$$


$$\frac{U_{mean}}{U_{inf}} \text{ ———}$$

$$U_{inf}$$

$$\frac{U_{mean} + 3 \cdot U_{rms}}{U_{inf}} \text{ - - -}$$

$$U_{inf}$$

$$.25/Div$$

$$\frac{U_{rms}}{U_{inf}} \text{ - - -}$$

$$U_{inf}$$


$$.05/Div$$


Figure 8h. Mean Velocities and Turbulence Intensities at Pedestrian Locations 15 and 16





Figure 8i. Mean Velocities and Turbulence Intensities at Pedestrian Locations 17 and 18





Figure 8j. Mean Velocities and Turbulence Intensities at Pedestrian Locations 19 and 20




Figure 8k. Mean Velocities and Turbulence Intensities at Pedestrian Location 21





Figure 9a. Wind Velocity Probabilities for Pedestrian Locations





Figure 9b. Wind Velocity Probabilities for Pedestrian Locations





Figure 9c. Wind Velocity Probabilities for Pedestrian Locations





Figure 9d. Wind Velocity Probabilities for Pedestrian Locations





Figure 9e. Wind Velocity Probabilities for Pedestrian Locations

WEST ELEVATION
 NEGATIVE PEAK CLADDING LOADS (PSF)
 FOR 50 YEAR RECURRENCE WIND
 REFERENCE PRESSURE = 38 PSF




Figure 10a. Peak Pressure Contours on the Building
 for Cladding Loads

EAST ELEVATION
NEGATIVE PEAK CLADDING LOADS (PSF)
FOR 50 YEAR RECURRENCE WIND
REFERENCE PRESSURE = 38 PSF




Figure 10b. Peak Pressure Contours on the Building
for Cladding Loads

WEST ELEVATION
POSITIVE PEAK CLADDING LOADS (PSF)
FOR 50 YEAR RECURRENCE WIND
REFERENCE PRESSURE = 38 PSF




Figure 10c. Peak Pressure Contours on the Building
for Cladding Loads

EAST ELEVATION
POSITIVE PEAK CLADDING LOADS (PSF)
FOR 50 YEAR RECURRENCE WIND
REFERENCE PRESSURE = 38 PSF




Figure 10d. Peak Pressure Contours on the Building
for Cladding Loads





Figure 11. Load, Shear, and Moment Diagrams for Selected Wind Directions



WIND DIRECTION 140

Figure 11. Load, Shear, and Moment Diagrams for Selected Wind Directions

TABLES

TABLE 1

MOTION PICTURE SCENE GUIDE

1. Introduction
2. Purposes for model testing
3. Procedures for conducting tests
4. Specific flow visualization scenes for

NEW ORLEANS ENERGY CENTRE

HIGH PRESSURE AREAS

<u>Run</u>	<u>Pressure Tap</u>	<u>Azimuth, °</u>
1	667	190
2	667	200
3	915	230

HIGH PEDESTRIAN WIND VELOCITIES

<u>Run</u>	<u>Pedestrian Location</u>	<u>Azimuth, °</u>
4	18	315
5	4	135

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

LOCATION 1

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	24.2	17.7	77.3
22.50	37.1	20.1	97.4
45.00	37.1	15.6	83.9
67.50	47.5	15.1	92.7
90.00	73.7	13.0	112.6
112.50	72.6	13.7	113.8
135.00	60.8	13.4	101.1
157.50	33.8	14.3	76.6
180.00	20.9	13.0	59.9
202.50	20.8	21.0	113.8
225.00	11.4	16.8	101.8
247.50	35.9	16.9	86.6
270.00	19.9	14.2	62.5
292.50	19.8	13.4	60.1
315.00	7.0	5.9	24.7
337.50	9.8	9.2	37.4

LOCATION 2

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	25.4	11.0	58.3
22.50	13.2	7.7	36.3
45.00	8.8	6.2	27.5
67.50	9.1	5.5	25.5
90.00	12.3	8.6	38.0
112.50	7.8	6.2	26.4
135.00	11.5	9.9	41.2
157.50	16.5	14.4	55.6
180.00	32.1	21.0	93.1
202.50	33.1	17.2	84.7
225.00	18.7	13.8	60.2
247.50	11.5	9.1	38.8
270.00	35.5	14.4	78.6
292.50	33.7	13.1	73.1
315.00	36.9	11.5	71.4
337.50	38.8	12.8	77.3

LOCATION 3

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	32.8	9.0	59.9
22.50	20.1	7.3	41.9
45.00	10.7	6.8	31.0
67.50	11.7	8.0	35.8
90.00	16.4	8.3	41.5
112.50	19.7	9.4	47.9
135.00	24.9	13.4	65.0
157.50	31.6	18.7	87.6
180.00	42.5	20.8	105.0
202.50	37.5	16.3	86.4
225.00	25.9	14.9	70.5
247.50	16.1	10.7	48.5
270.00	24.3	9.2	52.0
292.50	25.7	9.2	53.4
315.00	36.2	10.5	67.2
337.50	40.1	9.5	68.5

LOCATION 4

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	16.2	8.0	40.2
22.50	8.9	5.1	24.3
45.00	5.4	3.7	16.4
67.50	5.1	3.6	15.8
90.00	33.7	13.6	74.6
112.50	57.9	10.7	89.9
135.00	61.6	10.6	93.3
157.50	59.5	10.7	91.6
180.00	52.5	12.3	89.4
202.50	30.7	14.4	74.0
225.00	15.9	11.5	50.6
247.50	12.9	10.1	43.0
270.00	27.6	13.6	68.5
292.50	23.9	11.3	57.7
315.00	24.1	11.0	57.3
337.50	25.6	12.1	61.9

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

LOCATION 5

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	6.9	5.6	23.7
22.50	5.3	3.8	16.8
45.00	2.6	2.2	8.6
67.50	7.4	3.9	25.2
90.00	22.6	13.7	63.5
112.50	25.3	13.3	65.1
135.00	27.3	11.0	60.3
157.50	17.4	10.0	47.3
180.00	11.2	7.4	33.4
202.50	11.0	7.9	34.6
225.00	18.6	13.2	58.3
247.50	8.9	7.1	30.2
270.00	16.0	11.7	51.2
292.50	16.1	13.2	55.5
315.00	12.6	12.6	55.5
337.50	9.3	9.0	36.3

LOCATION 6

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	11.9	6.9	32.6
22.50	7.3	4.5	20.7
45.00	13.7	9.1	41.0
67.50	19.6	13.0	58.7
90.00	23.6	12.4	60.7
112.50	27.2	14.3	70.2
135.00	24.3	13.0	60.2
157.50	33.1	15.9	63.8
180.00	39.1	18.3	66.8
202.50	30.6	13.3	70.5
225.00	24.4	13.4	64.6
247.50	6.9	5.0	22.0
270.00	17.1	13.0	56.2
292.50	25.5	17.4	77.8
315.00	14.0	9.1	41.4
337.50	13.4	8.5	38.7

LOCATION 7

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	14.2	6.1	32.5
22.50	12.4	5.3	28.2
45.00	7.6	3.0	16.6
67.50	5.8	2.1	12.0
90.00	8.0	3.5	18.5
112.50	8.7	4.0	20.7
135.00	6.8	2.8	15.2
157.50	6.1	2.1	12.3
180.00	6.4	2.5	13.8
202.50	5.6	1.8	11.0
225.00	6.2	2.3	13.0
247.50	6.2	2.3	13.1
270.00	8.7	4.0	20.8
292.50	8.1	4.1	20.3
315.00	14.4	7.3	36.3
337.50	15.1	7.3	37.1

LOCATION 8

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	30.0	9.6	58.8
22.50	20.9	7.9	44.5
45.00	5.5	2.9	14.3
67.50	7.7	3.7	18.9
90.00	18.3	5.5	24.7
112.50	18.3	6.6	30.3
135.00	19.2	11.0	52.3
157.50	26.1	10.8	53.4
180.00	17.9	11.0	50.8
202.50	10.9	7.2	32.4
225.00	11.4	7.7	34.4
247.50	8.5	5.2	24.1
270.00	13.7	5.4	30.0
292.50	14.9	6.7	35.1
315.00	27.5	10.3	58.3
337.50	33.4	10.7	65.4

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

LOCATION 9

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	20.1	9.1	47.3
22.50	12.3	5.6	29.1
45.00	16.7	1.9	3.6
67.50	10.2	5.3	26.5
90.00	11.8	7.8	35.6
112.50	7.9	3.3	17.4
135.00	9.5	4.6	23.4
157.50	12.6	7.6	35.3
180.00	16.0	9.4	44.2
202.50	13.3	6.8	33.8
225.00	10.2	5.8	27.7
247.50	9.9	3.3	25.9
270.00	17.6	10.2	48.2
292.50	16.4	7.5	38.8
315.00	22.3	10.4	53.3
337.50	21.8	10.7	53.9

LOCATION 10

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	34.0	12.7	72.0
22.50	30.2	11.1	63.4
45.00	7.3	4.1	19.6
67.50	9.9	5.2	25.6
90.00	11.1	7.2	32.7
112.50	9.1	5.5	25.7
135.00	14.0	8.0	38.1
157.50	17.7	9.5	46.3
180.00	13.0	7.6	35.6
202.50	7.9	4.5	21.4
225.00	10.9	6.9	31.5
247.50	8.4	4.4	21.4
270.00	10.7	5.3	26.8
292.50	9.6	5.3	25.6
315.00	21.5	10.4	52.7
337.50	30.5	12.3	67.5

LOCATION 11

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	44.9	13.6	85.8
22.50	41.9	11.7	77.0
45.00	19.3	10.7	51.2
67.50	12.1	6.5	31.7
90.00	19.0	8.8	45.4
112.50	17.0	9.6	45.8
135.00	11.4	5.8	28.7
157.50	12.1	6.0	30.0
180.00	17.4	10.4	48.5
202.50	15.4	8.1	39.7
225.00	15.2	8.6	41.0
247.50	14.2	7.8	37.6
270.00	32.9	13.1	72.2
292.50	19.0	10.6	50.8
315.00	27.9	12.0	64.1
337.50	38.9	17.7	92.0

LOCATION 12

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	41.4	15.1	86.8
22.50	39.2	12.3	76.0
45.00	10.9	7.3	33.4
67.50	7.5	5.7	24.8
90.00	14.4	8.5	39.9
112.50	9.4	7.3	31.3
135.00	8.5	7.0	29.5
157.50	11.9	9.1	39.1
180.00	9.3	7.0	30.3
202.50	7.0	5.2	22.6
225.00	8.6	6.4	27.7
247.50	7.0	5.3	22.8
270.00	20.3	9.0	47.3
292.50	13.2	8.7	39.4
315.00	22.0	11.8	57.3
337.50	38.1	15.9	85.7

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

LOCATION 13

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	18.4	7.5	40.8
22.50	16.3	6.5	35.8
45.00	10.3	3.9	21.9
67.50	7.9	2.7	16.1
90.00	10.8	5.5	24.3
112.50	11.8	6.1	27.0
135.00	9.3	4.6	20.2
157.50	8.4	3.6	16.6
180.00	8.7	3.2	18.3
202.50	7.6	3.4	14.7
225.00	8.4	3.0	17.3
247.50	8.4	3.0	17.4
270.00	11.6	5.1	26.9
292.50	10.9	5.2	26.5
315.00	18.7	8.9	45.3
337.50	19.6	8.9	46.2

LOCATION 14

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	31.2	12.8	69.7
22.50	28.0	9.3	55.8
45.00	16.2	8.4	41.3
67.50	12.1	6.3	30.9
90.00	17.2	8.9	43.8
112.50	17.9	9.1	45.3
135.00	14.2	7.5	36.8
157.50	12.7	6.2	31.5
180.00	13.4	7.1	34.8
202.50	10.6	4.2	23.3
225.00	12.0	6.5	31.5
247.50	12.1	5.8	29.4
270.00	33.8	14.3	76.8
292.50	18.2	8.8	44.6
315.00	18.7	9.3	46.5
337.50	26.5	13.5	67.0

LOCATION 15

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	24.4	10.9	57.2
22.50	23.4	10.0	53.5
45.00	13.9	8.0	40.0
67.50	17.2	9.7	46.3
90.00	18.0	9.9	47.8
112.50	18.8	8.8	45.3
135.00	18.2	10.0	48.2
157.50	16.5	9.4	44.6
180.00	20.7	11.4	54.8
202.50	17.4	8.4	42.6
225.00	13.5	7.3	35.4
247.50	13.2	6.7	33.2
270.00	22.5	12.3	59.3
292.50	21.0	9.0	48.0
315.00	28.1	12.2	64.6
337.50	27.5	12.6	65.4

LOCATION 16

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	23.7	11.0	56.8
22.50	21.1	10.1	51.4
45.00	10.8	6.6	30.7
67.50	11.3	7.2	32.8
90.00	14.9	9.0	41.8
112.50	12.9	8.3	37.9
135.00	12.2	7.6	34.9
157.50	12.3	7.5	34.9
180.00	14.2	8.8	40.5
202.50	12.2	7.3	34.2
225.00	8.6	5.2	24.4
247.50	8.5	5.1	23.8
270.00	22.6	12.3	59.4
292.50	22.6	9.6	51.3
315.00	29.8	10.7	61.8
337.50	27.3	11.6	62.1

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

LOCATION 17

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	27.1	15.0	72.3
22.50	18.0	10.4	49.2
45.00	13.4	7.8	36.8
67.50	14.2	8.4	36.4
90.00	21.1	13.1	60.5
112.50	33.5	20.0	93.4
135.00	31.0	17.5	83.6
157.50	29.2	16.6	78.9
180.00	29.7	16.0	77.6
202.50	20.2	11.1	53.6
225.00	13.6	8.1	37.7
247.50	14.7	7.2	38.8
270.00	27.4	12.6	63.3
292.50	25.3	14.0	63.4
315.00	24.7	13.7	63.4
337.50	34.2	17.7	87.2

LOCATION 18

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	63.5	16.5	113.1
22.50	49.9	18.8	106.2
45.00	10.5	9.3	38.5
67.50	12.8	10.1	43.2
90.00	4.2	4.1	16.4
112.50	3.9	3.2	13.5
135.00	3.6	3.0	12.5
157.50	4.5	3.7	15.6
180.00	6.4	6.2	25.0
202.50	6.0	5.4	22.1
225.00	4.7	4.4	17.9
247.50	5.6	5.3	21.5
270.00	41.2	23.2	110.9
292.50	55.5	18.5	111.1
315.00	71.4	14.5	115.0
337.50	70.2	15.1	115.5

LOCATION 19

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	45.0	11.0	78.0
22.50	36.8	9.9	66.5
45.00	13.6	8.6	39.5
67.50	18.9	10.1	49.2
90.00	25.9	10.8	58.4
112.50	51.2	14.8	95.6
135.00	59.9	15.4	106.0
157.50	51.2	15.3	97.1
180.00	26.7	14.1	68.9
202.50	11.0	6.7	31.1
225.00	9.8	5.6	26.6
247.50	10.2	5.7	27.3
270.00	30.5	11.5	65.1
292.50	34.6	10.1	65.1
315.00	44.8	11.5	79.9
337.50	49.8	12.9	88.6

LOCATION 20

WIND AZIMUTH	UMEAN/UINF (PERCENT)	URMS/UINF (PERCENT)	UMEAN+3*URMS/UINF (PERCENT)
0.00	20.7	13.4	60.8
22.50	16.4	10.9	49.0
45.00	11.2	7.7	34.3
67.50	13.3	9.7	42.4
90.00	20.3	10.2	51.0
112.50	24.1	11.1	57.4
135.00	26.3	10.9	59.1
157.50	27.7	12.5	65.2
180.00	25.2	11.2	58.9
202.50	15.9	11.8	51.4
225.00	7.4	6.2	26.0
247.50	6.8	4.3	20.4
270.00	11.0	9.3	39.5
292.50	10.8	9.5	39.5
315.00	8.3	6.2	26.9
337.50	10.6	7.9	34.4

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

LOCATION 21

WIND AZIMUTH	U _{MEAN} /U _{INF} (PERCENT)	U _{RMS} /U _{INF} (PERCENT)	U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)
0.00	10.1	7.9	33.9
22.50	10.2	6.0	25.2
45.00	12.8	8.6	38.5
67.50	17.0	11.4	51.3
90.00	12.3	9.0	39.3
112.50	19.3	12.9	58.0
135.00	16.5	11.3	50.6
157.50	30.2	13.9	72.0
180.00	42.2	12.9	80.9
202.50	39.2	14.7	83.2
225.00	22.7	12.5	60.1
247.50	4.6	2.8	12.9
270.00	10.9	8.4	36.0
292.50	15.2	10.8	47.6
315.00	14.5	11.6	49.3
337.50	9.6	8.1	34.0

TABLE 2--PEDESTRIAN WIND VELOCITIES AND TURBULENCE INTENSITIES
ENERGY CENTRE, NEW ORLEANS

* * GREATEST VALUES * *

U _{MEAN} /U _{INF} (PERCENT)					U _{RMS} /U _{INF} (PERCENT)					U _{MEAN} +3*U _{RMS} /U _{INF} (PERCENT)				
LOC	AZ	MEAN	RMS	M+3RMS	LOC	AZ	MEAN	RMS	M+3RMS	LOC	AZ	MEAN	RMS	M+3RMS
1	90.0	73.7	13.0	112.6	18	270.0	41.2	23.2	110.9	18	337.5	70.2	15.1	115.5
1	112.5	72.6	13.7	113.8	1	202.5	50.8	21.0	113.8	18	315.0	71.4	14.5	115.0
18	315.0	71.4	14.5	115.0	2	180.0	32.1	21.0	95.1	1	112.5	72.6	13.7	113.8
18	337.5	70.2	15.1	115.5	3	180.0	42.5	20.8	105.0	1	202.5	50.8	21.0	113.8
18	0.0	63.5	16.5	113.1	1	22.5	37.1	20.1	97.4	18	0.0	63.5	16.5	113.1
4	135.0	61.6	10.6	93.3	17	112.5	33.5	20.0	93.4	1	90.0	73.7	13.0	112.6
1	135.0	60.8	13.4	101.1	18	22.5	49.9	18.8	106.2	18	292.5	55.5	18.5	111.1
19	135.0	59.9	15.4	106.0	3	157.5	31.6	18.7	87.6	18	270.0	41.2	23.2	110.9
4	157.5	59.5	10.7	91.6	18	292.5	55.5	18.5	111.1	18	22.5	49.9	18.8	106.2
4	112.5	57.9	10.7	89.9	11	337.5	38.9	17.7	92.0	19	135.0	59.9	15.4	106.0

TABLE 3

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED

NEW ORLEANS, LOUISIANA

INT. ARPT (1965-1974)

SEASON : ANNUAL NO. OF OBS. = 29216 HT. OF MEAS. = 20. FT.

VELOCITY LEVELS IN MPH

DIRECTION	0- 3	4- 7	8-12	13-18	19-24	25 +	TOTAL
N	1.10	3.10	3.90	2.50	.20	0.00	10.80
NNE	.70	1.90	2.70	1.30	0.00	0.00	6.70
NNE	.80	1.90	2.80	1.20	0.00	0.00	6.70
NNE	1.00	2.10	2.30	1.10	0.00	0.00	6.50
E	1.00	2.30	2.20	.90	.10	0.00	6.50
ESE	.60	2.20	2.20	.80	.10	0.00	5.90
ESE	.30	1.50	2.50	1.30	.10	0.00	5.70
SSE	.20	1.30	2.40	1.60	.20	0.00	5.70
SSS	.50	2.50	3.80	2.50	.30	0.00	9.70
SSW	.50	1.90	1.50	.50	.10	0.00	4.50
SSW	.60	1.60	1.20	.50	0.00	0.00	3.80
SSW	.70	1.20	.90	.40	0.00	0.00	3.30
W	1.30	1.70	.90	.50	.10	0.00	4.60
WNW	.70	1.10	.90	.40	0.00	0.00	3.00
NW	.70	1.00	.90	.10	0.00	0.00	3.70
NW	.80	1.10	1.60	1.20	.20	0.00	4.80
NW	.80	1.10	1.60	1.20	.20	0.00	4.80
CALM	8.00	0.00	0.00	0.00	0.00	0.00	8.00
TOT	19.20	28.50	32.70	17.70	1.60	.20	100.00

TABLE 4
SUMMARY OF WIND EFFECTS ON PEOPLE

	<u>Beaufort number</u>	<u>Speed (mph)</u>	<u>Effects</u>
Calm, light air	0, 1	0- 3	Calm, no noticeable wind
Light breeze	2	4- 7	Wind felt on face
Gentle breeze	3	8-12	Wind extends light flag Hair is disturbed Clothing flaps
Moderate breeze	4	13-18	Raises dust, dry soil and loose paper Hair disarranged
Fresh breeze	5	19-24	Force of wind felt on body Drifting snow becomes airborne Limit of agreeable wind on land
Strong breeze	6	25-31	Umbrellas used with difficulty Hair blown straight Difficult to walk steadily Wind noise on ears unpleasant Windborne snow above head height (blizzard)
Near gale	7	32-38	Inconvenience felt when walking
Gale	8	39-46	Generally impedes progress Great difficulty with balance in gusts
Strong gale	9	47-54	People blown over by gusts

Note: Table from Reference 4, p. 40.

TABLE 5

CALCULATION OF REFERENCE PRESSURE

1. Basic wind speed from ANSI A58.1 (Ref. 6):

50-year fastest mile at 30 ft = 90 mph

Mean hourly wind speed = $\frac{90}{1.28} = 70.3$ mph

Mean hourly gradient wind speed = $70.3 \left(\frac{900}{30} \right)^{.16} = 121.1$ mph

Mean hourly wind at reference location = U_{∞} = gradient wind
= 121.1 mph

Reference Pressure = $0.5 \rho U_{\infty}^2 = (.00256) (121.1)^2 = \underline{\underline{37.6}}$

Use 38 psf

2. Loads for 100-year recurrence wind:

100-year fastest mile at 30 ft = 102 mph

Multiply 50-year loads by $\frac{102}{90}^2 = 1.28$

3. Gust load factors to convert hourly mean integrated loads to various gust durations (see Section 4.4):

<u>Gust Duration (sec)</u>	<u>Gust Load Factor</u>
10 - 15	$(1.40)^2 = 1.96$
30	$(1.32)^2 = 1.74$
45	$(1.26)^2 = 1.59$

The 30-second gust load factor was used in Table 7.




TABLE 5 (continued)

TABLE 5 (continued)

APPROACH WIND DIRECTION, DEGREES	FASTEST MILE WIND SPEED MPH*	DIRECTIONAL LOAD FACTOR FOR REFERENCE PRESSURE*
0	76	0.71
10	79	0.77
20	82	0.83
30	85	0.89
40	88	0.96
50	89	0.98
60	90	1.00
70	90	1.00
80	87	0.93
90	85	0.89
100	82	0.83
110	83	0.85
120	84	0.87
130	85	0.89
140	86	0.96
150	87	0.93
160	88	0.96
170	89	0.98
180	90	1.00
190	88	0.96
200	85	0.89
210	83	0.85
220	81	0.81
230	78	0.75
240	76	0.71
250	73	0.66
260	72	0.64
270	73	0.66
280	73	0.66
290	73	0.66
300	74	0.68
310	74	0.68
320	74	0.68
330	75	0.83
340	75	0.83
350	75	0.83

*Based on upper-bound curve on previous page.

TABLE 6A. PEAK LOADS FOR CONFIGURATION A
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK PSF	POSITIVE PEAK PSF	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK PSF	POSITIVE PEAK PSF	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK PSF	POSITIVE PEAK PSF
101	60	-1.93	-73.5	37.2	149	170	-1.30	-48.3	37.6	197	60	1.18	-44.7	40.4
102	90	-1.17	-39.4	34.1	150	70	-1.16	-44.1	40.0	198	340	1.17	-35.1	37.0
103	50	-1.16	-43.3	36.4	151	330	-1.34	-41.6	42.4	199	330	1.33	-34.8	42.0
104	60	-1.17	-44.6	36.6	152	230	-1.46	-41.7	39.1	200	230	-1.53	-43.7	37.4
105	70	-1.20	-45.6	28.6	153	350	-1.45	-40.8	45.9	201	330	-1.36	-36.9	42.9
106	60	-1.95	-36.0	35.4	154	340	-1.29	-38.1	40.0	202	220	-1.45	-44.4	30.0
107	180	-1.00	-37.8	34.4	155	330	-1.40	-36.2	44.4	203	180	-1.01	-38.0	36.6
108	70	-1.50	-57.0	30.3	156	180	-1.10	-41.8	36.2	204	70	-2.22	-84.4	33.5
109	70	-1.26	-47.9	40.1	157	70	-1.09	-41.5	40.6	205	70	-1.75	-66.3	32.5
110	340	-1.22	-38.0	38.4	158	70	-1.99	-75.5	46.2	206	70	-1.68	-64.0	30.0
111	60	-1.56	-59.4	32.2	159	60	-1.22	-46.5	35.5	207	60	-2.07	-74.0	30.0
112	230	-1.49	-42.4	34.9	160	50	-1.31	-48.8	32.5	208	50	-1.23	-45.9	39.9
113	170	-1.59	-59.3	33.3	161	60	-1.20	-45.4	36.6	209	70	-1.23	-46.7	35.5
114	60	-1.73	-65.5	47.7	162	170	-1.92	-34.1	35.5	210	60	-1.03	-39.9	33.1
115	70	-1.68	-64.0	47.7	163	330	-1.04	-30.9	32.8	211	330	1.12	-33.4	32.2
116	70	-1.53	-58.1	40.0	164	180	-1.84	-31.1	30.0	212	330	1.13	-33.4	32.2
117	70	-1.35	-51.2	29.8	165	220	-1.11	-34.1	30.0	213	180	-1.96	-33.6	31.1
118	170	-1.04	-38.7	29.4	166	180	-1.17	-44.5	30.0	214	210	-1.11	-35.5	30.0
119	70	-1.28	-48.5	27.4	167	70	-2.26	-85.8	43.7	215	70	-1.36	-51.1	30.6
120	70	-1.10	-41.7	26.9	168	70	-1.53	-58.1	41.4	216	60	1.25	-47.6	30.0
121	230	-1.54	-43.8	35.0	169	70	-2.36	-89.9	34.4	217	10	-1.11	-32.4	30.0
122	180	-1.51	-57.2	32.2	170	60	-1.29	-49.2	33.0	218	170	-1.99	-32.6	32.2
123	170	-1.64	-62.4	45.0	171	70	-1.42	-53.9	34.4	219	170	-1.85	-33.1	34.4
124	150	-1.36	-48.2	44.4	172	60	-1.06	-40.3	39.3	220	90	-1.85	-32.8	33.3
125	50	-1.48	-55.2	39.9	173	230	-1.32	-37.7	35.5	221	170	-1.76	-32.8	32.2
126	60	-1.22	-46.2	41.5	174	60	-1.14	-43.2	35.5	222	170	-1.86	-33.1	32.2
127	60	-1.25	-47.6	37.2	175	160	-1.11	-40.0	38.6	223	170	-1.87	-33.2	33.3
128	60	-1.45	-55.1	40.5	176	330	-1.24	-36.2	39.9	224	140	-1.83	-33.0	32.2
129	340	-1.32	-34.3	41.6	177	70	-1.31	-49.7	42.8	225	170	-1.81	-33.0	32.2
130	70	-1.44	-54.7	41.3	178	230	-1.36	-41.9	43.0	226	140	-1.96	-33.4	32.2
131	70	-1.25	-47.5	40.9	179	290	-2.16	-54.4	36.6	227	170	-1.90	-33.3	32.2
132	330	-1.33	-41.0	42.0	180	60	-2.28	-86.5	44.4	228	70	-1.95	-33.3	32.2
133	220	-1.38	-42.6	38.3	181	60	-2.18	-82.2	39.9	229	60	1.01	-33.8	32.2
134	220	-1.45	-44.8	37.8	182	70	-1.84	-69.9	37.7	230	350	1.54	-44.8	35.5
135	180	-1.19	-45.1	37.0	183	70	-2.25	-85.6	41.0	231	70	-1.95	-33.6	32.2
136	60	-2.05	-77.7	49.9	184	70	-1.37	-51.9	37.4	232	180	-1.75	-33.8	32.2
137	70	-1.53	-58.1	47.5	185	330	-1.52	-46.7	48.1	233	180	-1.86	-33.2	32.2
138	60	-1.31	-49.8	36.4	186	340	-1.28	-40.1	40.5	234	170	-1.89	-33.3	32.2
139	60	-1.24	-47.1	32.1	187	330	-1.42	-36.8	44.7	235	170	-1.00	-33.7	32.2
140	180	-1.16	-43.9	32.5	188	320	-1.64	-38.3	42.3	236	150	-1.96	-33.3	32.2
141	180	-1.90	-34.0	28.0	189	220	-1.24	-37.7	36.6	237	70	-1.98	-33.5	32.2
142	170	-1.07	-39.7	28.2	190	240	-1.39	-37.6	35.5	238	60	-1.31	-34.9	32.2
143	230	-1.37	-39.0	33.3	191	80	-2.72	-96.7	35.5	239	170	-1.88	-33.2	32.2
144	230	-1.80	-51.4	38.7	192	60	-2.18	-82.2	34.4	240	160	-1.94	-33.2	32.2
145	60	-1.81	-68.8	54.4	193	60	-2.03	-77.7	36.6	241	140	-1.89	-33.2	32.2
146	60	-1.10	-41.8	36.7	194	60	-2.59	-99.9	43.5	242	350	1.02	-33.9	32.2
147	60	-1.25	-47.4	40.3	195	60	-1.73	-65.9	43.5	243	330	1.20	-33.3	32.2
148	60	-1.35	-51.5	44.3	196	60	-1.60	-60.9	36.8	244	340	1.06	-33.1	32.2

TABLE 6A. PEAK LOADS FOR CONFIGURATION A :
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK
			PSF					PSF					PSF	
345	120	-1.15	-38.0	32.7	348	10	-1.50	-43.9	43.0	396	340	-1.06	-33.4	31.9
346	180	-1.22	-46.3	28.7	349	10	-1.65	-48.2	43.8	397	10	-1.25	-36.5	25.2
347	190	-1.26	-46.0	33.0	350	180	-1.31	-49.0	35.6	398	10	-1.60	-46.7	22.6
348	10	-1.51	-44.1	36.6	351	180	-1.33	-50.4	38.9	401	270	-1.75	-43.9	39.5
349	10	-1.84	-54.0	34.2	352	180	-1.62	-61.6	40.9	402	140	-1.27	-46.5	37.8
350	20	-1.50	-47.4	45.1	353	180	-1.08	-41.2	34.0	403	180	1.13	-39.1	42.9
351	180	-1.45	-55.0	45.2	354	190	-1.25	-45.7	36.5	404	160	1.12	-40.7	41.0
352	170	-1.09	-40.7	38.5	355	210	-1.31	-42.2	35.0	405	170	1.89	-33.1	33.2
353	190	-1.78	-65.0	37.4	356	20	-1.36	-42.9	32.7	406	160	1.31	-36.0	47.9
354	180	-1.45	-55.2	41.6	357	20	-1.49	-46.9	32.7	407	160	1.06	-32.8	38.7
355	180	-1.15	-43.6	41.5	358	20	-1.83	-57.8	34.2	408	180	1.95	-36.0	36.0
356	10	-1.55	-41.8	41.5	359	20	-1.78	-56.0	33.8	409	140	1.02	-32.0	37.2
357	120	-1.29	-42.3	42.6	360	200	-1.57	-53.1	30.4	410	60	-1.36	-35.1	35.5
358	60	-1.39	-47.5	52.9	361	200	-1.55	-52.5	31.3	411	60	-1.32	-35.0	37.2
359	10	-2.42	-70.8	40.2	362	200	-1.97	-62.7	32.5	412	70	-1.31	-45.9	44.1
360	10	-1.80	-52.7	47.1	363	180	-1.71	-64.9	30.5	413	80	-1.74	-61.6	41.8
361	170	-1.28	-47.7	39.8	364	200	-1.10	-37.3	31.0	414	240	-1.69	-45.7	44.4
362	190	-1.24	-45.4	41.1	365	110	-1.93	-29.8	30.2	415	150	-1.47	-35.1	38.8
363	200	-1.88	-63.6	42.8	366	200	-1.86	-29.8	28.0	416	220	-1.51	-46.3	38.6
364	190	-1.39	-50.7	37.0	367	10	-1.41	-41.2	27.5	417	220	1.34	-41.1	33.3
365	180	-1.29	-48.9	43.2	368	10	-1.43	-41.9	21.3	418	140	1.84	-27.7	30.5
366	190	-1.26	-45.8	44.4	369	0	-1.47	-39.9	27.1	419	140	1.97	-29.9	33.3
367	20	-1.76	-55.5	47.8	370	10	-1.09	-31.1	26.5	420	70	-1.14	-44.3	30.2
368	20	-1.98	-62.6	39.3	371	210	-1.98	-63.8	33.7	421	50	-1.35	-50.4	38.8
369	20	-1.93	-60.9	48.2	372	210	-1.67	-54.0	37.2	422	70	1.16	-44.2	43.0
370	180	-1.38	-52.3	45.8	373	210	-1.32	-42.7	36.6	423	240	1.85	-49.9	42.8
371	170	-1.27	-47.2	45.1	374	170	-1.04	-38.6	30.5	424	180	1.43	-35.4	50.7
372	170	-1.35	-50.4	37.9	375	200	-1.28	-43.1	32.6	425	180	1.38	-37.7	52.3
373	190	-1.56	-56.9	41.8	376	190	-1.13	-41.2	32.6	426	170	1.55	-38.7	57.6
374	170	-1.34	-49.9	43.6	377	180	-1.90	-34.4	32.6	427	170	1.33	-39.9	49.7
375	170	-1.28	-47.5	44.6	378	200	-1.96	-32.2	36.7	428	170	1.34	-32.9	49.9
376	120	-1.16	-29.3	38.4	379	150	-1.90	-23.3	31.9	429	160	1.46	-33.3	53.1
377	70	-1.46	-41.4	55.5	380	140	-1.93	-23.8	34.0	430	180	1.41	-47.7	53.7
378	70	-1.57	-46.0	59.9	381	100	1.11	-23.5	34.9	431	150	1.57	-43.0	55.6
379	20	-1.92	-60.4	51.2	382	110	1.05	-29.5	34.1	432	150	1.32	-42.9	46.8
380	20	-1.49	-47.0	42.7	383	10	-1.53	-44.7	30.4	433	150	1.48	-51.1	52.2
381	180	-1.39	-52.8	38.4	384	10	-1.69	-49.6	30.9	434	70	1.31	-44.9	48.5
382	170	-1.30	-48.6	41.9	385	10	-1.68	-49.0	35.2	435	70	1.32	-50.0	44.4
383	180	-1.07	-40.7	37.3	386	140	1.05	-29.6	36.2	436	240	2.00	-53.9	43.3
384	110	-1.27	-36.6	41.1	387	130	1.94	-25.0	31.9	437	180	1.37	-52.1	41.1
385	70	-1.09	-40.2	41.3	388	140	1.96	-22.0	35.1	438	230	1.63	-46.6	40.3
386	70	-1.12	-39.2	42.4	389	130	1.01	-21.3	34.1	439	190	1.17	-43.9	42.7
387	70	-1.34	-50.8	50.8	390	140	1.06	-22.4	38.0	440	70	1.33	-43.3	33.3
388	50	-1.24	-42.2	46.8	391	150	1.17	-23.0	41.2	441	180	1.98	-28.8	37.7
389	180	-1.42	-53.9	44.4	392	110	1.23	-22.2	39.6	442	130	1.32	-43.3	44.4
390	180	-1.44	-54.8	50.0	393	120	1.28	-24.1	42.4	443	70	1.30	-49.9	38.8
391	120	-1.49	-41.7	49.3	394	120	1.17	-30.8	38.7	444	70	1.42	-53.3	44.4
392	120	-1.29	-34.9	42.7	395	110	1.36	-43.0	43.9	445	250	2.21	-53.3	44.4

TABLE 6A PEAK LOADS FOR CONFIGURATION A
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK
			PSF					PSF					PSF	
446	140	-1.16	-42.2	41.6	494	180	1.28	-35.2	48.6	542	170	.80	-24.6	29.7
447	230	-1.64	-46.9	45.5	495	180	1.28	-33.4	48.8	543	140	.86	-23.2	31.6
448	180	1.34	-35.2	51.1	496	170	1.39	-33.7	51.7	601	190	1.60	-58.5	23.0
449	200	1.39	-40.6	46.9	497	150	1.31	-37.9	46.4	602	180	1.79	-68.0	26.8
450	180	1.24	-33.0	47.2	498	160	1.32	-36.6	48.0	603	190	1.61	-58.7	28.4
451	150	1.44	-35.4	50.9	499	60	-1.28	-48.5	46.8	604	180	2.23	-84.8	30.3
452	180	-1.37	-52.2	49.1	500	70	-1.48	-56.1	42.7	605	200	2.27	-76.7	29.6
453	150	1.29	-33.9	45.4	501	140	-1.28	-42.6	46.9	606	190	1.54	-56.2	33.8
454	140	1.26	-43.1	45.9	502	70	-1.31	-42.8	41.8	607	180	1.35	-51.3	34.4
455	140	1.45	-40.8	52.8	503	140	1.31	-43.4	47.6	608	190	1.70	-62.0	33.2
456	150	1.45	-49.6	51.2	504	140	-1.35	-49.3	36.4	609	180	1.24	-47.1	34.0
457	70	-1.38	-52.6	46.9	505	150	-1.62	-57.2	39.3	610	190	1.27	-46.2	35.2
458	250	-2.13	-53.5	42.3	506	180	1.21	-38.5	45.9	611	170	1.32	-46.1	35.1
459	150	-1.22	-42.9	38.6	507	180	1.23	-40.6	46.8	612	190	1.38	-50.3	39.6
460	230	-1.49	-42.6	41.0	508	170	1.20	-33.0	44.6	613	200	1.50	-30.9	40.0
461	190	1.33	-39.7	48.6	509	160	1.28	-35.7	46.6	614	200	2.19	-30.2	31.9
462	180	.91	-23.4	34.7	510	180	1.16	-35.6	43.9	615	190	1.69	-61.5	33.3
463	140	1.06	-25.7	38.6	511	130	1.35	-40.8	45.6	616	180	1.27	-48.3	35.9
464	140	.93	-32.9	34.1	512	80	-1.65	-58.3	39.6	617	190	1.12	-40.9	37.3
465	130	1.26	-38.4	42.6	513	70	-1.22	-46.3	42.6	618	180	1.63	-61.1	36.1
466	70	-1.14	-43.2	41.0	514	70	-1.20	-45.7	37.7	619	10	1.32	-38.5	29.7
467	240	-2.63	-71.0	38.2	515	300	-1.97	-50.9	25.5	620	190	1.34	-49.0	35.2
468	130	-1.41	-47.5	45.7	516	140	-1.38	-50.3	46.0	621	190	1.27	-46.5	35.2
469	230	-1.51	-43.0	40.4	517	290	-2.32	-58.2	40.2	622	210	-2.17	-70.2	38.4
470	180	1.20	-36.9	45.5	518	190	1.11	-29.1	40.5	623	190	1.98	-72.2	27.7
471	230	-1.43	-40.6	36.3	519	170	1.26	-39.4	47.0	624	190	2.54	-92.7	38.8
472	170	1.24	-35.4	46.2	520	180	1.39	-28.7	52.9	625	160	1.57	-57.3	36.6
473	160	1.14	-32.3	41.6	521	140	1.65	-23.5	60.4	626	160	1.26	-46.0	37.5
474	60	-1.04	-39.4	38.1	522	140	1.30	-26.9	47.5	627	170	1.22	-45.5	29.7
475	140	1.27	-41.4	46.4	523	170	1.25	-30.0	46.5	628	10	1.81	-53.5	34.7
476	70	-1.27	-48.4	46.9	524	140	1.24	-30.8	45.3	629	10	1.74	-50.0	35.4
477	70	-1.52	-57.7	48.3	525	140	1.46	-40.9	53.2	630	10	1.56	-45.5	35.3
478	70	-1.38	-52.4	48.5	526	50	-1.37	-51.1	49.6	631	190	-1.07	-39.9	31.3
479	70	-1.44	-54.7	44.2	527	50	-1.57	-58.4	34.9	632	170	-1.47	-54.7	33.9
480	250	-2.21	-55.4	41.2	528	300	-1.28	-33.3	30.4	633	180	-1.57	-59.9	38.8
481	140	-1.49	-54.3	48.4	529	330	-1.29	-40.7	33.9	634	200	-2.34	-79.2	37.8
482	230	-1.74	-49.5	44.6	530	140	-1.26	-45.9	37.9	635	180	-2.08	-79.9	37.1
483	180	1.37	-46.1	52.1	531	110	-2.62	-84.8	49.7	636	180	-1.36	-51.1	30.9
484	170	1.56	-36.4	56.0	532	120	-2.55	-84.5	41.5	637	180	-1.31	-49.6	30.5
485	180	1.26	-37.1	48.1	533	110	-1.51	-48.7	42.2	638	180	-1.98	-74.7	24.4
486	180	1.31	-37.8	49.6	534	210	-1.66	-53.5	40.3	639	170	-1.21	-45.5	27.2
487	160	1.27	-44.2	46.4	535	340	-1.63	-51.5	17.3	640	190	1.53	-51.5	28.0
488	150	1.35	-47.7	47.8	536	320	-1.37	-35.3	16.7	641	190	-1.41	-51.1	32.3
489	70	-1.35	-51.5	47.8	537	340	-1.01	-31.8	18.0	642	190	-1.84	-67.7	31.4
490	70	-1.37	-52.1	47.4	538	330	-.82	-25.8	21.6	643	200	-1.78	-60.0	30.6
491	240	-2.00	-54.0	45.5	539	330	-.81	-25.6	22.9	644	180	-1.08	-41.1	19.8
492	160	-1.47	-53.8	45.5	540	180	.79	-24.2	30.2	645	180	-1.14	-43.4	23.3
493	190	1.41	-44.0	51.4	541	330	-1.01	-31.8	28.9	646	20	-1.35	-42.6	21.7

TABLE 6A. PEAK LOADS FOR CONFIGURATION A :
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

TAP	AZI-MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK	TAP	AZI-MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK	TAP	AZI-MUTH	PRESS COEFF	NEGATIVE PEAK	POSITIVE PEAK
			----- PSF -----	----- PSF -----				----- PSF -----	----- PSF -----				----- PSF -----	----- PSF -----
647	180	- .98	-37.2	19.5	677	190	-1.50	-54.7	17.9	904	70	-2.03	-77.3	14.6
648	180	-1.61	-61.0	21.6	678	180	-2.09	-79.3	18.8	905	70	-1.32	-50.3	13.5
649	190	-2.14	-78.0	19.9	679	180	-1.69	-64.3	18.2	906	180	-1.44	-54.8	9.6
650	190	-1.86	-67.8	17.7	680	170	- .87	-32.3	27.3	907	330	1.11	-29.1	35.2
651	190	-1.94	-70.9	22.1	681	170	- .95	-35.3	35.1	908	180	-1.23	-46.8	16.2
652	180	-1.27	-48.1	22.6	682	350	- .99	-29.6	31.2	909	230	-1.34	-38.1	34.0
653	180	-1.04	-39.4	18.7	683	160	- .89	-32.4	21.2	910	220	-1.13	-34.8	28.4
654	170	-1.27	-47.3	20.2	684	140	- .86	-31.2	25.7	911	260	-1.70	-41.5	16.7
655	180	-1.43	-54.3	18.5	685	180	- .95	-36.2	19.4	912	340	1.53	-48.2	31.5
656	180	-1.71	-65.0	16.1	686	180	-1.11	-42.1	20.1	913	190	1.15	-41.8	16.6
657	200	-1.76	-59.4	15.4	687	180	-1.34	-50.9	18.8	914	200	-2.33	-78.9	16.0
658	190	-1.66	-60.6	15.7	688	180	-1.36	-51.8	16.6	915	230	-2.53	-80.7	16.2
659	200	-1.92	-65.1	16.9	701	180	-1.06	-46.4	16.2	916	190	-1.62	-59.0	18.0
660	180	-1.07	-40.5	21.4	702	190	- .91	-33.2	18.7	917	170	-1.61	-59.9	13.7
661	50	-1.40	-52.0	22.6	703	180	- .92	-34.9	17.7	918	170	- .95	-30.4	35.3
662	170	-1.09	-40.7	23.1	704	180	-1.07	-40.7	19.6	919	350	-1.25	-39.3	12.9
663	180	-1.62	-61.4	20.2	705	170	- .89	-33.2	22.1	920	80	1.06	-37.3	37.0
664	180	-1.45	-55.0	19.3	706	150	-1.01	-35.6	19.7	921	70	1.16	-44.1	29.5
665	180	-2.06	-78.5	17.1	707	180	-1.29	-49.1	16.4	922	80	-1.69	-59.6	10.7
666	180	-2.55	-97.0	17.0	708	150	-1.01	-35.8	27.1	923	120	1.33	-33.9	44.0
667	190	-3.41	-124.3	17.0	709	130	1.12	-23.1	37.8	924	140	1.11	-36.4	40.5
668	200	-2.50	-84.5	21.7	710	130	1.04	-22.4	35.2	925	140	1.99	-30.6	36.2
669	200	-2.40	-81.1	21.0	801	180	1.97	-35.0	36.7	926	140	1.07	-34.4	38.9
670	190	-1.98	-72.2	18.1	802	190	-1.12	-40.9	26.4	927	170	1.25	-32.4	46.5
671	180	- .98	-37.1	22.6	803	180	1.93	-25.8	35.5	928	140	1.00	-24.2	36.3
672	170	-1.01	-37.8	22.1	804	340	- .80	-25.3	16.3	929	160	1.14	-23.9	41.5
673	180	-1.06	-41.1	19.0	901	180	-1.59	-60.5	35.1	930	190	1.36	-27.1	49.6
674	180	-1.21	-46.1	18.6	902	60	-1.32	-50.0	20.2	931	200	1.19	-31.0	40.2
675	180	-1.15	-43.5	20.0	903	60	-1.61	-61.2	12.8	932	220	-1.10	-33.8	28.6
676	190	-1.32	-48.2	17.2										

TABLE 6A PEAK LOADS FOR CONFIGURATION A
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

* * 15 GREATEST PRESSURE MAGNITUDES * *

TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK ----- PSF	POSITIVE PEAK -----
667	190	-3.41	-124.3	17.0
194	60	-2.59	-98.5	35.0
666	180	-2.55	-97.0	17.0
191	80	-2.72	-96.0	35.2
624	190	-2.54	-92.7	38.8
169	70	-2.36	-89.5	34.1
180	60	-2.28	-86.5	44.3
167	70	-2.26	-85.8	43.0
183	70	-2.25	-85.6	41.0
604	180	-2.23	-84.8	30.3
531	110	-2.62	-84.8	49.7
668	200	-2.50	-84.5	21.7
532	120	-2.55	-84.5	41.5
204	70	-2.22	-84.4	31.3
192	60	-2.18	-82.7	34.7

TABLE 6A. PEAK LOADS FOR CONFIGURATION B :
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK ----- PSF	POSITIVE PEAK -----	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK ----- PSF	POSITIVE PEAK -----	TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK ----- PSF	POSITIVE PEAK -----
191	64	-3.17	-120.3	38.8	531	122	-2.01	-66.4	44.6	666	186	-2.43	-88.5	22.3
194	64	-2.34	-89.0	16.6	532	106	-2.20	-71.1	45.6	667	192	-2.92	-106.6	21.0
467	230	-1.74	-49.5	39.4	624	182	-1.83	-69.6	34.2	915	232	-2.61	-74.4	17.2

TABLE 6A. PEAK LOADS FOR CONFIGURATION B
LARGEST VALUES OF CLADDING LOAD

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE = 38.0 PSF

* * 9 GREATEST PRESSURE MAGNITUDES * *

TAP	AZI- MUTH	PRESS COEFF	NEGATIVE PEAK ----- PSF	POSITIVE PEAK -----
191	64	-3.17	-120.3	38.8
667	192	-2.92	-106.6	21.0
194	64	-2.34	-89.0	16.6
666	186	-2.43	-88.5	22.3
915	232	-2.61	-74.4	17.2
532	106	-2.20	-71.1	45.6
624	182	-1.83	-69.6	34.2
531	122	-2.01	-66.4	44.6
467	230	-1.74	-49.5	39.4

TABLE 6B. COMPARISON OF CONFIGURATIONS A AND B . ENERGY CENTRE, NEW ORLEANS
TAPS WHERE NEGATIVE PEAK LOAD FOR CONFIG B EXCEEDED THAT FOR CONFIG A BY 5 PSF
REF. PRESSURE = 38.0 PSF

TAP	AZIMUTH	A CONFIG PSF LOAD	AZIMUTH	B CONFIG PSF LOAD
191	80	-96.0	64	-120.3

TABLE 7. BASE SHEAR AND MOMENT SUMMARY : ENERGY CENTRE, NEW ORLEANS
CONFIGURATION A REFERENCE PRESSURE 38.0 GUST FACTOR 1.32

FEB 26, 1982

AZIMUTH	SHEAR (KIPS)		MOMENT (1000-FT-KIPS)			ECCEN (FT)	
	X	Y	X	Y	Z	X	Y
0	-1378.6	-2362.1	561.8	-390.0	-117.5	37	-22
10	-1348.4	-2216.2	526.2	-384.5	-156.7	52	-31
20	-981.6	-1245.9	270.4	-277.3	-114.9	57	-45
30	-616.8	-526.8	76.5	-171.3	-33.6	27	-72
40	-504.2	245.8	-112.3	-149.2	40.1	31	64
50	-312.6	1009.9	-267.1	-105.3	125.9	114	35
60	55.4	1201.7	-327.1	4.7	155.4	129	-6
70	337.0	1491.1	-410.3	78.7	144.6	92	-21
80	440.8	1631.0	-415.7	101.3	95.0	54	-15
90	613.6	2190.2	-497.7	150.8	20.6	9	-2
100	981.5	3789.5	-883.0	261.3	10.8	3	-1
110	1273.2	5025.0	-1209.5	344.6	18.3	3	-1
120	1602.3	5545.0	-1337.1	425.8	-12.1	-2	1
130	1897.0	5732.0	-1376.1	497.7	-41.6	-7	2
140	2268.2	5891.0	-1427.1	593.4	-74.5	-11	4
150	2249.3	5052.3	-1229.4	588.5	-108.1	-18	8
160	2431.8	4647.9	-1128.3	638.9	-139.0	-23	12
170	2424.7	4081.9	-983.5	641.4	-173.7	-31	19
180	2104.9	3371.8	-810.3	555.3	-200.6	-43	27
190	1319.3	2033.3	-501.3	342.0	-199.1	-69	45
200	1035.3	873.2	-231.8	284.4	-171.2	-82	97
210	1062.1	306.7	-97.4	306.6	-128.6	-32	112
220	815.3	-3.5	-20.3	258.0	-26.4	-0	32
230	295.8	-162.0	63.2	103.6	37.1	-53	-97
240	-15.4	-162.6	85.5	-5.6	28.9	-176	17
250	-60.2	-207.1	91.1	-19.2	21.1	-94	27
260	-187.2	-757.2	238.2	-51.1	38.4	-48	12
270	-476.8	-1615.9	478.9	-123.7	71.8	-41	12
280	-631.0	-1943.7	551.7	-170.7	68.7	-32	10
290	-751.3	-2005.9	564.9	-206.0	38.0	-17	6
300	-899.7	-2406.6	655.6	-245.0	9.5	-3	1
310	-1050.2	-2588.6	682.1	-284.4	-15.9	5	-2
320	-1343.8	-3039.7	789.7	-365.0	-36.8	10	-4
330	-1742.2	-3567.0	907.1	-472.7	-66.8	15	-7
340	-1797.6	-3262.8	808.7	-487.5	-91.5	22	-12
350	-1707.5	-2967.2	715.1	-472.1	-109.8	28	-16

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS														
WIND DIRECTION 0 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00									-1378.6	-2362.1	561.8	-390.0	-117.5
2ND	20.50	-39.0	-108.0	2563	6867	-15.2	-15.7	24	-9	-1339.6	-2254.0	514.5	-362.2	-114.5
3RD	29.00	-15.8	-41.1	1063	2848	-14.9	-14.4	22	-8	-1323.8	-2212.9	495.5	-350.9	-113.5
4TH	37.50	-15.9	-41.7	1063	2848	-14.9	-14.6	22	-8	-1307.9	-2171.2	476.9	-339.7	-112.4
5TH	46.00	-15.9	-42.4	1063	2848	-14.9	-14.9	22	-8	-1292.0	-2128.9	458.6	-328.6	-111.4
6TH	54.50	-15.9	-43.0	1063	2848	-14.9	-15.1	22	-8	-1276.2	-2085.9	440.7	-317.7	-110.3
7TH	63.00	-15.9	-43.6	1063	2848	-14.9	-15.3	22	-8	-1260.3	-2042.3	423.1	-306.9	-109.2
MEZZ	71.50	-15.8	-44.3	1063	2848	-14.9	-15.5	22	-8	-1244.5	-1998.0	406.0	-296.3	-108.1
8TH	85.17	-25.5	-72.5	1708	4578	-14.9	-15.8	22	-8	-1219.0	-1925.5	379.2	-279.4	-106.3
9TH	97.50	-24.1	-63.6	1542	3862	-15.6	-16.5	29	-11	-1194.9	-1861.9	355.8	-264.6	-104.2
10TH	109.83	-24.9	-63.2	1542	3782	-16.1	-16.7	31	-12	-1170.0	-1798.7	333.2	-250.0	-101.9
11TH	122.17	-25.6	-62.9	1542	3782	-16.6	-16.6	32	-13	-1144.4	-1735.7	311.4	-235.7	-99.6
12TH	134.50	-26.3	-62.6	1542	3782	-17.1	-16.6	33	-14	-1118.2	-1673.1	290.4	-221.7	-97.1
13TH	146.83	-27.0	-62.3	1542	3782	-17.5	-16.5	34	-15	-1091.2	-1610.9	270.2	-208.1	-94.6
14TH	159.17	-27.7	-61.9	1542	3782	-18.0	-16.4	36	-16	-1063.5	-1548.9	250.7	-194.8	-92.0
15TH	171.50	-28.4	-61.6	1542	3782	-18.4	-16.3	37	-17	-1035.1	-1487.3	232.0	-181.9	-89.2
16TH	183.83	-29.1	-61.3	1542	3782	-18.9	-16.2	38	-18	-1005.9	-1426.0	214.0	-169.3	-86.4
17TH	196.16	-30.0	-60.7	1542	3782	-19.5	-16.0	38	-19	-975.9	-1365.4	196.8	-157.1	-83.5
18TH	208.50	-30.8	-60.1	1542	3782	-20.0	-15.9	39	-20	-945.1	-1305.3	180.3	-145.2	-80.6
19TH	220.83	-31.7	-59.5	1542	3782	-20.5	-15.7	39	-21	-913.4	-1245.8	164.6	-133.8	-77.6
20TH	233.16	-32.5	-58.9	1542	3782	-21.1	-15.6	40	-22	-880.9	-1186.9	149.6	-122.7	-74.5
21ST	245.50	-33.4	-58.3	1542	3782	-21.6	-15.4	40	-23	-847.5	-1128.7	135.3	-112.1	-71.4
22ND	257.83	-34.2	-57.7	1542	3782	-22.2	-15.3	41	-24	-813.3	-1071.0	121.7	-101.8	-68.2
23RD	270.16	-35.1	-57.4	1542	3782	-22.8	-15.2	41	-25	-778.2	-1013.6	108.9	-92.0	-65.0
24TH	282.50	-36.1	-57.9	1542	3782	-23.4	-15.3	42	-26	-742.0	-955.7	96.7	-82.6	-61.6
		-37.2	-58.4	1542	3782	-24.1	-15.4	43	-27					

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-38.2	-58.9	1542	3782	-24.8	-15.6	43	-28	-704.9	-897.3	85.3	-73.7	-58.1
26TH	307.16	-39.2	-59.5	1542	3782	-25.4	-15.7	44	-29	-666.7	-838.3	74.6	-65.3	-54.5
27TH	319.49	-40.2	-60.0	1542	3782	-26.1	-15.9	44	-30	-627.5	-778.9	64.6	-57.3	-50.8
28TH	331.83	-41.2	-60.5	1542	3782	-26.7	-16.0	45	-30	-587.4	-718.9	55.4	-49.8	-46.9
29TH	344.16	-42.1	-60.6	1542	3782	-27.3	-16.0	45	-31	-546.2	-658.4	46.9	-42.8	-43.0
30TH	356.49	-42.9	-60.4	1542	3782	-27.8	-16.0	45	-32	-504.1	-597.8	39.2	-36.3	-38.9
31ST	368.83	-43.7	-60.2	1542	3782	-28.3	-15.9	45	-33	-461.3	-537.4	32.2	-30.4	-34.8
32ND	381.16	-44.5	-60.0	1542	3782	-28.8	-15.9	45	-34	-417.6	-477.2	25.9	-24.9	-30.7
33RD	393.49	-45.3	-59.7	1542	3782	-29.4	-15.8	45	-34	-373.1	-417.3	20.4	-20.1	-26.4
34TH	405.83	-46.1	-59.5	1542	3782	-29.9	-15.7	46	-35	-327.9	-357.5	15.6	-15.7	-22.2
35TH	418.16	-42.5	-55.3	1542	3616	-27.6	-15.3	42	-32	-281.8	-298.0	11.6	-12.0	-17.8
36TH	430.49	-40.3	-48.0	1542	3248	-26.2	-14.8	32	-26	-239.3	-242.7	8.2	-8.8	-14.1
37TH	442.82	-44.8	-49.3	1542	3175	-29.0	-15.5	36	-32	-199.0	-194.7	5.5	-6.1	-11.6
38TH	455.16	-36.5	-39.0	1542	2754	-23.7	-14.2	27	-25	-154.2	-145.4	3.4	-3.9	-8.4
39TH	467.49	-43.0	-44.1	1542	2754	-27.9	-16.0	32	-31	-117.7	-106.4	1.9	-2.2	-6.4
PENT	479.82	-74.8	-62.3	3426	5032	-21.8	-12.4	24	-29	-74.8	-62.3	.9	-1.0	-3.7
TOP	567.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAM 10		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-36.3	-107.3	2563	6867	-14.2	-15.6	33	-11	-1348.4	-2216.2	526.2	-384.5	-156.7
2ND	20.50	-14.6	-41.6	1063	2848	-13.7	-14.6	34	-12	-1312.1	-2108.9	481.9	-357.2	-152.7
3RD	29.00	-14.6	-41.7	1063	2848	-13.8	-14.6	34	-12	-1297.5	-2067.3	464.2	-346.1	-151.1
4TH	37.50	-14.6	-41.7	1063	2848	-13.7	-14.7	34	-12	-1282.9	-2025.7	446.8	-335.2	-149.5
5TH	46.00	-14.5	-41.8	1063	2848	-13.7	-14.7	34	-12	-1268.3	-1983.9	429.7	-324.3	-148.0
6TH	54.50	-14.5	-41.8	1063	2848	-13.6	-14.7	34	-12	-1253.8	-1942.2	413.0	-313.6	-146.4
7TH	63.00	-14.4	-41.9	1063	2848	-13.6	-14.7	34	-12	-1239.4	-1900.3	396.7	-303.0	-144.8
MEZZ	71.50	-23.1	-67.5	1708	4578	-13.5	-14.7	34	-12	-1225.0	-1858.4	380.7	-292.5	-143.2
8TH	85.17	-23.1	-59.2	1542	3862	-15.0	-15.3	38	-15	-1201.9	-1791.0	355.8	-276.0	-140.6
9TH	97.50	-24.1	-58.6	1542	3782	-15.6	-15.3	41	-17	-1178.9	-1731.8	334.1	-261.3	-138.0
10TH	109.83	-24.9	-58.3	1542	3782	-16.1	-15.4	43	-18	-1154.8	-1673.2	313.1	-246.9	-135.2
11TH	122.17	-25.7	-57.9	1542	3782	-16.7	-15.3	44	-20	-1130.0	-1614.9	292.8	-232.8	-132.3
12TH	134.50	-26.5	-57.6	1542	3782	-17.2	-15.2	46	-21	-1104.3	-1557.0	273.2	-219.0	-129.2
13TH	146.83	-27.3	-57.3	1542	3782	-17.7	-15.1	47	-23	-1077.8	-1499.4	254.4	-205.6	-126.0
14TH	159.17	-28.1	-56.9	1542	3782	-18.2	-15.1	49	-24	-1050.5	-1442.1	236.2	-192.4	-122.7
15TH	171.50	-29.0	-56.6	1542	3782	-18.8	-15.0	50	-26	-1022.4	-1385.2	218.8	-179.7	-119.2
16TH	183.83	-29.9	-56.2	1542	3782	-19.4	-14.9	51	-27	-993.4	-1328.6	202.1	-167.2	-115.7
17TH	196.16	-30.8	-55.8	1542	3782	-20.0	-14.7	53	-29	-963.5	-1272.4	186.0	-155.2	-112.0
18TH	208.50	-31.8	-55.3	1542	3782	-20.6	-14.6	54	-31	-932.7	-1216.7	170.7	-143.5	-108.1
19TH	220.83	-32.7	-54.9	1542	3782	-21.2	-14.5	55	-33	-900.9	-1161.3	156.0	-132.2	-104.2
20TH	233.16	-33.7	-54.5	1542	3782	-21.8	-14.4	56	-35	-868.2	-1106.4	142.0	-121.3	-100.1
21ST	245.50	-34.6	-54.1	1542	3782	-22.4	-14.3	57	-36	-834.6	-1051.9	128.7	-110.8	-95.9
22ND	257.83	-35.4	-53.8	1542	3782	-23.0	-14.2	58	-38	-800.0	-997.8	116.1	-100.7	-91.5
23RD	270.16	-36.1	-53.6	1542	3782	-23.4	-14.2	58	-39	-764.6	-944.0	104.1	-91.0	-87.1
24TH	282.50	-36.8	-53.4	1542	3782	-23.9	-14.1	59	-41	-728.5	-890.4	92.8	-81.8	-82.5

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-37.5	-53.3	1542	3782	-24.3	-14.1	60	-42	-691.6	-836.9	82.2	-73.1	-77.9
26TH	307.16	-38.2	-53.1	1542	3782	-24.8	-14.0	60	-43	-654.1	-783.7	72.2	-64.8	-73.1
27TH	319.49	-38.9	-53.0	1542	3782	-25.2	-14.0	61	-45	-615.9	-730.5	62.8	-56.9	-68.3
28TH	331.83	-39.6	-52.8	1542	3782	-25.7	-14.0	61	-46	-577.0	-677.6	54.1	-49.6	-63.4
29TH	344.16	-40.4	-53.0	1542	3782	-26.2	-14.0	61	-47	-537.4	-624.8	46.1	-42.7	-58.3
30TH	356.49	-41.3	-53.7	1542	3782	-26.8	-14.2	61	-47	-496.9	-571.8	38.7	-36.3	-53.2
31ST	368.83	-42.1	-54.3	1542	3782	-27.3	-14.4	61	-48	-455.7	-518.1	32.0	-30.5	-47.9
32ND	381.16	-42.9	-55.0	1542	3782	-27.9	-14.5	61	-48	-413.6	-463.7	26.0	-25.1	-42.6
33RD	393.49	-43.8	-55.6	1542	3782	-28.4	-14.7	62	-48	-370.6	-408.7	20.6	-20.3	-37.1
34TH	405.83	-44.6	-56.3	1542	3782	-28.9	-14.9	62	-49	-326.8	-353.1	15.9	-16.0	-31.6
35TH	418.16	-41.1	-52.6	1542	3616	-26.7	-14.5	59	-46	-282.2	-296.8	11.9	-12.2	-26.0
36TH	430.49	-39.2	-46.0	1542	3248	-25.5	-14.2	49	-42	-241.1	-244.2	8.5	-9.0	-20.9
37TH	442.82	-44.1	-48.0	1542	3175	-28.6	-15.1	51	-47	-201.8	-198.2	5.8	-6.2	-17.0
38TH	455.16	-36.0	-38.3	1542	2754	-23.4	-13.9	45	-42	-157.7	-150.2	3.7	-4.0	-12.5
39TH	467.49	-43.8	-43.6	1542	2754	-28.4	-15.8	45	-45	-121.7	-111.8	2.0	-2.3	-9.3
PENT	479.82	-77.9	-68.2	3426	5032	-22.7	-13.6	34	-39	-77.9	-68.2	.9	-1.1	-5.4
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS												FEB 26, 1982		
WIND DIRECTION 20		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-28.7	-82.6	2563	6867	-11.2	-12.0	25	-9	-981.6	-1245.9	270.4	-277.3	-114.9
2ND	20.50	-11.8	-29.9	1063	2848	-11.1	-10.5	27	-10	-952.9	-1163.4	245.7	-257.4	-112.5
3RD	29.00	-11.9	-29.7	1063	2848	-11.2	-10.4	28	-11	-941.1	-1133.4	235.9	-249.4	-111.6
4TH	37.50	-11.9	-29.5	1063	2848	-11.2	-10.4	28	-11	-929.2	-1103.7	226.4	-241.4	-110.7
5TH	46.00	-11.9	-29.4	1063	2848	-11.2	-10.3	29	-12	-917.3	-1074.2	217.1	-233.6	-109.7
6TH	54.50	-11.9	-29.2	1063	2848	-11.2	-10.3	30	-12	-905.4	-1044.8	208.1	-225.8	-108.7
7TH	63.00	-11.9	-29.0	1063	2848	-11.2	-10.2	31	-13	-893.4	-1015.6	199.4	-218.2	-107.7
MEZZ	71.50	-19.2	-46.3	1708	4570	-11.2	-10.1	32	-13	-881.5	-986.6	190.9	-210.6	-106.6
8TH	85.17	-18.2	-39.3	1542	3862	-11.8	-10.2	40	-18	-862.3	-940.3	177.7	-198.7	-104.9
9TH	97.50	-18.6	-38.5	1542	3782	-12.1	-10.2	42	-21	-844.1	-900.8	166.3	-188.2	-103.0
10TH	109.83	-19.0	-37.6	1542	3782	-12.3	-9.9	44	-22	-825.5	-862.3	155.5	-177.9	-101.0
11TH	122.17	-19.4	-36.8	1542	3782	-12.6	-9.7	46	-24	-806.6	-824.7	145.1	-167.8	-98.9
12TH	134.50	-19.7	-36.0	1542	3782	-12.8	-9.5	48	-26	-787.2	-787.9	135.1	-158.0	-96.8
13TH	146.83	-20.1	-35.2	1542	3782	-13.1	-9.3	49	-28	-767.4	-751.9	125.6	-148.4	-94.5
14TH	159.17	-20.5	-34.4	1542	3782	-13.3	-9.1	51	-30	-747.3	-716.7	116.6	-139.1	-92.2
15TH	171.50	-20.9	-33.5	1542	3782	-13.6	-8.9	52	-33	-726.8	-682.4	107.9	-130.0	-89.9
16TH	183.83	-21.4	-32.4	1542	3782	-13.9	-8.6	55	-36	-705.9	-648.8	99.7	-121.2	-87.4
17TH	196.16	-21.8	-31.3	1542	3782	-14.1	-8.3	57	-39	-684.5	-616.4	91.9	-112.6	-84.9
18TH	208.50	-22.2	-30.2	1542	3782	-14.4	-8.0	58	-43	-662.7	-585.1	84.5	-104.3	-82.3
19TH	220.83	-22.7	-29.0	1542	3782	-14.7	-7.7	60	-47	-640.5	-555.0	77.5	-96.2	-79.6
20TH	233.16	-23.1	-27.9	1542	3782	-15.0	-7.4	62	-51	-617.8	-525.9	70.8	-88.5	-76.7
21ST	245.50	-23.6	-26.8	1542	3782	-15.3	-7.1	63	-56	-594.6	-498.0	64.5	-81.0	-73.8
22ND	257.83	-24.1	-25.8	1542	3782	-15.6	-6.8	64	-60	-571.1	-471.2	58.5	-73.8	-70.8
23RD	270.16	-24.6	-25.2	1542	3782	-15.9	-6.7	65	-64	-547.0	-445.4	52.9	-66.9	-67.7
24TH	282.50	-25.1	-24.6	1542	3782	-16.3	-6.5	66	-67	-522.4	-420.3	47.5	-60.3	-64.5

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 20 ENERGY CENTRE, NEW ORLEANS CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-25.6	-24.0	1542	3782	-16.6	-6.3	67	-71	-497.3	-395.7	42.5	-54.0	-61.2
26TH	307.16	-26.1	-23.3	1542	3782	-16.9	-6.2	67	-75	-471.7	-371.7	37.8	-48.1	-57.8
27TH	319.49	-26.6	-22.7	1542	3782	-17.3	-6.0	67	-79	-445.6	-348.4	33.3	-42.4	-54.3
28TH	331.83	-27.2	-22.1	1542	3782	-17.6	-5.8	67	-83	-418.9	-325.7	29.2	-37.1	-50.7
29TH	344.16	-27.8	-21.9	1542	3782	-18.0	-5.8	67	-85	-391.8	-303.6	25.3	-32.1	-46.9
30TH	356.49	-28.5	-21.9	1542	3782	-18.5	-5.8	67	-86	-364.0	-281.7	21.7	-27.4	-43.1
31ST	368.83	-29.2	-22.0	1542	3782	-18.9	-5.8	66	-87	-335.5	-259.8	18.4	-23.1	-39.2
32ND	381.16	-29.9	-22.1	1542	3782	-19.4	-5.9	66	-89	-306.3	-237.7	15.3	-19.2	-35.2
33RD	393.49	-30.6	-22.2	1542	3782	-19.8	-5.9	65	-90	-276.4	-215.6	12.5	-15.6	-31.1
34TH	405.83	-31.3	-22.3	1542	3782	-20.3	-5.9	65	-91	-245.8	-193.4	10.0	-12.3	-26.9
35TH	418.16	-29.5	-20.8	1542	3616	-19.2	-5.8	63	-90	-214.5	-171.0	7.7	-9.5	-22.6
36TH	430.49	-29.0	-22.1	1542	3248	-18.8	-6.8	58	-76	-184.9	-150.2	5.7	-7.0	-18.6
37TH	442.82	-32.3	-26.0	1542	3175	-20.9	-8.2	59	-73	-156.0	-128.1	4.0	-4.9	-15.1
38TH	455.16	-27.3	-23.0	1542	2754	-17.7	-8.4	54	-64	-123.7	-102.1	2.6	-3.2	-11.3
39TH	467.49	-32.8	-28.8	1542	2754	-21.3	-10.5	52	-59	-96.4	-79.1	1.5	-1.9	-8.3
PENT	479.82	-63.5	-50.3	3426	5032	-18.5	-10.0	37	-47	-63.5	-50.3	.7	-.9	-4.9
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 30

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-18.9	-49.4	2563	6867	-7.4	-7.2	19	-7	-616.8	-526.6	76.5	-171.3	-33.6
2ND	20.50	-7.9	-18.5	1063	2848	-7.4	-6.5	18	-8	-598.0	-477.2	66.2	-158.9	-32.5
3RD	29.00	-8.1	-18.3	1063	2848	-7.6	-6.4	20	-9	-590.1	-458.7	62.2	-153.8	-32.1
4TH	37.50	-8.1	-18.1	1063	2848	-7.6	-6.4	21	-10	-582.0	-440.4	58.4	-148.9	-31.7
5TH	46.00	-8.2	-17.9	1063	2848	-7.7	-6.3	23	-10	-573.9	-422.3	54.8	-143.9	-31.2
6TH	54.50	-8.2	-17.7	1063	2848	-7.7	-6.2	25	-11	-565.7	-404.4	51.2	-139.1	-30.7
7TH	63.00	-8.3	-17.5	1063	2848	-7.8	-6.1	26	-12	-557.5	-386.7	47.9	-134.3	-30.2
MEZZ	71.50	-13.4	-27.7	1708	4578	-7.9	-6.1	28	-14	-549.2	-369.2	44.7	-129.6	-29.6
8TH	85.17	-13.1	-24.8	1542	3862	-8.5	-6.4	33	-17	-535.8	-341.5	39.8	-122.2	-28.7
9TH	97.50	-13.3	-24.4	1542	3782	-8.6	-6.5	33	-18	-522.7	-316.7	35.8	-115.7	-27.6
10TH	109.83	-13.3	-23.9	1542	3782	-8.6	-6.3	32	-18	-509.4	-292.3	32.0	-109.3	-26.6
11TH	122.17	-13.3	-23.3	1542	3782	-8.6	-6.1	31	-18	-496.1	-268.4	28.5	-103.1	-25.6
12TH	134.50	-13.3	-22.7	1542	3782	-8.6	-6.0	30	-18	-482.8	-245.1	25.4	-97.1	-24.6
13TH	146.83	-13.3	-22.0	1542	3782	-8.6	-5.8	30	-18	-469.5	-222.5	22.5	-91.2	-23.7
14TH	159.17	-13.3	-21.4	1542	3782	-8.6	-5.7	29	-18	-456.2	-200.4	19.9	-85.5	-22.8
15TH	171.50	-13.4	-20.8	1542	3782	-8.7	-5.5	28	-18	-442.9	-179.0	17.5	-80.0	-21.9
16TH	183.83	-13.6	-19.5	1542	3782	-8.8	-5.2	27	-19	-429.5	-158.2	15.5	-74.6	-21.1
17TH	196.16	-13.7	-18.1	1542	3782	-8.9	-4.8	26	-20	-415.9	-138.7	13.6	-69.4	-20.3
18TH	208.50	-13.9	-16.8	1542	3782	-9.0	-4.4	26	-21	-402.2	-120.5	12.0	-64.3	-19.6
19TH	220.83	-14.1	-15.5	1542	3782	-9.1	-4.1	25	-22	-388.3	-103.7	10.7	-59.4	-18.9
20TH	233.16	-14.3	-14.1	1542	3782	-9.3	-3.7	23	-24	-374.2	-88.3	9.5	-54.7	-18.2
21ST	245.50	-14.5	-12.8	1542	3782	-9.4	-3.4	22	-25	-359.9	-74.2	8.5	-50.2	-17.5
22ND	257.83	-14.6	-11.3	1542	3782	-9.5	-3.0	21	-27	-345.5	-61.4	7.6	-45.9	-16.9
23RD	270.16	-14.7	-9.4	1542	3782	-9.5	-2.5	20	-31	-330.9	-50.1	6.9	-41.7	-16.2
24TH	282.50	-14.8	-7.5	1542	3782	-9.6	-2.0	18	-35	-316.2	-40.7	6.4	-37.7	-15.6

TABLE 7. SHEAR AND MOMENT DIAGRAM 1 WIND DIRECTION 30 CONFIGURATION A ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									-301.4	-33.2	5.9	-33.9	-15.0
26TH	307.16	-14.9	-5.7	1542	3782	-9.7	-1.5	15	-38	-286.5	-27.5	5.6	-30.3	-14.3
27TH	319.49	-15.0	-3.8	1542	3782	-9.7	-1.0	11	-42	-271.5	-23.7	5.2	-26.8	-13.6
28TH	331.83	-15.1	-1.9	1542	3782	-9.8	-.5	6	-44	-256.4	-21.8	5.0	-23.6	-13.0
29TH	344.16	-15.2	-.0	1542	3782	-9.9	-.0	0	-45	-241.2	-21.8	4.7	-20.5	-12.3
30TH	356.49	-15.6	1.2	1542	3782	-10.1	.3	-3	-45	-225.5	-23.0	4.4	-17.6	-11.6
31ST	368.83	-16.1	1.8	1542	3782	-10.5	.5	-5	-45	-209.4	-24.7	4.1	-14.9	-10.8
32ND	381.16	-16.6	2.3	1542	3782	-10.8	.6	-6	-45	-192.8	-27.1	3.8	-12.5	-10.1
33RD	393.49	-17.2	2.9	1542	3782	-11.1	.8	-8	-45	-175.6	-30.0	3.4	-10.2	-9.3
34TH	405.83	-17.7	3.5	1542	3782	-11.5	.9	-9	-45	-158.0	-33.5	3.1	-8.1	-8.4
35TH	418.16	-18.2	4.1	1542	3782	-11.8	1.1	-10	-45	-139.8	-37.6	2.6	-6.3	-7.6
36TH	430.49	-18.0	4.0	1542	3616	-11.7	1.1	-10	-47	-121.8	-41.5	2.1	-4.7	-6.7
37TH	442.82	-18.4	-.4	1542	3248	-12.0	-.1	1	-57	-103.4	-41.1	1.6	-3.3	-5.7
38TH	455.16	-20.3	-3.3	1542	3175	-13.2	-1.0	9	-57	-83.0	-37.8	1.1	-2.1	-4.5
39TH	467.49	-19.3	-5.4	1542	2754	-12.5	-2.0	14	-50	-63.7	-32.4	.7	-1.2	-3.4
PENT	479.82	-20.9	-7.4	1542	2754	-13.6	-2.7	18	-52	-42.8	-25.1	.3	-.6	-2.2
TOP	507.24	-42.8	-25.1	3426	5032	-12.5	-5.0	22	-38	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 40

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00									-504.2	245.8	-112.3	-149.2	40.1
		-9.0	-5.6	2563	6867	-3.5	-1.0	-3	4	-495.2	251.4	-107.2	-139.0	40.1
2ND	20.50	-3.8	-3.2	1063	2848	-3.5	-1.1	-20	23	-491.5	254.6	-105.1	-134.8	39.9
3RD	29.00	-3.8	-3.3	1063	2848	-3.6	-1.2	-18	22	-487.6	257.9	-102.9	-130.6	39.8
4TH	37.50	-3.9	-3.3	1063	2848	-3.7	-1.2	-17	20	-483.7	261.2	-100.7	-126.5	39.6
5TH	46.00	-4.0	-3.4	1063	2848	-3.8	-1.2	-15	18	-479.6	264.6	-98.5	-122.4	39.5
6TH	54.50	-4.1	-3.4	1063	2848	-3.9	-1.2	-14	17	-475.5	268.0	-96.2	-118.4	39.4
7TH	63.00	-4.2	-3.4	1063	2848	-4.0	-1.2	-12	15	-471.3	271.4	-93.9	-114.3	39.3
MEZZ	71.50	-7.0	-5.5	1708	4578	-4.1	-1.2	-11	14	-464.2	276.9	-90.2	-107.9	39.1
8TH	85.17	-9.0	-7.9	1542	3862	-5.8	-2.0	-4	4	-455.3	284.8	-86.7	-102.3	39.1
9TH	97.50	-9.7	-8.8	1542	3782	-6.3	-2.3	-10	11	-445.6	293.6	-83.1	-96.7	38.9
10TH	109.83	-10.2	-8.5	1542	3782	-6.6	-2.3	-15	18	-435.4	302.1	-79.5	-91.3	38.6
11TH	122.17	-10.6	-8.2	1542	3782	-6.9	-2.2	-19	25	-424.8	310.3	-75.7	-86.0	38.1
12TH	134.50	-11.1	-7.8	1542	3782	-7.2	-2.1	-23	33	-413.7	318.1	-71.8	-80.8	37.6
13TH	146.83	-11.6	-7.4	1542	3782	-7.5	-2.0	-26	40	-402.1	325.6	-67.8	-75.8	36.9
14TH	159.17	-12.1	-7.1	1542	3782	-7.8	-1.9	-28	48	-390.0	332.7	-63.8	-70.9	36.2
15TH	171.50	-12.5	-6.7	1542	3782	-8.1	-1.8	-30	56	-377.6	339.3	-59.6	-66.2	35.3
16TH	183.83	-12.6	-4.4	1542	3782	-8.2	-1.2	-25	72	-365.0	343.7	-55.4	-61.6	34.2
17TH	196.16	-12.7	-2.1	1542	3782	-8.3	-.6	-14	86	-352.2	345.8	-51.2	-57.2	33.1
18TH	208.50	-12.9	.2	1542	3782	-8.4	.1	2	97	-339.4	345.6	-46.9	-52.9	31.9
19TH	220.83	-13.0	2.5	1542	3782	-8.5	.7	19	101	-326.3	343.1	-42.7	-48.8	30.5
20TH	233.16	-13.2	4.8	1542	3782	-8.5	1.3	36	99	-313.1	338.3	-38.5	-44.8	29.0
21ST	245.50	-13.3	7.1	1542	3782	-8.6	1.9	49	93	-299.8	331.2	-34.3	-41.1	27.4
22ND	257.83	-13.3	9.4	1542	3782	-8.6	2.5	60	84	-286.5	321.8	-30.3	-37.4	25.8
23RD	270.16	-13.1	11.9	1542	3782	-8.5	3.1	65	71	-273.5	310.0	-26.4	-34.0	24.1
24TH	282.50	-12.8	14.3	1542	3782	-8.3	3.8	66	59					

TABLE 7. SHEAR AND MOMENT DIAGRAMS :		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982				
WIND DIRECTION 40		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									-260.7	295.7	-22.7	-30.7	22.4
26TH	307.16	-12.6	16.8	1542	3782	-8.2	4.4	66	49	-248.0	278.9	-19.1	-27.6	20.6
27TH	319.49	-12.4	19.2	1542	3782	-8.0	5.1	64	41	-235.7	259.6	-15.8	-24.6	18.9
28TH	331.83	-12.1	21.7	1542	3782	-7.9	5.7	62	35	-223.5	237.9	-12.8	-21.7	17.1
29TH	344.16	-11.9	24.2	1542	3782	-7.7	6.4	59	29	-211.6	213.7	-10.0	-19.1	15.4
30TH	356.49	-12.1	25.7	1542	3782	-7.9	6.8	57	27	-199.5	188.0	-7.5	-16.5	13.6
31ST	368.83	-12.5	26.4	1542	3782	-8.1	7.0	56	26	-187.0	161.6	-5.3	-14.1	11.8
32ND	381.16	-12.9	27.0	1542	3782	-8.3	7.1	55	26	-174.1	134.6	-3.5	-11.9	10.0
33RD	393.49	-13.2	27.7	1542	3782	-8.6	7.3	53	26	-160.9	106.9	-2.0	-9.9	8.2
34TH	405.83	-13.6	28.4	1542	3782	-8.8	7.5	53	25	-147.3	78.5	-.9	-7.9	6.3
35TH	418.16	-13.9	29.0	1542	3782	-9.0	7.7	52	25	-133.4	49.5	-.1	-6.2	4.5
36TH	430.49	-14.9	26.7	1542	3616	-9.7	7.4	45	25	-118.5	22.8	.4	-4.7	2.9
37TH	442.82	-17.3	16.6	1542	3248	-11.2	5.1	29	30	-101.1	6.2	.5	-3.3	1.9
38TH	455.16	-19.6	12.1	1542	3175	-12.7	3.8	21	35	-81.5	-6.0	.5	-2.2	1.0
39TH	467.49	-17.5	7.0	1542	2754	-11.3	2.6	13	32	-64.1	-13.0	.4	-1.3	.3
PENT	479.82	-19.2	4.3	1542	2754	-12.4	1.6	6	28	-44.9	-17.3	.2	-.6	-.2
TOP	507.24	-44.9	-17.3	3426	5032	-13.1	-3.4	2	-5	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32							
WIND DIRECTION 50		CONFIGURATION A													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)			
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z	
GRND	0.00	1.2	37.6	2563	6867	.5	5.5	53	-2	-312.6	1009.9	-267.1	-105.3	125.9	
2ND	20.50	1.1	17.0	1063	2848	1.0	6.0	58	-4	-313.8	972.3	-246.8	-98.8	123.9	
3RD	29.00	1.4	16.6	1063	2848	1.3	5.8	59	-5	-314.9	955.3	-238.6	-96.2	122.9	
4TH	37.50	1.5	16.2	1063	2848	1.4	5.7	59	-6	-316.3	938.7	-230.6	-93.5	121.9	
5TH	46.00	1.7	15.9	1063	2848	1.6	5.6	60	-6	-317.8	922.5	-222.7	-90.8	121.0	
6TH	54.50	1.8	15.5	1063	2848	1.7	5.5	60	-7	-319.5	906.6	-214.9	-88.1	120.0	
7TH	63.00	1.9	15.2	1063	2848	1.8	5.3	61	-8	-321.3	891.1	-207.2	-85.3	119.1	
MEZZ	71.50	3.3	23.6	1708	4578	1.9	5.2	62	-9	-323.2	875.9	-199.7	-82.6	118.1	
8TH	85.17	-2.6	15.4	1542	3862	-1.7	4.0	83	14	-326.5	852.3	-187.9	-78.2	116.6	
9TH	97.50	-4.1	13.7	1542	3782	-2.6	3.6	102	30	-323.9	836.9	-177.5	-74.2	115.3	
10TH	109.83	-5.0	13.8	1542	3782	-3.3	3.7	112	41	-319.8	823.2	-167.3	-70.2	113.8	
11TH	122.17	-6.0	14.1	1542	3782	-3.9	3.7	119	50	-314.8	809.4	-157.2	-66.3	112.0	
12TH	134.50	-6.9	14.5	1542	3782	-4.5	3.8	125	59	-308.9	795.2	-147.3	-62.4	110.1	
13TH	146.83	-7.8	14.8	1542	3782	-5.1	3.9	129	68	-302.0	780.8	-137.6	-58.7	107.8	
14TH	159.17	-8.8	15.1	1542	3782	-5.7	4.0	132	77	-294.1	766.0	-128.1	-55.0	105.4	
15TH	171.50	-9.5	15.5	1542	3782	-6.1	4.1	136	83	-285.4	750.9	-118.7	-51.4	102.7	
16TH	183.83	-9.5	17.7	1542	3782	-6.2	4.7	134	72	-275.9	735.4	-109.5	-48.0	99.8	
17TH	196.16	-9.5	19.9	1542	3782	-6.2	5.3	131	63	-266.4	717.7	-100.6	-44.6	96.8	
18TH	208.50	-9.6	22.1	1542	3782	-6.2	5.8	129	56	-256.9	697.8	-91.8	-41.4	93.6	
19TH	220.83	-9.6	24.3	1542	3782	-6.2	6.4	126	50	-247.4	675.7	-83.4	-38.3	90.2	
20TH	233.16	-9.6	26.5	1542	3782	-6.2	7.0	123	45	-237.8	651.3	-75.2	-35.3	86.7	
21ST	245.50	-9.6	28.8	1542	3782	-6.3	7.6	120	40	-228.2	624.8	-67.3	-32.4	83.0	
22ND	257.83	-9.6	30.8	1542	3782	-6.2	8.2	118	37	-218.5	596.0	-59.8	-29.7	79.1	
23RD	270.16	-9.5	32.6	1542	3782	-6.1	8.6	117	34	-208.9	565.2	-52.6	-27.0	75.1	
24TH	282.50	-9.4	34.3	1542	3782	-6.1	9.1	115	31	-199.4	532.6	-45.9	-24.5	71.0	

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1		WIND DIRECTION 50		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS				REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32	
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)			
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z	
25TH	294.83	-9.2	36.0	1542	3782	-6.0	9.5	114	29	-190.1	498.3	-39.5	-22.1	66.7	
26TH	307.16	-9.1	37.8	1542	3782	-5.9	10.0	113	27	-180.8	462.3	-33.6	-19.8	62.3	
27TH	319.49	-9.0	39.5	1542	3782	-5.8	10.4	111	25	-171.7	424.5	-28.1	-17.6	57.8	
28TH	331.83	-8.9	41.3	1542	3782	-5.7	10.9	110	24	-162.8	385.0	-23.1	-15.6	53.2	
29TH	344.16	-9.1	41.8	1542	3782	-5.9	11.0	111	24	-153.9	343.7	-18.6	-13.6	48.4	
30TH	356.49	-9.4	41.1	1542	3782	-6.1	10.9	113	26	-144.9	301.9	-14.7	-11.8	43.6	
31ST	368.83	-9.7	40.5	1542	3782	-6.3	10.7	116	28	-135.5	260.8	-11.2	-10.1	38.7	
32ND	381.16	-10.0	39.8	1542	3782	-6.5	10.5	118	30	-125.8	220.4	-8.2	-8.4	33.8	
33RD	393.49	-10.3	39.1	1542	3782	-6.7	10.3	121	32	-115.8	180.6	-5.7	-7.0	28.8	
34TH	405.83	-10.7	38.5	1542	3782	-6.9	10.2	123	34	-105.4	141.4	-3.8	-5.6	23.7	
35TH	418.16	-10.8	34.7	1542	3616	-7.0	9.6	122	38	-94.8	103.0	-2.2	-4.4	18.6	
36TH	430.49	-11.8	25.9	1542	3248	-7.7	8.0	112	51	-84.0	68.2	-1.2	-3.3	14.0	
37TH	442.82	-13.8	21.7	1542	3175	-9.0	6.8	109	69	-72.1	42.3	-.5	-2.3	10.5	
38TH	455.16	-13.7	13.8	1542	2754	-8.9	5.0	90	90	-58.3	20.6	-.1	-1.5	7.1	
39TH	467.49	-15.7	11.2	1542	2754	-10.2	4.1	72	101	-44.6	6.8	.0	-.8	4.7	
PENT	479.82	-28.9	-4.4	3426	5032	-8.4	-.9	-12	77	-28.9	-4.4	.1	-.4	2.3	
TOP	507.24									0.0	0.0	0.0	0.0	0.0	

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1		WIND DIRECTION 60		ENERGY CENTRE		NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32		
CONFIGURATION A														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	3.4	36.5	2563	6867	1.3	5.3	50	-5	55.4	1201.7	-327.1	4.7	155.4
2ND	20.50	2.2	15.2	1063	2840	2.1	5.3	71	-10	52.0	1165.2	-302.9	3.6	153.6
3RD	29.00	2.7	15.0	1063	2840	2.5	5.3	71	-13	49.8	1150.0	-293.0	3.2	152.5
4TH	37.50	2.9	14.9	1063	2840	2.7	5.2	70	-14	47.1	1135.0	-283.3	2.8	151.4
5TH	46.00	3.1	14.7	1063	2840	2.9	5.2	70	-15	44.2	1120.1	-273.7	2.4	150.3
6TH	54.50	3.3	14.6	1063	2840	3.1	5.1	69	-16	41.1	1105.4	-264.3	2.0	149.2
7TH	63.00	3.6	14.5	1063	2840	3.3	5.1	68	-17	37.7	1090.8	-254.9	1.7	148.1
MEZZ	71.50	6.2	23.0	1708	4570	3.6	5.0	68	-18	34.2	1076.3	-245.7	1.4	147.1
8TH	85.17	4.1	18.5	1542	3862	2.7	4.8	66	-15	28.0	1053.3	-231.2	1.0	145.4
9TH	97.50	3.4	18.5	1542	3782	2.2	4.9	74	-14	23.9	1034.8	-218.3	.7	144.2
10TH	109.83	2.9	19.4	1542	3782	1.9	5.1	85	-13	20.5	1016.4	-205.7	.4	142.7
11TH	122.17	2.4	20.5	1542	3782	1.6	5.4	94	-11	17.5	997.0	-193.2	.1	141.0
12TH	134.50	1.9	21.6	1542	3782	1.2	5.7	102	-9	15.1	976.5	-181.1	-.1	139.1
13TH	146.83	1.4	22.7	1542	3782	.9	6.0	109	-7	13.2	955.0	-169.2	-.2	136.9
14TH	159.17	.9	23.8	1542	3782	.6	6.3	116	-4	11.8	932.3	-157.5	-.4	134.4
15TH	171.50	.5	24.9	1542	3782	.3	6.6	121	-3	10.9	908.6	-146.2	-.5	131.6
16TH	183.83	.5	26.1	1542	3782	.3	6.9	125	-2	10.4	883.7	-135.1	-.7	128.6
17TH	196.16	.5	27.4	1542	3782	.3	7.2	129	-2	9.9	857.6	-124.4	-.8	125.3
18TH	208.50	.4	28.7	1542	3782	.3	7.6	132	-2	9.4	830.1	-114.0	-.9	121.8
19TH	220.83	.4	29.9	1542	3782	.3	7.9	135	-2	9.0	801.5	-103.9	-1.0	118.0
20TH	233.16	.4	31.2	1542	3782	.3	8.3	137	-2	8.6	771.5	-94.2	-1.1	114.0
21ST	245.50	.4	32.5	1542	3782	.2	8.6	140	-2	8.2	740.3	-84.9	-1.2	109.7
22ND	257.83	.5	33.9	1542	3782	.3	9.0	141	-2	7.8	707.8	-76.0	-1.3	105.1
23RD	270.16	.7	35.5	1542	3782	.5	9.4	141	-3	7.3	674.0	-67.4	-1.4	100.4
24TH	282.50	1.0	37.1	1542	3782	.6	9.8	140	-4	6.6	638.5	-59.3	-1.5	95.4

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982				
WIND DIRECTION 60		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									5.7	601.3	-51.7	-1.6	90.2
		1.2	38.8	1542	3782	.8	10.3	140	-4	4.5	562.5	-44.5	-1.6	84.7
26TH	307.16	1.4	40.4	1542	3782	.9	10.7	139	-5	3.0	522.1	-37.8	-1.7	79.1
27TH	319.49	1.7	42.1	1542	3782	1.1	11.1	139	-6	1.3	480.0	-31.7	-1.7	73.2
28TH	331.83	1.9	43.7	1542	3782	1.3	11.6	138	-6	-.6	436.3	-26.0	-1.7	67.2
29TH	344.16	2.2	45.0	1542	3782	1.4	11.9	139	-7	-2.8	391.3	-20.9	-1.7	60.9
30TH	356.49	2.4	45.9	1542	3782	1.6	12.1	140	-7	-5.2	345.4	-16.4	-1.6	54.5
31ST	368.83	2.6	46.9	1542	3782	1.7	12.4	142	-8	-7.8	298.5	-12.4	-1.6	47.8
32ND	381.16	2.8	47.8	1542	3782	1.8	12.6	143	-9	-10.6	250.7	-9.0	-1.5	41.0
33RD	393.49	3.1	48.7	1542	3782	2.0	12.9	144	-9	-13.7	202.0	-6.2	-1.3	33.9
34TH	405.83	3.3	49.6	1542	3782	2.1	13.1	145	-10	-17.0	152.4	-4.0	-1.1	26.7
35TH	418.16	1.9	46.0	1542	3616	1.2	12.7	146	-6	-18.9	106.4	-2.4	-.9	20.0
36TH	430.49	-1.3	33.6	1542	3240	-.9	10.3	151	6	-17.6	72.8	-1.3	-.7	14.9
37TH	442.82	-2.9	28.1	1542	3175	-1.9	8.9	166	17	-14.7	44.7	-.6	-.5	10.2
38TH	455.16	-.6	23.1	1542	2754	-.4	8.4	150	4	-14.0	21.5	-.2	-.3	6.7
39TH	467.49	-3.7	18.4	1542	2754	-2.4	6.7	174	35	-10.3	3.1	-.0	-.1	3.4
PENT	479.82	-10.3	3.1	3426	5032	-3.0	.6	91	300	0.0	0.0	0.0	0.0	0.0
TOP	507.24													

TABLE 7. SHEAR AND MOMENT DIAGRAMS		ENERGY CENTRE, NEW ORLEANS						FEB 26, 1982		GUST FACTOR 1.32			
WIND DIRECTION 70		CONFIGURATION A						REFERENCE PRESSURE 38.0 PSF					
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00	0.2	51.0	2563	6867	3.2	7.4	28	-5	337.0	1491.1	-410.3	78.7 144.6
2ND	20.50	3.7	19.5	1063	2848	3.5	6.8	34	-6	328.8	1440.1	-380.3	71.9 143.1
3RD	29.00	3.9	18.7	1063	2848	3.7	6.6	36	-8	325.1	1420.7	-368.1	69.1 142.4
4TH	37.50	4.1	18.0	1063	2848	3.8	6.3	39	-9	321.2	1402.0	-356.1	66.3 141.7
5TH	46.00	4.2	17.2	1063	2848	4.0	6.1	42	-10	317.1	1384.0	-344.3	63.6 141.0
6TH	54.50	4.4	16.5	1063	2848	4.1	5.8	45	-12	312.9	1366.8	-332.6	60.9 140.2
7TH	63.00	4.5	15.8	1063	2848	4.3	5.5	48	-14	308.5	1350.3	-321.1	58.3 139.4
MEZZ	71.50	7.6	23.8	1708	4578	4.5	5.2	52	-17	304.0	1334.5	-309.7	55.7 138.6
8TH	85.17	10.7	20.9	1542	3862	6.9	5.4	41	-21	296.4	1310.7	-291.6	51.6 137.2
9TH	97.50	11.1	21.8	1542	3782	7.2	5.8	43	-22	285.7	1289.8	-275.5	48.0 136.1
10TH	109.83	11.0	23.1	1542	3782	7.1	6.1	51	-24	274.6	1268.0	-259.8	44.6 135.0
11TH	122.17	10.9	24.6	1542	3782	7.1	6.5	58	-26	263.6	1244.9	-244.3	41.2 133.5
12TH	134.50	10.8	26.1	1542	3782	7.0	6.9	64	-27	252.7	1220.3	-229.1	38.0 131.8
13TH	146.83	10.7	27.5	1542	3782	7.0	7.3	70	-27	241.9	1194.2	-214.2	35.0 129.8
14TH	159.17	10.7	29.0	1542	3782	6.9	7.7	75	-28	231.1	1166.7	-199.6	32.1 127.6
15TH	171.50	10.6	30.5	1542	3782	6.9	8.1	80	-28	220.5	1137.7	-185.4	29.3 125.1
16TH	183.83	10.5	32.0	1542	3782	6.8	8.5	83	-27	209.9	1107.3	-171.6	26.6 122.4
17TH	196.16	10.5	33.5	1542	3782	6.8	8.9	87	-27	199.3	1075.3	-158.1	24.1 119.5
18TH	208.50	10.5	35.1	1542	3782	6.8	9.3	90	-27	188.8	1041.8	-145.1	21.7 116.3
19TH	220.83	10.4	36.6	1542	3782	6.8	9.7	92	-26	178.4	1006.7	-132.4	19.5 112.8
20TH	233.16	10.4	38.1	1542	3782	6.7	10.1	95	-26	168.0	970.1	-120.2	17.3 109.2
21ST	245.50	10.3	39.6	1542	3782	6.7	10.5	97	-25	157.6	932.0	-108.5	15.3 105.3
22ND	257.83	10.3	41.4	1542	3782	6.7	11.0	99	-25	147.3	892.4	-97.3	13.4 101.2
23RD	270.16	10.2	43.9	1542	3782	6.6	11.6	100	-23	137.0	850.9	-86.5	11.7 96.8
24TH	282.50	10.2	46.4	1542	3782	6.6	12.3	102	-22	126.8	807.0	-76.3	10.1 92.2

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 70		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF						FEB 26, 1982		GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	10.1	48.9	1542	3782	6.6	12.9	102	-21	116.6	760.6	-66.6	8.6	87.2
26TH	307.16	10.1	51.4	1542	3782	6.5	13.6	103	-20	106.5	711.7	-57.5	7.2	82.0
27TH	319.49	10.0	53.9	1542	3782	6.5	14.2	104	-19	96.4	660.3	-49.1	5.9	76.5
28TH	331.83	10.0	56.3	1542	3782	6.5	14.9	105	-19	86.4	606.5	-41.3	4.8	70.7
29TH	344.16	10.0	57.6	1542	3782	6.5	15.2	106	-18	76.4	550.1	-34.1	3.8	64.6
30TH	356.49	9.9	57.6	1542	3782	6.4	15.2	108	-19	66.5	492.5	-27.7	2.9	58.3
31ST	368.83	9.9	57.7	1542	3782	6.4	15.3	110	-19	56.5	434.9	-22.0	2.2	51.9
32ND	381.16	9.9	57.7	1542	3782	6.4	15.3	111	-19	46.6	377.2	-17.0	1.5	45.4
33RD	393.49	9.8	57.8	1542	3782	6.4	15.3	113	-19	36.8	319.5	-12.7	1.0	38.8
34TH	405.83	9.8	57.8	1542	3782	6.4	15.3	115	-20	26.9	261.7	-9.1	.6	32.1
35TH	418.16	7.9	53.5	1542	3616	5.1	14.8	115	-17	17.1	203.8	-6.2	.3	25.2
36TH	430.49	4.8	42.0	1542	3248	3.1	12.9	112	-13	9.2	150.4	-4.0	.2	18.9
37TH	442.82	3.3	38.0	1542	3175	2.1	12.0	117	-10	4.5	108.3	-2.4	.1	14.1
38TH	455.16	-.5	26.3	1542	2754	-.4	9.6	125	3	1.2	70.3	-1.3	.1	9.7
39TH	467.49	.1	25.5	1542	2754	.1	9.3	121	-1	1.7	44.0	-.6	.0	6.4
PENT	479.82	1.6	18.5	3426	5032	.5	3.7	177	-15	1.6	18.5	-.3	.0	3.3
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 80		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	14.2	68.9	2563	6867	5.5	10.0	14	-3	440.8	1631.0	-415.7	101.3	95.0
2ND	20.50	5.7	27.4	1063	2848	5.3	9.6	12	-2	426.7	1562.1	-383.0	92.4	94.0
3RD	29.00	5.5	26.6	1063	2848	5.2	9.3	14	-3	421.0	1534.8	-369.8	88.8	93.7
4TH	37.50	5.3	25.7	1063	2848	5.0	9.0	15	-3	415.5	1508.2	-356.9	85.2	93.3
5TH	46.00	5.0	24.9	1063	2848	4.7	8.8	17	-3	410.2	1482.5	-344.2	81.7	92.9
6TH	54.50	4.8	24.1	1063	2848	4.5	8.5	18	-4	405.1	1457.6	-331.7	78.2	92.5
7TH	63.00	4.6	23.3	1063	2848	4.3	8.2	20	-4	400.3	1433.5	-319.4	74.8	92.0
MEZZ	71.50	6.8	35.7	1708	4570	4.0	7.8	23	-4	395.8	1410.2	-307.3	71.4	91.5
8TH	85.17	16.5	31.8	1542	3862	10.7	8.2	21	-11	389.0	1374.5	-288.3	66.1	90.7
9TH	97.50	17.4	32.4	1542	3782	11.3	8.6	22	-12	372.4	1342.7	-271.5	61.4	89.8
10TH	109.83	16.9	33.1	1542	3782	11.0	8.7	26	-13	355.1	1310.3	-255.2	56.9	88.9
11TH	122.17	16.4	33.9	1542	3782	10.7	9.0	29	-14	338.2	1277.3	-239.2	52.6	87.8
12TH	134.50	16.0	34.7	1542	3782	10.4	9.2	33	-15	321.7	1243.4	-223.7	48.5	86.6
13TH	146.83	15.5	35.5	1542	3782	10.1	9.4	36	-16	305.8	1208.7	-208.5	44.7	85.2
14TH	159.17	15.1	36.3	1542	3782	9.8	9.6	39	-16	290.2	1173.2	-193.8	41.0	83.7
15TH	171.50	14.7	37.1	1542	3782	9.5	9.8	42	-17	275.2	1136.9	-179.6	37.5	82.0
16TH	183.83	14.4	38.2	1542	3782	9.4	10.1	45	-17	260.5	1099.8	-165.8	34.2	80.2
17TH	196.16	14.2	39.3	1542	3782	9.2	10.4	47	-17	246.1	1061.6	-152.5	31.1	78.3
18TH	208.50	13.9	40.4	1542	3782	9.0	10.7	50	-17	231.9	1022.3	-139.6	28.1	76.2
19TH	220.83	13.7	41.5	1542	3782	8.9	11.0	52	-17	218.0	981.9	-127.3	25.4	73.9
20TH	233.16	13.5	42.6	1542	3782	8.7	11.3	54	-17	204.3	940.4	-115.4	22.8	71.5
21ST	245.50	13.2	43.7	1542	3782	8.6	11.6	56	-17	190.8	897.8	-104.1	20.3	69.0
22ND	257.83	12.9	44.8	1542	3782	8.4	11.8	58	-17	177.6	854.1	-93.3	18.0	66.3
23RD	270.16	12.5	45.8	1542	3782	8.1	12.1	61	-17	164.7	809.3	-83.0	15.9	63.5
24TH	282.50	12.1	46.9	1542	3782	7.8	12.4	64	-16	152.3	763.5	-73.3	14.0	60.5

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS													FEB 26, 1982	
WIND DIRECTION 80		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									140.2	716.6	-64.2	12.2	57.3
26TH	307.16	11.6	47.9	1542	3782	7.6	12.7	66	-16	128.6	668.7	-55.6	10.5	53.9
27TH	319.49	11.2	49.0	1542	3782	7.3	12.9	69	-16	117.3	619.7	-47.7	9.0	50.4
28TH	331.83	10.8	50.0	1542	3782	7.0	13.2	71	-15	106.5	569.7	-40.4	7.6	46.7
29TH	344.16	10.4	51.1	1542	3782	6.8	13.5	73	-15	96.1	518.6	-33.7	6.4	42.8
30TH	356.49	10.2	51.7	1542	3782	6.6	13.7	75	-15	85.9	467.0	-27.6	5.2	38.8
31ST	368.83	10.0	51.9	1542	3782	6.5	13.7	77	-15	75.9	415.1	-22.1	4.2	34.6
32ND	381.16	9.8	52.1	1542	3782	6.4	13.8	79	-15	66.1	363.0	-17.3	3.4	30.4
33RD	393.49	9.6	52.3	1542	3782	6.3	13.8	81	-15	56.5	310.8	-13.2	2.6	26.0
34TH	405.83	9.5	52.4	1542	3782	6.1	13.9	83	-15	47.0	258.3	-9.7	2.0	21.5
35TH	418.16	9.3	52.6	1542	3782	6.0	13.9	85	-15	37.7	205.7	-6.8	1.5	16.9
36TH	430.49	8.2	49.4	1542	3616	5.3	13.7	85	-14	29.5	156.3	-4.6	1.0	12.5
37TH	442.82	6.7	40.2	1542	3249	4.3	12.4	82	-14	22.8	116.1	-2.9	.7	9.2
38TH	455.16	6.0	36.6	1542	3175	3.9	11.5	79	-13	16.9	79.5	-1.7	.5	6.2
39TH	467.49	3.1	26.4	1542	2754	2.0	9.6	81	-10	13.8	53.0	-.9	.3	4.0
PENT	479.82	3.7	25.2	1542	2754	2.4	9.2	71	-10	10.0	27.8	-.4	.1	2.2
TOP	507.24	10.0	27.6	3426	5032	2.9	5.5	69	-25	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS WIND DIRECTION 90 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00									613.6	2190.2	-497.7	150.8
2ND	20.50	15.2	113.3	2563	6867	5.9	16.5	-21	3	598.4	2076.9	-453.9	138.4
3RD	29.00	6.3	47.1	1063	2848	5.9	16.5	-21	3	592.2	2029.8	-436.5	133.3
4TH	37.50	6.0	46.7	1063	2848	5.6	16.4	-22	3	586.2	1983.1	-419.4	128.3
5TH	46.00	5.6	46.3	1063	2848	5.2	16.3	-23	3	580.6	1936.8	-402.8	123.3
6TH	54.50	5.2	45.9	1063	2848	4.9	16.1	-24	3	575.4	1890.8	-386.5	118.4
7TH	63.00	4.7	45.6	1063	2848	4.5	16.0	-25	3	570.7	1845.3	-370.6	113.5
MEZZ	71.50	4.3	45.2	1063	2848	4.1	15.9	-25	2	566.4	1800.1	-355.1	108.7
8TH	85.17	6.1	71.8	1708	4578	3.6	15.7	-27	2	560.3	1728.2	-331.0	101.0
9TH	97.50	20.6	59.4	1542	3862	13.4	15.4	-11	4	539.7	1668.8	-310.1	94.2
10TH	109.83	22.1	58.5	1542	3782	14.3	15.5	-8	3	517.6	1610.3	-289.8	87.7
11TH	122.17	21.8	57.9	1542	3782	14.1	15.3	-6	2	495.8	1552.4	-270.3	81.5
12TH	134.50	21.4	57.3	1542	3782	13.9	15.2	-4	1	474.4	1495.1	-251.5	75.5
13TH	146.83	21.0	56.7	1542	3782	13.6	15.0	-2	1	453.4	1438.3	-233.5	69.8
14TH	159.17	20.7	56.1	1542	3782	13.4	14.8	-0	0	432.7	1382.2	-216.1	64.3
15TH	171.50	20.3	55.5	1542	3782	13.2	14.7	2	-1	412.4	1326.7	-199.4	59.1
16TH	183.83	20.0	55.0	1542	3782	13.0	14.5	4	-2	392.4	1271.7	-183.3	54.1
17TH	196.16	19.8	54.9	1542	3782	12.8	14.5	6	-2	372.6	1216.8	-168.0	49.4
18TH	208.50	19.6	54.9	1542	3782	12.7	14.5	7	-3	353.0	1161.9	-153.3	44.9
19TH	220.83	19.4	54.9	1542	3782	12.6	14.5	9	-3	333.6	1107.0	-139.3	40.7
20TH	233.16	19.2	54.9	1542	3782	12.5	14.5	10	-4	314.4	1052.1	-126.0	36.7
21ST	245.50	19.0	54.9	1542	3782	12.3	14.5	12	-4	295.4	997.2	-113.4	32.9
22ND	257.83	18.8	54.8	1542	3782	12.2	14.5	14	-5	276.6	942.4	-101.4	29.4
23RD	270.16	18.6	54.9	1542	3782	12.0	14.5	15	-5	258.0	887.4	-90.1	26.1
24TH	282.50	18.2	55.3	1542	3782	11.8	14.6	17	-6	239.8	832.1	-79.5	23.0
		17.9	55.7	1542	3782	11.6	14.7	19	-6				27.6

TABLE 7. SHEAR AND MOMENT DIAGRAMS :		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982				
WIND DIRECTION 90		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	
25TH	294.83									222.0	776.4	-69.6	20.2	26.4
26TH	307.16	17.5	56.1	1542	3782	11.4	14.8	22	-7	204.4	720.4	-60.4	17.6	25.0
27TH	319.49	17.2	56.4	1542	3782	11.2	14.9	24	-7	187.2	663.9	-51.8	15.1	23.6
28TH	331.83	16.9	56.8	1542	3782	10.9	15.0	26	-8	170.3	607.1	-44.0	12.9	22.0
29TH	344.16	16.5	57.2	1542	3782	10.7	15.1	28	-8	153.8	549.9	-36.9	10.9	20.3
30TH	356.49	15.9	56.7	1542	3782	10.3	15.0	29	-8	137.9	493.2	-30.4	9.1	18.5
31ST	368.83	15.3	55.5	1542	3782	9.9	14.7	31	-8	122.6	437.7	-24.7	7.5	16.6
32ND	381.16	14.6	54.3	1542	3782	9.5	14.4	32	-9	108.0	383.4	-19.6	6.1	14.8
33RD	393.49	13.9	53.1	1542	3782	9.0	14.0	34	-9	94.1	330.3	-15.2	4.9	12.8
34TH	405.83	13.2	51.9	1542	3782	8.6	13.7	35	-9	80.9	278.4	-11.5	3.8	10.9
35TH	418.16	12.5	50.6	1542	3782	8.1	13.4	37	-9	68.3	227.8	-8.4	2.9	8.9
36TH	430.49	11.0	46.9	1542	3616	7.2	13.0	40	-9	57.3	180.9	-5.8	2.1	6.9
37TH	442.82	10.2	39.9	1542	3248	6.6	12.3	44	-11	47.1	141.0	-3.9	1.5	5.1
38TH	455.16	10.7	38.9	1542	3173	7.0	12.3	39	-11	36.4	102.1	-2.4	.9	3.5
39TH	467.49	8.1	29.6	1542	2754	5.3	10.7	39	-11	28.3	72.5	-1.3	.5	2.2
PENT	479.82	10.0	30.6	1542	2754	6.5	11.1	28	-9	18.3	41.9	-.6	.3	1.3
TOP	507.24	18.3	41.9	3426	5032	5.3	8.3	26	-11	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 100

CONFIGURATION A

ENERGY CENTRE, NEW ORLEANS

REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	23.7	186.7	2563	6867	9.2	27.2	-17	2	981.5	3789.5	-883.0	261.3	10.8
2ND	20.50	8.2	75.4	1063	2848	7.8	26.5	-18	2	957.9	3602.7	-807.2	241.4	14.1
3RD	29.00	7.0	74.9	1063	2848	6.6	26.3	-18	2	949.6	3527.3	-776.9	233.3	15.5
4TH	37.50	5.7	74.5	1063	2848	5.4	26.2	-19	1	942.6	3452.4	-747.2	225.2	16.9
5TH	46.00	4.4	74.1	1063	2848	4.1	26.0	-19	1	936.9	3377.9	-718.2	217.3	18.3
6TH	54.50	3.1	73.6	1063	2848	2.9	25.9	-20	1	932.5	3303.9	-689.8	209.3	19.7
7TH	63.00	1.7	73.2	1063	2848	1.6	25.7	-20	0	929.4	3230.2	-662.0	201.4	21.2
MEZZ	71.50	-0.0	116.8	1708	4578	-0.0	25.5	-21	-0	927.7	3157.0	-634.9	193.5	22.7
8TH	85.17	29.5	97.1	1542	3862	19.2	25.1	-6	2	927.7	3040.2	-592.6	180.8	25.1
9TH	97.50	32.6	95.9	1542	3782	21.2	25.3	-4	1	898.2	2943.1	-555.7	169.6	25.8
10TH	109.83	32.1	95.9	1542	3782	20.8	25.4	-3	1	865.5	2847.2	-520.0	158.7	26.2
11TH	122.17	31.5	95.8	1542	3782	20.4	25.3	-2	1	833.5	2751.3	-485.4	148.2	26.5
12TH	134.50	31.0	95.8	1542	3782	20.1	25.3	-1	0	802.0	2655.4	-452.1	138.1	26.7
13TH	146.83	30.4	95.7	1542	3782	19.7	25.3	-0	0	771.0	2559.7	-419.9	128.4	26.8
14TH	159.17	29.9	95.6	1542	3782	19.4	25.3	1	-0	740.6	2464.0	-389.0	119.1	26.8
15TH	171.50	29.5	95.5	1542	3782	19.1	25.3	1	-0	710.7	2368.4	-359.2	110.2	26.8
16TH	183.83	29.5	96.3	1542	3782	19.1	25.5	2	-1	681.3	2272.8	-330.5	101.6	26.6
17TH	196.16	29.5	97.1	1542	3782	19.1	25.7	3	-1	651.8	2176.5	-303.1	93.4	26.4
18TH	208.50	29.5	97.8	1542	3782	19.1	25.9	3	-1	622.3	2079.5	-276.9	85.5	26.1
19TH	220.83	29.5	98.6	1542	3782	19.2	26.1	4	-1	592.8	1981.6	-251.8	78.0	25.8
20TH	233.16	29.5	99.4	1542	3782	19.2	26.3	5	-1	563.3	1883.0	-228.0	70.9	25.3
21ST	245.50	29.6	100.1	1542	3782	19.2	26.5	5	-2	533.7	1783.6	-205.4	64.1	24.8
22ND	257.83	29.4	100.6	1542	3782	19.1	26.6	6	-2	504.2	1683.5	-184.0	57.7	24.3
23RD	270.16	29.2	100.0	1542	3782	18.9	26.4	7	-2	474.7	1582.9	-163.8	51.7	23.7
24TH	282.50	29.0	99.4	1542	3782	18.8	26.3	8	-2	445.5	1482.9	-144.9	46.0	22.9

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS
WIND DIRECTION 100 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									416.6	1383.6	-127.3	40.7	22.1
26TH	307.16	28.7	98.8	1542	3782	18.6	26.1	9	-3	387.8	1284.7	-110.8	35.7	21.1
27TH	319.49	28.5	98.2	1542	3782	18.5	26.0	10	-3	359.4	1186.5	-95.6	31.1	20.1
28TH	331.83	28.2	97.7	1542	3782	18.3	25.8	11	-3	331.1	1088.9	-81.5	26.9	19.0
29TH	344.16	28.0	97.1	1542	3782	18.2	25.7	12	-3	303.1	991.8	-68.7	22.9	17.7
30TH	356.49	27.4	96.2	1542	3782	17.8	25.4	13	-4	275.8	895.6	-57.1	19.4	16.4
31ST	368.83	26.7	95.0	1542	3782	17.3	25.1	13	-4	249.1	800.6	-46.6	16.1	15.0
32ND	381.16	25.9	93.9	1542	3782	16.8	24.8	14	-4	223.1	706.7	-37.3	13.2	13.6
33RD	393.49	25.2	92.7	1542	3782	16.4	24.5	15	-4	197.9	613.9	-29.2	10.6	12.1
34TH	405.83	24.5	91.6	1542	3782	15.9	24.2	15	-4	173.4	522.3	-22.2	8.3	10.6
35TH	418.16	23.8	90.4	1542	3782	15.4	23.9	16	-4	149.6	431.9	-16.3	6.4	9.1
36TH	430.49	22.2	85.1	1542	3616	14.4	23.5	19	-5	127.4	346.8	-11.5	4.6	7.3
37TH	442.82	22.0	73.7	1542	3248	14.3	22.7	23	-7	105.4	273.1	-7.7	3.2	5.5
38TH	455.16	23.7	71.8	1542	3175	15.3	22.6	17	-6	81.8	201.3	-4.7	2.1	4.1
39TH	467.49	19.8	57.0	1542	2754	12.9	20.7	22	-8	61.9	144.3	-2.6	1.2	2.6
PENT	479.82	22.5	58.1	1542	2754	14.6	21.1	14	-6	39.4	86.2	-1.2	.5	1.7
TOP	507.24	39.4	86.2	3426	5032	11.5	17.1	16	-7	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAM :
WIND DIRECTION 110

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	32.1	241.3	2563	6867	12.5	35.1	-14	2	1273.2	5025.0	-1209.5	344.6	18.3
2ND	20.50	11.4	96.5	1063	2848	10.7	33.9	-15	2	1241.1	4783.7	-1109.0	318.8	21.8
3RD	29.00	9.9	94.9	1063	2848	9.3	33.3	-15	2	1229.7	4687.2	-1068.7	308.3	23.2
4TH	37.50	8.2	93.4	1063	2848	7.7	32.8	-15	1	1219.8	4592.3	-1029.3	297.9	24.6
5TH	46.00	6.5	91.8	1063	2848	6.1	32.3	-15	1	1211.6	4498.9	-990.7	287.5	26.0
6TH	54.50	4.8	90.3	1063	2848	4.5	31.7	-15	1	1205.1	4407.0	-952.8	277.3	27.5
7TH	63.00	3.1	88.7	1063	2848	2.9	31.2	-16	1	1200.4	4316.8	-915.7	267.0	28.9
MEZZ	71.50	1.4	139.4	1708	4578	.8	30.5	-16	0	1197.3	4228.0	-879.4	256.9	30.2
8TH	85.17	35.9	118.1	1542	3782	23.3	30.6	-4	1	1195.9	4088.6	-822.6	240.5	32.5
9TH	97.50	39.5	118.0	1542	3782	25.6	31.2	-3	1	1160.1	3970.5	-772.9	226.0	33.0
10TH	109.83	38.9	118.9	1542	3782	25.3	31.4	-1	0	1120.5	3852.5	-724.7	211.9	33.3
11TH	122.17	38.3	119.9	1542	3782	24.9	31.7	-0	0	1081.6	3733.7	-677.9	198.3	33.5
12TH	134.50	37.8	120.9	1542	3782	24.5	32.0	1	-0	1043.3	3613.8	-632.6	185.2	33.6
13TH	146.83	37.2	121.9	1542	3782	24.1	32.2	2	-0	1005.5	3492.9	-588.7	172.6	33.5
14TH	159.17	36.6	122.9	1542	3782	23.7	32.5	2	-1	968.3	3371.0	-546.4	160.4	33.3
15TH	171.50	36.2	123.9	1542	3782	23.5	32.8	3	-1	931.8	3248.0	-505.6	148.7	33.0
16TH	183.83	36.2	124.8	1542	3782	23.5	33.0	4	-1	895.6	3124.1	-466.3	137.4	32.5
17TH	196.16	36.3	125.8	1542	3782	23.6	33.3	4	-1	859.3	2999.3	-428.6	126.6	32.0
18TH	208.50	36.4	126.7	1542	3782	23.6	33.5	4	-1	823.0	2873.5	-392.3	116.2	31.5
19TH	220.83	36.5	127.6	1542	3782	23.7	33.7	5	-1	786.6	2746.8	-357.7	106.3	30.8
20TH	233.16	36.6	128.6	1542	3782	23.7	34.0	5	-1	750.1	2619.2	-324.6	96.8	30.2
21ST	245.50	36.6	129.5	1542	3782	23.8	34.2	6	-2	713.6	2490.6	-293.1	87.8	29.5
22ND	257.83	36.7	130.4	1542	3782	23.8	34.5	6	-2	676.9	2361.1	-263.2	79.2	28.7
23RD	270.16	36.7	131.4	1542	3782	23.8	34.7	6	-2	640.2	2230.7	-234.8	71.1	27.9
24TH	282.50	36.8	132.3	1542	3782	23.8	35.0	7	-2	603.5	2099.3	-208.1	63.4	26.9

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS														
WIND DIRECTION 110		CONFIGURATION A		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32						
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									566.7	1967.0	-183.1	56.2	25.9
26TH	307.16	36.8	133.3	1542	3782	23.9	35.2	8	-2	529.9	1833.7	-159.6	49.5	24.9
27TH	319.49	36.8	134.3	1542	3782	23.9	35.5	8	-2	493.1	1699.4	-137.8	43.2	23.7
28TH	331.83	36.9	135.2	1542	3782	23.9	35.7	9	-2	456.2	1564.2	-117.7	37.3	22.4
29TH	344.16	36.9	136.2	1542	3782	23.9	36.0	9	-2	419.3	1428.1	-99.3	31.9	21.1
30TH	356.49	36.5	136.1	1542	3782	23.7	36.0	10	-3	382.8	1291.9	-82.5	27.0	19.7
31ST	368.83	35.9	135.2	1542	3782	23.3	35.7	10	-3	346.9	1156.7	-67.4	22.5	18.2
32ND	381.16	35.4	134.2	1542	3782	22.9	35.5	11	-3	311.5	1022.5	-54.0	18.4	16.6
33RD	393.49	34.8	133.3	1542	3782	22.6	35.2	12	-3	276.7	889.2	-42.2	14.8	14.9
34TH	405.83	34.3	132.3	1542	3782	22.2	35.0	13	-3	242.4	756.8	-32.0	11.6	13.1
35TH	418.16	33.7	131.4	1542	3782	21.9	34.7	14	-3	208.7	625.4	-23.5	8.8	11.2
36TH	430.49	32.0	124.3	1542	3616	20.8	34.4	16	-4	176.7	501.1	-16.6	6.4	9.1
37TH	442.82	31.3	107.2	1542	3248	20.3	33.0	19	-6	145.4	393.9	-11.0	4.4	6.8
38TH	455.16	32.6	103.9	1542	3175	21.1	32.7	14	-4	112.8	290.0	-6.8	2.8	5.2
39TH	467.49	27.9	82.7	1542	2754	18.1	30.0	20	-7	84.9	207.3	-3.7	1.6	3.4
PENT	479.82	30.1	83.0	1542	2754	19.5	30.1	14	-5	54.8	124.3	-1.7	.8	2.1
TOP	507.24	54.8	124.3	3426	5032	16.0	24.7	14	-6	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 120													
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A													
REFERENCE PRESSURE 38.0 PSF													
FEB 26, 1982													
GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00												
		43.2	256.1	2563	6867	16.9	37.3	-19	3	1602.3	5545.0	-1337.1	425.8
2ND	20.50												
		16.8	103.6	1063	2848	15.9	36.4	-18	3	1559.1	5289.0	-1226.0	393.4
3RD	29.00												
		15.7	102.6	1063	2848	14.8	36.0	-18	3	1542.3	5185.3	-1181.5	380.2
4TH	37.50												
		14.3	101.7	1063	2848	13.5	35.7	-19	3	1526.6	5082.7	-1137.9	367.1
5TH	46.00												
		13.0	100.7	1063	2848	12.2	35.4	-19	2	1512.3	4981.0	-1095.1	354.2
6TH	54.50												
		11.6	99.7	1063	2848	10.9	35.0	-20	2	1499.3	4880.4	-1053.2	341.4
7TH	63.00												
		10.2	98.7	1063	2848	9.6	34.7	-20	2	1487.7	4780.7	-1012.1	328.7
MEZZ	71.50												
		13.5	156.7	1708	4578	7.9	34.2	-21	2	1477.5	4682.0	-971.9	316.1
8TH	85.17												
		43.0	131.7	1542	3862	27.9	34.1	-7	2	1464.0	4525.3	-909.0	296.0
9TH	97.50												
		46.3	131.2	1542	3782	30.1	34.7	-5	2	1421.0	4393.6	-854.0	278.2
10TH	109.83												
		45.9	131.8	1542	3782	29.8	34.8	-5	2	1374.6	4262.4	-800.6	261.0
11TH	122.17												
		45.5	132.4	1542	3782	29.5	35.0	-4	1	1328.7	4130.6	-748.9	244.3
12TH	134.50												
		45.0	133.1	1542	3782	29.2	35.2	-3	1	1283.2	3998.1	-698.7	228.2
13TH	146.83												
		44.6	133.7	1542	3782	28.9	35.3	-2	1	1238.2	3865.1	-650.2	212.7
14TH	159.17												
		44.2	134.3	1542	3782	28.7	35.5	-2	1	1193.6	3731.4	-603.4	197.7
15TH	171.50												
		43.9	135.0	1542	3782	28.5	35.7	-1	0	1149.4	3597.1	-558.2	183.2
16TH	183.83												
		44.2	136.8	1542	3782	28.7	36.2	-1	0	1105.4	3462.1	-514.7	169.3
17TH	196.16												
		44.4	138.6	1542	3782	28.8	36.7	-1	0	1061.3	3325.3	-472.8	156.0
18TH	208.50												
		44.7	140.5	1542	3782	29.0	37.1	-0	0	1016.9	3186.7	-432.7	143.2
19TH	220.83												
		44.9	142.3	1542	3782	29.1	37.6	-0	0	972.2	3046.2	-394.2	130.9
20TH	233.16												
		45.1	144.2	1542	3782	29.3	38.1	-0	0	927.3	2903.9	-357.5	119.2
21ST	245.50												
		45.4	146.0	1542	3782	29.4	38.6	-0	0	882.2	2759.7	-322.6	108.0
22ND	257.83												
		45.6	147.5	1542	3782	29.6	39.0	0	-0	836.8	2613.7	-289.5	97.4
23RD	270.16												
		45.7	148.2	1542	3782	29.6	39.2	1	-0	791.2	2466.2	-258.1	87.4
24TH	282.50												
		45.8	148.9	1542	3782	29.7	39.4	1	-0	745.5	2317.9	-228.6	77.9

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS													FEB 26, 1982	
WIND DIRECTION 120		CONFIGURATION A				REFERENCE PRESSURE 39.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									699.7	2169.0	-201.0	69.0	12.0
26TH	307.16	46.0	149.6	1542	3782	29.8	39.6	2	-1	653.8	2019.4	-175.2	60.6	11.8
27TH	319.49	46.1	150.3	1542	3782	29.9	39.7	2	-1	607.7	1869.0	-151.2	52.9	11.4
28TH	331.83	46.2	151.0	1542	3782	30.0	39.9	3	-1	561.5	1718.0	-129.1	45.7	11.0
29TH	344.16	46.3	151.7	1542	3782	30.1	40.1	3	-1	515.1	1566.3	-108.8	39.0	10.5
30TH	356.49	45.7	151.2	1542	3782	29.7	40.0	3	-1	469.4	1415.1	-90.4	33.0	9.9
31ST	368.83	44.8	149.6	1542	3782	29.1	39.6	3	-1	424.6	1265.5	-73.9	27.4	9.4
32ND	381.16	43.9	148.0	1542	3782	28.5	39.1	3	-1	380.6	1117.5	-59.2	22.5	8.8
33RD	393.49	43.0	146.3	1542	3782	27.9	38.7	3	-1	337.6	971.2	-46.3	18.0	8.3
34TH	405.83	42.1	144.7	1542	3782	27.3	38.3	4	-1	295.5	826.4	-35.2	14.1	7.7
35TH	418.16	41.2	143.1	1542	3782	26.7	37.8	4	-1	254.3	683.4	-25.9	10.7	7.2
36TH	430.49	39.0	134.5	1542	3616	25.3	37.2	6	-2	215.3	548.9	-18.3	7.9	6.3
37TH	442.82	38.1	115.3	1542	3248	24.7	35.5	12	-4	177.2	433.6	-12.3	5.4	4.7
38TH	455.16	39.4	112.3	1542	3175	25.5	35.4	8	-3	137.9	321.3	-7.6	3.5	3.8
39TH	467.49	33.3	89.8	1542	2754	21.6	32.6	14	-5	104.6	231.5	-4.2	2.0	2.4
PENT	479.82	36.7	92.1	1542	2754	23.8	33.4	8	-3	67.9	139.4	-1.9	.9	1.6
TOP	507.24	67.9	139.4	3426	5032	19.8	27.7	9	-4	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 120													
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A													
REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00	54.6	266.0	2563	6867	21.3	38.7	-22	5	1897.0	5732.0	-1376.1	497.7
2ND	20.50	22.1	108.7	1063	2848	20.8	38.2	-20	4	1842.4	5466.1	-1261.3	459.3
3RD	29.00	21.1	107.5	1063	2848	19.9	37.8	-21	4	1820.3	5357.4	-1215.3	443.8
4TH	37.50	19.9	106.4	1063	2848	18.7	37.4	-21	4	1799.1	5249.9	-1170.2	428.4
5TH	46.00	18.7	105.2	1063	2848	17.6	36.9	-21	4	1779.2	5143.5	-1126.0	413.2
6TH	54.50	17.4	104.0	1063	2848	16.4	36.5	-21	4	1760.5	5038.3	-1082.8	398.1
7TH	63.00	16.2	102.9	1063	2848	15.2	36.1	-21	3	1743.1	4934.3	-1040.4	383.2
MEZZ	71.50	23.5	163.0	1708	4578	13.7	35.6	-21	3	1726.9	4831.4	-998.9	368.5
8TH	85.17	51.4	140.4	1542	3862	33.3	36.3	-9	3	1703.4	4668.4	-934.0	345.1
9TH	97.50	54.5	141.0	1542	3782	35.4	37.3	-8	3	1652.0	4528.0	-877.3	324.4
10TH	109.83	53.9	140.9	1542	3782	35.0	37.3	-8	3	1597.5	4387.0	-822.3	304.3
11TH	122.17	53.4	141.0	1542	3782	34.6	37.3	-7	3	1543.6	4246.1	-769.0	285.0
12TH	134.50	52.8	141.0	1542	3782	34.2	37.3	-7	2	1490.2	4105.1	-717.5	266.2
13TH	146.83	52.2	141.0	1542	3782	33.9	37.3	-6	2	1437.4	3964.1	-667.8	248.2
14TH	159.17	51.6	141.1	1542	3782	33.5	37.3	-6	2	1385.2	3823.1	-619.8	230.8
15TH	171.50	51.2	141.1	1542	3782	33.2	37.3	-5	2	1333.6	3682.0	-573.5	214.0
16TH	183.83	51.3	142.1	1542	3782	33.3	37.6	-5	2	1282.3	3540.9	-528.9	197.9
17TH	196.16	51.4	143.1	1542	3782	33.3	37.8	-5	2	1231.0	3398.8	-486.1	182.4
18TH	208.50	51.5	144.2	1542	3782	33.4	38.1	-5	2	1179.6	3255.6	-445.1	167.5
19TH	220.83	51.6	145.2	1542	3782	33.4	38.4	-5	2	1128.2	3111.5	-405.9	153.3
20TH	233.16	51.6	146.2	1542	3782	33.5	38.7	-4	2	1076.6	2966.3	-368.4	139.7
21ST	245.50	51.7	147.2	1542	3782	33.5	38.9	-4	1	1025.0	2820.1	-332.7	126.7
22ND	257.83	51.9	148.2	1542	3782	33.6	39.2	-4	1	973.3	2672.9	-298.8	114.4
23RD	270.16	52.1	149.1	1542	3782	33.8	39.4	-4	1	921.4	2524.7	-266.8	102.7
24TH	282.50	52.3	149.9	1542	3782	33.9	39.6	-4	1	869.3	2375.7	-236.6	91.7

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 130														
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A														
REFERENCE PRESSURE 38.0 PSF														
FEB 26, 1982														
GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									817.0	2225.7	-208.2	81.3	-3.0
		52.5	150.8	1542	3782	34.0	39.9	-4	1	764.6	2074.9	-181.7	71.5	-2.3
26TH	307.16									711.9	1923.2	-157.0	62.4	-1.7
		52.7	151.7	1542	3782	34.2	40.1	-4	1	659.0	1770.6	-134.2	54.0	-1.1
27TH	319.49									605.8	1617.0	-113.3	46.2	-.5
		52.9	152.6	1542	3782	34.3	40.4	-4	1	553.2	1463.8	-94.3	39.0	.2
28TH	331.83									501.4	1311.7	-77.2	32.5	.8
		53.1	153.5	1542	3782	34.5	40.6	-4	1	450.4	1160.9	-62.0	26.7	1.3
29TH	344.16									400.1	1011.4	-48.6	21.4	1.9
		52.6	153.3	1542	3782	34.1	40.5	-4	1	350.6	863.1	-37.0	16.8	2.5
30TH	356.49									302.0	716.1	-27.3	12.8	3.1
		51.8	152.0	1542	3782	33.6	40.2	-4	1	256.2	577.4	-19.3	9.3	3.1
31ST	368.83									211.3	457.1	-12.9	6.4	2.1
		51.0	150.8	1542	3782	33.1	39.9	-4	1	163.6	338.2	-8.0	4.1	2.0
32ND	381.16									124.1	244.4	-4.4	2.4	1.0
		50.3	149.5	1542	3782	32.6	39.5	-3	1	79.9	146.9	-2.0	1.1	1.0
33RD	393.49									0.0	0.0	0.0	0.0	0.0
		49.5	148.3	1542	3782	32.1	39.2	-3	1					
34TH	405.83													
		48.7	147.0	1542	3782	31.6	38.9	-3	1					
35TH	418.16													
		45.8	138.7	1542	3616	29.7	38.3	-0	0					
36TH	430.49													
		44.9	120.4	1542	3248	29.1	37.1	7	-3					
37TH	442.82													
		47.7	118.9	1542	3175	30.9	37.4	1	-1					
38TH	455.16													
		39.5	93.8	1542	2754	25.6	34.1	9	-4					
39TH	467.49													
		44.2	97.5	1542	2754	28.7	35.4	0	-0					
PENT	479.82													
		79.9	146.9	3426	5032	23.3	29.2	5	-3					
TOP	507.24													

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 140														
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A REFERENCE PRESSURE 38.0 PSF														
FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	
GRND	0.00									2268.2	5891.0	-1427.1	593.4	-74.5
2ND	20.50	63.2	263.4	2563	6867	25.4	38.7	-25	6	2203.0	5625.6	-1309.1	547.6	-67.4
3RD	29.00	27.5	108.9	1063	2848	25.9	38.2	-24	6	2175.5	5516.6	-1261.7	529.0	-64.6
4TH	37.50	27.1	107.6	1063	2848	25.5	37.8	-24	6	2148.4	5409.1	-1215.3	510.6	-61.9
5TH	46.00	26.6	106.2	1063	2848	25.0	37.3	-24	6	2121.8	5302.9	-1169.8	492.4	-59.2
6TH	54.50	26.0	104.8	1063	2848	24.5	36.8	-24	6	2095.7	5198.0	-1125.2	474.5	-56.5
7TH	63.00	25.5	103.5	1063	2848	24.0	36.3	-24	6	2070.3	5094.5	-1081.4	456.8	-53.8
MEZZ	71.50	24.9	102.1	1063	2848	23.5	35.9	-24	6	2045.3	4992.4	-1038.5	439.3	-51.3
8TH	85.17	38.9	161.3	1708	4578	22.8	35.2	-24	6	2045.3	4992.4	-1038.5	439.3	-51.3
9TH	97.50	59.0	142.3	1542	3862	38.3	36.9	-13	5	2006.4	4831.1	-971.4	411.6	-47.2
10TH	109.83	59.0	142.3	1542	3862	38.3	36.9	-13	5	1947.4	4688.7	-912.7	387.2	-45.0
11TH	122.17	61.3	144.0	1542	3782	39.8	38.1	-12	5	1886.1	4544.7	-855.8	363.6	-42.9
12TH	134.50	60.8	143.8	1542	3782	39.4	38.0	-12	5	1825.3	4400.9	-800.6	340.7	-40.9
13TH	146.83	60.2	143.8	1542	3782	39.1	38.0	-11	5	1765.1	4257.1	-747.2	318.6	-39.0
14TH	159.17	59.6	143.7	1542	3782	38.7	38.0	-11	4	1705.4	4113.4	-695.6	297.2	-37.2
15TH	171.50	59.1	143.6	1542	3782	38.3	38.0	-10	4	1646.3	3969.7	-645.8	276.5	-35.6
16TH	183.83	58.5	143.6	1542	3782	38.0	38.0	-9	4	1587.8	3826.2	-597.7	256.6	-34.0
17TH	196.16	58.3	143.5	1542	3782	37.8	38.0	-9	4	1529.6	3682.6	-551.4	237.3	-32.5
18TH	208.50	58.8	143.5	1542	3782	38.2	38.5	-9	4	1470.7	3537.2	-506.9	218.8	-31.0
19TH	220.83	59.4	147.4	1542	3782	38.6	39.0	-9	4	1411.3	3389.8	-464.1	201.1	-29.4
20TH	233.16	60.0	149.3	1542	3782	38.9	39.5	-9	4	1351.3	3240.5	-423.3	184.0	-27.8
21ST	245.50	60.6	151.2	1542	3782	39.3	40.0	-9	4	1290.7	3089.4	-384.2	167.7	-26.1
22ND	257.83	61.2	153.1	1542	3782	39.7	40.5	-10	4	1229.5	2936.3	-347.1	152.2	-24.4
23RD	270.16	61.8	155.0	1542	3782	40.1	41.0	-10	4	1167.7	2781.3	-311.8	137.4	-22.7
24TH	282.50	62.2	156.4	1542	3782	40.3	41.4	-10	4	1105.5	2624.9	-278.5	123.4	-20.9
		62.4	156.6	1542	3782	40.5	41.4	-10	4	1043.1	2468.2	-247.1	110.1	-19.1
		62.6	156.8	1542	3782	40.6	41.5	-10	4					

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 140													
ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF													
FEB 26, 1982 GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
25TH	294.83									980.4	2311.4	-217.6	97.7
26TH	307.16	62.9	157.0	1542	3782	40.8	41.5	-9	4	917.6	2154.5	-190.1	86.0
27TH	319.49	63.1	157.2	1542	3782	40.9	41.6	-9	4	854.5	1997.3	-164.5	75.0
28TH	331.83	63.3	157.4	1542	3782	41.1	41.6	-9	4	791.2	1839.9	-140.8	64.9
29TH	344.16	63.5	157.5	1542	3782	41.2	41.7	-9	4	727.6	1682.4	-119.1	55.5
30TH	356.49	63.0	157.1	1542	3782	40.9	41.5	-9	4	664.6	1525.3	-99.3	46.9
31ST	368.83	62.2	156.2	1542	3782	40.4	41.3	-9	4	602.4	1369.1	-81.4	39.1
32ND	381.16	61.4	155.2	1542	3782	39.8	41.0	-9	4	541.0	1213.8	-65.5	32.1
33RD	393.49	60.6	154.3	1542	3782	39.3	40.8	-9	4	480.3	1059.6	-51.5	25.8
34TH	405.83	59.8	153.3	1542	3782	38.8	40.5	-9	3	420.5	906.2	-39.4	20.2
35TH	418.16	59.0	152.4	1542	3782	38.3	40.3	-9	3	361.5	753.9	-29.1	15.4
36TH	430.49	54.4	143.1	1542	3616	35.3	39.6	-5	2	307.1	610.8	-20.7	11.3
37TH	442.82	52.4	122.9	1542	3248	34.0	37.8	2	-1	254.7	487.9	-13.9	7.8
38TH	455.16	56.6	123.8	1542	3175	36.7	39.0	-4	2	198.1	364.1	-8.7	5.0
39TH	467.49	46.4	98.5	1542	2754	30.1	35.8	5	-2	151.8	265.6	-4.8	2.9
PENT	479.82	54.8	106.0	1542	2754	35.5	38.5	-4	2	97.0	159.6	-2.2	1.3
TOP	507.24	97.0	159.6	3426	5032	28.3	31.7	-0	0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :		WIND DIRECTION 150		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	67.4	231.1	2563	6867	26.3	33.6	-29	8	2249.3	5052.3	-1229.4	588.5	-108.1
2ND	20.50	28.7	91.7	1063	2848	27.0	32.2	-27	9	2181.9	4821.2	-1128.2	543.0	-100.9
3RD	29.00	28.8	90.4	1063	2848	27.1	31.8	-27	9	2153.2	4729.4	-1087.6	524.6	-98.2
4TH	37.50	28.7	89.2	1063	2848	27.0	31.3	-27	9	2124.4	4639.0	-1047.8	506.4	-95.5
5TH	46.00	28.6	87.9	1063	2848	26.9	30.9	-27	9	2095.7	4549.8	-1008.8	488.5	-92.8
6TH	54.50	28.5	86.7	1063	2848	26.8	30.4	-27	9	2067.1	4461.9	-970.5	470.8	-90.2
7TH	63.00	28.4	85.4	1063	2848	26.7	30.0	-27	9	2038.6	4375.3	-932.9	453.4	-87.6
MEZZ	71.50	45.5	134.6	1708	4578	26.6	29.4	-26	9	2010.2	4289.9	-896.1	436.2	-85.1
8TH	85.17	56.8	121.1	1542	3862	36.8	31.4	-17	8	1964.7	4155.2	-838.4	409.0	-81.2
9TH	97.50	58.3	123.7	1542	3782	37.8	32.7	-18	8	1907.9	4034.1	-787.9	385.1	-78.6
10TH	109.83	57.8	123.4	1542	3782	37.5	32.6	-18	8	1849.6	3910.5	-738.9	361.9	-75.9
11TH	122.17	57.4	123.6	1542	3782	37.2	32.7	-17	8	1791.8	3787.0	-691.4	339.5	-73.2
12TH	134.50	56.9	123.8	1542	3782	36.9	32.7	-17	8	1734.5	3663.4	-645.5	317.7	-70.6
13TH	146.83	56.5	123.9	1542	3782	36.6	32.8	-17	8	1677.6	3539.6	-601.1	296.7	-68.0
14TH	159.17	56.0	124.1	1542	3782	36.3	32.8	-16	7	1621.1	3415.7	-558.2	276.4	-65.5
15TH	171.50	55.9	124.3	1542	3782	36.2	32.9	-16	7	1565.1	3291.6	-516.8	256.7	-63.1
16TH	183.83	56.6	125.3	1542	3782	36.7	33.1	-16	7	1509.3	3167.3	-477.0	237.8	-60.7
17TH	196.16	57.3	126.4	1542	3782	37.2	33.4	-17	8	1452.7	3042.0	-438.7	219.5	-58.2
18TH	208.50	58.0	127.4	1542	3782	37.6	33.7	-17	8	1395.4	2915.6	-402.0	201.9	-55.7
19TH	220.83	58.8	128.5	1542	3782	38.1	34.0	-17	8	1337.3	2788.1	-366.8	185.1	-53.1
20TH	233.16	59.5	129.5	1542	3782	38.6	34.3	-17	8	1278.6	2659.6	-333.2	169.0	-50.4
21ST	245.50	60.2	130.6	1542	3782	39.0	34.5	-17	8	1219.1	2530.1	-301.2	153.5	-47.7
22ND	257.83	60.6	131.6	1542	3782	39.3	34.8	-18	8	1158.9	2399.5	-270.8	138.9	-45.0
23RD	270.16	60.6	132.6	1542	3782	39.3	35.1	-18	8	1098.3	2267.8	-242.0	125.0	-42.1
24TH	282.50	60.6	133.5	1542	3782	39.3	35.3	-18	8	1037.7	2135.3	-214.9	111.8	-39.3

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 150													
ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF													
FEB 26, 1982													
GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
25TH	294.83									977.1	2001.7	-189.4	99.4
26TH	307.16	60.7	134.5	1542	3782	39.3	35.6	-18	8	916.5	1867.2	-165.5	87.7
27TH	319.49	60.7	135.4	1542	3782	39.4	35.8	-18	8	855.8	1731.8	-143.3	76.8
28TH	331.83	60.7	136.4	1542	3782	39.4	36.1	-18	8	795.1	1595.4	-122.8	66.6
29TH	344.16	60.7	137.4	1542	3782	39.4	36.3	-18	8	734.3	1458.0	-104.0	57.2
30TH	356.49	60.5	137.0	1542	3782	39.3	36.2	-18	8	673.8	1321.1	-86.8	48.5
31ST	368.83	60.2	135.4	1542	3782	39.1	35.8	-18	8	613.6	1185.7	-71.4	40.5
32ND	381.16	60.0	133.8	1542	3782	38.9	35.4	-18	8	553.6	1051.9	-57.6	33.3
33RD	393.49	59.7	132.2	1542	3782	38.7	34.9	-19	8	493.9	919.7	-45.4	26.9
34TH	405.83	59.4	130.6	1542	3782	38.5	34.5	-19	9	434.5	789.1	-34.9	21.1
35TH	418.16	59.1	129.0	1542	3782	38.3	34.1	-19	9	375.4	660.1	-25.9	16.2
36TH	430.49	53.6	119.7	1542	3616	34.8	33.1	-14	6	321.8	540.4	-18.5	11.9
37TH	442.82	52.9	104.5	1542	3248	34.3	32.2	-5	3	269.0	435.9	-12.5	8.2
38TH	455.16	61.6	110.7	1542	3175	40.0	34.9	-12	7	207.4	325.2	-7.8	5.3
39TH	467.49	47.4	85.8	1542	2754	30.8	31.1	-1	1	159.9	239.4	-4.3	3.0
PENT	479.82	58.2	95.6	1542	2754	37.8	34.7	-10	6	101.7	143.8	-2.0	1.4
TOP	507.24	101.7	143.8	3426	5032	29.7	28.6	-5	4	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAM : ENERGY CENTRE, NEW ORLEANS										FEB 26, 1982			
WIND DIRECTION 160										REFERENCE PRESSURE 38.0 PSF			
CONFIGURATION A										GUST FACTOR 1.32			
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Z
GRND	0.00									2431.8	4647.9	-1128.3	638.9 -139.0
2ND	20.50	71.0	212.0	2563	6867	27.7	30.9	-31	10	2360.8	4435.9	-1035.2	589.7 -131.7
3RD	29.00	30.9	86.6	1063	2848	29.1	30.4	-29	10	2329.8	4349.2	-997.9	569.8 -128.9
4TH	37.50	31.4	84.9	1063	2848	29.5	29.8	-28	10	2298.4	4264.4	-961.3	550.1 -126.2
5TH	46.00	31.7	83.1	1063	2848	29.8	29.2	-28	11	2266.7	4181.3	-925.4	530.7 -123.6
6TH	54.50	32.0	81.3	1063	2848	30.1	28.5	-27	11	2234.8	4100.0	-890.2	511.6 -121.0
7TH	63.00	32.3	79.5	1063	2848	30.4	27.9	-27	11	2202.5	4020.5	-855.7	492.7 -118.5
MEZZ	71.50	32.6	77.7	1063	2848	30.7	27.3	-27	11	2169.8	3942.9	-821.8	474.1 -116.0
8TH	85.17	53.1	121.2	1708	4578	31.1	26.5	-26	11	2116.8	3821.7	-768.8	444.9 -112.3
9TH	97.50	59.4	114.4	1542	3862	38.5	29.6	-21	11	2057.4	3707.3	-722.4	419.1 -109.2
10TH	109.83	60.6	118.0	1542	3782	39.3	31.2	-23	12	1996.8	3589.3	-677.4	394.1 -105.8
11TH	122.17	60.4	117.5	1542	3782	39.2	31.1	-23	12	1936.4	3471.9	-633.8	369.9 -102.4
12TH	134.50	60.2	116.9	1542	3782	39.0	30.9	-23	12	1876.2	3354.9	-591.7	346.4 -99.0
13TH	146.83	60.0	116.3	1542	3782	38.9	30.8	-23	12	1816.2	3238.6	-551.1	323.6 -95.7
14TH	159.17	59.8	115.7	1542	3782	38.8	30.6	-23	12	1756.4	3122.9	-511.8	301.6 -92.3
15TH	171.50	59.6	115.1	1542	3782	38.7	30.4	-23	12	1696.8	3007.8	-474.0	280.3 -89.0
16TH	183.83	59.6	114.6	1542	3782	38.7	30.3	-23	12	1637.2	2893.2	-437.6	259.7 -85.7
17TH	196.16	60.1	115.1	1542	3782	39.0	30.4	-23	12	1577.1	2778.1	-402.7	239.9 -82.3
18TH	208.50	60.6	115.6	1542	3782	39.3	30.6	-23	12	1516.5	2662.5	-369.1	220.8 -78.8
19TH	220.83	61.1	116.1	1542	3782	39.6	30.7	-24	13	1455.4	2546.5	-337.0	202.5 -75.3
20TH	233.16	61.6	116.6	1542	3782	40.0	30.8	-24	13	1393.8	2429.9	-306.3	184.9 -71.7
21ST	245.50	62.1	117.1	1542	3782	40.3	31.0	-24	13	1331.7	2312.8	-277.1	168.1 -68.1
22ND	257.83	62.6	117.6	1542	3782	40.6	31.1	-25	13	1269.0	2195.3	-249.3	152.1 -64.3
23RD	270.16	63.3	118.2	1542	3782	41.0	31.3	-25	13	1205.8	2077.1	-222.9	136.8 -60.6
24TH	282.50	64.1	119.3	1542	3782	41.6	31.5	-25	13	1141.7	1957.8	-198.0	122.3 -56.7
		64.9	120.3	1542	3782	42.1	31.8	-25	14				

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 160		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32						
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	65.7	121.4	1542	3782	42.6	32.1	-25	14	1076.8	1837.5	-174.6	108.6	-52.8
26TH	307.16	66.5	122.4	1542	3782	43.1	32.4	-25	14	1011.1	1716.2	-152.7	95.8	-48.8
27TH	319.49	67.3	123.5	1542	3782	43.6	32.6	-25	14	944.7	1593.7	-132.3	83.7	-44.8
28TH	331.83	68.1	124.5	1542	3782	44.2	32.9	-26	14	877.4	1470.3	-113.4	72.5	-40.7
29TH	344.16	68.1	124.7	1542	3782	44.2	33.0	-26	14	809.3	1345.7	-96.0	62.1	-36.6
30TH	356.49	67.9	123.9	1542	3782	44.1	32.8	-25	14	741.2	1221.1	-80.2	52.5	-32.5
31ST	368.83	67.7	123.2	1542	3782	43.9	32.6	-25	14	673.3	1097.2	-65.9	43.8	-28.4
32ND	381.16	67.6	122.4	1542	3782	43.8	32.4	-25	14	605.5	974.0	-53.2	35.9	-24.3
33RD	393.49	67.4	121.7	1542	3782	43.7	32.2	-25	14	538.0	851.6	-41.9	28.8	-20.4
34TH	405.83	67.2	120.9	1542	3782	43.6	32.0	-24	14	470.6	729.9	-32.1	22.6	-16.5
35TH	418.16	60.2	112.4	1542	3616	39.0	31.1	-20	11	403.4	608.9	-23.9	17.2	-12.6
36TH	430.49	56.9	95.9	1542	3248	36.9	29.5	-10	6	343.2	496.6	-17.1	12.6	-9.7
37TH	442.82	64.7	99.9	1542	3175	42.0	31.5	-18	11	286.4	400.7	-11.5	8.8	-8.4
38TH	455.16	50.6	78.8	1542	2754	32.8	28.6	-9	6	221.7	300.8	-7.2	5.6	-5.9
39TH	467.49	63.3	90.3	1542	2754	41.1	32.8	-18	12	171.1	222.0	-4.0	3.2	-4.9
PENT	479.82	107.8	131.7	3426	5032	31.5	26.2	-12	9	107.8	131.7	-1.8	1.5	-2.5
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS		ENERGY CENTRE, NEW ORLEANS		FEB 26, 1982		GUST FACTOR 1.32								
WIND DIRECTION 170		CONFIGURATION A		REFERENCE PRESSURE 38.0 PSF										
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	68.7	183.8	2563	6867	26.8	26.8	-35	13	2424.7	4081.9	-983.5	641.4	-173.7
2ND	20.50	30.6	76.0	1063	2848	28.8	26.7	-31	13	2356.0	3898.1	-901.7	592.4	-166.5
3RD	29.00	31.4	74.1	1063	2848	29.6	26.0	-31	13	2325.5	3822.1	-868.9	572.5	-163.7
4TH	37.50	32.1	72.2	1063	2848	30.2	25.3	-30	14	2294.0	3748.0	-836.7	552.9	-161.0
5TH	46.00	32.9	70.2	1063	2848	30.9	24.7	-30	14	2261.9	3675.9	-805.2	533.5	-158.4
6TH	54.50	33.6	68.3	1063	2848	31.6	24.0	-29	14	2229.0	3605.6	-774.2	514.5	-155.9
7TH	63.00	34.3	66.4	1063	2848	32.3	23.3	-29	15	2195.5	3537.3	-743.8	495.7	-153.4
MEZZ	71.50	56.6	102.8	1708	4578	33.2	22.4	-28	16	2161.2	3470.9	-714.1	477.1	-150.9
8TH	85.17	58.6	104.1	1542	3862	38.0	27.0	-29	17	2104.5	3368.1	-667.3	448.0	-147.1
9TH	97.50	59.3	108.1	1542	3782	38.5	28.6	-31	17	2045.9	3264.0	-626.4	422.4	-143.1
10TH	109.83	59.1	107.4	1542	3782	38.3	28.4	-32	17	1986.6	3155.9	-586.8	397.5	-138.7
11TH	122.17	58.9	107.2	1542	3782	38.2	28.4	-32	17	1927.5	3048.5	-548.6	373.4	-134.3
12TH	134.50	58.7	107.1	1542	3782	38.1	28.3	-32	18	1868.6	2941.3	-511.7	350.0	-129.8
13TH	146.83	58.5	106.9	1542	3782	38.0	28.3	-32	18	1809.8	2834.2	-476.0	327.3	-125.4
14TH	159.17	58.3	106.8	1542	3782	37.8	28.2	-32	18	1751.3	2727.2	-441.7	305.3	-120.9
15TH	171.50	58.4	106.6	1542	3782	37.9	28.2	-33	18	1693.0	2620.5	-408.8	284.1	-116.4
16TH	183.83	58.9	106.3	1542	3782	38.2	28.1	-33	18	1634.6	2513.9	-377.1	263.6	-111.9
17TH	196.16	59.5	106.0	1542	3782	38.6	28.0	-33	19	1575.7	2407.6	-346.8	243.8	-107.3
18TH	208.50	60.0	105.7	1542	3782	39.0	27.9	-34	19	1516.2	2301.6	-317.7	224.7	-102.6
19TH	220.83	60.6	105.4	1542	3782	39.3	27.9	-34	20	1456.2	2195.8	-290.0	206.4	-97.9
20TH	233.16	61.2	105.1	1542	3782	39.7	27.8	-35	20	1395.6	2090.4	-263.6	188.8	-93.1
21ST	245.50	61.7	104.8	1542	3782	40.1	27.7	-35	21	1334.4	1985.3	-238.4	172.0	-88.2
22ND	257.83	62.3	104.6	1542	3782	40.4	27.6	-35	21	1272.6	1880.5	-214.6	155.9	-83.2
23RD	270.16	62.7	104.4	1542	3782	40.7	27.6	-35	21	1210.4	1776.0	-192.0	140.6	-78.2
24TH	282.50	63.2	104.3	1542	3782	41.0	27.6	-35	21	1147.6	1671.6	-170.8	126.0	-73.2

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE NEW ORLEANS WIND DIRECTION 170 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	63.7	104.1	1542	3782	41.3	27.5	-35	21	1084.4	1567.3	-150.8	112.3	-68.2
26TH	307.16	64.2	104.0	1542	3782	41.6	27.5	-35	22	1020.7	1463.2	-132.1	99.3	-63.1
27TH	319.49	64.7	103.8	1542	3782	42.0	27.5	-35	22	956.5	1359.2	-114.7	87.1	-58.1
28TH	331.83	65.2	103.7	1542	3782	42.3	27.4	-35	22	891.8	1255.3	-98.6	75.7	-53.1
29TH	344.16	65.5	103.4	1542	3782	42.5	27.3	-35	22	826.7	1151.6	-83.7	65.1	-48.1
30TH	356.49	65.7	102.9	1542	3782	42.6	27.2	-35	22	761.2	1048.2	-70.2	55.3	-43.1
31ST	368.83	66.0	102.5	1542	3782	42.8	27.1	-35	22	695.5	945.3	-57.9	46.3	-38.1
32ND	381.16	66.2	102.0	1542	3782	43.0	27.0	-35	22	629.5	842.8	-46.9	38.2	-33.1
33RD	393.49	66.5	101.6	1542	3782	43.1	26.9	-35	23	563.3	740.8	-37.1	30.8	-28.1
34TH	405.83	66.7	101.1	1542	3782	43.3	26.7	-35	23	496.8	639.2	-28.6	24.3	-23.0
35TH	418.16	60.6	94.1	1542	3616	39.3	26.0	-29	19	430.1	538.1	-21.3	18.6	-18.0
36TH	430.49	60.0	83.9	1542	3248	38.9	25.8	-16	12	369.4	443.9	-15.3	13.6	-14.1
37TH	442.82	70.7	91.3	1542	3175	45.9	28.7	-22	17	309.4	360.0	-10.3	9.4	-12.0
38TH	455.16	53.9	69.7	1542	2754	35.0	25.3	-17	13	238.7	268.7	-6.4	6.1	-8.7
39TH	467.49	68.5	82.0	1542	2754	44.4	29.8	-24	20	184.8	199.0	-3.6	3.5	-6.8
PENT	479.82	116.3	117.0	3426	5032	33.9	23.2	-15	15	116.3	117.0	-1.6	1.6	-3.5
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS													
WIND DIRECTION 180													
ENERGY CENTRE NEW ORLEANS													
CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00									2104.9	3371.8	-810.3	555.3 -200.6
2ND	20.50	56.7	145.6	2563	6867	22.1	21.2	-43	17	2048.2	3226.2	-742.7	512.8 -193.4
3RD	29.00	25.5	63.2	1063	2848	24.0	22.2	-43	17	2022.6	3163.0	-715.5	495.5 -190.3
4TH	37.50	26.5	61.3	1063	2848	25.0	21.5	-42	18	1996.1	3101.6	-688.9	478.4 -187.2
5TH	46.00	27.6	59.4	1063	2848	25.9	20.9	-42	20	1968.5	3042.2	-662.8	461.5 -184.1
6TH	54.50	28.6	57.5	1063	2848	26.9	20.2	-42	21	1939.9	2984.7	-637.1	444.9 -181.1
7TH	63.00	29.6	55.6	1063	2848	27.9	19.5	-41	22	1910.3	2929.0	-612.0	428.6 -178.2
MEZZ	71.50	30.6	53.7	1063	2848	28.8	18.9	-41	23	1879.7	2875.3	-587.3	412.5 -175.3
8TH	85.17	51.4	82.4	1708	4578	30.1	18.0	-40	25	1828.3	2793.0	-548.6	387.1 -170.7
9TH	97.50	48.7	89.2	1542	3862	31.6	23.1	-45	25	1779.6	2703.8	-514.7	364.9 -165.5
10TH	109.83	49.4	93.1	1542	3782	32.1	24.6	-47	25	1730.2	2619.7	-481.9	343.2 -159.9
11TH	122.17	49.9	91.8	1542	3782	32.4	24.3	-46	25	1680.2	2518.9	-450.3	322.2 -154.4
12TH	134.50	50.4	91.4	1542	3782	32.7	24.2	-46	25	1629.8	2427.4	-419.8	301.8 -148.9
13TH	146.83	50.9	91.0	1542	3782	33.0	24.1	-45	25	1578.9	2336.4	-390.4	282.0 -143.5
14TH	159.17	51.5	90.6	1542	3782	33.4	24.0	-45	26	1527.4	2245.8	-362.2	262.8 -138.1
15TH	171.50	52.0	90.2	1542	3782	33.7	23.9	-44	26	1475.4	2155.6	-335.0	244.3 -132.7
16TH	183.83	52.4	89.8	1542	3782	34.0	23.7	-44	26	1423.0	2065.8	-309.0	226.5 -127.4
17TH	196.16	52.8	89.1	1542	3782	34.3	23.5	-44	26	1370.2	1976.7	-284.1	209.2 -122.1
18TH	208.50	53.2	88.3	1542	3782	34.5	23.3	-44	27	1317.0	1888.4	-260.2	192.7 -116.8
19TH	220.83	53.6	87.6	1542	3782	34.8	23.1	-44	27	1263.4	1800.9	-237.5	176.7 -111.5
20TH	233.16	54.0	86.8	1542	3782	35.0	23.0	-44	27	1209.4	1714.0	-215.8	161.5 -106.2
21ST	245.50	54.4	86.1	1542	3782	35.3	22.8	-44	28	1155.0	1628.0	-195.2	146.9 -100.9
22ND	257.83	54.8	85.3	1542	3782	35.5	22.6	-44	28	1100.2	1542.7	-175.7	133.0 -95.6
23RD	270.16	55.2	84.8	1542	3782	35.8	22.4	-44	29	1045.0	1457.9	-157.2	119.8 -90.3
24TH	282.50	55.6	85.0	1542	3782	36.0	22.5	-45	29	989.5	1372.9	-139.7	107.2 -84.9
		55.9	85.1	1542	3782	36.3	22.5	-45	30				

TABLE 7. SHEAR AND MOMENT DIAGRAMS :		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982				
WIND DIRECTION 180		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									933.5	1287.8	-123.3	95.4	-79.3
26TH	307.16	56.3	85.3	1542	3782	36.5	22.6	-46	30	877.2	1202.5	-107.9	84.2	-73.7
27TH	319.49	56.7	85.5	1542	3782	36.8	22.6	-47	31	820.5	1117.0	-93.6	73.7	-68.0
28TH	331.83	57.1	85.6	1542	3782	37.0	22.6	-47	31	763.4	1031.4	-80.4	64.0	-62.1
29TH	344.16	57.5	85.8	1542	3782	37.3	22.7	-48	32	705.9	945.6	-68.2	54.9	-56.2
30TH	356.49	57.6	85.8	1542	3782	37.4	22.7	-48	32	648.3	859.8	-57.1	46.6	-50.3
31ST	368.83	57.7	85.6	1542	3782	37.4	22.6	-47	32	590.6	774.2	-47.0	38.9	-44.5
32ND	381.16	57.8	85.4	1542	3782	37.5	22.6	-46	31	532.8	688.7	-38.0	32.0	-38.7
33RD	393.49	57.9	85.3	1542	3782	37.5	22.5	-45	31	474.9	603.5	-30.0	25.8	-33.1
34TH	405.83	57.9	85.1	1542	3782	37.6	22.5	-45	30	417.0	518.4	-23.1	20.3	-27.6
35TH	418.16	58.0	84.9	1542	3782	37.6	22.4	-44	30	359.0	433.5	-17.2	15.5	-22.1
36TH	430.49	51.7	78.5	1542	3616	33.5	21.7	-39	26	307.3	355.0	-12.3	11.4	-17.7
37TH	442.82	49.4	67.2	1542	3248	32.0	20.7	-28	21	257.9	287.8	-8.4	7.9	-14.8
38TH	455.16	57.9	71.2	1542	3175	37.5	22.4	-35	28	200.0	216.7	-5.3	5.1	-10.7
39TH	467.49	45.4	54.8	1542	2754	29.4	19.9	-27	22	154.6	161.8	-2.9	2.9	-8.2
PENT	479.82	56.9	64.4	1542	2754	36.9	23.4	-31	27	97.8	97.5	-1.3	1.3	-4.7
TOP	507.24	97.8	97.5	3426	5032	28.5	19.4	-24	24	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 190													
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A													
REFERENCE PRESSURE 38.0 PSF													
FEB 26, 1982													
GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Z
GRND	0.00									1319.3	2033.3	-501.3	342.0 -199.1
2ND	20.50	34.8	77.5	2563	6067	13.6	11.3	-56	25	1284.5	1955.9	-460.5	315.3 -193.9
3RD	29.00	16.3	34.2	1063	2848	15.3	12.0	-56	26	1268.2	1921.7	-444.0	304.4 -191.5
4TH	37.50	17.5	33.1	1063	2848	16.4	11.6	-56	30	1250.8	1888.6	-427.8	293.7 -189.2
5TH	46.00	18.7	31.9	1063	2848	17.6	11.2	-57	33	1232.1	1856.7	-411.9	283.2 -186.7
6TH	54.50	19.9	30.7	1063	2848	18.8	10.8	-57	37	1212.1	1826.0	-396.2	272.8 -184.2
7TH	63.00	21.2	29.5	1063	2848	19.9	10.4	-57	41	1191.0	1796.4	-380.8	262.6 -181.7
MEZZ	71.50	22.4	28.4	1063	2848	21.1	10.0	-56	44	1168.6	1768.1	-365.7	252.5 -179.1
8TH	85.17	38.6	43.1	1708	4578	22.6	9.4	-55	49	1129.9	1725.0	-341.8	236.8 -174.9
9TH	97.50	30.0	50.9	1542	3862	19.4	13.2	-71	41	1100.0	1674.0	-320.8	223.1 -170.0
10TH	109.83	30.0	54.5	1542	3782	19.5	14.4	-73	40	1070.0	1619.5	-300.5	209.7 -164.9
11TH	122.17	30.8	54.5	1542	3782	20.0	14.4	-73	41	1039.2	1565.0	-280.9	196.7 -159.6
12TH	134.50	31.5	54.9	1542	3782	20.4	14.5	-73	42	1007.7	1510.1	-261.9	184.1 -154.3
13TH	146.83	32.3	55.3	1542	3782	20.9	14.6	-73	43	975.4	1454.7	-243.6	171.8 -148.9
14TH	159.17	33.0	55.8	1542	3782	21.4	14.7	-73	43	942.4	1399.0	-226.1	160.0 -143.4
15TH	171.50	33.8	56.2	1542	3782	21.9	14.9	-73	44	908.6	1342.8	-209.1	148.6 -137.8
16TH	183.83	34.4	56.6	1542	3782	22.3	15.0	-73	45	874.2	1286.3	-192.9	137.6 -132.1
17TH	196.16	34.5	56.2	1542	3782	22.4	14.8	-73	45	839.7	1230.1	-177.4	127.0 -126.4
18TH	208.50	34.6	55.7	1542	3782	22.4	14.7	-74	46	805.1	1174.4	-162.6	116.9 -120.7
19TH	220.83	34.7	55.3	1542	3782	22.5	14.6	-74	46	770.5	1119.0	-148.4	107.2 -115.1
20TH	233.16	34.8	54.9	1542	3782	22.5	14.5	-74	47	735.7	1064.1	-135.0	97.9 -109.4
21ST	245.50	34.9	54.5	1542	3782	22.6	14.4	-74	47	700.9	1009.6	-122.2	89.0 -103.7
22ND	257.83	34.9	54.1	1542	3782	22.7	14.3	-74	48	665.9	955.5	-110.1	80.6 -98.0
23RD	270.16	35.0	53.7	1542	3782	22.7	14.2	-75	49	631.0	901.8	-98.6	72.6 -92.3
24TH	282.50	34.9	53.3	1542	3782	22.6	14.1	-75	49	596.1	848.5	-87.8	65.0 -86.5
		34.8	52.9	1542	3782	22.6	14.0	-76	50				

TABLE 7. SHEAR AND MOMENT DIAGRAMS		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982				
WIND DIRECTION 190		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									561.4	795.5	-77.7	57.9	-80.7
26TH	307.16	34.7	52.5	1542	3782	22.5	13.9	-77	51	526.7	743.0	-68.2	51.2	-74.9
27TH	319.49	34.6	52.1	1542	3782	22.4	13.8	-78	52	492.1	690.9	-59.4	44.9	-69.1
28TH	331.83	34.5	51.7	1542	3782	22.4	13.7	-79	52	457.6	639.2	-51.2	39.0	-63.2
29TH	344.16	34.4	51.3	1542	3782	22.3	13.6	-79	53	423.2	587.8	-43.6	33.6	-57.3
30TH	356.49	34.2	51.1	1542	3782	22.2	13.5	-79	53	389.0	536.7	-36.7	28.6	-51.5
31ST	368.83	34.1	51.1	1542	3782	22.1	13.5	-78	52	354.9	485.6	-30.4	24.0	-45.7
32ND	381.16	33.9	51.1	1542	3782	22.0	13.5	-77	51	321.0	434.5	-24.7	19.8	-40.0
33RD	393.49	33.7	51.1	1542	3782	21.9	13.5	-76	50	287.2	383.4	-19.6	16.1	-34.4
34TH	405.83	33.6	51.1	1542	3782	21.8	13.5	-75	50	253.7	332.3	-15.2	12.8	-28.9
35TH	418.16	33.4	51.1	1542	3782	21.7	13.5	-75	49	220.3	281.2	-11.4	9.8	-23.5
36TH	430.49	28.6	46.7	1542	3616	18.5	12.9	-72	44	191.7	234.5	-8.3	7.3	-18.9
37TH	442.82	27.9	41.4	1542	3248	18.1	12.7	-57	39	163.8	193.2	-5.6	5.1	-15.4
38TH	455.16	36.0	47.2	1542	3175	23.3	14.9	-57	43	127.8	146.0	-3.5	3.3	-11.2
39TH	467.49	27.3	36.8	1542	2754	17.7	13.4	-50	37	100.6	109.1	-2.0	1.9	-8.3
PENT	479.82	36.2	44.2	1542	2754	23.5	16.1	-49	40	64.4	64.9	-.9	.9	-4.7
TOP	507.24	64.4	64.9	3426	5032	18.8	12.9	-37	36	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 200													
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A													
REFERENCE PRESSURE 38.0 PSF													
FEB 26, 1982													
GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00									1035.3	873.2	-231.8	284.4 -171.2
2ND	20.50	21.5	29.0	2563	6867	8.4	4.2	-48	36	1013.8	844.2	-214.2	263.3 -169.0
3RD	29.00	10.3	13.6	1063	2848	9.7	4.8	-51	39	1003.5	830.6	-207.1	254.8 -167.9
4TH	37.50	11.3	12.1	1063	2848	10.7	4.3	-49	46	992.1	818.5	-200.0	246.3 -166.8
5TH	46.00	12.4	10.6	1063	2848	11.6	3.7	-46	53	979.8	807.9	-193.1	237.9 -165.7
6TH	54.50	13.4	9.1	1063	2848	12.6	3.2	-40	60	966.4	798.8	-186.3	229.6 -164.5
7TH	63.00	14.4	7.6	1063	2848	13.6	2.7	-34	65	951.9	791.2	-179.5	221.5 -163.3
MEZZ	71.50	15.5	6.1	1063	2848	14.6	2.1	-27	68	936.4	785.1	-172.8	213.5 -162.1
8TH	85.17	27.1	6.6	1708	4578	15.8	1.4	-17	70	909.4	778.6	-162.2	200.9 -160.1
9TH	97.50	21.1	21.7	1542	3862	13.7	5.6	-88	86	888.3	756.8	-152.7	189.8 -156.4
10TH	109.83	21.1	24.4	1542	3782	13.7	6.5	-98	84	867.2	732.4	-143.5	178.9 -152.2
11TH	122.17	21.5	23.3	1542	3782	13.9	6.2	-97	90	845.7	709.1	-134.6	168.4 -148.0
12TH	134.50	21.9	23.2	1542	3782	14.2	6.1	-97	92	823.8	685.9	-126.0	158.1 -143.7
13TH	146.83	22.4	23.0	1542	3782	14.5	6.1	-97	94	801.4	662.9	-117.7	148.1 -139.4
14TH	159.17	22.8	22.8	1542	3782	14.8	6.0	-97	97	778.6	640.0	-109.7	138.3 -135.0
15TH	171.50	23.2	22.7	1542	3782	15.1	6.0	-97	99	755.4	617.3	-101.9	128.9 -130.5
16TH	183.83	23.7	22.5	1542	3782	15.4	6.0	-96	101	731.6	594.8	-94.4	119.7 -125.9
17TH	196.16	24.3	22.7	1542	3782	15.8	6.0	-96	103	707.3	572.1	-87.2	110.8 -121.3
18TH	208.50	25.0	22.8	1542	3782	16.2	6.0	-95	104	682.3	549.3	-80.3	102.2 -116.5
19TH	220.83	25.6	23.0	1542	3782	16.6	6.1	-95	105	656.8	526.3	-73.7	94.0 -111.6
20TH	233.16	26.2	23.1	1542	3782	17.0	6.1	-94	107	630.5	503.1	-67.4	86.1 -106.6
21ST	245.50	26.8	23.3	1542	3782	17.4	6.2	-94	108	603.7	479.8	-61.3	78.4 -101.6
22ND	257.83	27.5	23.4	1542	3782	17.8	6.2	-93	109	576.3	456.4	-55.5	71.2 -96.4
23RD	270.16	27.9	23.6	1542	3782	18.1	6.2	-93	110	548.4	432.8	-50.0	64.2 -91.1
24TH	282.50	28.2	23.6	1542	3782	18.3	6.2	-93	111	520.2	409.2	-44.8	57.6 -85.8
		28.4	23.7	1542	3782	18.4	6.3	-93	112				

TABLE 7 SHEAR AND MOMENT DIAGRAMS		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982				
WIND DIRECTION 200		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									491.8	385.6	-39.9	51.4	-80.4
26TH	307.16	28.7	23.7	1542	3782	18.6	6.3	-94	113	463.1	361.9	-35.3	45.5	-74.9
27TH	319.49	28.9	23.7	1542	3782	18.8	6.3	-94	114	434.2	338.1	-31.0	40.0	-69.4
28TH	331.83	29.2	23.8	1542	3782	18.9	6.3	-94	115	405.0	314.3	-27.0	34.8	-63.8
29TH	344.16	29.5	23.8	1542	3782	19.1	6.3	-94	116	375.5	290.5	-23.3	30.0	-58.1
30TH	356.49	29.5	23.7	1542	3782	19.1	6.3	-94	117	346.0	266.8	-19.8	25.5	-52.5
31ST	368.83	29.5	23.4	1542	3782	19.1	6.2	-92	116	316.5	243.4	-16.7	21.5	-46.9
32ND	381.16	29.5	23.1	1542	3782	19.1	6.1	-91	116	287.0	220.3	-13.8	17.7	-41.4
33RD	393.49	29.5	22.8	1542	3782	19.1	6.0	-90	116	257.5	197.6	-11.2	14.4	-35.9
34TH	405.83	29.5	22.4	1542	3782	19.1	5.9	-88	116	228.0	175.1	-8.9	11.4	-30.5
35TH	418.16	29.5	22.1	1542	3782	19.1	5.8	-87	116	198.5	153.0	-6.9	8.8	-25.1
36TH	430.49	26.9	19.7	1542	3616	17.5	5.4	-84	114	171.6	133.3	-5.2	6.5	-20.4
37TH	442.82	26.9	19.5	1542	3248	17.4	6.0	-68	95	144.7	113.9	-3.6	4.5	-16.5
38TH	455.16	31.6	23.4	1542	3175	20.5	7.4	-66	89	113.1	90.4	-2.4	2.9	-12.2
39TH	467.49	24.5	18.9	1542	2754	15.9	6.8	-64	83	88.6	71.6	-1.4	1.7	-8.9
PENT	479.82	31.1	24.9	1542	2754	20.2	9.0	-59	74	57.5	46.7	-1.6	.8	-5.2
TOP	507.24	57.5	46.7	3426	5032	16.8	9.3	-44	54	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982		GUST FACTOR 1.32		
WIND DIRECTION 210		CONFIGURATION A								REFERENCE PRESSURE 38.0 PSF				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00									1062.1	300.7	-97.4	306.6	-128.6
		16.0	7.3	2563	6867	6.3	1.1	-14	30					
2ND	20.50									1046.1	293.4	-91.3	285.0	-128.0
		7.3	4.2	1063	2848	6.9	1.5	-18	32					
3RD	29.00									1038.8	289.2	-88.8	276.1	-127.7
		7.9	2.1	1063	2848	7.4	.7	-7	28					
4TH	37.50									1030.9	287.1	-86.4	267.3	-127.5
		8.5	-.1	1063	2848	8.0	-.0	0	19					
5TH	46.00									1022.4	287.2	-84.0	258.6	-127.3
		9.1	-2.2	1063	2848	8.6	-.8	2	9					
6TH	54.50									1013.2	289.4	-81.5	249.9	-127.2
		9.8	-4.4	1063	2848	9.2	-1.5	1	1					
7TH	63.00									1003.5	293.8	-79.0	241.3	-127.2
		10.4	-6.5	1063	2848	9.8	-2.3	-3	-4					
MEZZ	71.50									993.1	300.3	-76.5	232.9	-127.3
		18.0	-15.1	1708	4578	10.5	-3.3	-7	-8					
8TH	85.17									975.1	315.4	-72.3	219.4	-127.5
		18.7	8.1	1542	3862	12.2	2.1	-48	111					
9TH	97.50									956.3	307.3	-68.5	207.5	-125.0
		19.6	11.3	1542	3782	12.7	3.0	-68	118					
10TH	109.83									936.8	296.0	-64.7	195.8	-122.0
		20.2	9.1	1542	3782	13.1	2.4	-58	129					
11TH	122.17									916.6	286.9	-61.1	184.4	-118.8
		20.9	8.1	1542	3782	13.5	2.1	-53	136					
12TH	134.50									895.7	278.8	-57.7	173.2	-115.6
		21.5	7.0	1542	3782	13.9	1.9	-46	141					
13TH	146.83									874.2	271.8	-54.3	162.3	-112.2
		22.1	5.9	1542	3782	14.4	1.6	-39	146					
14TH	159.17									852.1	265.8	-50.9	151.7	-108.8
		22.8	4.9	1542	3782	14.8	1.3	-32	150					
15TH	171.50									829.3	260.9	-47.7	141.3	-105.2
		23.6	3.9	1542	3782	15.3	1.0	-25	152					
16TH	183.83									805.7	257.1	-44.5	131.2	-101.5
		24.8	4.9	1542	3782	16.1	1.3	-30	150					
17TH	196.16									780.9	252.1	-41.4	121.4	-97.6
		26.1	6.0	1542	3782	16.9	1.6	-34	148					
18TH	208.50									754.9	246.1	-38.3	112.0	-93.6
		27.3	7.1	1542	3782	17.7	1.9	-38	145					
19TH	220.83									727.6	239.0	-35.3	102.8	-89.3
		28.5	8.2	1542	3782	18.5	2.2	-41	143					
20TH	233.16									699.0	230.9	-32.4	94.0	-84.9
		29.8	9.2	1542	3782	19.3	2.4	-44	141					
21ST	245.50									669.2	221.6	-29.6	85.6	-80.3
		31.0	10.3	1542	3782	20.1	2.7	-46	139					
22ND	257.83									638.2	211.3	-26.9	77.5	-75.5
		31.8	11.1	1542	3782	20.6	2.9	-48	138					
23RD	270.16									606.4	200.2	-24.4	69.9	-70.6
		32.1	11.1	1542	3782	20.8	2.9	-48	137					
24TH	282.50									574.3	189.0	-22.0	62.6	-65.6
		32.4	11.2	1542	3782	21.0	3.0	-47	136					

TABLE 7. SHEAR AND MOMENT DIAGRAM 1 WIND DIRECTION 210														
ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF														
FEB 26, 1982														
GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	32.6	11.2	1542	3782	21.2	3.0	-46	135	541.9	177.9	-19.7	55.7	-60.7
26TH	307.16	32.9	11.2	1542	3782	21.3	3.0	-46	134	509.3	166.7	-17.6	49.2	-55.8
27TH	319.49	33.2	11.2	1542	3782	21.5	3.0	-45	133	476.4	155.5	-15.6	43.1	-50.9
28TH	331.83	33.5	11.3	1542	3782	21.7	3.0	-44	132	443.2	144.2	-13.8	37.5	-45.9
29TH	344.16	33.4	10.8	1542	3782	21.7	2.9	-42	129	409.8	133.0	-12.1	32.2	-41.0
30TH	356.49	33.2	9.9	1542	3782	21.5	2.6	-37	125	376.4	122.2	-10.5	27.3	-36.3
31ST	368.83	33.0	8.9	1542	3782	21.4	2.4	-33	121	343.2	112.3	-9.1	22.9	-31.7
32ND	381.16	32.8	8.0	1542	3782	21.3	2.1	-28	116	310.2	103.4	-7.7	18.9	-27.5
33RD	393.49	32.6	7.0	1542	3782	21.1	1.9	-24	110	277.4	95.4	-6.5	15.3	-23.5
34TH	405.83	32.4	6.1	1542	3782	21.0	1.6	-20	105	244.8	88.3	-5.4	12.0	-19.7
35TH	418.16	30.6	4.9	1542	3616	19.9	1.4	-15	96	212.4	82.2	-4.3	9.2	-16.2
36TH	430.49	30.3	7.7	1542	3240	19.7	2.4	-20	81	181.8	77.4	-3.3	6.8	-13.2
37TH	442.82	32.7	11.0	1542	3175	21.2	3.5	-26	77	151.5	69.7	-2.4	4.7	-10.6
38TH	455.16	27.3	10.1	1542	2754	17.7	3.7	-23	62	118.8	58.7	-1.6	3.1	-7.8
39TH	467.49	30.9	15.0	1542	2754	20.1	5.5	-29	61	91.4	48.6	-1.0	1.8	-5.8
PENT	479.82	60.5	33.5	3426	5032	17.7	6.7	-25	44	60.5	33.5	-0.5	.8	-3.5
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 220

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	9.1	-6.7	2563	6867	3.6	-1.0	-34	-46	815.3	-3.5	-20.3	258.0	-26.4
2ND	20.50	3.9	-2.9	1063	2848	3.7	-1.0	-49	-66	806.2	3.2	-20.3	241.3	-27.1
3RD	29.00	4.2	-4.3	1063	2848	3.9	-1.5	-58	-56	802.3	6.1	-20.2	234.5	-27.5
4TH	37.50	4.5	-5.8	1063	2848	4.2	-2.0	-61	-48	798.1	10.4	-20.2	227.7	-28.0
5TH	46.00	4.8	-7.2	1063	2848	4.5	-2.5	-63	-42	793.7	16.2	-20.1	220.9	-28.5
6TH	54.50	5.1	-8.7	1063	2848	4.8	-3.0	-63	-37	788.9	23.4	-19.9	214.2	-29.2
7TH	63.00	5.4	-10.1	1063	2848	5.1	-3.6	-63	-34	783.8	32.1	-19.7	207.5	-29.9
MEZZ	71.50	9.3	-19.3	1708	4578	5.5	-4.2	-63	-30	778.4	42.3	-19.3	200.9	-30.7
8TH	85.17	9.6	-1.3	1542	3862	6.3	-.3	9	68	769.0	61.6	-18.6	190.3	-32.2
9TH	97.50	10.3	1.7	1542	3782	6.7	.4	-18	107	759.4	62.9	-17.9	180.9	-31.6
10TH	109.83	11.0	.8	1542	3782	7.1	.2	-8	106	749.1	61.2	-17.1	171.6	-30.4
11TH	122.17	11.6	.7	1542	3782	7.5	.2	-7	105	738.1	60.4	-16.4	162.4	-29.3
12TH	134.50	12.2	.7	1542	3782	7.9	.2	-6	104	726.5	59.6	-15.6	153.4	-28.0
13TH	146.83	12.8	.6	1542	3782	8.3	.2	-5	103	714.3	59.0	-14.9	144.5	-26.7
14TH	159.17	13.5	.5	1542	3782	8.7	.1	-4	103	701.5	58.3	-14.2	135.8	-25.4
15TH	171.50	14.3	.5	1542	3782	9.3	.1	-3	100	688.0	57.8	-13.4	127.2	-24.0
16TH	183.83	15.5	.9	1542	3782	10.1	.2	-6	95	673.7	57.3	-12.7	118.8	-22.6
17TH	196.16	16.8	1.4	1542	3782	10.9	.4	-7	90	658.2	56.4	-12.0	110.6	-21.1
18TH	208.50	18.1	1.8	1542	3782	11.7	.5	-9	86	641.3	55.0	-11.3	102.6	-19.6
19TH	220.83	19.4	2.3	1542	3782	12.6	.6	-10	82	623.2	53.2	-10.7	94.8	-18.0
20TH	233.16	20.7	2.7	1542	3782	13.4	.7	-10	79	603.8	50.9	-10.0	87.2	-16.4
21ST	245.50	21.9	3.2	1542	3782	14.2	.8	-11	76	583.2	48.1	-9.4	79.9	-14.7
22ND	257.83	23.0	3.4	1542	3782	14.9	.9	-11	73	561.2	44.9	-8.9	72.8	-13.0
23RD	270.16	23.7	3.0	1542	3782	15.4	.8	-8	66	538.3	41.5	-8.3	66.0	-11.3
24TH	282.50	24.4	2.6	1542	3782	15.8	.7	-6	60	514.6	38.5	-7.8	59.6	-9.7

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1 WIND DIRECTION 220		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32						
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	25.1	2.1	1542	3782	16.3	.6	-5	54	490.2	36.0	-7.4	53.4	-8.2
26TH	307.16	25.8	1.7	1542	3782	16.7	.5	-3	49	465.1	33.8	-6.9	47.5	-6.9
27TH	319.49	26.5	1.3	1542	3782	17.2	.3	-2	43	439.3	32.1	-6.5	41.9	-5.6
28TH	331.83	27.2	.9	1542	3782	17.7	.2	-1	38	412.8	30.9	-6.1	36.6	-4.5
29TH	344.16	27.7	.2	1542	3782	18.0	.0	-0	32	385.6	30.0	-5.8	31.7	-3.4
30TH	356.49	28.1	-.8	1542	3782	18.3	-.2	1	25	357.8	29.8	-5.4	27.1	-2.6
31ST	368.83	28.6	-1.7	1542	3782	18.5	-.4	1	18	329.7	30.6	-5.0	22.9	-1.8
32ND	381.16	29.0	-2.6	1542	3782	18.8	-.7	1	12	301.1	32.3	-4.6	19.0	-1.3
33RD	393.49	29.4	-3.6	1542	3782	19.1	-.9	1	5	272.2	34.9	-4.2	15.5	-1.0
34TH	405.83	29.8	-4.5	1542	3782	19.3	-1.2	-0	-1	242.8	38.5	-3.8	12.3	-.8
35TH	418.16	29.5	-4.3	1542	3616	19.2	-1.2	-1	-4	213.0	43.0	-3.3	9.5	-.8
36TH	430.49	29.5	-.4	1542	3248	19.1	-.1	-0	-3	183.4	47.3	-2.7	7.0	-1.0
37TH	442.82	30.3	1.0	1542	3175	19.7	.3	0	-2	153.9	47.7	-2.1	5.0	-1.1
38TH	455.16	27.7	3.2	1542	2754	17.9	1.2	-0	3	123.6	46.6	-1.5	3.2	-1.1
39TH	467.49	30.7	7.3	1542	2754	19.9	2.7	-1	6	95.9	43.4	-1.0	1.9	-1.0
PENT	479.82	65.3	36.1	3426	5032	19.0	7.2	-6	10	65.3	36.1	-.5	.9	-.9
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 230

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00									295.8	-162.0	63.2	103.6	37.1
2ND	20.50	1.7	-1.6	2563	6867	.7	-.2	-81	-84	294.1	-160.3	59.9	97.5	36.8
3RD	29.00	.9	.0	1063	2848	.8	.0	10	-199	293.2	-160.4	58.5	95.0	36.7
4TH	37.50	1.1	-.0	1063	2848	1.0	-.0	-8	-183	292.1	-160.3	57.2	92.5	36.5
5TH	46.00	1.2	-.1	1063	2848	1.2	-.0	-18	-165	290.9	-160.2	55.8	90.1	36.3
6TH	54.50	1.4	-.2	1063	2848	1.3	-.1	-24	-151	289.5	-160.0	54.5	87.6	36.0
7TH	63.00	1.6	-.3	1063	2848	1.5	-.1	-28	-140	287.9	-159.6	53.1	85.1	35.8
MEZZ	71.50	1.8	-.4	1063	2848	1.7	-.1	-30	-132	286.1	-159.2	51.7	82.7	35.6
8TH	85.17	3.3	-.9	1708	4578	1.9	-.2	-32	-123	282.8	-158.4	49.6	78.8	35.1
9TH	97.50	2.3	2.9	1542	3862	1.5	.7	4	-3	280.4	-161.3	47.6	75.3	35.1
10TH	109.83	2.4	3.4	1542	3782	1.6	.9	-9	7	278.0	-164.7	45.6	71.9	35.2
11TH	122.17	2.6	3.1	1542	3782	1.7	.8	-5	4	275.4	-167.8	43.5	68.5	35.2
12TH	134.50	2.8	2.7	1542	3782	1.8	.7	-1	1	272.6	-170.5	41.5	65.1	35.2
13TH	146.83	3.0	2.4	1542	3782	1.9	.6	3	-4	269.7	-172.8	39.3	61.8	35.2
14TH	159.17	3.2	2.0	1542	3782	2.0	.5	6	-9	266.5	-174.8	37.2	58.4	35.1
15TH	171.50	3.3	1.7	1542	3782	2.2	.4	7	-15	263.2	-176.5	35.0	55.2	35.1
16TH	183.83	3.6	1.3	1542	3782	2.3	.3	8	-21	259.6	-177.8	32.8	52.0	35.0
17TH	196.16	3.9	.6	1542	3782	2.5	.2	5	-36	255.7	-178.3	30.6	48.8	34.8
18TH	208.50	4.3	-.1	1542	3782	2.8	-.0	-1	-48	251.4	-178.2	28.4	45.7	34.6
19TH	220.83	4.7	-.8	1542	3782	3.0	-.2	-10	-56	246.7	-177.4	26.3	42.6	34.4
20TH	233.16	5.0	-1.5	1542	3782	3.3	-.4	-18	-60	241.7	-175.9	24.1	39.6	34.0
21ST	245.50	5.4	-2.2	1542	3782	3.5	-.6	-26	-62	236.4	-173.7	21.9	36.6	33.6
22ND	257.83	5.7	-2.9	1542	3782	3.7	-.8	-32	-62	230.6	-170.7	19.8	33.7	33.2
23RD	270.16	6.2	-3.7	1542	3782	4.0	-1.0	-38	-64	224.5	-167.0	17.7	30.9	32.7
24TH	282.50	6.6	-4.6	1542	3782	4.3	-1.2	-49	-70	217.8	-162.4	15.7	28.2	32.0
		7.1	-5.5	1542	3782	4.6	-1.5	-57	-74					

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 230													ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF													FEB 26, 1982 GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)																
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z														
25TH	294.83	7.6	-6.4	1542	3782	4.9	-1.7	-64	-76	210.7	-156.9	13.7	25.6	31.1														
26TH	307.16	8.1	-7.3	1542	3782	5.2	-1.9	-71	-78	203.1	-150.5	11.8	23.0	30.1														
27TH	319.49	8.5	-8.2	1542	3782	5.5	-2.2	-76	-79	195.1	-143.2	10.0	20.6	29.0														
28TH	331.83	9.0	-9.1	1542	3782	5.9	-2.4	-80	-79	186.5	-135.0	8.3	18.2	27.7														
29TH	344.16	9.6	-10.4	1542	3782	6.2	-2.8	-87	-80	177.5	-125.9	6.7	16.0	26.3														
30TH	356.49	10.1	-12.0	1542	3782	6.6	-3.2	-96	-81	168.0	-115.5	5.2	13.8	24.6														
31ST	368.83	10.7	-13.7	1542	3782	7.0	-3.6	-103	-80	157.8	-103.4	3.8	11.8	22.6														
32ND	381.16	11.3	-15.3	1542	3782	7.3	-4.1	-108	-80	147.1	-89.8	2.7	9.9	20.3														
33RD	393.49	11.9	-17.0	1542	3782	7.7	-4.5	-113	-79	135.8	-74.4	1.6	8.2	17.8														
34TH	405.83	12.5	-18.6	1542	3782	8.1	-4.9	-117	-79	123.9	-57.5	.8	6.6	14.9														
35TH	418.16	13.2	-17.8	1542	3616	8.5	-4.9	-111	-82	111.5	-38.9	.2	5.1	11.8														
36TH	430.49	14.6	-12.3	1542	3248	9.4	-3.8	-77	-92	98.3	-21.1	-.1	3.8	8.7														
37TH	442.82	16.0	-10.3	1542	3175	10.4	-3.2	-63	-98	83.7	-8.9	-.3	2.7	6.4														
38TH	455.16	15.0	-6.3	1542	2754	9.8	-2.3	-33	-80	67.7	1.4	-.4	1.8	4.2														
39TH	467.49	16.2	-5.5	1542	2754	10.5	-2.0	-27	-78	52.7	7.7	-.3	1.0	2.8														
PENT	479.82	36.5	13.3	3426	5032	10.6	2.6	12	-34	36.5	13.3	-.2	.5	1.4														
TOP	507.24									0.0	0.0	0.0	0.0	0.0														

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 240

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN. (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	.4	1.9	2563	6867	.2	.3	-129	31	-15.4	-162.6	85.5	-5.6	28.9
2ND	20.50	.1	1.7	1063	2848	.1	.6	-69	6	-15.9	-164.5	82.2	-5.3	29.2
3RD	29.00	.2	1.9	1063	2848	.2	.7	-66	6	-16.0	-166.2	80.8	-5.2	29.3
4TH	37.50	.2	2.1	1063	2848	.2	.7	-64	6	-16.2	-168.1	79.4	-5.0	29.4
5TH	46.00	.2	2.3	1063	2848	.2	.8	-62	6	-16.4	-170.2	77.9	-4.9	29.6
6TH	54.50	.2	2.5	1063	2848	.2	.9	-60	6	-16.6	-172.5	76.5	-4.8	29.7
7TH	63.00	.3	2.6	1063	2848	.3	.9	-58	6	-16.9	-174.9	75.0	-4.6	29.9
MEZZ	71.50	.5	4.6	1708	4578	.3	1.0	-57	6	-17.1	-177.6	73.5	-4.5	30.0
8TH	85.17	-.2	4.0	1542	3862	-.1	1.0	-36	-1	-17.6	-182.2	71.0	-4.2	30.3
9TH	97.50	-.2	4.3	1542	3782	-.1	1.1	-37	-2	-17.5	-186.2	68.8	-4.0	30.4
10TH	109.83	-.2	4.3	1542	3782	-.1	1.1	-37	-1	-17.3	-190.5	66.4	-3.8	30.6
11TH	122.17	-.1	4.3	1542	3782	-.1	1.1	-36	-1	-17.1	-194.8	64.1	-3.6	30.7
12TH	134.50	-.1	4.3	1542	3782	-.0	1.1	-35	-1	-17.0	-199.1	61.6	-3.4	30.9
13TH	146.83	-.0	4.4	1542	3782	-.0	1.2	-34	-0	-16.9	-203.4	59.2	-3.2	31.0
14TH	159.17	.0	4.4	1542	3782	.0	1.2	-33	0	-16.9	-207.8	56.6	-3.0	31.2
15TH	171.50	.0	4.4	1542	3782	.0	1.2	-32	0	-16.9	-212.2	54.0	-2.8	31.3
16TH	183.83	-.0	3.9	1542	3782	-.0	1.0	-19	-0	-17.0	-216.6	51.4	-2.6	31.5
17TH	196.16	-.1	3.4	1542	3782	-.0	.9	-3	-0	-16.9	-220.5	48.7	-2.3	31.5
18TH	208.50	-.1	2.9	1542	3782	-.1	.8	19	1	-16.9	-223.9	46.0	-2.1	31.6
19TH	220.83	-.2	2.4	1542	3782	-.1	.6	49	4	-16.7	-226.8	43.2	-1.9	31.5
20TH	233.16	-.2	1.9	1542	3782	-.2	.5	95	12	-16.6	-229.2	40.4	-1.7	31.4
21ST	245.50	-.3	1.4	1542	3782	-.2	.4	168	35	-16.3	-231.1	37.5	-1.5	31.2
22ND	257.83	-.4	.6	1542	3782	-.3	.2	382	237	-16.0	-232.5	34.7	-1.3	30.9
23RD	270.16	-.5	-1.0	1542	3782	-.3	-.3	-376	211	-15.6	-233.1	31.8	-1.1	30.6
24TH	282.50	-.7	-2.5	1542	3782	-.4	-.7	-224	60	-15.1	-232.2	28.9	-.9	30.1

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 240														
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									-14.4	-229.6	26.1	-.8	29.5
26TH	307.16	-.8	-4.1	1542	3782	-.5	-1.1	-175	35	-13.6	-225.5	23.3	-.6	28.8
27TH	319.49	-1.0	-5.7	1542	3782	-.6	-1.5	-151	26	-12.6	-219.8	20.5	-.4	27.9
28TH	331.83	-1.1	-7.3	1542	3782	-.7	-1.9	-137	21	-11.5	-212.5	17.9	-.3	26.9
29TH	344.16	-1.3	-8.9	1542	3782	-.8	-2.4	-129	18	-10.2	-203.5	15.3	-.1	25.7
30TH	356.49	-1.4	-10.9	1542	3782	-.9	-2.9	-126	16	-8.8	-192.6	12.8	-.0	24.3
31ST	368.83	-1.5	-13.2	1542	3782	-1.0	-3.5	-126	15	-7.3	-179.4	10.6	.1	22.6
32ND	381.16	-1.7	-15.6	1542	3782	-1.1	-4.1	-127	14	-5.6	-163.8	8.4	.2	20.6
33RD	393.49	-1.8	-18.0	1542	3782	-1.2	-4.7	-127	13	-3.8	-145.8	6.5	.2	18.3
34TH	405.83	-2.0	-20.3	1542	3782	-1.3	-5.4	-127	12	-1.8	-125.5	4.9	.3	15.7
35TH	418.16	-2.1	-22.7	1542	3782	-1.4	-6.0	-127	12	.2	-102.8	3.4	.3	12.8
36TH	430.49	-2.0	-22.9	1542	3616	-1.3	-6.3	-124	11					
37TH	442.82	-1.1	-19.3	1542	3248	-.7	-5.9	-116	7	2.2	-80.0	2.3	.2	9.9
38TH	455.16	-1.4	-18.5	1542	3175	-.2	-5.8	-120	2	3.3	-60.7	1.5	.2	7.7
39TH	467.49	-1.0	-15.4	1542	2754	-.7	-5.6	-111	7	3.7	-42.2	.8	.2	5.4
PENT	479.82	.3	-15.3	1542	2754	.2	-5.6	-112	-2	4.7	-26.8	.4	.1	3.7
TOP	507.24	4.4	-11.5	3426	5032	1.3	-2.3	-151	-58	4.4	-11.5	.2	.1	2.0
										0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS		ENERGY CENTRE, NEW ORLEANS								FEB 26, 1982		GUST FACTOR 1.32		
WIND DIRECTION 250		CONFIGURATION A								REFERENCE PRESSURE 38.0 PSF				
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00									-60.2	-207.1	91.1	-19.2	21.1
2ND	20.50	-3.0	-5.5	2563	6867	-1.2	-.8	17	-9	-57.3	-201.6	87.0	-18.0	21.2
3RD	29.00	-1.1	-1.3	1063	2848	-1.0	-.5	19	-16	-56.2	-200.3	85.2	-17.5	21.3
4TH	37.50	-1.0	-.8	1063	2848	-1.0	-.3	27	-34	-55.1	-199.5	83.5	-17.0	21.3
5TH	46.00	-1.0	-.4	1063	2848	-.9	-.1	24	-65	-54.1	-199.1	81.9	-16.5	21.4
6TH	54.50	-1.0	.1	1063	2848	-.9	.0	-9	-93	-53.2	-199.2	80.2	-16.1	21.5
7TH	63.00	-.9	.6	1063	2848	-.9	.2	-51	-86	-52.2	-199.8	78.5	-15.6	21.6
MEZZ	71.50	-.9	1.0	1063	2848	-.8	.4	-69	-61	-51.3	-200.8	76.8	-15.2	21.7
8TH	85.17	-1.4	2.6	1708	4578	-.8	.6	-71	-37	-50.0	-203.4	74.0	-14.5	22.0
9TH	97.50	-1.3	2.0	1542	3862	-.9	.5	-30	-20	-48.6	-205.4	71.5	-13.9	22.0
10TH	109.83	-1.2	2.0	1542	3782	-.8	.5	-28	-17	-47.4	-207.5	68.9	-13.3	22.1
11TH	122.17	-1.1	2.0	1542	3782	-.7	.5	-32	-17	-46.3	-209.5	66.4	-12.7	22.2
12TH	134.50	-.9	2.0	1542	3782	-.6	.5	-36	-17	-45.4	-211.5	63.8	-12.2	22.3
13TH	146.83	-.8	2.0	1542	3782	-.5	.5	-41	-16	-44.6	-213.5	61.1	-11.6	22.4
14TH	159.17	-.7	2.0	1542	3782	-.4	.5	-46	-15	-43.9	-215.5	58.5	-11.1	22.5
15TH	171.50	-.5	2.0	1542	3782	-.3	.5	-50	-13	-43.4	-217.5	55.8	-10.5	22.6
16TH	183.83	-.4	2.0	1542	3782	-.3	.5	-54	-11	-43.0	-219.5	53.1	-10.0	22.7
17TH	196.16	-.3	1.8	1542	3782	-.2	.5	-46	-8	-42.7	-221.3	50.4	-9.5	22.8
18TH	208.50	-.2	1.7	1542	3782	-.2	.5	-35	-5	-42.5	-223.0	47.7	-8.9	22.9
19TH	220.83	-.2	1.6	1542	3782	-.1	.4	-23	-3	-42.3	-224.6	44.9	-8.4	22.9
20TH	233.16	-.1	1.5	1542	3782	-.1	.4	-8	-1	-42.2	-226.1	42.1	-7.9	22.9
21ST	245.50	-.0	1.3	1542	3782	-.0	.4	9	0	-42.2	-227.4	39.3	-7.4	22.9
22ND	257.83	.0	1.2	1542	3782	.0	.3	31	-1	-42.2	-228.6	36.5	-6.9	22.9
23RD	270.16	-.0	.8	1542	3782	-.0	.2	106	2	-42.2	-229.4	33.7	-6.3	22.8
24TH	282.50	-.2	-.4	1542	3782	-.1	-.1	-369	206	-42.0	-229.0	30.9	-5.8	22.6
		-.4	-1.6	1542	3782	-.3	-.4	-175	47					

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 250														ENERGY CENTRE, NEW ORLEANS CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF				FEB 26, 1982				GUST FACTOR 1.32			
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)																	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z															
25TH	294.83	- .6	-2.8	1542	3782	- .4	- .7	-138	31	-41.5	-227.5	28.1	-5.3	22.3															
26TH	307.16	- .8	-3.9	1542	3782	- .5	-1.0	-123	26	-40.9	-224.7	25.3	-4.8	21.9															
27TH	319.49	-1.0	-5.1	1542	3782	- .7	-1.4	-115	23	-40.1	-220.8	22.5	-4.3	21.4															
28TH	331.83	-1.2	-6.3	1542	3782	- .8	-1.7	-110	21	-39.1	-215.6	19.8	-3.8	20.8															
29TH	344.16	-1.5	-8.2	1542	3782	-1.0	-2.2	-104	19	-37.8	-209.3	17.2	-3.3	20.0															
30TH	356.49	-1.8	-10.9	1542	3782	-1.2	-2.9	-100	17	-36.3	-201.1	14.7	-2.9	19.2															
31ST	368.83	-2.1	-13.5	1542	3782	-1.4	-3.6	-97	15	-34.5	-190.2	12.3	-2.4	18.0															
32ND	381.16	-2.5	-16.2	1542	3782	-1.6	-4.3	-95	14	-32.3	-176.6	10.0	-2.0	16.7															
33RD	393.49	-2.8	-18.8	1542	3782	-1.8	-5.0	-94	14	-29.9	-160.4	7.9	-1.6	15.1															
34TH	405.83	-3.1	-21.5	1542	3782	-2.0	-5.7	-93	13	-27.1	-141.6	6.1	-1.3	13.3															
35TH	418.16	-3.8	-22.8	1542	3616	-2.5	-6.3	-91	13	-24.0	-120.1	4.5	-1.0	11.3															
36TH	430.49	-4.2	-21.1	1542	3248	-2.7	-6.5	-90	18	-20.2	-97.3	3.1	- .7	9.2															
37TH	442.82	-3.4	-20.3	1542	3175	-2.2	-6.4	-95	16	-16.0	-76.2	2.0	- .5	7.2															
38TH	455.16	-3.5	-17.4	1542	2754	-2.3	-6.3	-85	17	-12.6	-55.9	1.2	- .3	5.2															
39TH	467.49	-3.6	-17.8	1542	2754	-2.3	-6.5	-85	17	-9.1	-38.5	.6	- .2	3.7															
PENT	479.82	-5.5	-20.7	3426	5032	-1.6	-4.1	-95	26	-5.5	-20.7	.3	- .1	2.1															
TOP	507.24									0.0	0.0	0.0	0.0	0.0															

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 260													
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A REFERENCE PRESSURE 38.0 PSF													
FEB 26, 1982 GUST FACTOR 1.32													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y
GRND	0.00	-9.4	-33.1	2563	6867	-3.7	-4.8	-18	5	-187.2	-757.2	238.2	-51.1 38.4
2ND	20.50	-3.6	-11.8	1063	2848	-3.4	-4.1	-26	8	-177.9	-724.2	223.0	-47.4 37.8
3RD	29.00	-3.5	-10.9	1063	2848	-3.3	-3.8	-26	8	-174.2	-712.4	216.9	-45.9 37.4
4TH	37.50	-3.5	-10.0	1063	2848	-3.3	-3.5	-25	9	-170.7	-701.5	210.9	-44.4 37.1
5TH	46.00	-3.4	-9.1	1063	2848	-3.2	-3.2	-24	9	-167.2	-691.5	205.0	-43.0 36.8
6TH	54.50	-3.3	-8.2	1063	2848	-3.2	-2.9	-24	10	-163.8	-682.4	199.1	-41.6 36.6
7TH	63.00	-3.3	-7.3	1063	2848	-3.1	-2.6	-22	10	-160.5	-674.2	193.4	-40.2 36.4
MEZZ	71.50	-5.1	-9.8	1708	4578	-3.0	-2.1	-21	11	-157.2	-666.9	187.7	-38.9 36.2
8TH	85.17	-4.6	-7.7	1542	3862	-3.0	-2.0	-23	14	-152.0	-657.1	178.6	-36.7 35.9
9TH	97.50	-4.3	-7.2	1542	3782	-2.8	-1.9	-23	14	-147.4	-649.4	170.6	-34.9 35.7
10TH	109.83	-4.1	-7.1	1542	3782	-2.6	-1.9	-26	15	-143.1	-642.2	162.6	-33.1 35.4
11TH	122.17	-3.8	-7.0	1542	3782	-2.5	-1.8	-29	16	-139.0	-635.1	154.7	-31.4 35.2
12TH	134.50	-3.5	-6.9	1542	3782	-2.3	-1.8	-32	17	-135.2	-628.2	146.9	-29.7 34.9
13TH	146.83	-3.3	-6.7	1542	3782	-2.1	-1.8	-35	17	-131.7	-621.3	139.2	-28.0 34.6
14TH	159.17	-3.0	-6.6	1542	3782	-1.9	-1.7	-39	18	-128.4	-614.6	131.6	-26.4 34.3
15TH	171.50	-2.8	-6.5	1542	3782	-1.8	-1.7	-43	18	-125.4	-607.9	124.1	-24.9 34.0
16TH	183.83	-2.8	-7.4	1542	3782	-1.8	-2.0	-44	16	-122.6	-601.4	116.6	-23.3 33.7
17TH	196.16	-2.8	-8.3	1542	3782	-1.8	-2.2	-45	15	-119.8	-594.0	109.2	-21.8 33.3
18TH	208.50	-2.8	-9.2	1542	3782	-1.8	-2.4	-45	14	-117.0	-585.7	102.0	-20.4 32.9
19TH	220.83	-2.7	-10.0	1542	3782	-1.8	-2.7	-46	13	-114.3	-576.6	94.8	-18.9 32.5
20TH	233.16	-2.7	-10.9	1542	3782	-1.8	-2.9	-46	12	-111.5	-566.5	87.8	-17.6 32.0
21ST	245.50	-2.7	-11.8	1542	3782	-1.8	-3.1	-46	11	-108.8	-555.6	80.8	-16.2 31.4
22ND	257.83	-2.9	-12.9	1542	3782	-1.9	-3.4	-47	10	-106.0	-543.8	74.1	-14.9 30.9
23RD	270.16	-3.2	-14.7	1542	3782	-2.1	-3.9	-48	10	-103.2	-530.9	67.4	-13.6 30.2
24TH	282.50	-3.5	-16.6	1542	3782	-2.2	-4.4	-49	10	-100.0	-516.2	61.0	-12.3 29.5

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 260														
ENERGY CENTRE, NEW ORLEANS CONFIGURATION A														
REFERENCE PRESSURE 38.0 PSF														
FEB 26, 1982														
GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-3.8	-18.4	1542	3782	-2.4	-4.9	-50	10	-96.6	-499.6	54.7	-11.1	28.6
26TH	307.16	-4.1	-20.2	1542	3782	-2.6	-5.3	-50	10	-92.8	-481.2	48.7	-10.0	27.7
27TH	319.49	-4.4	-22.0	1542	3782	-2.8	-5.8	-51	10	-88.7	-461.0	42.8	-8.8	26.6
28TH	331.83	-4.7	-23.9	1542	3782	-3.0	-6.3	-51	10	-84.3	-438.9	37.3	-7.8	25.5
29TH	344.16	-4.9	-26.2	1542	3782	-3.2	-6.9	-53	10	-79.7	-415.1	32.0	-6.8	24.2
30TH	356.49	-5.1	-29.0	1542	3782	-3.3	-7.7	-55	10	-74.8	-388.9	27.1	-5.8	22.8
31ST	368.83	-5.3	-31.8	1542	3782	-3.4	-8.4	-56	9	-69.7	-359.9	22.5	-4.9	21.1
32ND	381.16	-5.5	-34.6	1542	3782	-3.6	-9.1	-57	9	-64.4	-328.1	18.2	-4.1	19.3
33RD	393.49	-5.7	-37.4	1542	3782	-3.7	-9.9	-58	9	-58.9	-293.5	14.4	-3.3	17.3
34TH	405.83	-5.9	-40.2	1542	3782	-3.8	-10.6	-59	9	-53.2	-256.1	11.0	-2.6	15.0
35TH	418.16	-6.7	-40.9	1542	3616	-4.3	-11.3	-59	10	-47.3	-215.9	8.1	-2.0	12.6
36TH	430.49	-7.5	-37.6	1542	3248	-4.9	-11.6	-58	12	-40.7	-175.0	5.7	-1.5	10.1
37TH	442.82	-7.3	-37.3	1542	3175	-4.7	-11.7	-59	11	-33.2	-137.3	3.7	-1.0	7.9
38TH	455.16	-6.5	-30.0	1542	2754	-4.2	-10.9	-55	12	-25.9	-100.1	2.3	-.7	5.6
39TH	467.49	-6.7	-29.8	1542	2754	-4.4	-10.8	-52	12	-19.4	-70.1	1.2	-.4	3.9
PENT	479.82	-6.7	-29.8	1542	2754	-4.4	-10.8	-52	12	-12.6	-40.2	.6	-.2	2.2
TOP	507.24	-12.6	-40.2	3426	5032	-3.7	-8.0	-50	16	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 270

ENERGY CENTRE, NEW ORLEANS
CONFIGURATION A
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-17.7	-68.2	2563	6867	-6.9	-9.9	-24	6	-476.8	-1615.9	470.9	-123.7	71.8
2ND	20.50	-7.1	-25.8	1063	2848	-6.6	-9.1	-33	9	-459.0	-1547.7	438.5	-114.1	70.0
3RD	29.00	-7.0	-24.4	1063	2848	-6.6	-8.6	-33	10	-452.0	-1521.9	425.4	-110.3	69.1
4TH	37.50	-7.1	-22.9	1063	2848	-6.6	-8.0	-33	10	-445.0	-1497.6	412.6	-106.4	68.2
5TH	46.00	-7.1	-21.4	1063	2848	-6.7	-7.5	-32	11	-437.9	-1474.7	400.0	-102.7	67.4
6TH	54.50	-7.1	-20.0	1063	2848	-6.7	-7.0	-31	11	-430.8	-1453.2	387.5	-99.0	66.6
7TH	63.00	-7.2	-18.5	1063	2848	-6.7	-6.5	-31	12	-423.7	-1433.3	375.2	-95.4	65.9
MEZZ	71.50	-11.6	-26.7	1708	4578	-6.8	-5.8	-29	13	-416.5	-1414.8	363.1	-91.8	65.3
8TH	85.17	-11.9	-21.8	1542	3862	-7.7	-5.6	-29	16	-404.9	-1388.1	344.0	-86.2	64.3
9TH	97.50	-12.1	-21.3	1542	3782	-7.9	-5.6	-29	17	-393.1	-1366.3	327.0	-81.3	63.5
10TH	109.83	-12.2	-21.9	1542	3782	-7.9	-5.8	-32	18	-380.9	-1345.0	310.3	-76.5	62.7
11TH	122.17	-12.3	-22.4	1542	3782	-8.0	-5.9	-34	19	-368.7	-1323.0	293.8	-71.9	61.8
12TH	134.50	-12.4	-22.9	1542	3782	-8.0	-6.1	-37	20	-356.5	-1300.6	277.7	-67.4	60.8
13TH	146.83	-12.5	-23.4	1542	3782	-8.1	-6.2	-39	21	-344.1	-1277.7	261.8	-63.1	59.7
14TH	159.17	-12.5	-23.9	1542	3782	-8.1	-6.3	-42	22	-331.6	-1254.3	246.1	-58.9	58.5
15TH	171.50	-12.5	-24.5	1542	3782	-8.1	-6.5	-44	23	-319.1	-1230.3	230.8	-54.9	57.2
16TH	183.83	-12.2	-25.6	1542	3782	-7.9	-6.8	-45	21	-306.6	-1205.8	215.8	-51.0	55.8
17TH	196.16	-11.9	-26.6	1542	3782	-7.7	-7.0	-45	20	-294.4	-1180.3	201.1	-47.3	54.4
18TH	208.50	-11.6	-27.7	1542	3782	-7.5	-7.3	-45	19	-282.5	-1153.7	186.7	-43.8	53.0
19TH	220.83	-11.3	-28.8	1542	3782	-7.3	-7.6	-45	18	-270.9	-1125.9	172.6	-40.4	51.5
20TH	233.16	-10.9	-29.9	1542	3782	-7.1	-7.9	-45	17	-259.7	-1097.1	158.9	-37.1	50.0
21ST	245.50	-10.6	-31.0	1542	3782	-6.9	-8.2	-45	15	-248.7	-1067.2	145.6	-34.0	48.5
22ND	257.83	-10.5	-32.7	1542	3782	-6.8	-8.6	-45	14	-238.1	-1036.2	132.6	-31.0	47.0
23RD	270.16	-10.5	-35.9	1542	3782	-6.8	-9.5	-45	13	-227.6	-1003.6	120.0	-28.1	45.3
24TH	282.50	-10.5	-39.1	1542	3782	-6.8	-10.3	-46	12	-217.1	-967.7	107.9	-25.3	43.6

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 270													ENERGY CENTRE, NEW ORLEANS CONFIGURATION A REFERENCE PRESSURE 38.0 PSF													FEB 26, 1982 GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)																
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z														
25TH	294.83	-10.5	-42.3	1542	3782	-6.8	-11.2	-46	11	-206.6	-928.6	96.2	-22.7	41.6														
26TH	307.16	-10.6	-45.6	1542	3782	-6.8	-12.0	-46	11	-196.1	-886.2	85.0	-20.2	39.6														
27TH	319.49	-10.6	-48.8	1542	3782	-6.9	-12.9	-46	10	-185.6	-840.7	74.3	-17.9	37.4														
28TH	331.83	-10.6	-52.0	1542	3782	-6.9	-13.7	-46	9	-175.0	-791.9	64.3	-15.7	35.1														
29TH	344.16	-10.9	-55.2	1542	3782	-7.1	-14.6	-46	9	-164.4	-739.9	54.8	-13.6	32.6														
30TH	356.49	-11.3	-58.4	1542	3782	-7.3	-15.4	-46	9	-153.5	-684.7	46.0	-11.6	30.0														
31ST	368.83	-11.7	-61.6	1542	3782	-7.6	-16.3	-46	9	-142.2	-626.3	38.0	-9.8	27.2														
32ND	381.16	-12.1	-64.8	1542	3782	-7.8	-17.1	-46	9	-130.5	-564.6	30.6	-8.1	24.3														
33RD	393.49	-12.5	-68.0	1542	3782	-8.1	-18.0	-46	8	-118.4	-499.8	24.1	-6.6	21.2														
34TH	405.83	-12.9	-71.2	1542	3782	-8.4	-18.8	-46	8	-105.9	-431.7	18.3	-5.2	18.0														
35TH	418.16	-13.7	-71.0	1542	3616	-8.9	-19.6	-44	9	-93.0	-360.5	13.4	-4.0	14.6														
36TH	430.49	-14.1	-63.2	1542	3248	-9.2	-19.5	-41	9	-79.4	-289.5	9.4	-2.9	11.3														
37TH	442.82	-13.7	-60.1	1542	3175	-8.9	-18.9	-40	9	-65.2	-226.3	6.2	-2.0	8.6														
38TH	455.16	-13.0	-49.4	1542	2754	-8.4	-17.9	-37	10	-51.5	-166.2	3.8	-1.3	6.1														
39TH	467.49	-13.7	-48.8	1542	2754	-8.9	-17.7	-33	9	-38.5	-116.7	2.1	-.7	4.2														
PENT	479.82	-24.8	-67.9	3426	5032	-7.2	-13.5	-31	11	-24.8	-67.9	.9	-.3	2.4														
TOP	507.24									0.0	0.0	0.0	0.0	0.0														

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00									-631.0	-1943.7	551.7	-170.7	68.7
2ND	20.50	-19.7	-82.6	2563	6867	-7.7	-12.0	-26	6	-611.3	-1861.1	512.7	-157.9	66.5
3RD	29.00	-8.1	-31.3	1063	2848	-7.7	-11.0	-32	8	-603.2	-1829.8	497.0	-152.8	65.4
4TH	37.50	-8.2	-30.1	1063	2848	-7.7	-10.6	-32	9	-594.9	-1799.7	481.5	-147.7	64.4
5TH	46.00	-8.4	-28.9	1063	2848	-7.9	-10.1	-32	9	-586.6	-1770.8	466.4	-142.7	63.4
6TH	54.50	-8.5	-27.7	1063	2848	-8.0	-9.7	-32	10	-578.0	-1743.2	451.4	-137.7	62.4
7TH	63.00	-8.7	-26.5	1063	2848	-8.1	-9.3	-32	10	-569.4	-1716.7	436.7	-132.8	61.5
MEZZ	71.50	-8.8	-25.3	1063	2848	-8.3	-8.9	-32	11	-560.6	-1691.5	422.2	-128.0	60.6
8TH	85.17	-14.4	-38.1	1708	4578	-8.5	-8.3	-32	12	-546.1	-1653.4	399.4	-120.5	59.2
9TH	97.50	-12.9	-29.7	1542	3862	-8.3	-7.7	-26	11	-533.3	-1623.7	379.2	-113.8	58.2
10TH	109.83	-13.4	-28.7	1542	3782	-8.7	-7.6	-24	11	-519.9	-1594.9	359.3	-107.3	57.4
11TH	122.17	-13.9	-29.4	1542	3782	-9.0	-7.8	-26	12	-506.0	-1565.5	339.8	-101.0	56.5
12TH	134.50	-14.5	-30.2	1542	3782	-9.4	-8.0	-27	13	-491.5	-1535.3	320.7	-94.8	55.5
13TH	146.83	-15.1	-30.9	1542	3782	-9.8	-8.2	-28	14	-476.4	-1504.4	302.0	-88.9	54.4
14TH	159.17	-15.7	-31.7	1542	3782	-10.2	-8.4	-30	15	-460.8	-1472.7	283.6	-83.1	53.2
15TH	171.50	-16.2	-32.4	1542	3782	-10.5	-8.6	-31	16	-444.5	-1440.2	265.7	-77.5	51.9
16TH	183.83	-16.6	-33.2	1542	3782	-10.7	-8.8	-32	16	-428.0	-1407.0	248.1	-72.1	50.6
17TH	196.16	-16.2	-34.3	1542	3782	-10.5	-9.1	-33	16	-411.7	-1372.7	231.0	-66.9	49.2
18TH	208.50	-15.9	-35.4	1542	3782	-10.3	-9.4	-34	15	-395.8	-1337.4	214.2	-62.0	47.8
19TH	220.83	-15.6	-36.5	1542	3782	-10.1	-9.6	-34	15	-380.3	-1300.9	198.0	-57.2	46.3
20TH	233.16	-15.2	-37.6	1542	3782	-9.9	-9.9	-35	14	-365.0	-1263.3	182.2	-52.6	44.8
21ST	245.50	-14.9	-38.7	1542	3782	-9.7	-10.2	-35	14	-350.1	-1224.6	166.8	-48.2	43.2
22ND	257.83	-14.6	-39.8	1542	3782	-9.5	-10.5	-36	13	-335.6	-1184.9	152.0	-43.9	41.6
23RD	270.16	-14.4	-41.3	1542	3782	-9.4	-10.9	-36	13	-321.1	-1143.6	137.6	-39.9	39.9
24TH	282.50	-14.5	-44.1	1542	3782	-9.4	-11.7	-36	12	-306.6	-1099.5	123.8	-36.0	38.1
		-14.6	-46.9	1542	3782	-9.5	-12.4	-37	11					

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS WIND DIRECTION 280 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-14.7	-49.7	1542	3782	-9.5	-13.1	-37	11	-292.0	-1052.6	110.5	-32.3	36.2
26TH	307.16	-14.8	-52.4	1542	3782	-9.6	-13.9	-37	10	-277.3	-1002.9	97.8	-28.8	34.2
27TH	319.49	-14.8	-55.2	1542	3782	-9.6	-14.6	-37	10	-262.5	-950.5	85.8	-25.5	32.2
28TH	331.83	-14.8	-55.2	1542	3782	-9.6	-14.6	-37	10	-247.7	-895.3	74.4	-22.3	30.0
28TH	331.83	-14.9	-58.0	1542	3782	-9.7	-15.3	-37	9	-232.8	-837.3	63.7	-19.4	27.7
29TH	344.16	-15.3	-61.0	1542	3782	-9.9	-16.1	-36	9	-217.5	-776.3	53.8	-16.6	25.3
30TH	356.49	-15.8	-64.2	1542	3782	-10.2	-17.0	-36	9	-201.7	-712.1	44.6	-14.0	22.9
31ST	368.83	-16.3	-67.4	1542	3782	-10.6	-17.8	-35	8	-185.4	-644.7	36.2	-11.6	20.4
32ND	381.16	-16.8	-70.6	1542	3782	-10.9	-18.7	-35	8	-168.7	-574.0	28.7	-9.5	17.8
33RD	393.49	-17.3	-73.8	1542	3782	-11.2	-19.5	-34	8	-151.4	-500.2	22.1	-7.5	15.2
34TH	405.83	-17.7	-77.1	1542	3782	-11.5	-20.4	-34	8	-133.7	-423.1	16.4	-5.7	12.5
35TH	418.16	-18.8	-76.9	1542	3616	-12.2	-21.3	-32	8	-114.9	-346.2	11.6	-4.2	9.9
36TH	430.49	-19.9	-70.1	1542	3248	-12.9	-21.6	-29	8	-95.0	-276.1	7.8	-2.9	7.7
37TH	442.82	-20.0	-68.9	1542	3175	-13.0	-21.7	-27	8	-74.9	-207.1	4.8	-1.8	5.6
38TH	455.16	-19.6	-59.5	1542	2754	-12.7	-21.6	-27	9	-55.3	-147.6	2.6	-1.0	3.8
39TH	467.49	-20.0	-60.3	1542	2754	-13.0	-21.9	-24	8	-35.3	-87.2	1.2	-.5	2.2
PENT	479.82	-35.3	-87.2	3426	5032	-10.3	-17.3	-22	9	0.0	0.0	0.0	0.0	0.0
TOP	507.24													

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1													
WIND DIRECTION 290		AND MOMENT		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32	
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)	
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Z
GRND	0.00	-23.8	-81.2	2563	6867	-9.3	-11.8	-19	6	-751.3	-2005.9	564.9	-206.0
2ND	20.50	-10.0	-31.7	1063	2848	-9.4	-11.1	-23	7	-727.5	-1924.7	524.6	-190.8
3RD	29.00	-10.2	-30.9	1063	2848	-9.6	-10.9	-23	8	-717.4	-1893.0	508.4	-184.7
4TH	37.50	-10.4	-30.2	1063	2848	-9.8	-10.6	-23	8	-707.3	-1862.1	492.4	-178.6
5TH	46.00	-10.6	-29.5	1063	2848	-9.9	-10.4	-23	8	-696.9	-1831.8	476.7	-172.6
6TH	54.50	-10.8	-28.8	1063	2848	-10.1	-10.1	-23	9	-686.4	-1802.3	461.3	-166.8
7TH	63.00	-10.9	-28.0	1063	2848	-10.3	-9.8	-23	9	-675.6	-1773.6	446.1	-161.0
MEZZ	71.50	-10.0	-43.6	1708	4578	-10.5	-9.5	-23	9	-664.7	-1745.5	431.1	-155.3
8TH	85.17	-16.1	-36.1	1542	3862	-10.4	-9.3	-16	7	-646.7	-1702.0	407.5	-146.3
9TH	97.50	-16.2	-35.2	1542	3782	-10.5	-9.3	-15	7	-630.5	-1665.8	386.8	-138.4
10TH	109.83	-16.3	-35.1	1542	3782	-10.5	-9.3	-15	7	-614.4	-1630.7	366.5	-130.8
11TH	122.17	-16.3	-35.1	1542	3782	-10.6	-9.3	-15	7	-598.1	-1595.5	346.6	-123.3
12TH	134.50	-16.4	-35.1	1542	3782	-10.7	-9.3	-15	7	-581.8	-1560.4	327.1	-116.0
13TH	146.83	-16.5	-35.1	1542	3782	-10.7	-9.3	-15	7	-565.4	-1525.3	308.1	-108.9
14TH	159.17	-16.6	-35.1	1542	3782	-10.8	-9.3	-15	7	-548.8	-1490.2	289.5	-102.1
15TH	171.50	-16.7	-35.1	1542	3782	-10.8	-9.3	-16	7	-532.2	-1455.2	271.3	-95.4
16TH	183.83	-16.7	-35.7	1542	3782	-10.9	-9.4	-15	7	-515.5	-1420.1	253.6	-88.9
17TH	196.16	-16.8	-36.3	1542	3782	-10.9	-9.6	-14	7	-498.8	-1384.4	236.3	-82.7
18TH	208.50	-16.9	-37.0	1542	3782	-10.9	-9.8	-14	6	-482.0	-1348.1	219.4	-76.6
19TH	220.83	-16.9	-37.6	1542	3782	-11.0	-9.9	-13	6	-465.1	-1311.1	203.0	-70.8
20TH	233.16	-17.0	-38.2	1542	3782	-11.0	-10.1	-12	5	-448.2	-1273.5	187.1	-65.2
21ST	245.50	-17.0	-38.9	1542	3782	-11.0	-10.3	-12	5	-431.3	-1235.2	171.6	-59.7
22ND	257.83	-17.2	-40.0	1542	3782	-11.1	-10.6	-12	5	-414.3	-1196.3	156.6	-54.5
23RD	270.16	-17.4	-42.5	1542	3782	-11.3	-11.2	-12	5	-397.1	-1156.3	142.1	-49.5
24TH	282.50	-17.6	-45.1	1542	3782	-11.4	-11.9	-12	5	-379.7	-1113.8	128.1	-44.7

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 290													ENERGY CENTRE, NEW ORLEANS CONFIGURATION A													REFERENCE PRESSURE 38.0 PSF													FEB 26, 1982													GUST FACTOR 1.32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 300														
CONFIGURATION A				ENERGY CENTRE, NEW ORLEANS				REFERENCE PRESSURE 38.0 PSF				GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-33.7	-100.4	2563	6867	-13.2	-14.6	-10	3	-899.7	-2406.6	655.6	-245.0	9.5
2ND	20.50	-14.1	-38.6	1063	2848	-13.2	-13.6	-16	6	-865.9	-2306.2	607.3	-226.9	8.4
3RD	29.00	-14.1	-38.1	1063	2848	-13.3	-13.4	-15	6	-851.9	-2267.6	587.9	-219.6	7.7
4TH	37.50	-14.2	-37.6	1063	2848	-13.4	-13.2	-15	6	-837.7	-2229.5	568.8	-212.4	7.1
5TH	46.00	-14.4	-37.1	1063	2848	-13.5	-13.0	-14	6	-823.5	-2191.9	550.0	-205.4	6.4
6TH	54.50	-14.4	-37.1	1063	2848	-13.5	-13.0	-14	6	-809.1	-2154.8	531.5	-198.4	5.8
7TH	63.00	-14.5	-36.7	1063	2848	-13.6	-12.9	-14	6	-794.7	-2118.1	513.3	-191.6	5.2
MEZZ	71.50	-14.6	-36.2	1063	2848	-13.7	-12.7	-14	6	-780.1	-2082.0	495.5	-184.9	4.6
8TH	85.17	-23.7	-57.2	1708	4578	-13.9	-12.5	-13	5	-756.4	-2024.8	467.4	-174.4	3.8
9TH	97.50	-18.0	-47.5	1542	3862	-11.7	-12.3	-4	2	-738.4	-1977.3	442.8	-165.2	3.5
10TH	109.83	-17.6	-46.1	1542	3782	-11.4	-12.2	-1	0	-720.7	-1931.2	418.7	-156.2	3.5
11TH	122.17	-17.7	-45.9	1542	3782	-11.5	-12.1	0	-0	-703.1	-1885.2	395.1	-147.4	3.5
12TH	134.50	-17.7	-45.8	1542	3782	-11.5	-12.1	1	-0	-685.4	-1839.4	372.2	-138.9	3.6
13TH	146.83	-17.7	-45.7	1542	3782	-11.5	-12.1	2	-1	-667.7	-1793.7	349.7	-130.5	3.7
14TH	159.17	-17.7	-45.6	1542	3782	-11.5	-12.1	3	-1	-649.9	-1748.1	327.9	-122.4	3.9
15TH	171.50	-17.8	-45.5	1542	3782	-11.5	-12.0	4	-2	-632.2	-1702.6	306.6	-114.5	4.1
16TH	183.83	-17.9	-45.4	1542	3782	-11.6	-12.0	5	-2	-614.3	-1657.2	285.9	-106.8	4.3
17TH	196.16	-18.2	-46.1	1542	3782	-11.8	-12.2	5	-2	-596.2	-1611.0	265.8	-99.3	4.6
18TH	208.50	-18.5	-46.9	1542	3782	-12.0	-12.4	5	-2	-577.7	-1564.1	246.2	-92.1	4.9
19TH	220.83	-18.7	-47.6	1542	3782	-12.2	-12.6	5	-2	-559.0	-1516.5	227.2	-85.1	5.1
20TH	233.16	-19.0	-48.4	1542	3782	-12.4	-12.8	5	-2	-539.9	-1468.1	208.8	-78.3	5.4
21ST	245.50	-19.3	-49.1	1542	3782	-12.5	-13.0	5	-2	-520.6	-1419.0	191.0	-71.8	5.8
22ND	257.83	-19.6	-49.9	1542	3782	-12.7	-13.2	6	-2	-500.9	-1369.2	173.8	-65.5	6.1
23RD	270.16	-20.1	-51.1	1542	3782	-13.0	-13.5	5	-2	-480.9	-1318.0	157.2	-59.4	6.4
24TH	282.50	-20.6	-53.9	1542	3782	-13.4	-14.2	5	-2	-460.2	-1264.2	141.3	-53.6	6.7
		-21.2	-56.6	1542	3782	-13.8	-15.0	4	-1					

TABLE 7. SHEAR AND MOMENT DIAGRAM 1		WIND DIRECTION 300		CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-21.8	-59.3	1542	3782	-14.1	-15.7	3	-1	-439.0	-1207.6	126.0	-48.1	6.9
26TH	307.16	-22.4	-62.1	1542	3782	-14.5	-16.4	2	-1	-417.2	-1148.2	111.5	-42.8	7.1
27TH	319.49	-22.9	-64.8	1542	3782	-14.9	-17.1	2	-1	-394.9	-1086.2	97.7	-37.8	7.3
28TH	331.83	-23.5	-67.5	1542	3782	-15.2	-17.9	1	-0	-371.9	-1021.4	84.7	-33.1	7.5
29TH	344.16	-24.1	-70.6	1542	3782	-15.6	-18.7	0	-0	-348.4	-953.8	72.6	-28.6	7.6
30TH	356.49	-24.7	-74.0	1542	3782	-16.0	-19.6	-1	0	-324.3	-883.2	61.2	-24.5	7.6
31ST	368.83	-25.2	-77.3	1542	3782	-16.4	-20.4	-3	1	-299.7	-809.3	50.8	-20.6	7.5
32ND	381.16	-25.8	-80.7	1542	3782	-16.8	-21.3	-4	1	-274.4	-731.9	41.3	-17.1	7.3
33RD	393.49	-26.4	-84.1	1542	3782	-17.1	-22.2	-5	2	-248.6	-651.2	32.8	-13.9	6.9
34TH	405.83	-27.0	-87.4	1542	3782	-17.5	-23.1	-6	2	-222.2	-567.2	25.3	-11.0	6.5
35TH	418.16	-27.8	-86.9	1542	3616	-18.0	-24.0	-8	3	-195.2	-479.8	18.8	-8.4	5.9
36TH	430.49	-29.0	-78.9	1542	3248	-18.8	-24.3	-10	4	-167.4	-392.9	13.4	-6.1	5.1
37TH	442.82	-29.6	-78.2	1542	3175	-19.2	-24.6	-9	3	-138.4	-313.9	9.1	-4.3	4.2
38TH	455.16	-27.4	-64.7	1542	2754	-17.8	-23.5	-15	6	-108.8	-235.8	5.7	-2.7	3.4
39TH	467.49	-28.0	-65.3	1542	2754	-18.2	-23.7	-11	5	-81.4	-171.0	3.2	-1.6	2.3
PENT	479.82	-53.4	-105.8	3426	5032	-15.6	-21.0	-11	6	-53.4	-105.8	1.5	-.7	1.5
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 310													ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF													FEB 26, 1982 GUST FACTOR 1.32		
CONFIGURATION A																												
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)																
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z												
GRND	0.00	-40.4	-111.5	2563	6867	-15.8	-16.2	-2	1	-1050.2	-2588.6	682.1	-284.4	-15.9														
2ND	20.50	-16.5	-43.5	1063	2848	-15.5	-15.3	-10	4	-1009.9	-2477.1	630.2	-263.3	-16.1														
3RD	29.00	-16.4	-42.9	1063	2848	-15.4	-15.1	-9	3	-993.4	-2433.7	609.3	-254.8	-16.6														
4TH	37.50	-16.4	-42.3	1063	2848	-15.4	-14.9	-8	3	-977.0	-2390.8	588.8	-246.4	-17.1														
5TH	46.00	-16.4	-41.7	1063	2848	-15.4	-14.6	-7	3	-960.7	-2348.5	568.7	-238.2	-17.4														
6TH	54.50	-16.4	-41.1	1063	2848	-15.4	-14.4	-6	3	-944.3	-2306.8	548.9	-230.1	-17.8														
7TH	63.00	-16.4	-40.5	1063	2848	-15.4	-14.2	-5	2	-927.9	-2265.7	529.4	-222.1	-18.1														
MEZZ	71.50	-26.3	-63.9	1708	4578	-15.4	-14.0	-4	2	-911.6	-2225.2	510.4	-214.3	-18.3														
8TH	85.17	-20.6	-53.4	1542	3862	-13.4	-13.8	5	-2	-885.3	-2161.2	480.4	-202.0	-18.7														
9TH	97.50	-20.2	-52.4	1542	3782	-13.1	-13.8	7	-3	-864.7	-2107.8	454.1	-191.3	-18.4														
10TH	109.83	-20.3	-52.2	1542	3782	-13.1	-13.8	9	-3	-844.5	-2055.4	428.4	-180.7	-17.9														
11TH	122.17	-20.3	-52.2	1542	3782	-13.2	-13.8	10	-4	-824.2	-2003.2	403.4	-170.4	-17.4														
12TH	134.50	-20.3	-52.2	1542	3782	-13.2	-13.8	11	-4	-804.0	-1950.9	379.0	-160.4	-16.8														
13TH	146.83	-20.3	-52.2	1542	3782	-13.2	-13.8	11	-4	-783.7	-1898.7	355.2	-150.6	-16.2														
14TH	159.17	-20.3	-52.3	1542	3782	-13.2	-13.8	13	-5	-763.3	-1846.4	332.1	-141.1	-15.4														
15TH	171.50	-20.3	-52.3	1542	3782	-13.2	-13.8	13	-5	-743.0	-1794.2	309.7	-131.8	-14.6														
16TH	183.83	-20.5	-52.3	1542	3782	-13.3	-13.8	15	-6	-722.5	-1741.9	287.9	-122.7	-13.7														
17TH	196.16	-21.2	-53.4	1542	3782	-13.7	-14.1	15	-6	-701.3	-1688.5	266.7	-114.0	-12.7														
18TH	208.50	-21.8	-54.6	1542	3782	-14.1	-14.4	15	-6	-679.5	-1633.9	246.2	-105.4	-11.8														
19TH	220.83	-22.4	-55.7	1542	3782	-14.6	-14.7	15	-6	-657.0	-1578.1	226.4	-97.2	-10.8														
20TH	233.16	-23.1	-56.9	1542	3782	-15.0	-15.0	15	-6	-633.9	-1521.3	207.3	-89.2	-9.8														
21ST	245.50	-23.7	-58.0	1542	3782	-15.4	-15.3	15	-6	-610.2	-1463.2	188.9	-81.6	-8.8														
22ND	257.83	-24.4	-59.2	1542	3782	-15.8	-15.6	15	-6	-585.9	-1404.1	171.2	-74.2	-7.8														
23RD	270.16	-25.0	-60.6	1542	3782	-16.2	-16.0	15	-6	-560.8	-1343.5	154.3	-67.1	-6.8														
24TH	282.50	-25.8	-62.7	1542	3782	-16.7	-16.6	13	-5	-535.1	-1280.8	138.1	-60.4	-5.8														
		-26.5	-64.8	1542	3782	-17.2	-17.1	12	-5																			

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									-508.6	-1216.0	122.7	-53.9	-4.9
26TH	307.16	-27.2	-66.9	1542	3782	-17.6	-17.7	11	-5	-481.4	-1149.0	108.1	-47.8	-4.0
27TH	319.49	-27.9	-69.0	1542	3782	-18.1	-18.3	10	-4	-453.5	-1080.0	94.4	-42.1	-3.2
28TH	331.83	-28.6	-71.2	1542	3782	-18.6	-18.8	9	-4	-424.8	-1008.8	81.5	-36.6	-2.4
29TH	344.16	-29.4	-73.3	1542	3782	-19.0	-19.4	8	-3	-395.5	-935.6	69.5	-31.6	-1.7
30TH	356.49	-29.8	-75.3	1542	3782	-19.3	-19.9	8	-3	-365.7	-860.2	58.4	-26.9	-1.0
31ST	368.83	-30.1	-77.3	1542	3782	-19.5	-20.5	7	-3	-335.6	-782.9	48.3	-22.6	-.4
32ND	381.16	-30.4	-79.4	1542	3782	-19.7	-21.0	6	-2	-305.2	-703.5	39.1	-18.6	.2
33RD	393.49	-30.7	-81.4	1542	3782	-19.9	-21.5	6	-2	-274.4	-622.2	31.0	-15.0	.8
34TH	405.83	-31.0	-83.4	1542	3782	-20.1	-22.0	5	-2	-243.4	-538.8	23.8	-11.8	1.3
35TH	418.16	-31.4	-85.4	1542	3782	-20.3	-22.6	5	-2	-212.0	-453.4	17.7	-9.0	1.7
36TH	430.49	-30.8	-83.3	1542	3616	-20.0	-23.0	1	-1	-181.2	-370.1	12.6	-6.6	1.9
37TH	442.82	-31.5	-74.4	1542	3248	-20.4	-22.9	-5	2	-149.7	-295.7	8.5	-4.6	1.4
38TH	455.16	-33.5	-74.0	1542	3175	-21.7	-23.3	-1	0	-116.3	-221.7	5.3	-2.9	1.4
39TH	467.49	-28.2	-60.0	1542	2754	-18.3	-21.8	-8	4	-88.1	-161.7	3.0	-1.7	.8
PENT	479.82	-31.5	-63.2	1542	2754	-20.4	-22.9	-2	1	-56.6	-98.5	1.4	-.8	.7
TOP	507.24	-56.6	-98.5	3426	5032	-16.5	-19.6	-5	3	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :
WIND DIRECTION 320

ENERGY CENTRE, NEW ORLEANS
REFERENCE PRESSURE 38.0 PSF

FEB 26, 1982

GUST FACTOR 1.32

FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-49.8	-127.8	2563	6867	-19.4	-18.6	0	0	-1343.8	-3039.7	789.7	-365.0	-36.8
2ND	20.50	-20.2	-49.1	1063	2848	-19.0	-17.3	-7	3	-1294.1	-2912.0	728.7	-338.0	-36.7
3RD	29.00	-20.0	-48.8	1063	2848	-18.8	-17.1	-6	3	-1273.9	-2862.8	704.2	-327.0	-37.1
4TH	37.50	-19.9	-48.4	1063	2848	-18.8	-17.0	-6	2	-1253.9	-2814.1	680.0	-316.3	-37.5
5TH	46.00	-19.8	-48.0	1063	2848	-18.7	-16.9	-5	2	-1234.0	-2765.7	656.3	-305.7	-37.8
6TH	54.50	-19.8	-47.6	1063	2848	-18.6	-16.7	-4	2	-1214.2	-2717.7	633.0	-295.3	-38.1
7TH	63.00	-19.7	-47.3	1063	2848	-18.5	-16.6	-4	2	-1194.4	-2670.0	610.1	-285.1	-38.4
MEZZ	71.50	-31.5	-75.2	1708	4578	-18.4	-16.4	-3	1	-1174.7	-2622.8	587.6	-275.0	-38.6
8TH	85.17	-24.7	-63.0	1542	3862	-16.0	-16.3	7	-3	-1143.2	-2547.6	552.3	-259.2	-38.8
9TH	97.50	-24.7	-62.3	1542	3782	-16.0	-16.5	10	-4	-1118.5	-2484.6	521.3	-245.2	-38.3
10TH	109.83	-25.1	-62.9	1542	3782	-16.3	-16.6	11	-4	-1093.9	-2422.2	491.0	-231.6	-37.6
11TH	122.17	-25.6	-63.4	1542	3782	-16.6	-16.8	12	-5	-1068.7	-2359.4	461.5	-218.2	-36.8
12TH	134.50	-26.0	-64.0	1542	3782	-16.9	-16.9	13	-5	-1043.2	-2295.9	432.8	-205.2	-36.0
13TH	146.83	-26.5	-64.6	1542	3782	-17.2	-17.1	14	-6	-1017.1	-2231.9	404.9	-192.5	-35.0
14TH	159.17	-27.0	-65.1	1542	3782	-17.5	-17.2	15	-6	-990.6	-2167.4	377.8	-180.1	-34.0
15TH	171.50	-27.6	-65.7	1542	3782	-17.9	-17.4	16	-7	-963.6	-2102.2	351.4	-168.1	-32.8
16TH	183.83	-28.4	-67.3	1542	3782	-18.4	-17.8	16	-7	-936.1	-2036.5	325.9	-156.4	-31.6
17TH	196.16	-29.3	-68.8	1542	3782	-19.0	-18.2	16	-7	-907.6	-1969.2	301.2	-145.0	-30.4
18TH	208.50	-30.2	-70.3	1542	3782	-19.6	-18.6	16	-7	-878.3	-1900.4	277.4	-134.0	-29.1
19TH	220.83	-31.1	-71.8	1542	3782	-20.2	-19.0	17	-7	-848.1	-1830.1	254.4	-123.3	-27.7
20TH	233.16	-32.0	-73.4	1542	3782	-20.7	-19.4	17	-7	-817.0	-1758.3	232.2	-113.1	-26.3
21ST	245.50	-32.9	-74.9	1542	3782	-21.3	-19.8	17	-7	-785.1	-1684.9	211.0	-103.2	-24.9
22ND	257.83	-33.7	-76.5	1542	3782	-21.9	-20.2	17	-7	-752.2	-1610.0	190.7	-93.7	-23.3
23RD	270.16	-34.5	-78.4	1542	3782	-22.4	-20.7	17	-7	-718.5	-1533.5	171.3	-84.6	-21.8
24TH	282.50	-35.3	-80.3	1542	3782	-22.9	-21.2	17	-7	-684.0	-1455.1	152.9	-76.0	-20.2

TABLE 7. SHEAR AND MOMENT DIAGRAMS 1 WIND DIRECTION 320													ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF													FEB 26, 1982			GUST FACTOR 1.32		
CONFIGURATION A																															
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)																			
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	X	Y								
25TH	294.83	-36.1	-82.2	1542	3782	-23.4	-21.7	16	-7	-648.7	-1374.8	135.4	-67.8	-18.6																	
26TH	307.16	-36.9	-84.1	1542	3782	-23.9	-22.2	16	-7	-612.6	-1292.6	119.0	-60.0	-17.0																	
27TH	319.49	-37.7	-86.1	1542	3782	-24.5	-22.8	16	-7	-575.7	-1208.4	103.5	-52.7	-15.4																	
28TH	331.83	-38.5	-88.0	1542	3782	-25.0	-23.3	16	-7	-538.0	-1122.4	89.2	-45.8	-13.7																	
29TH	344.16	-38.9	-89.2	1542	3782	-25.3	-23.6	16	-7	-499.5	-1034.4	75.9	-39.4	-12.0																	
30TH	356.49	-39.2	-89.8	1542	3782	-25.4	-23.7	15	-7	-460.6	-945.2	63.7	-33.5	-10.4																	
31ST	368.83	-39.5	-90.4	1542	3782	-25.6	-23.9	15	-6	-424.4	-855.4	52.6	-28.1	-8.7																	
32ND	381.16	-39.8	-91.0	1542	3782	-25.8	-24.1	14	-6	-381.9	-765.0	42.6	-23.1	-7.1																	
33RD	393.49	-40.1	-91.6	1542	3782	-26.0	-24.2	14	-6	-342.0	-674.0	33.7	-18.6	-5.6																	
34TH	405.83	-40.4	-92.2	1542	3782	-26.2	-24.4	14	-6	-301.9	-582.4	25.9	-14.7	-4.1																	
35TH	418.16	-39.6	-88.2	1542	3616	-25.0	-24.4	10	-4	-261.5	-490.2	19.3	-11.2	-2.6																	
36TH	430.49	-38.1	-78.8	1542	3248	-24.7	-24.3	2	-1	-222.9	-402.0	13.8	-8.2	-1.6																	
37TH	442.82	-40.8	-80.5	1542	3175	-26.5	-25.3	8	-4	-184.8	-323.2	9.4	-5.7	-1.3																	
38TH	455.16	-33.5	-64.1	1542	2754	-21.7	-23.3	-3	1	-144.1	-242.8	5.9	-3.7	-.5																	
39TH	467.49	-39.9	-69.9	1542	2754	-25.9	-25.4	6	-3	-110.6	-178.7	3.3	-2.1	-.7																	
PENT	479.82	-70.7	-108.8	3426	5032	-20.6	-21.6	1	-1	-70.7	-108.8	1.5	-1.0	-.2																	
TOP	507.24									0.0	0.0	0.0	0.0	0.0																	

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS WIND DIRECTION 330 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-64.1	-155.7	2563	6867	-25.0	-22.7	4	-2	-1742.2	-3567.0	907.1	-472.7	-66.8
2ND	20.50	-25.9	-61.4	1063	2848	-24.4	-21.6	-2	1	-1678.1	-3411.3	835.5	-437.6	-66.0
3RD	29.00	-25.7	-60.8	1063	2848	-24.2	-21.4	-2	1	-1652.2	-3349.9	806.8	-423.5	-66.2
4TH	37.50	-25.4	-60.2	1063	2848	-23.9	-21.1	-1	1	-1626.5	-3289.0	778.6	-409.5	-66.3
5TH	46.00	-25.2	-59.6	1063	2848	-23.7	-20.9	-1	0	-1601.1	-3228.9	750.9	-395.8	-66.4
6TH	54.50	-25.0	-58.9	1063	2848	-23.5	-20.7	0	-0	-1575.8	-3169.3	723.7	-382.3	-66.4
7TH	63.00	-24.8	-58.3	1063	2848	-23.3	-20.5	1	-0	-1550.8	-3110.4	697.0	-369.0	-66.4
MEZZ	71.50	-39.4	-92.4	1708	4578	-23.1	-20.2	2	-1	-1526.1	-3052.1	670.8	-355.9	-66.4
8TH	85.17	-32.4	-79.0	1542	3862	-21.0	-20.5	9	-4	-1486.7	-2959.7	629.7	-335.4	-66.2
9TH	97.50	-32.6	-78.2	1542	3782	-21.1	-20.7	11	-5	-1454.2	-2880.7	593.7	-317.2	-65.3
10TH	109.83	-33.2	-78.4	1542	3782	-21.5	-20.7	12	-5	-1421.7	-2802.5	558.7	-299.5	-64.3
11TH	122.17	-33.7	-78.7	1542	3782	-21.9	-20.8	13	-6	-1388.5	-2724.1	524.6	-282.2	-63.1
12TH	134.50	-34.3	-78.9	1542	3782	-22.3	-20.9	14	-6	-1354.8	-2645.4	491.5	-265.2	-61.9
13TH	146.83	-34.9	-79.2	1542	3782	-22.6	-20.9	15	-7	-1320.5	-2566.4	459.4	-248.7	-60.5
14TH	159.17	-35.4	-79.5	1542	3782	-23.0	-21.0	16	-7	-1285.6	-2487.2	428.2	-232.7	-59.1
15TH	171.50	-36.2	-79.7	1542	3782	-23.5	-21.1	17	-8	-1250.1	-2407.8	398.0	-217.0	-57.5
16TH	183.83	-37.4	-81.0	1542	3782	-24.2	-21.4	18	-8	-1213.9	-2328.0	368.8	-201.8	-55.9
17TH	196.16	-38.6	-82.2	1542	3782	-25.0	-21.7	19	-9	-1176.6	-2247.1	340.6	-187.1	-54.1
18TH	208.50	-39.7	-83.4	1542	3782	-25.8	-22.0	20	-10	-1138.0	-2164.9	313.4	-172.8	-52.2
19TH	220.83	-40.9	-84.6	1542	3782	-26.5	-22.4	21	-10	-1098.3	-2081.5	287.2	-159.0	-50.1
20TH	233.16	-42.1	-85.8	1542	3782	-27.3	-22.7	22	-11	-1057.4	-1997.0	262.0	-145.7	-48.0
21ST	245.50	-43.3	-87.0	1542	3782	-28.1	-23.0	22	-11	-1015.3	-1911.2	237.9	-133.0	-45.7
22ND	257.83	-44.3	-88.4	1542	3782	-28.7	-23.4	23	-11	-972.0	-1824.2	214.9	-120.7	-43.2
23RD	270.16	-45.1	-90.2	1542	3782	-29.3	-23.9	23	-11	-927.7	-1735.8	193.0	-109.0	-40.7
24TH	282.50	-46.0	-92.1	1542	3782	-29.8	-24.4	23	-11	-882.6	-1645.6	172.1	-97.8	-38.1

TABLE 7. SHEAR AND MOMENT DIAGRAMS :				ENERGY CENTRE, NEW ORLEANS				FEB 26, 1982						
WIND DIRECTION 330		CONFIGURATION A				REFERENCE PRESSURE 38.0 PSF		GUST FACTOR 1.32						
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									-836.6	-1553.5	152.4	-87.2	-35.5
26TH	307.16	-46.8	-94.0	1542	3782	-30.4	-24.8	22	-11	-789.8	-1459.5	133.8	-77.2	-32.9
27TH	319.49	-47.7	-95.8	1542	3782	-30.9	-25.3	22	-11	-742.1	-1363.6	116.4	-67.8	-30.2
28TH	331.93	-48.5	-97.7	1542	3782	-31.5	-25.8	22	-11	-693.6	-1265.9	100.2	-58.9	-27.5
29TH	344.16	-49.3	-99.6	1542	3782	-32.0	-26.3	22	-11	-644.3	-1166.3	85.2	-50.6	-24.8
30TH	356.49	-50.0	-100.9	1542	3782	-32.5	-26.7	22	-11	-594.3	-1065.4	71.4	-43.0	-22.0
31ST	368.83	-50.7	-101.7	1542	3782	-32.9	-26.9	22	-11	-543.6	-963.8	58.9	-36.0	-19.2
32ND	381.16	-51.3	-102.4	1542	3782	-33.3	-27.1	22	-11	-492.3	-861.4	47.7	-29.6	-16.5
33RD	393.49	-51.9	-103.2	1542	3782	-33.7	-27.3	22	-11	-440.4	-758.2	37.7	-23.9	-13.7
34TH	405.83	-32.6	-104.0	1542	3782	-34.1	-27.5	22	-11	-387.8	-654.2	29.0	-18.7	-10.8
35TH	418.16	-53.2	-104.7	1542	3782	-34.5	-27.7	21	-11	-334.6	-549.5	21.5	-14.3	-8.0
36TH	430.49	-49.2	-99.7	1542	3616	-31.9	-27.6	17	-9	-285.4	-449.8	15.4	-10.5	-5.9
37TH	442.82	-47.9	-88.5	1542	3248	-31.1	-27.3	9	-5	-237.5	-361.3	10.4	-7.2	-4.8
38TH	455.16	-54.1	-91.6	1542	3175	-35.1	-28.9	15	-9	-183.4	-269.6	6.5	-4.7	-2.9
39TH	467.49	-42.2	-71.1	1542	2754	-27.4	-25.8	4	-2	-141.2	-198.5	3.6	-2.6	-2.6
PENT	479.82	-51.7	-79.5	1542	2754	-33.6	-28.8	11	-7	-89.5	-119.1	1.6	-1.2	-1.3
TOP	507.24	-89.5	-119.1	3426	5032	-26.1	-23.7	7	-5	0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS :		ENERGY CENTRE, NEW ORLEANS		REFERENCE PRESSURE 39.0 PSF		FEB 26, 1982		GUST FACTOR 1.32						
WIND DIRECTION 340		CONFIGURATION A												
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-66.7	-150.7	2563	6867	-26.0	-21.9	10	-4	-1797.6	-3262.8	808.7	-487.5	-91.5
2ND	20.50	-27.0	-56.8	1063	2848	-25.4	-19.9	4	-2	-1730.8	-3112.0	743.4	-451.4	-89.7
3RD	29.00	-26.7	-56.8	1063	2848	-25.1	-20.0	5	-2	-1703.9	-3055.2	717.1	-436.8	-89.5
4TH	37.50	-26.4	-56.9	1063	2848	-24.8	-20.0	5	-2	-1677.2	-2998.4	691.4	-422.4	-89.2
5TH	46.00	-26.1	-57.0	1063	2848	-24.6	-20.0	6	-3	-1650.8	-2941.5	666.2	-408.3	-88.8
6TH	54.50	-25.8	-57.1	1063	2848	-24.3	-20.1	7	-3	-1624.7	-2884.4	641.4	-394.4	-88.4
7TH	63.00	-25.6	-57.2	1063	2848	-24.1	-20.1	8	-4	-1598.9	-2827.3	617.1	-380.7	-87.9
MEZZ	71.50	-40.5	-92.2	1708	4578	-23.7	-20.1	9	-4	-1573.3	-2770.1	593.4	-367.2	-87.3
8TH	85.17	-33.0	-79.5	1542	3862	-21.4	-20.6	18	-7	-1532.8	-2678.0	556.1	-345.9	-86.3
9TH	97.50	-33.3	-78.5	1542	3782	-21.6	-20.7	20	-8	-1499.8	-2598.5	523.6	-327.2	-84.7
10TH	109.83	-34.1	-78.0	1542	3782	-22.1	-20.6	21	-9	-1466.5	-2520.0	492.0	-309.0	-82.8
11TH	122.17	-34.9	-77.4	1542	3782	-22.6	-20.5	22	-10	-1432.4	-2442.1	461.4	-291.1	-80.9
12TH	134.50	-35.7	-76.9	1542	3782	-23.1	-20.3	23	-10	-1397.6	-2364.7	431.8	-273.6	-78.9
13TH	146.83	-36.5	-76.3	1542	3782	-23.7	-20.2	23	-11	-1361.9	-2287.8	403.1	-256.6	-76.8
14TH	159.17	-37.3	-75.8	1542	3782	-24.2	-20.0	24	-12	-1325.4	-2211.5	375.3	-240.0	-74.6
15TH	171.50	-38.1	-75.2	1542	3782	-24.7	-19.9	25	-13	-1288.1	-2135.8	348.5	-223.9	-72.3
16TH	183.83	-39.1	-75.8	1542	3782	-25.4	-20.0	26	-13	-1250.0	-2060.5	322.7	-208.3	-69.9
17TH	196.16	-40.1	-76.3	1542	3782	-26.0	-20.2	26	-14	-1210.9	-1984.7	297.7	-193.1	-67.4
18TH	208.50	-41.2	-76.9	1542	3782	-26.7	-20.3	26	-14	-1170.7	-1908.4	273.7	-178.4	-64.9
19TH	220.83	-42.2	-77.4	1542	3782	-27.3	-20.5	27	-15	-1129.6	-1831.5	250.6	-164.2	-62.3
20TH	233.16	-43.2	-78.0	1542	3782	-28.0	-20.6	27	-15	-1087.4	-1754.1	228.5	-150.5	-59.6
21ST	245.50	-44.2	-78.5	1542	3782	-28.7	-20.8	28	-16	-1044.3	-1676.1	207.4	-137.4	-56.8
22ND	257.83	-45.1	-79.3	1542	3782	-29.3	-21.0	28	-16	-1000.1	-1597.6	187.2	-124.8	-54.0
23RD	270.16	-46.1	-80.7	1542	3782	-29.9	-21.3	28	-16	-954.9	-1518.2	168.0	-112.7	-51.0
24TH	282.50	-47.0	-82.1	1542	3782	-30.5	-21.7	28	-16	-908.9	-1437.5	149.8	-101.2	-48.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS														
WIND DIRECTION 340		CONFIGURATION A		REFERENCE PRESSURE 38.0 PSF		FEB 26, 1982		GUST FACTOR 1.32						
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83	-47.9	-83.6	1542	3782	-31.1	-22.1	28	-16	-861.9	-1355.3	132.5	-90.3	-45.0
26TH	307.16	-48.8	-85.0	1542	3782	-31.7	-22.5	28	-16	-814.0	-1271.8	116.3	-80.0	-41.8
27TH	319.49	-49.7	-86.4	1542	3782	-32.3	-22.8	28	-16	-765.2	-1186.8	101.2	-70.3	-38.6
28TH	331.83	-49.7	-86.4	1542	3782	-32.3	-22.8	28	-16	-715.4	-1100.4	87.1	-61.1	-35.4
29TH	344.16	-50.7	-87.8	1542	3782	-32.9	-23.2	28	-16	-715.4	-1100.4	87.1	-61.1	-35.4
29TH	344.16	-50.7	-87.8	1542	3782	-32.9	-23.2	28	-16	-664.8	-1012.6	74.0	-52.6	-32.1
30TH	356.49	-51.3	-88.6	1542	3782	-33.3	-23.4	28	-16	-613.4	-924.0	62.1	-44.7	-28.7
30TH	356.49	-51.9	-88.9	1542	3782	-33.7	-23.5	28	-17	-613.4	-924.0	62.1	-44.7	-28.7
31ST	368.83	-51.9	-88.9	1542	3782	-33.7	-23.5	28	-17	-561.5	-835.1	51.3	-37.5	-25.3
31ST	368.83	-52.5	-89.2	1542	3782	-34.0	-23.6	28	-17	-561.5	-835.1	51.3	-37.5	-25.3
32ND	381.16	-52.5	-89.2	1542	3782	-34.0	-23.6	28	-17	-509.0	-745.9	41.5	-30.9	-21.9
32ND	381.16	-53.1	-89.5	1542	3782	-34.4	-23.7	28	-17	-509.0	-745.9	41.5	-30.9	-21.9
33RD	393.49	-53.1	-89.5	1542	3782	-34.4	-23.7	28	-17	-456.0	-656.5	32.9	-24.9	-18.5
33RD	393.49	-53.7	-89.7	1542	3782	-34.8	-23.7	28	-17	-456.0	-656.5	32.9	-24.9	-18.5
34TH	405.83	-53.7	-89.7	1542	3782	-34.8	-23.7	28	-17	-402.3	-566.7	25.3	-19.6	-15.1
34TH	405.83	-54.2	-90.0	1542	3782	-35.2	-23.8	28	-17	-402.3	-566.7	25.3	-19.6	-15.1
35TH	418.16	-54.2	-90.0	1542	3782	-35.2	-23.8	28	-17	-348.1	-476.7	18.9	-15.0	-11.7
35TH	418.16	-49.8	-84.8	1542	3616	-32.3	-23.5	24	-14	-348.1	-476.7	18.9	-15.0	-11.7
36TH	430.49	-49.8	-84.8	1542	3616	-32.3	-23.5	24	-14	-298.3	-391.9	13.5	-11.0	-9.0
36TH	430.49	-48.6	-75.0	1542	3248	-31.6	-23.1	15	-10	-298.3	-391.9	13.5	-11.0	-9.0
37TH	442.82	-48.6	-75.0	1542	3248	-31.6	-23.1	15	-10	-249.6	-316.9	9.1	-7.7	-7.4
37TH	442.82	-55.8	-79.1	1542	3175	-36.2	-24.9	20	-14	-249.6	-316.9	9.1	-7.7	-7.4
38TH	455.16	-55.8	-79.1	1542	3175	-36.2	-24.9	20	-14	-193.8	-237.9	5.7	-4.9	-5.1
38TH	455.16	-44.1	-61.9	1542	2754	-28.6	-22.5	10	-7	-193.8	-237.9	5.7	-4.9	-5.1
39TH	467.49	-44.1	-61.9	1542	2754	-28.6	-22.5	10	-7	-149.6	-176.0	3.2	-2.8	-4.1
39TH	467.49	-55.1	-70.8	1542	2754	-35.7	-25.7	17	-13	-149.6	-176.0	3.2	-2.8	-4.1
PENT	479.82	-55.1	-70.8	1542	2754	-35.7	-25.7	17	-13	-94.6	-105.2	1.4	-1.3	-2.2
PENT	479.82	-94.5	-105.2	3426	5032	-27.6	-20.9	11	-10	-94.6	-105.2	1.4	-1.3	-2.2
TOP	507.24									0.0	0.0	0.0	0.0	0.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : ENERGY CENTRE, NEW ORLEANS WIND DIRECTION 350 CONFIGURATION A REFERENCE PRESSURE 38.0 PSF FEB 26, 1982 GUST FACTOR 1.32														
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
GRND	0.00	-55.3	-133.0	2563	6867	-21.6	-19.4	17	-7	-1707.5	-2967.2	715.1	-472.1	-109.8
2ND	20.50	-22.4	-52.4	1063	2848	-21.1	-18.4	12	-5	-1652.2	-2834.2	655.6	-437.6	-107.1
3RD	29.00	-22.3	-52.7	1063	2848	-21.0	-18.5	12	-5	-1629.8	-2781.8	631.7	-423.7	-106.4
4TH	37.50	-22.2	-53.1	1063	2848	-20.9	-18.6	13	-5	-1607.4	-2729.0	608.3	-409.9	-105.6
5TH	46.00	-22.1	-53.4	1063	2848	-20.8	-18.8	14	-6	-1585.2	-2676.0	585.3	-396.4	-104.8
6TH	54.50	-21.9	-53.7	1063	2848	-20.6	-18.9	15	-6	-1563.1	-2622.5	562.8	-383.0	-103.9
7TH	63.00	-21.8	-54.1	1063	2848	-20.5	-19.0	15	-6	-1541.2	-2568.8	540.8	-369.8	-103.0
MEZZ	71.50	-34.8	-87.6	1708	4578	-20.3	-19.1	16	-6	-1519.4	-2514.8	519.2	-356.8	-102.1
8TH	85.17	-31.6	-77.5	1542	3862	-20.5	-20.1	22	-9	-1484.6	-2427.1	485.4	-336.3	-100.4
9TH	97.50	-32.3	-76.6	1542	3782	-21.0	-20.2	25	-11	-1453.1	-2349.7	455.9	-318.1	-98.4
10TH	109.83	-33.1	-76.3	1542	3782	-21.5	-20.2	26	-11	-1420.7	-2273.1	427.4	-300.4	-96.1
11TH	122.17	-33.8	-76.1	1542	3782	-22.0	-20.1	28	-12	-1387.7	-2196.8	399.9	-283.1	-93.7
12TH	134.50	-34.6	-76.0	1542	3782	-22.4	-20.1	29	-13	-1353.8	-2120.7	373.2	-266.2	-91.2
13TH	146.83	-35.4	-75.8	1542	3782	-22.9	-20.0	30	-14	-1319.2	-2044.7	347.5	-249.7	-88.6
14TH	159.17	-36.1	-75.6	1542	3782	-23.4	-20.0	31	-15	-1283.9	-1968.9	322.8	-233.7	-85.9
15TH	171.50	-36.9	-75.5	1542	3782	-24.0	-20.0	32	-16	-1247.7	-1893.3	299.0	-218.0	-83.0
16TH	183.83	-37.8	-75.2	1542	3782	-24.5	-19.9	32	-16	-1210.8	-1817.8	276.1	-202.9	-80.0
17TH	196.16	-38.7	-75.0	1542	3782	-25.1	-19.8	32	-17	-1172.9	-1742.6	254.1	-188.2	-77.0
18TH	208.50	-39.6	-74.7	1542	3782	-25.7	-19.8	32	-17	-1134.2	-1667.6	233.1	-174.0	-73.9
19TH	220.83	-40.5	-74.4	1542	3782	-26.3	-19.7	32	-18	-1094.6	-1592.9	213.0	-160.2	-70.9
20TH	233.16	-41.4	-74.2	1542	3782	-26.8	-19.6	32	-18	-1054.1	-1518.5	193.8	-147.0	-67.8
21ST	245.50	-42.3	-73.9	1542	3782	-27.4	-19.5	32	-18	-1012.8	-1444.3	175.6	-134.2	-64.6
22ND	257.83	-43.1	-73.8	1542	3782	-28.0	-19.5	32	-19	-970.5	-1370.3	158.2	-122.0	-61.5
23RD	270.16	-44.0	-73.9	1542	3782	-28.5	-19.6	33	-19	-927.4	-1296.6	141.7	-110.3	-58.2
24TH	282.50	-44.8	-74.1	1542	3782	-29.1	-19.6	33	-20	-883.4	-1222.6	126.2	-99.1	-55.0

TABLE 7. SHEAR AND MOMENT DIAGRAMS : WIND DIRECTION 350				CONFIGURATION A		ENERGY CENTRE, NEW ORLEANS REFERENCE PRESSURE 38.0 PSF				FEB 26, 1982		GUST FACTOR 1.32		
FLOOR	HEIGHT	FORCE (KIPS)		AREA (SQ FT)		PRESSURE (PSF)		ECCEN (FT)		SHEAR (KIPS)		MOMENT (1000-FT-KIPS)		
		X	Y	X	Y	X	Y	X	Y	X	Y	X	Y	Z
25TH	294.83									-838.5	-1148.5	111.6	-88.5	-51.6
26TH	307.16	-45.7	-74.2	1542	3782	-29.6	-19.6	33	-20	-792.9	-1074.3	97.9	-78.4	-48.2
27TH	319.49	-46.5	-74.4	1542	3782	-30.2	-19.7	33	-21	-746.3	-999.9	85.1	-69.0	-44.8
28TH	331.83	-47.4	-74.5	1542	3782	-30.7	-19.7	34	-21	-698.9	-925.3	73.2	-60.0	-41.3
29TH	344.16	-48.2	-74.7	1542	3782	-31.3	-19.7	34	-22	-650.7	-850.7	62.3	-51.7	-37.7
30TH	356.49	-49.1	-74.8	1542	3782	-31.8	-19.8	34	-22	-601.6	-775.9	52.2	-44.0	-34.0
31ST	368.83	-49.9	-74.8	1542	3782	-32.4	-19.8	34	-23	-551.7	-701.1	43.1	-36.9	-30.4
32ND	381.16	-50.8	-74.8	1542	3782	-32.9	-19.8	34	-23	-500.9	-626.3	34.9	-30.4	-26.7
33RD	393.49	-51.6	-74.8	1542	3782	-33.5	-19.8	34	-23	-449.3	-551.5	27.7	-24.5	-22.9
34TH	405.83	-52.5	-74.8	1542	3782	-34.0	-19.8	34	-24	-396.8	-476.7	21.3	-19.3	-19.2
35TH	418.16	-53.3	-74.8	1542	3782	-34.6	-19.8	34	-24	-343.5	-401.8	15.9	-14.7	-15.4
36TH	430.49	-49.6	-70.6	1542	3616	-32.2	-19.5	30	-21	-293.9	-331.2	11.4	-10.8	-12.2
37TH	442.82	-48.9	-64.0	1542	3248	-31.7	-19.7	21	-16	-245.1	-267.2	7.7	-7.5	-10.1
38TH	455.16	-55.7	-67.5	1542	3175	-36.1	-21.3	26	-21	-189.4	-199.7	4.8	-4.8	-7.1
39TH	467.49	-43.4	-51.4	1542	2754	-28.1	-18.7	18	-15	-146.0	-148.3	2.7	-2.7	-5.6
PENT	479.82	-53.0	-59.0	1542	2754	-34.4	-21.4	23	-21	-93.0	-89.4	1.2	-1.3	-3.1
TOP	507.24	-93.0	-89.4	3426	5032	-27.1	-17.0	17	-17	0.0	0.0	0.0	0.0	0.0

TABLE 7. ENERGY CENTRE, NEW ORLEANS FEB 26, 1982
 PROJECT 5020 CONFIGURATION A
 SCALE = 400 REF. PRESSURE = 30.0
 GUST FACTOR = 1.32 STANDARD FLOOR HEIGHT = 12.33
 NUMBER OF SIDES = 4 NO. OF FLOORS = 41

SIDE	ANGLE	Z-AXIS
1	0.0	1.875
2	90.0	4.600
3	180.0	1.875
4	270.0	5.450

FLOOR #	LABEL	HEIGHT-FT	WIND AZIMUTH	LOAD FACTOR
1	GRND	20.50	0	.71
2	2ND	8.50	10	.77
3	3RD	8.50	20	.83
4	4TH	8.50	30	.89
5	5TH	8.50	40	.96
6	6TH	8.50	50	.98
7	7TH	8.50	60	1.00
8	MEZZ	13.67	70	1.00
9	8TH	12.33	80	.93
10	9TH	12.33	90	.89
11	10TH	12.33	100	.83
12	11TH	12.33	110	.85
13	12TH	12.33	120	.87
14	13TH	12.33	130	.89
15	14TH	12.33	140	.96
16	15TH	12.33	150	.93
17	16TH	12.33	160	.96
18	17TH	12.33	170	.98
19	18TH	12.33	180	1.00
20	19TH	12.33	190	.96
21	20TH	12.33	200	.89
22	21ST	12.33	210	.85
23	22ND	12.33	220	.81
24	23RD	12.33	230	.75
25	24TH	12.33	240	.71
26	25TH	12.33	250	.66
27	26TH	12.33	260	.64
28	27TH	12.33	270	.66
29	28TH	12.33	280	.66
30	29TH	12.33	290	.66
31	30TH	12.33	300	.68
32	31ST	12.33	310	.68
33	32ND	12.33	320	.68
34	33RD	12.33	330	.83
35	34TH	12.33	340	.83
36	35TH	12.33	350	.83
37	36TH	12.33		
38	37TH	12.33		
39	38TH	12.33		
40	39TH	12.33		
41	PENT	27.42		

APPENDIX A
PRESSURE DATA

Note: Pressure coefficients are defined in Section 4.3.
Pressure tap designation is explained in Figure 3.

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
0	101	142	157	784	-326	0	151	434	206	1154	-417	0	201	186	149	694	-317
0	102	281	182	912	-347	0	152	395	216	1112	-212	0	202	005	159	569	-552
0	103	525	182	1145	-114	0	153	312	174	889	-189	0	203	103	177	671	-927
0	104	448	175	1138	-118	0	154	258	172	941	-284	0	204	106	186	723	-927
0	105	343	165	998	-236	0	155	289	183	870	-349	0	205	094	267	961	-135
0	106	342	169	926	-213	0	156	084	178	806	-557	0	206	156	206	106	-517
0	107	281	173	837	-207	0	157	049	193	691	-645	0	207	204	182	909	-344
0	108	183	175	831	-452	0	158	072	193	694	-672	0	208	277	154	988	-216
0	109	236	162	843	-328	0	159	185	230	943	-714	0	209	281	158	909	-174
0	110	188	159	666	-561	0	160	102	244	849	-689	0	210	265	148	909	-268
0	111	145	184	920	-591	0	161	239	211	831	-497	0	211	225	131	733	-192
0	112	102	166	680	-389	0	162	305	155	833	-193	0	212	179	151	733	-303
0	113	049	149	508	-521	0	163	354	163	959	-096	0	213	034	165	667	-644
0	114	045	181	727	-596	0	164	168	133	679	-319	0	214	075	153	513	-547
0	115	120	226	890	-007	0	165	101	141	401	-651	0	215	170	132	514	-553
0	116	103	263	1105	-659	0	166	278	181	357	-1004	0	216	228	199	522	-891
0	117	123	172	1106	-420	0	167	210	171	850	-432	0	217	212	145	511	-089
0	118	163	144	756	-361	0	168	317	231	801	-741	0	218	133	136	686	-317
0	119	054	159	722	-281	0	169	512	204	229	-122	0	219	213	134	686	-299
0	120	050	133	563	-396	0	170	530	189	105	-037	0	220	219	134	723	-240
0	121	117	139	358	-570	0	171	429	173	014	-114	0	221	238	120	680	-112
0	122	304	144	438	-781	0	172	529	173	046	-102	0	222	212	117	706	-130
0	123	162	198	958	-481	0	173	470	172	085	-021	0	223	187	139	862	-237
0	124	264	220	1253	-441	0	174	412	169	044	-089	0	224	170	106	597	-159
0	125	496	207	1191	-278	0	175	366	171	885	-122	0	225	138	111	667	-214
0	126	507	216	1299	-225	0	176	305	167	861	-173	0	226	069	128	478	-460
0	127	419	198	1116	-311	0	177	228	188	028	-365	0	227	005	133	583	-434
0	128	470	222	1394	-164	0	178	083	160	626	-478	0	228	004	126	583	-444
0	129	377	188	1033	-211	0	179	069	159	605	-589	0	229	006	126	646	-282
0	130	354	187	1016	-211	0	180	085	201	557	-764	0	230	210	128	255	-674
0	131	321	177	835	-337	0	181	177	305	168	-114	0	231	279	171	288	-335
0	132	241	167	864	-223	0	182	456	246	227	-350	0	232	184	110	760	-226
0	133	223	196	1027	-405	0	183	492	255	283	-188	0	233	162	126	666	-258
0	134	074	173	719	-498	0	184	495	220	282	-025	0	234	155	134	666	-270
0	135	050	174	690	-642	0	185	440	194	122	-111	0	235	006	128	458	-474
0	136	064	176	829	-618	0	186	396	185	058	-142	0	236	006	111	458	-409
0	137	145	267	1059	-731	0	187	355	178	993	-198	0	237	132	145	458	-209
0	138	142	277	1072	-723	0	188	283	175	914	-194	0	238	272	214	422	-255
0	139	350	184	1077	-329	0	189	023	151	552	-429	0	239	011	141	558	-446
0	140	273	157	843	-188	0	190	170	169	548	-057	0	240	111	136	558	-446
0	141	268	148	820	-175	0	191	025	199	624	-001	0	241	192	142	708	-194
0	142	116	146	764	-316	0	192	064	290	286	-1103	0	242	241	144	708	-188
0	143	089	150	404	-635	0	193	236	211	050	-395	0	243	244	140	680	-197
0	144	337	201	273	-006	0	194	334	214	132	-285	0	244	255	145	909	-126
0	145	185	180	806	-360	0	195	389	202	203	-157	0	245	266	145	909	-126
0	146	270	196	927	-392	0	196	348	187	100	-148	0	246	337	146	909	-119
0	147	509	213	1110	-215	0	197	348	151	930	-114	0	247	335	156	909	-119
0	148	511	217	1281	-111	0	198	325	167	944	-149	0	248	349	154	909	-119
0	149	483	215	1258	-154	0	199	300	165	924	-203	0	249	349	154	909	-119
0	150	496	209	1213	-167	0	200	198	156	829	-294	0	250	349	154	909	-119

WD	TAP	CPHEAN	CPRHS	CPHAX	CPMIN	WD	TAP	CPHEAN	CPRHS	CPHAX	CPMIN	WD	TAP	CPHEAN	CPRHS	CPHAX	CPMIN						
0	306	-	368	.161	.075	-1.164	0	356	-	.422	.191	.246	-1.460	0	408	-	.309	.134	.213	-	.808		
0	307	-	362	.155	.110	-1.051	0	357	-	.374	.142	.014	-1.117	0	409	-	.271	.135	.153	-	.796		
0	308	-	373	.167	.119	-1.218	0	358	-	.369	.162	.087	-1.051	0	410	-	.305	.131	.215	-	.946		
0	309	-	364	.164	.110	-1.320	0	359	-	.359	.164	.098	-	.999	0	411	-	.294	.136	.087	-1.187		
0	310	-	361	.162	.136	-1.005	0	360	-	.301	.123	.093	-	.984	0	412	-	.297	.145	.260	-1.079		
0	311	-	373	.170	.150	-1.548	0	361	-	.289	.123	.080	-	.744	0	413	-	.318	.143	.230	-	.976	
0	312	-	346	.143	.243	-1.052	0	362	-	.309	.127	.079	-	.723	0	414	-	.286	.155	.180	-1.087		
0	313	-	351	.149	.116	-	.953	0	363	-	.253	.109	.110	-	.644	0	415	-	.290	.151	.197	-1.172	
0	314	-	339	.152	.103	-1.342	0	364	-	.271	.118	.129	-	.751	0	416	-	.275	.143	.188	-	.854	
0	315	-	349	.159	.110	-1.101	0	365	-	.298	.117	.126	-	.681	0	417	-	.293	.144	.148	-1.254		
0	316	-	340	.151	.074	-1.245	0	366	-	.377	.142	.013	-	.995	0	418	-	.294	.125	.084	-	.969	
0	317	-	334	.141	.063	-1.015	0	367	-	.452	.157	.067	-1.336	0	419	-	.288	.127	.145	-	.863		
0	318	-	364	.163	.111	-1.063	0	368	-	.432	.161	.063	-1.102	0	420	-	.297	.129	.080	-	.934		
0	319	-	350	.129	.061	-	.893	0	369	-	.406	.152	.025	-1.469	0	421	-	.326	.140	.094	-	.868	
0	320	-	356	.155	.128	-1.055	0	370	-	.428	.140	.034	-1.078	0	422	-	.330	.127	.065	-	.851		
0	321	-	354	.155	.141	-1.016	0	371	-	.235	.108	.100	-	.612	0	423	-	.295	.154	.158	-1.003		
0	322	-	358	.162	.109	-1.095	0	372	-	.230	.100	.105	-	.620	0	424	-	.294	.169	.152	-1.143		
0	323	-	360	.135	.028	-	.971	0	373	-	.238	.099	.097	-	.584	0	425	-	.270	.137	.198	-	.855
0	324	-	354	.155	.127	-1.076	0	374	-	.246	.098	.040	-	.607	0	426	-	.262	.136	.133	-	.890	
0	325	-	349	.156	.222	-1.143	0	375	-	.233	.131	.186	-	.895	0	427	-	.263	.137	.111	-	.792	
0	326	-	338	.150	.188	-	.939	0	376	-	.251	.124	.151	-	.731	0	428	-	.266	.136	.166	-	.753
0	327	-	338	.134	.098	-	.788	0	377	-	.275	.133	.161	-	.818	0	429	-	.289	.142	.161	-	.772
0	328	-	334	.155	.225	-	.874	0	378	-	.189	.120	.134	-	.864	0	430	-	.284	.132	.136	-	.857
0	329	-	330	.157	.287	-	.954	0	379	-	.194	.114	.218	-	.691	0	431	-	.290	.133	.084	-	.841
0	330	-	324	.157	.308	-	.997	0	380	-	.166	.115	.251	-	.561	0	432	-	.308	.133	.126	-	.733
0	331	-	362	.129	.001	-	.861	0	381	-	.175	.120	.293	-	.552	0	433	-	.311	.141	.139	-	.910
0	332	-	368	.156	.105	-1.090	0	382	-	.241	.131	.215	-	.636	0	434	-	.308	.138	.093	-	.839	
0	333	-	366	.159	.119	-1.124	0	383	-	.382	.172	.172	-1.122	0	435	-	.321	.133	.089	-	.967		
0	334	-	385	.186	.160	-1.546	0	384	-	.447	.189	.045	-1.437	0	436	-	.312	.139	.174	-1.156			
0	335	-	416	.164	.046	-1.233	0	385	-	.463	.193	.009	-1.339	0	437	-	.319	.170	.262	-1.178			
0	336	-	393	.190	.091	-1.353	0	386	-	.204	.119	.208	-	.777	0	438	-	.332	.172	.154	-1.131		
0	337	-	377	.184	.214	-1.152	0	387	-	.198	.117	.218	-	.693	0	439	-	.328	.154	.172	-1.075		
0	338	-	352	.140	.113	-1.159	0	388	-	.189	.113	.243	-	.666	0	440	-	.330	.148	.098	-1.088		
0	339	-	362	.166	.234	-1.287	0	389	-	.192	.116	.164	-	.600	0	441	-	.334	.122	.032	-1.049		
0	340	-	371	.176	.200	-1.455	0	390	-	.195	.106	.128	-	.547	0	442	-	.320	.149	.199	-1.115		
0	341	-	377	.137	.019	-1.130	0	391	-	.290	.110	.124	-	.745	0	443	-	.328	.147	.225	-	.932	
0	342	-	368	.155	.094	-1.172	0	392	-	.221	.110	.119	-	.617	0	444	-	.332	.152	.097	-1.112		
0	343	-	363	.156	.112	-1.171	0	393	-	.252	.121	.166	-	.684	0	445	-	.272	.143	.156	-	.863	
0	344	-	376	.161	.082	-	.981	0	394	-	.305	.138	.087	-1.036	0	446	-	.287	.132	.086	-	.913	
0	345	-	370	.188	.174	-1.064	0	395	-	.336	.160	.109	-1.267	0	447	-	.286	.149	.128	-1.027			
0	346	-	347	.175	.167	-	.974	0	396	-	.385	.172	.139	-1.037	0	448	-	.278	.144	.206	-	.946	
0	347	-	365	.140	.048	-	.955	0	397	-	.370	.204	.159	-1.249	0	449	-	.271	.134	.118	-	.810	
0	348	-	382	.175	.103	-1.373	0	398	-	.420	.221	.214	-1.560	0	450	-	.278	.137	.164	-	.880		
0	349	-	366	.175	.125	-1.342	0	401	-	.261	.117	.085	-	.820	0	451	-	.312	.131	.098	-	.880	
0	350	-	373	.130	.032	-1.005	0	402	-	.266	.121	.091	-	.968	0	452	-	.279	.123	.101	-	.774	
0	351	-	375	.154	.105	-1.039	0	403	-	.257	.114	.104	-	.748	0	453	-	.303	.124	.103	-	.710	
0	352	-	359	.169	.195	-1.102	0	404	-	.263	.111	.071	-	.722	0	454	-	.313	.125	.151	-	.844	
0	353	-	369	.139	.104	-	.907	0	405	-	.246	.112	.167	-	.734	0	455	-	.300	.124	.140	-	.821
0	354	-	377	.167	.177	-1.049	0	406	-	.270	.114	.101	-	.694	0	456	-	.319	.133	.061	-	.877	
0	355	-	406	.182	.204	-1.344	0	407	-	.284	.104	.014	-	.711	0	457	-	.339	.146	.107	-	.844	

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
0	458	-	350	159	079	-1	055	0	508	-	205	124	262	-	739	0	615	-	252	130	212	-	738
0	459	-	325	126	021	-1	046	0	509	-	228	129	127	-	696	0	616	-	550	215	093	-	345
0	460	-	332	162	065	-1	235	0	510	-	238	120	189	-	837	0	617	-	419	225	206	-	318
0	461	-	336	142	056	-1	031	0	511	-	257	129	171	-	789	0	618	-	519	282	217	-	829
0	462	-	332	112	055	-	746	0	512	-	291	125	091	-	776	0	619	-	395	201	100	-	116
0	463	-	319	115	009	-	867	0	513	-	303	147	207	-	911	0	620	-	454	256	207	-	387
0	464	-	318	112	039	-	664	0	514	-	313	151	124	-	835	0	621	-	351	221	251	-	193
0	465	-	309	125	095	-	773	0	515	-	230	128	165	-	764	0	622	-	168	106	214	-	673
0	466	-	339	112	047	-	785	0	516	-	226	130	213	-	638	0	623	-	264	102	055	-	731
0	467	-	232	099	065	-	667	0	517	-	210	120	239	-	640	0	624	-	235	126	167	-	815
0	468	-	240	130	201	-	671	0	518	-	235	133	118	-	697	0	625	-	462	244	486	-	222
0	469	-	267	103	035	-	769	0	519	-	211	126	236	-	607	0	626	-	385	253	446	-	133
0	470	-	264	106	021	-	646	0	520	-	215	134	226	-	679	0	627	-	527	222	225	-	447
0	471	-	287	099	081	-	618	0	521	-	224	125	197	-	668	0	628	-	380	268	514	-	460
0	472	-	276	101	046	-	709	0	522	-	211	128	257	-	599	0	629	-	443	264	494	-	311
0	473	-	295	105	133	-	723	0	523	-	226	123	175	-	691	0	630	-	346	238	491	-	145
0	474	-	316	106	090	-	687	0	524	-	234	127	170	-	687	0	631	-	153	115	199	-	594
0	475	-	288	121	118	-	795	0	525	-	241	124	143	-	701	0	632	-	104	110	255	-	565
0	476	-	310	118	069	-	712	0	526	-	213	125	192	-	746	0	633	-	170	111	210	-	589
0	477	-	321	135	095	-	944	0	527	-	254	134	155	-	830	0	634	-	218	119	157	-	815
0	478	-	312	139	162	-	811	0	528	-	204	126	200	-	757	0	635	-	260	100	107	-	642
0	479	-	315	133	157	-	867	0	529	-	215	129	231	-	819	0	636	-	463	201	152	-	291
0	480	-	213	111	137	-	677	0	530	-	206	116	186	-	708	0	637	-	454	214	258	-	338
0	481	-	215	119	102	-	983	0	531	-	191	114	210	-	645	0	638	-	341	205	233	-	002
0	482	-	205	111	139	-	581	0	532	-	178	116	234	-	749	0	639	-	102	182	336	-	926
0	483	-	217	105	162	-	586	0	533	-	214	123	164	-	844	0	640	-	059	108	306	-	642
0	484	-	244	113	095	-	598	0	534	-	223	122	169	-	656	0	641	-	140	086	127	-	414
0	485	-	252	113	057	-	711	0	535	-	271	138	102	-	942	0	642	-	143	103	162	-	485
0	486	-	256	109	102	-	639	0	536	-	233	136	244	-	771	0	643	-	168	106	145	-	560
0	487	-	273	121	167	-	728	0	537	-	221	117	131	-	687	0	644	-	431	175	166	-	057
0	488	-	282	130	193	-	748	0	538	-	181	110	223	-	532	0	645	-	376	225	381	-	192
0	489	-	320	132	092	-	791	0	539	-	159	101	165	-	562	0	646	-	227	237	399	-	157
0	490	-	325	148	129	-	869	0	540	-	195	080	048	-	495	0	647	-	135	159	216	-	936
0	491	-	301	113	160	-	649	0	541	-	160	107	135	-	646	0	648	-	047	114	419	-	816
0	492	-	266	120	252	-	716	0	542	-	156	109	270	-	491	0	649	-	079	106	082	-	645
0	493	-	266	112	134	-	674	0	543	-	153	109	246	-	558	0	650	-	159	087	082	-	511
0	494	-	210	103	155	-	678	0	544	-	595	177	090	-	256	0	651	-	159	106	124	-	604
0	495	-	204	119	174	-	609	0	545	-	398	176	121	-	101	0	652	-	303	202	295	-	089
0	496	-	224	125	122	-	691	0	546	-	288	157	150	-	906	0	653	-	349	172	211	-	101
0	497	-	235	108	142	-	643	0	547	-	256	149	272	-	854	0	654	-	157	211	411	-	226
0	498	-	254	119	119	-	748	0	548	-	262	143	240	-	943	0	655	-	038	138	344	-	808
0	499	-	271	129	157	-	728	0	549	-	600	220	138	-	282	0	656	-	030	103	362	-	575
0	500	-	271	133	281	-	837	0	550	-	439	215	238	-	406	0	657	-	102	079	194	-	377
0	501	-	287	130	149	-	765	0	551	-	548	285	243	-	463	0	658	-	107	096	224	-	415
0	502	-	326	151	202	-	919	0	552	-	347	219	296	-	535	0	659	-	136	100	204	-	470
0	503	-	319	153	080	-	889	0	553	-	402	235	337	-	212	0	660	-	190	178	337	-	091
0	504	-	180	107	171	-	522	0	554	-	314	195	232	-	000	0	661	-	147	194	347	-	190
0	505	-	190	114	157	-	581	0	555	-	183	131	306	-	650	0	662	-	038	175	448	-	044
0	506	-	188	121	216	-	589	0	556	-	181	114	162	-	647	0	663	-	019	130	427	-	510
0	507	-	187	110	285	-	577	0	557	-	228	126	138	-	729	0	664	-	010	109	377	-	446

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN					
0	665	-	036	113	313	-	466	0	913	-	272	132	111	-	868	10	131	228	163	820	-	236
0	666	-	097	116	330	-	484	0	914	-	286	145	236	-	916	10	132	169	148	833	-	296
0	667	-	147	112	236	-	593	0	915	-	339	165	242	-	101	10	133	117	166	826	-	405
0	668	-	089	114	403	-	457	0	916	-	348	144	123	-	1017	10	134	-	032	156	657	551
0	669	-	122	120	288	-	664	0	917	-	350	142	067	-	1052	10	135	-	192	148	323	676
0	670	-	142	122	231	-	374	0	918	-	335	120	031	-	814	10	136	-	142	201	915	582
0	671	-	037	133	465	-	668	0	919	-	378	149	106	-	1046	10	137	-	325	243	105	649
0	672	-	003	147	504	-	467	0	920	-	349	120	042	-	759	10	138	-	291	261	1051	629
0	673	-	049	129	569	-	349	0	921	-	310	108	047	-	768	10	139	-	311	191	1059	188
0	674	-	045	117	557	-	466	0	922	-	359	134	072	-	990	10	140	-	238	159	823	263
0	675	-	035	114	427	-	404	0	923	-	251	118	149	-	638	10	141	-	193	125	748	180
0	676	-	011	117	427	-	536	0	924	-	259	125	167	-	727	10	142	-	041	131	487	311
0	677	-	018	111	340	-	374	0	925	-	259	144	175	-	1061	10	143	-	228	138	261	884
0	678	-	043	111	373	-	380	0	926	-	272	143	164	-	1037	10	144	-	468	199	270	164
0	679	-	082	109	253	-	432	0	927	-	250	124	206	-	659	10	145	-	272	205	1075	375
0	680	-	162	115	623	-	232	0	928	-	290	107	052	-	735	10	146	-	394	197	1048	331
0	681	-	196	142	714	-	270	0	929	-	248	135	157	-	864	10	147	-	577	219	1247	192
0	682	-	180	125	666	-	162	0	930	-	208	116	190	-	633	10	148	-	501	211	1165	272
0	683	-	068	118	403	-	372	0	931	-	208	123	209	-	673	10	149	-	515	209	1286	156
0	684	-	055	120	434	-	406	0	932	-	186	117	178	-	574	10	150	-	481	185	1086	066
0	685	-	024	109	414	-	322	10	101	-	239	166	830	-	331	10	151	-	374	185	1157	216
0	686	-	018	108	467	-	375	10	102	-	408	182	961	-	500	10	152	-	371	188	1116	172
0	687	-	047	114	311	-	426	10	103	-	504	177	245	-	165	10	153	-	289	169	890	333
0	688	-	102	116	255	-	493	10	104	-	398	165	923	-	123	10	154	-	167	157	773	375
0	701	-	042	103	297	-	371	10	105	-	321	154	792	-	254	10	155	-	209	173	873	295
0	702	-	008	104	351	-	433	10	106	-	316	157	870	-	204	10	156	-	044	177	523	733
0	703	-	035	101	373	-	343	10	107	-	250	135	696	-	213	10	157	-	189	155	356	677
0	704	-	043	111	481	-	264	10	108	-	163	167	717	-	383	10	158	-	137	221	934	778
0	705	-	055	116	461	-	331	10	109	-	184	157	794	-	367	10	159	-	321	216	946	501
0	706	-	076	115	452	-	318	10	110	-	109	143	682	-	435	10	160	-	239	286	109	918
0	707	-	113	104	270	-	507	10	111	-	040	176	812	-	562	10	161	-	325	209	1031	321
0	708	-	138	124	662	-	267	10	112	-	014	140	579	-	462	10	162	-	266	142	744	337
0	709	-	175	104	183	-	564	10	113	-	135	136	315	-	576	10	163	-	285	149	1082	240
0	710	-	181	108	118	-	595	10	114	-	130	200	921	-	646	10	164	-	080	111	478	295
0	801	-	163	099	116	-	546	10	115	-	305	231	066	-	839	10	165	-	213	121	203	610
0	802	-	046	117	478	-	473	10	116	-	221	234	375	-	674	10	166	-	419	156	012	899
0	803	-	142	096	162	-	491	10	117	-	177	191	982	-	442	10	167	-	257	163	900	236
0	804	-	206	094	099	-	592	10	118	-	115	133	603	-	390	10	168	-	427	216	1078	319
0	901	-	034	185	619	-	370	10	119	-	128	149	686	-	285	10	169	-	528	174	1143	028
0	902	-	225	135	230	-	682	10	120	-	024	127	479	-	509	10	170	-	491	158	1028	031
0	903	-	369	125	030	-	896	10	121	-	290	127	305	-	614	10	171	-	483	175	1145	093
0	904	-	361	138	014	-	550	10	122	-	425	143	007	-	958	10	172	-	503	168	1044	007
0	905	-	353	135	011	-	943	10	123	-	288	202	957	-	439	10	173	-	409	151	866	049
0	906	-	348	125	068	-	270	10	124	-	456	227	289	-	371	10	174	-	354	144	853	102
0	907	-	303	145	845	-	120	10	125	-	575	221	365	-	068	10	175	-	339	161	1108	187
0	908	-	324	122	042	-	991	10	126	-	488	195	129	-	184	10	176	-	235	153	851	220
0	909	-	106	122	512	-	254	10	127	-	487	212	230	-	082	10	177	-	108	140	671	301
0	910	-	009	104	380	-	342	10	128	-	436	195	116	-	186	10	178	-	002	161	565	566
0	911	-	357	135	055	-	199	10	129	-	337	175	925	-	281	10	179	-	155	138	490	687
0	912	-	377	181	050	-	419	10	130	-	335	186	007	-	275	10	180	-	160	188	917	424

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
10	181	346	238	1.359	-475	10	231	-218	181	275	-865	10	336	-244	164	187	-1.062
10	182	332	223	1.231	-310	10	232	-202	106	689	-145	10	337	-239	164	202	-1.059
10	183	327	207	1.286	-127	10	233	151	114	565	-202	10	338	-241	134	118	-974
10	184	458	182	1.193	-027	10	234	135	124	592	-282	10	339	-289	183	255	-1.123
10	185	400	179	1.166	-131	10	235	065	131	431	-401	10	340	-402	207	238	-1.375
10	186	381	170	1.036	-114	10	236	014	111	476	-380	10	341	-476	167	137	-1.176
10	187	324	160	885	-178	10	237	-082	134	396	-596	10	342	-478	185	104	-1.262
10	188	194	145	809	-278	10	238	-210	188	563	-1.029	10	343	-472	184	124	-1.236
10	189	063	135	601	-518	10	239	033	137	517	-455	10	344	-252	137	113	-763
10	190	232	139	285	-656	10	240	163	130	619	-278	10	345	-245	162	192	-806
10	191	063	178	794	-537	10	241	250	144	884	-228	10	346	-250	160	243	-836
10	192	193	230	961	-789	10	242	280	154	913	-150	10	347	-314	159	162	-948
10	193	394	208	242	-190	10	243	310	155	902	-177	10	348	-419	219	317	-1.501
10	194	433	208	1.195	-112	10	244	272	145	763	-225	10	349	-454	226	203	-1.646
10	195	446	207	1.092	-219	10	245	248	137	786	-159	10	350	-425	171	053	-1.244
10	196	397	190	1.140	-123	10	301	-381	164	079	-1.093	10	351	-422	197	134	-1.344
10	197	373	161	1.064	-056	10	302	-427	206	274	-1.483	10	352	-253	170	197	-940
10	198	302	164	844	-255	10	303	-480	226	252	-1.508	10	353	-236	123	101	-663
10	199	281	161	826	-204	10	304	-526	208	340	-1.844	10	354	-258	155	143	-885
10	200	174	142	705	-259	10	305	-490	188	074	-1.311	10	355	-318	173	205	-978
10	201	117	136	571	-268	10	306	-392	192	188	-1.210	10	356	-393	190	122	-1.297
10	202	064	138	457	-564	10	307	-420	216	274	-1.347	10	357	-430	159	049	-1.550
10	203	186	153	311	-819	10	308	-352	190	209	-1.154	10	358	-423	179	117	-1.905
10	204	033	161	486	-633	10	309	-365	185	133	-1.069	10	359	-413	178	110	-1.616
10	205	045	226	811	-904	10	310	-375	189	188	-1.273	10	360	-234	117	173	-727
10	206	231	178	976	-288	10	311	-357	181	163	-1.080	10	361	-218	118	165	-648
10	207	303	190	1.007	-251	10	312	-458	203	225	-1.104	10	362	-261	124	170	-770
10	208	307	152	851	-189	10	313	-517	215	093	-1.402	10	363	-209	110	180	-666
10	209	269	146	840	-150	10	314	-552	285	192	-2.418	10	364	-216	111	225	-651
10	210	284	153	1.030	-260	10	315	-568	255	087	-1.802	10	365	-244	134	227	-747
10	211	243	151	840	-198	10	316	-342	192	172	-1.571	10	366	-280	130	160	-778
10	212	161	135	834	-247	10	317	-338	185	335	-1.320	10	367	-432	181	043	-1.407
10	213	028	135	479	-649	10	318	-319	166	133	-1.059	10	368	-446	183	036	-1.434
10	214	151	161	397	-904	10	319	-316	126	101	-913	10	369	-462	148	030	-1.201
10	215	112	122	246	-580	10	320	-333	158	170	-1.063	10	370	-402	146	058	-1.092
10	216	091	177	545	-752	10	321	-345	163	231	-1.027	10	371	-188	101	146	-582
10	217	398	159	079	-1.107	10	322	-524	215	036	-1.469	10	372	-177	097	173	-561
10	218	196	135	705	-231	10	323	-569	259	073	-1.769	10	373	-182	100	133	-745
10	219	254	137	744	-213	10	324	-544	269	170	-2.021	10	374	-181	098	126	-529
10	220	251	124	809	-086	10	325	-298	159	198	-1.146	10	375	-169	114	180	-591
10	221	230	119	642	-166	10	326	-287	159	237	-1.094	10	376	-173	123	295	-657
10	222	222	105	715	-129	10	327	-287	137	117	-1.022	10	377	-189	131	395	-735
10	223	193	126	741	-283	10	328	-277	161	263	-1.033	10	378	-144	103	235	-510
10	224	154	112	594	-236	10	329	-290	166	198	-968	10	379	-145	105	222	-558
10	225	120	112	542	-249	10	330	-287	168	219	-965	10	380	-113	113	363	-476
10	226	020	120	504	-564	10	331	-342	143	129	-898	10	381	-134	111	268	-551
10	227	072	120	423	-523	10	332	-432	196	136	-1.414	10	382	-207	140	285	-798
10	228	039	126	581	-433	10	333	-562	243	095	-1.573	10	383	-380	181	104	-1.526
10	229	114	117	620	-294	10	334	-655	328	246	-1.829	10	384	-493	249	055	-1.695
10	230	180	123	244	-641	10	335	-510	194	075	-1.382	10	385	-474	235	125	-1.676

MD	TAP	CPMEAN	CPRMS	CPHAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPHAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPHAX	CPMIN
10	386	-	147	104	184	-	360	-	271	142	243	-	488	-	225	134	193
10	387	-	157	107	239	-	361	-	270	141	219	-	489	-	261	136	163
10	388	-	150	107	247	-	362	-	295	147	137	-	490	-	263	162	230
10	389	-	154	110	234	-	363	-	291	112	106	-	491	-	146	121	233
10	390	-	150	107	220	-	364	-	326	155	121	-	492	-	139	105	198
10	391	-	156	110	232	-	365	-	346	163	184	-	493	-	162	117	254
10	392	-	161	115	242	-	366	-	342	164	234	-	494	-	152	112	214
10	393	-	197	132	247	-	367	-	242	143	211	-	495	-	151	109	242
10	394	-	235	158	203	-	368	-	238	127	106	-	496	-	193	126	203
10	395	-	291	173	179	-	369	-	224	133	176	-	497	-	210	124	198
10	396	-	381	186	208	-	370	-	244	131	142	-	498	-	208	126	170
10	397	-	376	209	443	-	371	-	204	129	160	-	499	-	214	136	191
10	398	-	433	234	159	-	372	-	249	130	139	-	500	-	220	136	193
10	401	-	267	125	698	-	373	-	269	129	116	-	501	-	241	157	244
10	402	-	264	128	122	-	374	-	268	128	124	-	502	-	257	167	175
10	403	-	240	119	188	-	375	-	263	138	142	-	503	-	260	156	138
10	404	-	244	118	158	-	376	-	282	146	168	-	504	-	135	119	268
10	405	-	247	120	130	-	377	-	295	142	270	-	505	-	138	113	226
10	406	-	270	125	195	-	378	-	322	154	145	-	506	-	139	109	201
10	407	-	285	117	144	-	379	-	328	153	242	-	507	-	149	116	198
10	408	-	288	146	174	-	380	-	275	156	150	-	508	-	143	105	170
10	409	-	289	140	126	-	381	-	284	124	094	-	509	-	189	129	217
10	410	-	326	158	113	-	382	-	287	156	147	-	510	-	194	136	354
10	411	-	329	158	209	-	383	-	289	148	142	-	511	-	218	136	178
10	412	-	353	171	188	-	384	-	298	114	084	-	512	-	215	132	122
10	413	-	355	169	187	-	385	-	283	124	106	-	513	-	225	138	174
10	414	-	382	156	202	-	386	-	300	130	068	-	514	-	251	154	219
10	415	-	267	146	194	-	387	-	260	117	101	-	515	-	170	126	269
10	416	-	277	149	256	-	388	-	341	142	099	-	516	-	169	134	275
10	417	-	273	146	251	-	389	-	192	098	108	-	517	-	171	131	254
10	418	-	299	140	152	-	390	-	177	112	168	-	518	-	169	126	238
10	419	-	293	140	169	-	391	-	208	163	072	-	519	-	162	121	225
10	420	-	354	158	178	-	392	-	219	097	094	-	520	-	166	122	222
10	421	-	348	162	248	-	393	-	244	108	050	-	521	-	176	129	193
10	422	-	384	154	044	-	394	-	247	110	108	-	522	-	171	136	306
10	423	-	442	142	203	-	395	-	257	110	068	-	523	-	175	129	205
10	424	-	258	153	233	-	396	-	279	119	178	-	524	-	175	131	205
10	425	-	255	153	159	-	397	-	275	140	156	-	525	-	178	132	250
10	426	-	233	127	219	-	398	-	266	142	117	-	526	-	181	127	198
10	427	-	231	127	142	-	399	-	261	141	136	-	527	-	209	124	190
10	428	-	246	135	152	-	400	-	286	162	250	-	528	-	129	113	231
10	429	-	279	140	132	-	401	-	293	147	174	-	529	-	137	107	210
10	430	-	254	133	164	-	402	-	172	115	202	-	530	-	127	109	236
10	431	-	281	143	146	-	403	-	172	124	196	-	531	-	135	107	254
10	432	-	309	155	269	-	404	-	167	107	183	-	532	-	152	110	233
10	433	-	312	153	146	-	405	-	180	122	300	-	533	-	143	114	224
10	434	-	322	167	192	-	406	-	201	127	187	-	534	-	184	122	236
10	435	-	345	176	159	-	407	-	208	116	174	-	535	-	179	124	244
10	436	-	270	158	187	-	408	-	216	132	209	-	536	-	145	112	214
10	437	-	266	163	162	-	409	-	221	136	156	-	537	-	143	112	185

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
10	538	-	118	114	287	-	536	10	645	-	492	198	142	-	1.292	10	707	-	068	101	289	-	399
10	539	-	091	105	226	-	513	10	646	-	368	229	339	-	1.179	10	708	-	136	121	555	-	263
10	540	-	111	080	150	-	449	10	647	-	177	152	177	-	800	10	709	-	115	107	300	-	518
10	541	-	114	097	261	-	493	10	648	-	054	117	305	-	836	10	710	-	118	111	230	-	590
10	542	-	103	104	252	-	432	10	649	-	059	105	434	-	548	10	801	-	112	098	211	-	514
10	543	-	120	104	188	-	658	10	650	-	099	090	192	-	484	10	802	-	013	112	384	-	465
10	601	-	635	189	146	-	1.420	10	651	-	114	109	246	-	398	10	803	-	094	097	248	-	511
10	602	-	304	183	052	-	278	10	652	-	422	204	217	-	540	10	804	-	110	083	141	-	432
10	603	-	336	177	459	-	1.057	10	653	-	387	165	326	-	964	10	901	-	102	205	877	-	567
10	604	-	287	155	305	-	947	10	654	-	226	204	464	-	1.095	10	902	-	220	144	276	-	812
10	605	-	258	148	225	-	883	10	655	-	052	133	429	-	867	10	903	-	600	216	089	-	736
10	606	-	630	214	069	-	320	10	656	-	018	102	388	-	384	10	904	-	508	169	019	-	150
10	607	-	519	196	004	-	1.310	10	657	-	057	087	207	-	385	10	905	-	552	186	044	-	320
10	608	-	729	239	071	-	1.685	10	658	-	082	104	223	-	482	10	906	-	421	153	021	-	053
10	609	-	542	242	103	-	1.426	10	659	-	097	107	221	-	486	10	907	-	287	137	697	-	151
10	610	-	546	227	038	-	1.399	10	660	-	277	198	360	-	1.001	10	908	-	370	134	027	-	972
10	611	-	486	222	031	-	1.358	10	661	-	240	205	376	-	1.106	10	909	-	023	111	481	-	468
10	612	-	275	147	154	-	858	10	662	-	100	201	442	-	976	10	910	-	060	102	360	-	443
10	613	-	223	132	171	-	827	10	663	-	009	132	396	-	849	10	911	-	391	142	022	-	444
10	614	-	233	141	207	-	703	10	664	-	007	109	371	-	346	10	912	-	304	154	133	-	266
10	615	-	239	141	286	-	753	10	665	-	016	107	405	-	399	10	913	-	273	133	144	-	020
10	616	-	638	206	099	-	376	10	666	-	065	112	390	-	431	10	914	-	292	148	359	-	984
10	617	-	547	215	108	-	1.357	10	667	-	090	121	297	-	581	10	915	-	361	173	276	-	271
10	618	-	710	207	014	-	1.866	10	668	-	054	112	292	-	464	10	916	-	348	149	128	-	010
10	619	-	509	207	067	-	1.316	10	669	-	078	114	275	-	517	10	917	-	383	149	049	-	956
10	620	-	554	240	140	-	1.354	10	670	-	093	109	302	-	421	10	918	-	398	123	147	-	714
10	621	-	458	219	194	-	1.202	10	671	-	060	141	390	-	642	10	919	-	398	158	071	-	156
10	622	-	177	114	167	-	1.623	10	672	-	029	146	470	-	495	10	920	-	322	131	043	-	893
10	623	-	219	098	103	-	1.563	10	673	-	041	132	499	-	390	10	921	-	321	133	098	-	895
10	624	-	202	121	205	-	1.336	10	674	-	031	122	439	-	368	10	922	-	358	166	131	-	101
10	625	-	615	213	099	-	1.596	10	675	-	040	116	547	-	371	10	923	-	202	134	199	-	749
10	626	-	542	216	188	-	1.354	10	676	-	017	114	412	-	476	10	924	-	184	119	210	-	613
10	627	-	621	199	135	-	1.462	10	677	-	002	112	403	-	397	10	925	-	208	153	202	-	046
10	628	-	565	249	061	-	1.810	10	678	-	011	115	360	-	413	10	926	-	183	132	218	-	817
10	629	-	623	256	050	-	1.737	10	679	-	035	107	309	-	431	10	927	-	180	118	167	-	535
10	630	-	532	237	112	-	1.556	10	680	-	177	118	571	-	188	10	928	-	199	102	121	-	679
10	631	-	240	123	153	-	1.766	10	681	-	189	141	784	-	255	10	929	-	198	127	170	-	714
10	632	-	140	109	253	-	1.557	10	682	-	174	123	646	-	349	10	930	-	157	109	177	-	517
10	633	-	153	106	216	-	1.522	10	683	-	048	113	437	-	332	10	931	-	155	117	191	-	623
10	634	-	177	110	222	-	1.567	10	684	-	039	114	438	-	342	10	932	-	141	110	219	-	772
10	635	-	182	096	150	-	1.635	10	685	-	044	117	418	-	316	20	101	-	342	199	967	-	335
10	636	-	485	160	018	-	1.141	10	686	-	030	108	359	-	349	20	102	-	428	193	038	-	172
10	637	-	484	160	039	-	1.201	10	687	-	016	108	326	-	393	20	103	-	321	193	892	-	575
10	638	-	439	169	153	-	1.014	10	688	-	063	105	294	-	399	20	104	-	246	148	804	-	197
10	639	-	221	189	307	-	1.895	10	701	-	008	104	348	-	375	20	105	-	203	141	720	-	220
10	640	-	083	121	295	-	1.674	10	702	-	010	097	301	-	276	20	106	-	185	131	846	-	197
10	641	-	098	083	183	-	1.447	10	703	-	040	100	395	-	308	20	107	-	133	127	703	-	268
10	642	-	111	099	172	-	1.517	10	704	-	041	108	368	-	335	20	108	-	068	152	617	-	445
10	643	-	118	100	188	-	1.589	10	705	-	031	112	461	-	319	20	109	-	092	140	577	-	438
10	644	-	504	160	018	-	1.306	10	706	-	065	118	434	-	301	20	110	-	060	138	497	-	448

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN				
20	111	-	032	152	539	-	594	20	161	307	230	1.169	-	348	20	211	185	129	763	-	192
20	112	-	020	137	454	-	494	20	162	214	125	635	-	209	20	212	141	124	666	-	270
20	113	-	142	122	285	-	574	20	163	211	124	602	-	171	20	213	019	127	508	-	538
20	114	-	219	222	998	-	478	20	164	034	111	414	-	305	20	214	110	137	314	-	593
20	115	-	319	240	1.156	-	577	20	165	190	113	205	-	615	20	215	037	107	310	-	404
20	116	-	226	210	885	-	791	20	166	392	126	066	-	859	20	216	043	143	477	-	807
20	117	-	178	186	864	-	348	20	167	341	198	1.106	-	247	20	217	191	115	141	-	696
20	118	-	075	129	579	-	410	20	168	382	241	1.314	-	757	20	218	184	119	685	-	164
20	119	-	057	126	563	-	361	20	169	373	181	978	-	193	20	219	214	118	767	-	191
20	120	-	048	117	304	-	428	20	170	392	158	958	-	054	20	220	205	106	611	-	125
20	121	-	149	127	270	-	607	20	171	354	166	1.086	-	225	20	221	235	113	626	-	087
20	122	-	324	130	046	-	834	20	172	352	147	860	-	166	20	222	200	107	555	-	111
20	123	-	329	231	1.246	-	328	20	173	272	134	752	-	126	20	223	197	132	716	-	220
20	124	-	455	225	1.222	-	268	20	174	218	139	922	-	283	20	224	153	111	597	-	177
20	125	-	434	236	1.201	-	479	20	175	199	158	1.021	-	274	20	225	132	105	618	-	207
20	126	-	366	203	999	-	399	20	176	123	143	658	-	297	20	226	045	102	421	-	289
20	127	-	369	204	1.151	-	272	20	177	053	142	660	-	465	20	227	040	117	416	-	491
20	128	-	283	177	951	-	234	20	178	073	145	491	-	526	20	228	084	116	515	-	369
20	129	-	224	161	760	-	296	20	179	170	134	264	-	713	20	229	118	103	503	-	240
20	130	-	163	154	821	-	265	20	180	160	196	953	-	392	20	230	075	110	339	-	458
20	131	-	140	150	698	-	339	20	181	302	216	1.147	-	560	20	231	099	133	325	-	572
20	132	-	067	144	600	-	437	20	182	346	203	1.023	-	345	20	232	179	101	562	-	106
20	133	-	027	142	617	-	473	20	183	328	182	966	-	238	20	233	140	112	565	-	213
20	134	-	093	148	550	-	612	20	184	329	171	1.070	-	186	20	234	117	114	508	-	209
20	135	-	163	142	293	-	723	20	185	279	165	948	-	179	20	235	075	119	560	-	368
20	136	-	242	239	1.169	-	458	20	186	250	157	1.167	-	198	20	236	041	096	363	-	359
20	137	-	353	255	1.412	-	488	20	187	197	154	729	-	279	20	237	034	122	396	-	485
20	138	-	322	224	1.062	-	483	20	188	103	134	588	-	265	20	238	095	144	378	-	622
20	139	-	282	213	1.017	-	537	20	189	105	135	421	-	582	20	239	063	121	501	-	393
20	140	-	147	157	719	-	576	20	190	237	137	233	-	696	20	240	136	124	578	-	228
20	141	-	133	108	487	-	178	20	191	046	148	681	-	555	20	241	196	119	684	-	171
20	142	-	001	122	440	-	390	20	192	148	210	918	-	915	20	242	222	125	647	-	167
20	143	-	205	138	239	-	552	20	193	229	181	962	-	337	20	243	238	128	866	-	228
20	144	-	392	180	192	-	040	20	194	276	176	1.017	-	178	20	244	214	119	714	-	132
20	145	-	350	241	1.180	-	283	20	195	297	157	878	-	232	20	245	214	145	814	-	255
20	146	-	452	212	1.162	-	149	20	196	280	167	931	-	217	20	301	2269	128	115	-	1.006
20	147	-	391	224	1.071	-	441	20	197	229	135	928	-	174	20	302	2229	186	247	-	1.135
20	148	-	373	190	078	-	323	20	198	232	143	725	-	219	20	303	2278	248	286	-	1.306
20	149	-	385	208	1.108	-	421	20	199	187	141	793	-	222	20	304	511	240	237	-	1.444
20	150	-	311	192	991	-	405	20	200	105	134	605	-	342	20	305	541	220	212	-	1.504
20	151	-	253	181	905	-	382	20	201	058	124	637	-	371	20	306	263	153	302	-	1.153
20	152	-	235	155	786	-	317	20	202	092	134	494	-	547	20	307	199	153	338	-	912
20	153	-	176	152	706	-	348	20	203	193	140	239	-	805	20	308	247	144	176	-	1.129
20	154	-	089	146	570	-	402	20	204	016	136	449	-	579	20	309	222	137	220	-	816
20	155	-	103	144	784	-	364	20	205	022	182	801	-	615	20	310	209	139	218	-	829
20	156	-	115	144	484	-	552	20	206	169	149	711	-	314	20	311	200	148	227	-	947
20	157	-	191	142	257	-	672	20	207	205	140	713	-	318	20	312	248	226	356	-	1.341
20	158	-	226	240	1.079	-	477	20	208	242	144	842	-	239	20	313	477	299	377	-	1.505
20	159	-	350	217	990	-	529	20	209	218	132	829	-	205	20	314	474	352	416	-	1.753
20	160	-	265	250	1.017	-	563	20	210	212	133	755	-	215	20	315	479	285	520	-	1.476

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
20	316	208	126	201	612	20	366	172	115	205	680	20	418	211	125	179	843
200	317	184	132	219	658	20	367	223	114	069	735	20	419	217	121	167	666
200	318	202	117	206	775	20	368	211	109	172	826	20	420	267	132	181	767
200	319	178	104	108	684	20	369	217	119	106	717	20	421	360	169	188	657
200	320	176	130	196	878	20	370	217	126	122	942	20	422	335	148	070	949
200	321	173	137	216	887	20	371	099	091	248	421	20	423	167	120	207	697
200	322	445	275	399	759	20	372	101	087	165	441	20	424	172	116	179	605
200	323	313	291	259	984	20	373	098	087	165	413	20	425	169	115	170	787
200	324	459	282	399	929	20	374	103	096	213	438	20	426	151	108	199	553
200	325	177	109	190	748	20	375	103	116	236	488	20	427	172	117	204	551
200	326	157	109	189	819	20	376	095	109	251	857	20	428	168	123	224	666
200	327	162	092	158	333	20	377	114	112	286	536	20	429	175	121	206	651
200	328	157	112	248	646	20	378	081	104	274	401	20	430	181	117	226	628
200	329	157	114	260	633	20	379	093	102	284	439	20	431	207	128	222	830
200	330	149	116	235	641	20	380	080	098	246	384	20	432	219	135	295	968
200	331	130	117	232	884	20	381	085	109	244	419	20	433	255	133	194	774
200	332	195	192	377	062	20	382	119	108	207	534	20	434	279	133	109	925
200	333	421	289	533	417	20	383	206	131	180	605	20	435	277	137	224	929
200	334	431	395	533	416	20	384	240	152	232	212	20	436	159	115	247	588
200	335	309	233	218	491	20	385	244	142	115	321	20	437	168	112	167	702
200	336	126	098	242	455	20	386	097	104	239	464	20	438	167	125	214	638
200	337	113	106	252	485	20	387	103	103	189	467	20	439	157	119	197	603
200	338	102	093	221	536	20	388	098	102	266	412	20	440	183	125	217	682
200	339	114	131	357	707	20	389	113	105	329	459	20	441	191	097	154	615
200	340	189	184	321	102	20	390	115	100	259	441	20	442	234	126	191	697
200	341	391	198	237	244	20	391	123	106	214	513	20	443	260	135	232	905
200	342	391	229	311	389	20	392	128	110	219	528	20	444	240	124	140	718
200	343	396	217	359	264	20	393	153	112	229	586	20	445	150	112	207	542
200	344	136	099	165	533	20	394	155	129	215	630	20	446	132	088	126	498
200	345	131	121	307	794	20	395	178	138	294	848	20	447	149	118	216	579
200	346	124	126	295	794	20	396	183	125	196	682	20	448	148	114	320	558
200	347	146	109	173	620	20	397	179	127	244	898	20	449	147	104	163	486
200	348	221	167	260	059	20	398	220	164	284	086	20	450	152	114	213	671
200	349	287	199	281	244	20	401	185	104	158	640	20	451	164	116	191	595
200	350	309	183	177	338	20	402	191	109	178	789	20	452	176	119	221	635
200	351	314	207	296	776	20	403	181	114	185	628	20	453	151	121	264	576
200	352	127	116	221	776	20	404	178	111	232	690	20	454	186	121	218	740
200	353	121	106	195	467	20	405	180	107	197	638	20	455	212	112	175	700
200	354	128	124	284	624	20	406	189	098	153	584	20	456	246	128	170	689
200	355	158	137	262	816	20	407	228	112	118	680	20	457	252	136	208	863
200	356	212	159	330	361	20	408	214	129	247	756	20	458	148	126	304	588
200	357	233	140	220	488	20	409	234	126	174	675	20	459	142	093	176	512
200	358	233	176	231	831	20	410	264	135	210	901	20	460	159	110	208	520
200	359	233	173	271	776	20	411	342	162	227	921	20	461	165	118	203	603
200	360	118	101	236	824	20	412	351	176	177	146	20	462	170	098	180	586
200	361	117	088	203	451	20	413	367	167	089	086	20	463	174	093	119	459
200	362	124	093	173	420	20	414	175	123	240	627	20	464	172	092	110	567
200	363	105	089	163	436	20	415	174	118	194	646	20	465	193	100	137	660
200	364	118	090	112	559	20	416	196	124	171	710	20	466	235	105	202	624
200	365	129	099	206	641	20	417	177	125	188	622	20	467	137	097	202	539

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
20	468	-123	111	221	-556	20	518	-070	110	294	-463	20	623	-563	221	073	-1.346
20	469	-139	088	154	-421	20	519	-070	110	294	-417	20	626	-511	209	090	-1.267
20	470	-141	094	157	-508	20	520	-074	105	300	-406	20	627	-533	176	057	-1.222
20	471	-143	092	141	-482	20	521	-085	112	262	-437	20	628	-514	225	065	-1.339
20	472	-150	094	181	-552	20	522	-081	113	234	-445	20	629	-522	229	103	-1.404
20	473	-159	092	162	-444	20	523	-087	111	290	-465	20	630	-466	209	134	-1.237
20	474	-169	092	098	-510	20	524	-091	110	257	-465	20	631	-255	115	086	-1.673
20	475	-153	110	204	-559	20	525	-088	121	308	-450	20	632	-147	122	273	-1.659
20	476	-154	113	200	-538	20	526	-102	122	320	-486	20	633	-120	115	234	-1.613
20	477	-163	110	230	-571	20	527	-115	108	188	-630	20	634	-119	113	252	-1.634
20	478	-144	109	184	-702	20	528	-071	105	315	-441	20	635	-133	095	167	-1.417
20	479	-152	110	232	-655	20	529	-070	102	265	-465	20	636	-459	167	013	-1.318
20	480	-110	113	261	-597	20	530	-066	100	285	-378	20	637	-461	168	026	-1.314
20	481	-113	109	284	-518	20	531	-066	100	288	-389	20	638	-406	147	046	-1.042
20	482	-104	102	225	-543	20	532	-069	102	246	-420	20	639	-226	171	281	-1.873
20	483	-114	104	244	-595	20	533	-077	104	260	-741	20	640	-096	127	269	-1.695
20	484	-121	110	321	-531	20	534	-089	105	307	-449	20	641	-077	097	240	-1.507
20	485	-132	110	258	-517	20	535	-097	106	239	-534	20	642	-074	114	281	-1.547
20	486	-143	107	219	-588	20	536	-086	117	285	-518	20	643	-082	115	286	-1.433
20	487	-144	110	207	-597	20	537	-080	112	283	-502	20	644	-488	165	036	-1.273
20	488	-145	122	218	-707	20	538	-061	101	286	-417	20	645	-469	202	157	-1.304
20	489	-139	115	226	-711	20	539	-044	101	294	-426	20	646	-324	214	305	-1.352
20	490	-140	125	288	-866	20	540	-066	084	214	-347	20	647	-157	145	363	-1.005
20	491	-097	111	267	-508	20	541	-056	100	277	-359	20	648	-048	119	499	-1.713
20	492	-088	104	233	-472	20	542	-059	096	252	-375	20	649	-049	108	455	-1.602
20	493	-098	104	233	-448	20	543	-060	100	268	-406	20	650	-071	088	232	-1.379
20	494	-102	109	238	-464	20	601	-144	158	001	-1.140	20	651	-079	108	288	-1.439
20	495	-106	099	238	-468	20	602	-386	173	074	-1.104	20	652	-359	192	187	-1.264
20	496	-105	101	243	-478	20	603	-299	153	190	-1.088	20	653	-369	162	104	-1.970
20	497	-122	110	265	-623	20	604	-222	148	217	-1.047	20	654	-178	196	464	-1.100
20	498	-133	112	220	-519	20	605	-198	141	257	-839	20	655	-027	135	484	-1.821
20	499	-137	113	197	-720	20	606	-410	195	108	-1.271	20	656	-003	113	372	-1.567
20	500	-138	118	207	-756	20	607	-389	173	128	-1.113	20	657	-033	085	267	-1.396
20	501	-146	119	178	-633	20	608	-578	223	015	-1.362	20	658	-039	103	302	-1.397
20	502	-148	126	334	-603	20	609	-490	200	060	-1.437	20	659	-053	105	295	-1.460
20	503	-155	123	293	-591	20	610	-416	181	160	-1.092	20	660	-222	160	254	-1.931
20	504	-081	104	263	-506	20	611	-362	174	093	-1.077	20	661	-188	165	279	-1.784
20	505	-082	100	285	-413	20	612	-252	140	186	-1.789	20	662	-046	144	373	-1.860
20	506	-080	108	277	-503	20	613	-192	132	207	-869	20	663	-015	121	389	-1.340
20	507	-080	106	273	-413	20	614	-173	122	232	-573	20	664	-023	110	366	-1.349
20	508	-083	099	244	-439	20	615	-169	121	227	-640	20	665	-005	103	432	-1.330
20	509	-103	111	273	-533	20	616	-478	185	037	-1.338	20	666	-017	109	330	-1.363
20	510	-109	102	215	-563	20	617	-448	187	097	-1.083	20	667	-042	108	338	-1.450
20	511	-112	106	258	-465	20	618	-576	240	126	-1.596	20	668	-016	109	481	-1.363
20	512	-127	120	219	-915	20	619	-478	174	072	-1.093	20	669	-041	114	328	-1.445
20	513	-147	114	263	-696	20	620	-445	187	095	-1.109	20	670	-051	105	325	-1.415
20	514	-132	112	217	-608	20	621	-403	175	120	-1.037	20	671	-047	128	424	-1.501
20	515	-080	107	328	-427	20	622	-156	117	266	-592	20	672	-001	120	372	-1.370
20	516	-075	116	362	-440	20	623	-161	096	162	-634	20	673	-037	117	412	-1.323
20	517	-067	116	252	-509	20	624	-143	118	232	-690	20	674	-037	115	392	-1.385

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
20	675	049	110	440	316	20	923	100	108	250	507	30	141	047	104	448	266
20	676	030	105	412	320	20	924	088	112	280	612	30	142	025	114	452	423
20	677	023	112	368	375	20	925	084	109	254	667	30	143	102	129	388	581
20	678	014	111	347	373	20	926	085	112	320	453	30	144	196	145	164	774
20	679	007	106	335	348	20	927	095	110	265	492	30	145	328	242	1113	843
20	680	154	114	573	154	20	928	095	088	191	493	30	146	310	199	977	307
20	681	153	128	578	256	20	929	084	108	227	514	30	147	158	240	906	791
20	682	148	108	524	231	20	930	076	104	266	522	30	148	177	214	962	541
20	683	050	105	440	273	20	931	079	108	282	534	30	149	166	174	747	633
20	684	048	108	443	266	20	932	076	101	333	566	30	150	135	165	759	435
20	685	048	107	451	358	30	101	364	207	1	071	333	151	105	151	706	369
20	686	044	109	323	319	30	102	306	196	1	009	619	152	077	139	631	460
20	687	005	111	359	409	30	103	042	229	1	692	836	153	064	137	593	379
20	688	026	103	341	348	30	104	063	175	1	549	878	154	001	116	457	371
20	701	015	103	430	321	30	105	071	149	1	587	923	155	007	129	499	410
20	702	040	097	375	268	30	106	074	116	1	599	976	156	095	129	302	525
20	703	054	103	398	326	30	107	036	111	1	407	320	157	142	123	245	607
20	704	046	101	384	279	30	108	019	143	1	486	494	158	288	269	136	525
20	705	041	107	381	279	30	109	023	132	1	530	399	159	256	208	042	734
20	706	074	104	427	269	30	110	006	124	1	430	539	160	134	235	946	822
20	707	020	099	362	354	30	111	075	129	1	435	508	161	133	190	982	677
20	708	118	106	524	209	30	112	030	117	1	457	457	162	094	117	679	239
20	709	069	098	236	381	30	113	080	115	1	331	497	163	072	113	490	269
20	710	073	111	275	449	30	114	313	279	1	223	620	164	017	104	356	338
20	801	061	103	307	430	30	115	274	236	1	037	478	165	095	106	289	462
20	802	008	114	447	408	30	116	027	245	1	869	552	166	224	121	104	678
20	803	054	104	295	415	30	117	082	175	1	747	706	167	304	209	119	292
20	804	067	086	240	374	30	118	020	115	1	523	341	168	272	228	147	348
20	901	205	192	114	611	30	119	010	123	1	505	450	169	147	192	876	930
20	902	092	146	605	717	30	120	039	113	1	331	431	170	177	163	720	463
20	903	056	197	028	321	30	121	074	114	1	345	436	171	153	158	790	628
20	904	332	186	145	172	30	122	182	108	1	572	572	172	140	126	812	339
20	905	621	201	016	397	30	123	345	256	1	151	555	173	104	122	582	281
20	906	395	167	040	023	30	124	329	247	1	146	377	174	084	126	691	393
20	907	189	136	653	180	30	125	136	250	1	014	683	175	056	133	538	339
20	908	372	140	004	876	30	126	137	219	1	831	975	176	016	126	564	393
20	909	008	114	400	381	30	127	149	169	1	857	459	177	016	135	648	486
20	910	070	096	261	378	30	128	131	153	1	718	320	178	096	134	489	747
20	911	300	130	091	934	30	129	084	139	1	601	397	179	143	129	257	850
20	912	125	095	171	491	30	130	056	138	1	720	566	180	157	196	938	600
20	913	188	100	133	579	30	131	046	138	1	676	405	181	128	172	992	1060
20	914	202	131	213	686	30	132	005	122	1	383	403	182	106	204	820	743
20	915	227	129	171	945	30	133	014	122	1	585	556	183	113	178	783	280
20	916	234	129	123	801	30	134	083	126	1	517	584	184	117	141	609	541
20	917	350	133	099	843	30	135	112	130	1	347	595	185	107	128	602	328
20	918	167	101	153	541	30	136	329	285	1	298	626	186	101	133	638	285
20	919	219	151	178	844	30	137	242	235	1	166	566	187	062	123	629	469
20	920	229	109	078	693	30	138	097	250	1	077	817	188	012	124	464	414
20	921	311	137	101	958	30	139	146	212	1	911	802	189	106	132	419	615
20	922	140	128	194	769	30	140	072	135	1	548	338	190	184	139	217	779

WD	TAP	CPNEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPNEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPNEAN	CPRMS	CPMAX	CPMIN
30	191	.040	.153	.711	-.659	30	241	.132	.121	.540	-.232	30	346	-.056	.112	.282	-.420
30	192	.061	.171	.631	-.837	30	242	.134	.123	.681	-.255	30	347	-.040	.102	.327	-.414
30	193	.068	.150	.873	-.538	30	243	.148	.124	.557	-.201	30	348	-.047	.143	.440	-.606
30	194	.090	.135	.648	-.870	30	244	.143	.119	.532	-.226	30	349	-.082	.180	.558	-.885
30	195	.107	.131	.740	-.622	30	245	.142	.113	.536	-.216	30	350	-.112	.161	.501	-.908
30	196	.104	.122	.704	-.456	30	301	-.166	.102	.218	-.678	30	351	-.119	.190	.660	-.965
30	197	.087	.121	.540	-.328	30	302	-.084	.107	.302	-.482	30	352	-.098	.111	.253	-.596
30	198	.092	.115	.526	-.304	30	303	-.064	.143	.385	-.919	30	353	-.080	.091	.233	-.381
30	199	.067	.118	.564	-.336	30	304	-.209	.281	.402	-1.222	30	354	-.065	.109	.333	-.401
30	200	.034	.128	.598	-.331	30	305	.311	.256	.528	-1.271	30	355	-.063	.114	.343	-.432
30	201	.011	.113	.415	-.432	30	306	.164	.111	.187	-.600	30	356	-.084	.125	.380	-.493
30	202	-.057	.130	.341	-.555	30	307	.059	.117	.444	-.580	30	357	-.102	.112	.249	-.569
30	203	.118	.128	.244	-.680	30	308	.163	.119	.223	-.600	30	358	-.112	.132	.322	-.679
30	204	.020	.126	.382	-.742	30	309	.136	.113	.316	-.521	30	359	-.115	.133	.329	-.665
30	205	.010	.148	.711	-.807	30	310	-.100	.117	.338	-.573	30	360	-.071	.100	.262	-.409
30	206	.063	.136	.726	-.432	30	311	-.065	.118	.274	-.457	30	361	-.054	.094	.274	-.393
30	207	.076	.128	.620	-.331	30	312	.015	.156	.656	-.700	30	362	-.051	.086	.222	-.334
30	208	.116	.118	.585	-.270	30	313	.074	.249	.556	-1.192	30	363	-.061	.086	.226	-.434
30	209	.106	.117	.603	-.292	30	314	-.041	.260	.737	-1.529	30	364	-.049	.084	.244	-.322
30	210	.095	.118	.552	-.261	30	315	.122	.109	.635	-1.105	30	365	-.043	.090	.252	-.424
30	211	.081	.112	.517	-.296	30	316	.128	.112	.189	-.512	30	366	-.070	.082	.205	-.383
30	212	.058	.108	.420	-.390	30	317	.090	.117	.240	-.508	30	367	-.088	.089	.261	-.357
30	213	.006	.118	.430	-.409	30	318	.146	.117	.397	-.558	30	368	-.082	.096	.204	-.448
30	214	.046	.116	.435	-.521	30	319	.120	.093	.191	-.448	30	369	-.084	.101	.274	-.414
30	215	.009	.096	.267	-.594	30	320	.093	.113	.248	-.502	30	370	-.081	.102	.214	-.451
30	216	.032	.133	.330	-.522	30	321	.070	.118	.293	-.692	30	371	-.030	.089	.232	-.342
30	217	.087	.096	.225	-.437	30	322	.039	.276	.763	-1.346	30	372	-.021	.095	.331	-.361
30	218	.122	.104	.485	-.152	30	323	.043	.272	.770	-1.162	30	373	-.023	.091	.259	-.357
30	219	.159	.106	.540	-.159	30	324	.078	.281	.010	-1.331	30	374	-.024	.089	.281	-.324
30	220	.162	.113	.515	-.205	30	325	.135	.115	.251	-.565	30	375	-.058	.097	.282	-.413
30	221	.159	.112	.552	-.191	30	326	.090	.113	.287	-.511	30	376	-.051	.111	.321	-.449
30	222	.150	.105	.506	-.166	30	327	.101	.094	.238	-.387	30	377	-.046	.110	.308	-.388
30	223	.132	.116	.604	-.315	30	328	.098	.112	.306	-.435	30	378	-.029	.111	.296	-.393
30	224	.128	.108	.642	-.231	30	329	.084	.116	.327	-.463	30	379	-.037	.098	.292	-.456
30	225	.112	.104	.596	-.217	30	330	.066	.117	.360	-.460	30	380	-.030	.107	.306	-.400
30	226	.064	.100	.396	-.326	30	331	.019	.100	.348	-.396	30	381	-.035	.100	.321	-.363
30	227	.018	.090	.369	-.311	30	332	.014	.152	.599	-.813	30	382	-.056	.104	.402	-.496
30	228	.071	.110	.485	-.358	30	333	.033	.270	.771	-1.148	30	383	-.069	.104	.297	-.377
30	229	.106	.102	.470	-.240	30	334	.016	.298	.740	-1.575	30	384	-.093	.119	.299	-.701
30	230	.028	.101	.265	-.471	30	335	.007	.209	.622	-1.303	30	385	-.095	.107	.259	-.540
30	231	.047	.115	.378	-.473	30	336	.075	.109	.306	-.417	30	386	-.028	.099	.384	-.361
30	232	.115	.096	.418	-.203	30	337	.057	.111	.417	-.396	30	387	-.034	.105	.352	-.437
30	233	.107	.113	.516	-.283	30	338	.042	.085	.423	-.405	30	388	-.032	.103	.321	-.434
30	234	.091	.118	.474	-.350	30	339	.022	.107	.642	-.500	30	389	-.042	.104	.267	-.387
30	235	.065	.107	.447	-.262	30	340	.014	.128	.647	-.553	30	390	-.038	.110	.355	-.405
30	236	.053	.095	.428	-.272	30	341	.025	.168	.531	-.754	30	391	-.044	.108	.291	-.461
30	237	.005	.116	.403	-.531	30	342	.084	.260	.718	-1.163	30	392	-.042	.105	.316	-.427
30	238	.052	.129	.345	-.482	30	343	.103	.267	.717	-1.012	30	393	-.054	.114	.304	-.388
30	239	.040	.122	-.	-.352	30	344	.094	.094	.175	-.423	30	394	-.075	.121	.377	-.508
30	240	.079	.116	.479	-.276	30	345	.076	.112	.254	-.456	30	395	-.068	.118	.309	-.577

WD	TAP	CPNEAN	CPRNS	CPNAX	CPMIN	WD	TAP	CPNEAN	CPRNS	CPNAX	CPMIN	WD	TAP	CPNEAN	CPRNS	CPNAX	CPMIN
30	396	-072	122	385	-463	30	448	-111	117	278	-739	30	498	-112	105	257	-493
30	397	-065	117	286	-591	30	449	-100	115	307	-698	30	499	-124	120	211	-741
30	398	-090	111	272	-582	30	450	-111	105	243	-744	30	500	-123	120	237	-550
30	401	-117	100	264	-565	30	451	-116	109	191	-476	30	501	-132	118	287	-835
30	402	-136	102	179	-648	30	452	-128	113	219	-566	30	502	-130	112	331	-540
30	403	-131	100	171	-585	30	453	-118	120	319	-542	30	503	-128	109	268	-553
30	404	-132	096	201	-629	30	454	-159	118	231	-606	30	504	-044	112	311	-431
30	405	-134	097	271	-534	30	455	-162	120	272	-601	30	505	-043	101	267	-482
30	406	-133	093	158	-607	30	456	-213	129	251	-682	30	506	-048	105	331	-403
30	407	-148	108	168	-599	30	457	-205	125	164	-780	30	507	-052	111	442	-436
30	408	-139	119	241	-687	30	458	-092	108	221	-477	30	508	-056	104	287	-473
30	409	-166	122	211	-590	30	459	-092	088	176	-442	30	509	-086	107	235	-465
30	410	-201	139	248	-723	30	460	-095	112	300	-553	30	510	-098	122	311	-966
30	411	-256	138	142	-778	30	461	-095	117	257	-606	30	511	-110	123	284	-750
30	412	-266	134	265	-852	30	462	-123	084	176	-469	30	512	-122	128	293	-872
30	413	-279	150	208	-857	30	463	-125	090	125	-435	30	513	-128	118	205	-669
30	414	-124	108	203	-639	30	464	-127	093	179	-418	30	514	-119	123	268	-680
30	415	-118	114	221	-521	30	465	-152	103	189	-517	30	515	-013	126	334	-450
30	416	-129	119	225	-518	30	466	-205	106	208	-632	30	516	-026	109	334	-427
30	417	-118	122	294	-602	30	467	-089	090	225	-521	30	517	-018	117	326	-442
30	418	-146	114	245	-541	30	468	-069	111	311	-479	30	518	-017	112	374	-397
30	419	-137	116	238	-504	30	469	-092	087	203	-464	30	519	-024	114	306	-354
30	420	-207	122	243	-536	30	470	-095	091	230	-415	30	520	-029	106	397	-357
30	421	-276	153	110	-923	30	471	-096	095	277	-455	30	521	-032	103	296	-394
30	422	-232	113	124	-663	30	472	-119	088	183	-499	30	522	-042	122	392	-541
30	423	-119	127	310	-622	30	473	-125	086	156	-400	30	523	-036	115	399	-376
30	424	-125	125	259	-629	30	474	-128	091	247	-430	30	524	-059	111	424	-465
30	425	-115	118	245	-645	30	475	-122	109	260	-547	30	525	-079	115	341	-535
30	426	-100	119	312	-526	30	476	-114	109	276	-528	30	526	-090	117	270	-485
30	427	-116	116	375	-531	30	477	-122	104	183	-497	30	527	-088	123	268	-892
30	428	-111	114	289	-489	30	478	-110	108	252	-542	30	528	-031	104	338	-362
30	429	-134	121	224	-675	30	479	-122	103	259	-520	30	529	-038	101	359	-446
30	430	-133	114	294	-643	30	480	-086	108	243	-627	30	530	-029	095	353	-345
30	431	-135	119	259	-651	30	481	-090	119	279	-594	30	531	-022	100	300	-334
30	432	-182	131	187	-752	30	482	-085	116	303	-506	30	532	-024	105	359	-472
30	433	-184	123	155	-715	30	483	-089	107	314	-496	30	533	-028	106	353	-487
30	434	-205	126	202	-888	30	484	-099	107	321	-492	30	534	-039	105	278	-398
30	435	-192	127	249	-655	30	485	-109	102	195	-485	30	535	-040	111	313	-432
30	436	-105	113	244	-598	30	486	-109	113	236	-568	30	536	-038	098	299	-378
30	437	-110	115	219	-640	30	487	-119	107	215	-544	30	537	-026	105	339	-391
30	438	-105	119	282	-569	30	488	-119	112	231	-506	30	538	-020	105	334	-329
30	439	-112	116	242	-509	30	489	-110	112	300	-499	30	539	-025	105	382	-368
30	440	-138	122	266	-559	30	490	-114	105	203	-578	30	540	-035	080	286	-293
30	441	-144	097	167	-499	30	491	-086	117	300	-554	30	541	-025	111	325	-408
30	442	-189	122	163	-708	30	492	-069	116	324	-583	30	542	-024	104	355	-380
30	443	-185	125	170	-641	30	493	-082	115	328	-530	30	543	-025	097	267	-353
30	444	-173	123	227	-771	30	494	-075	116	392	-505	30	601	-212	121	101	-817
30	445	-091	119	229	-579	30	495	-077	103	293	-455	30	602	-191	131	175	-801
30	446	-088	090	212	-416	30	496	-087	110	262	-569	30	603	-140	129	240	-685
30	447	-100	119	323	-636	30	497	-107	110	229	-472	30	604	-130	137	306	-697

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN							
30	605	-	131	129	318	-	749	30	635	-	002	106	360	-	461	30	903	-	428	170	228	-1	116	
30	606	-	196	134	244	-	761	30	636	-	006	101	340	-	334	30	904	-	192	160	243	-1	061	
30	607	-	184	134	190	-	794	30	637	-	009	084	284	-	327	30	905	-	405	191	116	-1	187	
30	608	-	270	153	178	-	998	30	638	-	015	102	341	-	406	30	906	-	173	141	176	-	770	
30	609	-	237	161	196	-	987	30	639	-	018	106	327	-	459	30	907	-	091	116	467	-	241	
30	610	-	204	130	173	-	742	30	640	-	100	139	322	-	592	30	908	-	242	124	103	-	803	
30	611	-	182	127	188	-	533	30	641	-	081	134	321	-	939	30	909	-	011	103	326	-	359	
30	612	-	155	129	409	-	575	30	642	-	011	116	454	-	545	30	910	-	044	096	278	-	384	
30	613	-	145	115	212	-	596	30	643	-	034	110	412	-	331	30	911	-	175	108	186	-	925	
30	614	-	127	113	259	-	479	30	644	-	029	106	410	-	315	30	912	-	062	101	302	-	374	
30	615	-	122	126	307	-	590	30	645	-	024	106	331	-	398	30	913	-	120	101	173	-	540	
30	616	-	225	143	159	-	772	30	646	-	017	116	370	-	429	30	914	-	070	103	279	-	497	
30	617	-	224	146	185	-	793	30	647	-	003	101	309	-	322	30	915	-	110	104	202	-	521	
30	618	-	292	187	226	-1	639	30	648	-	012	106	394	-	337	30	916	-	081	105	297	-	457	
30	619	-	254	138	199	-	673	30	649	-	007	111	402	-	364	30	917	-	189	127	203	-	770	
30	620	-	219	143	278	-	794	30	670	-	014	116	300	-	368	30	918	-	133	097	169	-	569	
30	621	-	206	143	287	-	777	30	671	-	005	130	541	-	500	30	919	-	059	102	246	-	578	
30	622	-	109	124	278	-	568	30	672	-	034	114	460	-	429	30	920	-	191	109	090	-	668	
30	623	-	096	095	249	-	434	30	673	-	048	113	412	-	409	30	921	-	242	138	193	-	831	
30	624	-	090	116	319	-	590	30	674	-	044	114	414	-	339	30	922	-	129	108	221	-	543	
30	625	-	262	156	154	-	678	30	675	-	051	112	356	-	305	30	923	-	078	115	286	-	587	
30	626	-	249	152	126	-	922	30	676	-	041	106	375	-	290	30	924	-	050	114	400	-	424	
30	627	-	302	160	089	-1	245	30	677	-	039	101	343	-	317	30	925	-	034	105	289	-	463	
30	628	-	285	186	175	-1	198	30	678	-	032	120	387	-	482	30	926	-	025	114	353	-	449	
30	629	-	257	176	196	-1	143	30	679	-	023	110	411	-	310	30	927	-	048	112	340	-	408	
30	630	-	242	169	182	-1	113	30	680	-	122	104	487	-	237	30	928	-	043	079	217	-	381	
30	631	-	178	117	182	-	620	30	681	-	116	116	531	-	276	30	929	-	030	095	331	-	556	
30	632	-	120	131	294	-	532	30	682	-	110	099	498	-	204	30	930	-	028	095	280	-	367	
30	633	-	079	121	334	-	537	30	683	-	058	105	373	-	321	30	931	-	021	096	323	-	410	
30	634	-	070	118	320	-	538	30	684	-	059	112	411	-	364	30	932	-	019	102	369	-	378	
30	635	-	070	092	201	-	443	30	685	-	052	102	421	-	258	40	101	-	402	219	1	019	-	461
30	636	-	276	196	175	-1	609	30	686	-	041	106	394	-	313	40	102	-	185	179	782	-	405	
30	637	-	269	159	182	-	963	30	687	-	031	109	439	-	329	40	103	-	243	220	461	-1	100	
30	638	-	267	145	181	-	918	30	688	-	000	112	318	-	349	40	104	-	128	222	396	-	970	
30	639	-	147	152	260	-	872	30	701	-	022	097	360	-	309	40	105	-	042	141	396	-	646	
30	640	-	039	116	315	-	527	30	702	-	042	094	329	-	282	40	106	-	004	107	396	-	486	
30	641	-	047	095	294	-	408	30	703	-	051	092	404	-	269	40	107	-	003	098	371	-	459	
30	642	-	048	113	341	-	470	30	704	-	053	098	390	-	266	40	108	-	063	123	513	-	693	
30	643	-	055	116	335	-	509	30	705	-	053	103	414	-	373	40	109	-	013	111	393	-	482	
30	644	-	237	134	100	-	935	30	706	-	059	101	474	-	298	40	110	-	016	109	402	-	443	
30	645	-	214	157	183	-	994	30	707	-	061	101	307	-	387	40	111	-	101	112	319	-	477	
30	646	-	133	153	252	-1	087	30	708	-	082	115	503	-	304	40	112	-	051	114	382	-	475	
30	647	-	058	100	275	-	522	30	709	-	032	105	296	-	447	40	113	-	059	105	273	-	424	
30	648	-	021	102	319	-	384	30	710	-	036	103	312	-	414	40	114	-	425	303	1	276	-1	134
30	649	-	020	106	290	-	405	30	801	-	038	096	358	-	345	40	115	-	219	283	1	047	-1	013
30	650	-	040	081	220	-	379	30	802	-	020	104	410	-	311	40	116	-	253	280	837	-1	210	
30	651	-	051	100	258	-	482	30	803	-	026	096	366	-	337	40	117	-	067	198	525	-1	018	
30	652	-	171	132	226	-	713	30	804	-	033	089	263	-	310	40	118	-	005	111	342	-	385	
30	653	-	159	123	189	-	860	30	901	-	174	163	856	-	502	40	119	-	039	111	342	-	378	
30	654	-	056	126	314	-	707	30	902	-	030	125	597	-	459	40	120	-	036	101	373	-	429	

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
40	121	030	118	412	418	40	171	014	186	785	964	40	221	082	101	555	225
40	122	134	099	160	459	40	172	032	130	492	614	40	222	071	102	387	345
40	123	387	278	1234	903	40	173	024	112	454	386	40	223	075	115	467	302
40	124	221	240	040	690	40	174	017	120	529	492	40	224	062	089	368	237
40	125	130	251	750	975	40	175	005	131	468	517	40	225	058	089	365	205
40	126	088	230	619	826	40	176	031	125	590	503	40	226	015	095	312	333
40	127	026	230	748	234	40	177	049	135	603	637	40	227	005	091	304	350
40	128	013	165	543	785	40	178	115	134	340	694	40	228	034	099	382	453
40	129	045	130	460	431	40	179	153	130	321	812	40	229	049	094	325	280
40	130	013	112	432	440	40	180	180	279	213	352	40	230	002	120	382	380
40	131	003	118	437	400	40	181	100	209	994	418	40	231	013	107	452	392
40	132	027	119	432	423	40	182	099	246	908	122	40	232	059	093	375	270
40	133	041	108	430	564	40	183	053	237	761	856	40	233	050	101	382	387
40	134	081	116	376	543	40	184	022	160	704	966	40	234	044	109	438	311
40	135	103	119	283	479	40	185	033	129	487	963	40	235	037	111	459	326
40	136	385	312	367	992	40	186	023	119	470	431	40	236	024	083	282	245
40	137	210	290	303	088	40	187	008	128	463	446	40	237	018	111	391	304
40	138	176	256	727	100	40	188	035	120	432	396	40	238	018	121	428	366
40	139	070	233	689	987	40	189	134	130	290	611	40	239	042	108	391	377
40	140	011	121	378	834	40	190	166	139	266	734	40	240	055	116	410	425
40	141	007	093	331	356	40	191	055	205	770	262	40	241	073	108	539	278
40	142	039	110	366	428	40	192	066	170	748	776	40	242	071	106	421	311
40	143	072	121	365	518	40	193	056	187	604	901	40	243	085	100	485	219
40	144	149	128	248	622	40	194	029	183	569	105	40	244	086	108	440	293
40	145	378	278	486	805	40	195	017	166	534	774	40	245	072	101	436	314
40	146	263	204	998	294	40	196	017	147	481	737	40	301	180	100	174	534
40	147	081	242	757	878	40	197	021	127	516	557	40	302	057	118	472	480
40	148	016	223	675	838	40	198	030	118	608	436	40	303	011	137	587	516
40	149	048	189	655	792	40	199	002	118	414	510	40	304	030	198	609	017
40	150	047	152	738	523	40	200	025	120	394	527	40	305	035	299	760	028
40	151	029	141	634	421	40	201	043	122	382	527	40	306	167	123	263	537
40	152	019	119	500	393	40	202	088	130	343	626	40	307	001	119	457	423
40	153	002	118	464	434	40	203	129	136	304	638	40	308	194	132	220	757
40	154	028	111	299	416	40	204	004	168	509	412	40	309	134	122	284	516
40	155	021	118	411	497	40	205	009	132	521	682	40	310	073	124	414	594
40	156	088	115	340	489	40	206	007	141	460	686	40	311	001	125	490	522
40	157	112	123	322	523	40	207	005	138	444	504	40	312	119	156	640	349
40	158	328	329	255	092	40	208	056	117	452	561	40	313	172	199	822	914
40	159	268	235	954	595	40	209	041	111	423	344	40	314	214	221	851	073
40	160	086	238	761	005	40	210	042	114	486	332	40	315	158	282	996	930
40	161	015	222	789	835	40	211	026	115	374	414	40	316	129	109	279	915
40	162	036	110	433	432	40	212	015	109	433	426	40	317	043	110	402	450
40	163	016	107	398	367	40	213	028	126	369	622	40	318	160	117	263	548
40	164	047	094	279	373	40	214	057	127	288	696	40	319	109	091	192	426
40	165	071	096	249	466	40	215	001	116	354	953	40	320	052	108	310	413
40	166	162	112	207	535	40	216	011	107	372	542	40	321	010	113	388	367
40	167	331	245	164	148	40	217	011	120	537	404	40	322	215	209	858	833
40	168	270	232	116	688	40	218	045	105	400	462	40	323	239	196	781	674
40	169	108	229	676	113	40	219	073	098	365	373	40	324	214	277	015	691
40	170	027	201	520	947	40	220	075	095	372	319	40	325	124	122	286	495

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
40	326	- .054	.123	.413	- .475	40	376	.002	.101	.351	- .380	40	428	- .120	.124	.289	- .383
40	327	- .096	.095	.198	- .424	40	377	.012	.103	.353	- .327	40	429	- .156	.120	.212	- .692
40	328	- .089	.112	.280	- .506	40	378	.018	.101	.293	- .444	40	430	- .183	.143	.251	- .746
40	329	- .052	.115	.324	- .465	40	379	.009	.101	.334	- .342	40	431	- .179	.131	.264	- .832
40	330	- .021	.117	.368	- .454	40	380	.012	.105	.388	- .389	40	432	- .252	.142	.187	- .873
40	331	- .084	.110	.515	- .271	40	381	.023	.104	.343	- .320	40	433	- .288	.163	.175	- .928
40	332	- .172	.162	.848	- .312	40	382	.046	.120	.522	- .406	40	434	- .273	.148	.163	- .918
40	333	- .243	.227	.921	- .579	40	383	.013	.117	.449	- .362	40	435	- .254	.139	.104	- .849
40	334	- .274	.230	.876	- .742	40	384	.035	.136	.595	- .444	40	436	- .113	.127	.261	- .633
40	335	- .240	.220	.985	- .544	40	385	.019	.128	.688	- .404	40	437	- .135	.157	.286	- .906
40	336	- .085	.111	.273	- .529	40	386	.007	.103	.329	- .342	40	438	- .101	.122	.249	- .620
40	337	- .041	.113	.357	- .459	40	387	.018	.104	.370	- .442	40	439	- .109	.132	.475	- .630
40	338	- .028	.104	.390	- .373	40	388	.028	.102	.381	- .305	40	440	- .154	.128	.279	- .627
40	339	- .069	.140	.615	- .383	40	389	.029	.110	.420	- .387	40	441	- .177	.107	.148	- .647
40	340	- .132	.167	.742	- .370	40	390	.032	.103	.390	- .380	40	442	- .239	.138	.222	- .716
40	341	- .175	.153	.877	- .471	40	391	.037	.104	.439	- .308	40	443	- .269	.155	.193	- .832
40	342	- .176	.235	.098	- .232	40	392	.057	.113	.533	- .365	40	444	- .238	.138	.286	- .673
40	343	- .169	.268	.149	- .157	40	393	.049	.107	.563	- .342	40	445	- .098	.131	.361	- .652
40	344	- .108	.106	.246	- .514	40	394	.054	.130	.643	- .345	40	446	- .089	.108	.267	- .619
40	345	- .073	.121	.371	- .527	40	395	.047	.121	.501	- .301	40	447	- .103	.132	.387	- .742
40	346	- .014	.119	.501	- .464	40	396	.042	.141	.721	- .524	40	448	- .112	.128	.296	- .684
40	347	- .047	.100	.486	- .314	40	397	.031	.111	.413	- .380	40	449	- .113	.129	.363	- .766
40	348	- .084	.132	.605	- .384	40	398	.082	.112	.459	- .410	40	450	- .136	.130	.326	- .620
40	349	- .098	.156	.739	- .715	40	401	- .141	.114	.176	- .614	40	451	- .161	.124	.224	- .719
40	350	- .106	.161	.686	- .577	40	402	- .134	.109	.227	- .581	40	452	- .144	.120	.358	- .641
40	351	- .086	.206	.900	- .809	40	403	- .144	.109	.203	- .577	40	453	- .166	.130	.296	- .801
40	352	- .132	.123	.362	- .591	40	404	- .141	.106	.242	- .565	40	454	- .218	.140	.238	- .769
40	353	- .064	.090	.214	- .422	40	405	- .143	.096	.198	- .452	40	455	- .246	.142	.122	- .812
40	354	- .015	.107	.340	- .427	40	406	- .140	.102	.200	- .579	40	456	- .292	.146	.102	- .852
40	355	- .030	.117	.436	- .372	40	407	- .170	.114	.185	- .659	40	457	- .287	.153	.211	- .916
40	356	- .047	.135	.594	- .459	40	408	- .176	.129	.205	- .644	40	458	- .096	.123	.280	- .644
40	357	- .039	.123	.513	- .514	40	409	- .221	.134	.217	- .765	40	459	- .092	.098	.205	- .503
40	358	- .025	.161	.673	- .758	40	410	- .297	.153	.201	- .900	40	460	- .095	.124	.331	- .640
40	359	- .023	.165	.674	- .706	40	411	- .332	.168	.125	- .128	40	461	- .099	.126	.293	- .540
40	360	- .102	.100	.206	- .542	40	412	- .336	.165	.106	- .065	40	462	- .136	.100	.156	- .502
40	361	- .053	.093	.312	- .400	40	413	- .356	.163	.232	- .927	40	463	- .147	.108	.188	- .497
40	362	- .010	.089	.267	- .284	40	414	- .152	.139	.288	- .659	40	464	- .165	.100	.156	- .604
40	363	- .078	.099	.274	- .401	40	415	- .160	.137	.215	- .727	40	465	- .241	.134	.142	- .743
40	364	- .036	.086	.214	- .282	40	416	- .132	.129	.253	- .642	40	466	- .245	.117	.160	- .740
40	365	- .007	.090	.285	- .317	40	417	- .135	.126	.265	- .606	40	467	- .085	.107	.336	- .554
40	366	- .014	.090	.322	- .279	40	418	- .173	.128	.273	- .743	40	468	- .079	.130	.370	- .719
40	367	- .033	.105	.456	- .302	40	419	- .191	.128	.138	- .717	40	469	- .082	.098	.200	- .534
40	368	- .030	.120	.489	- .292	40	420	- .280	.134	.116	- .842	40	470	- .089	.097	.265	- .451
40	369	- .036	.107	.498	- .280	40	421	- .348	.167	.196	- .997	40	471	- .091	.095	.193	- .539
40	370	- .012	.110	.494	- .401	40	422	- .296	.126	.063	- .843	40	472	- .120	.107	.263	- .524
40	371	- .002	.091	.335	- .327	40	423	- .136	.132	.236	- .695	40	473	- .132	.103	.221	- .646
40	372	- .008	.088	.300	- .328	40	424	- .149	.140	.273	- .771	40	474	- .148	.099	.224	- .536
40	373	- .007	.085	.289	- .275	40	425	- .130	.139	.315	- .671	40	475	- .140	.119	.234	- .692
40	374	- .015	.091	.330	- .333	40	426	- .123	.134	.313	- .635	40	476	- .152	.124	.320	- .735
40	375	- .026	.104	.406	- .377	40	427	- .135	.120	.256	- .628	40	477	- .150	.116	.203	- .740

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
40	478	- .134	.129	.280	- .672	40	528	- .017	.106	.371	- .374	40	635	- .086	.110	.279	- .563
40	479	- .144	.115	.210	- .570	40	529	- .016	.105	.318	- .442	40	636	- .245	.151	.180	- .830
40	480	- .095	.135	.326	- .757	40	530	- .013	.105	.329	- .372	40	637	- .237	.153	.198	- .789
40	481	- .104	.139	.348	- .793	40	531	- .002	.106	.416	- .364	40	638	- .217	.127	.179	- .885
40	482	- .100	.131	.275	- .624	40	532	- .003	.102	.382	- .469	40	639	- .159	.150	.338	- .914
40	483	- .095	.124	.368	- .694	40	533	- .012	.102	.347	- .342	40	640	- .078	.126	.318	- .564
40	484	- .110	.126	.286	- .663	40	534	- .015	.112	.356	- .406	40	641	- .060	.093	.267	- .400
40	485	- .136	.136	.247	- .671	40	535	- .015	.103	.360	- .421	40	642	- .056	.110	.367	- .459
40	486	- .152	.118	.191	- .668	40	536	- .016	.101	.384	- .360	40	643	- .062	.113	.373	- .499
40	487	- .151	.125	.244	- .668	40	537	- .001	.104	.313	- .351	40	644	- .227	.150	.123	- .941
40	488	- .154	.124	.230	- .760	40	538	- .004	.096	.305	- .303	40	645	- .218	.176	.192	- 1.003
40	489	- .132	.113	.188	- .549	40	539	- .017	.096	.332	- .350	40	646	- .173	.180	.254	- .991
40	490	- .139	.123	.225	- .668	40	540	- .012	.079	.257	- .318	40	647	- .087	.127	.259	- .960
40	491	- .101	.143	.339	- .621	40	541	- .001	.100	.386	- .413	40	648	- .029	.114	.356	- .523
40	492	- .095	.147	.322	- .756	40	542	- .003	.099	.326	- .399	40	649	- .023	.109	.360	- .384
40	493	- .087	.127	.383	- .728	40	543	- .008	.097	.329	- .320	40	650	- .033	.087	.315	- .366
40	494	- .084	.124	.350	- .690	40	601	- .129	.092	.176	- .486	40	651	- .048	.112	.370	- .481
40	495	- .094	.124	.335	- .721	40	602	- .146	.122	.246	- .603	40	652	- .126	.137	.278	- .753
40	496	- .116	.137	.331	- .694	40	603	- .110	.129	.419	- .565	40	653	- .106	.110	.213	- .668
40	497	- .157	.136	.242	- .684	40	604	- .109	.131	.350	- .606	40	654	- .058	.129	.288	- .835
40	498	- .141	.132	.247	- .620	40	605	- .114	.133	.348	- .636	40	655	- .006	.104	.328	- .623
40	499	- .169	.155	.326	- 1.096	40	606	- .129	.121	.329	- .609	40	656	- .012	.097	.330	- .327
40	500	- .183	.145	.211	- .771	40	607	- .123	.126	.308	- .530	40	657	- .001	.086	.277	- .320
40	501	- .175	.136	.268	- .735	40	608	- .165	.127	.175	- .711	40	658	- .000	.104	.357	- .382
40	502	- .178	.140	.216	- 1.018	40	609	- .169	.133	.180	- .706	40	659	- .003	.108	.372	- .373
40	503	- .173	.136	.244	- .810	40	610	- .131	.112	.222	- .549	40	660	- .048	.121	.343	- .460
40	504	- .031	.126	.331	- .879	40	611	- .129	.112	.247	- .596	40	661	- .043	.122	.336	- .736
40	505	- .032	.112	.334	- .807	40	612	- .112	.115	.233	- .671	40	662	- .006	.129	.402	- .674
40	506	- .024	.109	.301	- .481	40	613	- .117	.123	.238	- .520	40	663	- .020	.106	.410	- .361
40	507	- .039	.111	.321	- .545	40	614	- .113	.121	.231	- .541	40	664	- .030	.110	.412	- .349
40	508	- .064	.136	.327	- .631	40	615	- .132	.135	.228	- .665	40	665	- .028	.102	.380	- .433
40	509	- .099	.135	.295	- .766	40	616	- .143	.117	.243	- .612	40	666	- .025	.108	.400	- .337
40	510	- .123	.142	.329	- .741	40	617	- .140	.120	.243	- .610	40	667	- .024	.112	.406	- .378
40	511	- .143	.146	.283	- .732	40	618	- .181	.126	.261	- .633	40	668	- .028	.102	.355	- .300
40	512	- .178	.156	.260	- .920	40	619	- .183	.103	.111	- .648	40	669	- .027	.112	.383	- .375
40	513	- .201	.159	.194	- .940	40	620	- .151	.108	.150	- .562	40	670	- .017	.111	.353	- .337
40	514	- .191	.154	.291	- .881	40	621	- .147	.107	.157	- .568	40	671	- .009	.113	.380	- .375
40	515	- .013	.111	.367	- .352	40	622	- .109	.107	.253	- .551	40	672	- .015	.113	.335	- .445
40	516	- .000	.121	.342	- .473	40	623	- .107	.104	.187	- .514	40	673	- .030	.105	.400	- .333
40	517	- .017	.110	.365	- .393	40	624	- .105	.135	.266	- .736	40	674	- .031	.103	.386	- .303
40	518	- .014	.104	.416	- .382	40	625	- .171	.125	.223	- .878	40	675	- .039	.099	.358	- .271
40	519	- .000	.101	.336	- .362	40	626	- .174	.128	.220	- .901	40	676	- .031	.104	.396	- .316
40	520	- .000	.114	.502	- .365	40	627	- .212	.112	.137	- .755	40	677	- .042	.100	.390	- .268
40	521	- .008	.110	.419	- .392	40	628	- .206	.135	.222	- .785	40	678	- .032	.108	.361	- .345
40	522	- .046	.127	.316	- .566	40	629	- .175	.124	.231	- .612	40	679	- .033	.100	.418	- .290
40	523	- .038	.118	.419	- .463	40	630	- .172	.122	.236	- .619	40	680	- .047	.102	.368	- .314
40	524	- .083	.157	.431	- .702	40	631	- .158	.105	.218	- .486	40	681	- .055	.104	.441	- .201
40	525	- .133	.145	.295	- .901	40	632	- .128	.127	.311	- .594	40	682	- .050	.097	.367	- .281
40	526	- .140	.153	.272	- .962	40	633	- .089	.125	.302	- .568	40	683	- .033	.100	.378	- .421
40	527	- .155	.149	.235	- .953	40	634	- .072	.125	.310	- .654	40	684	- .035	.108	.439	- .303

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
40	683	.040	.109	.424	-.347	50	101	.171	.273	.955	-1.365	50	151	-.066	.153	.363	-.712
40	686	.034	.101	.352	-.293	50	102	-.003	.182	.699	-.593	50	152	-.058	.136	.408	-.801
40	687	.028	.106	.353	-.349	50	103	-.453	.161	.278	-1.162	50	153	-.051	.123	.445	-.630
40	688	.017	.108	.355	-.328	50	104	-.468	.200	.194	-1.151	50	154	-.051	.116	.523	-.445
40	701	.033	.098	.364	-.325	50	105	-.276	.202	.341	-.999	50	155	-.055	.115	.380	-.467
40	702	.032	.095	.315	-.270	50	106	-.141	.158	.302	-.890	50	156	-.086	.117	.375	-.525
40	703	.033	.098	.359	-.273	50	107	-.079	.116	.327	-.653	50	157	-.069	.114	.344	-.517
40	704	.038	.103	.389	-.308	50	108	-.100	.128	.322	-.799	50	158	-.087	.420	1.240	-1.904
40	705	.033	.098	.406	-.404	50	109	-.055	.121	.324	-.669	50	159	-.031	.237	.846	-.938
40	706	.039	.096	.406	-.290	50	110	-.043	.110	.337	-.479	50	160	-.355	.245	.355	-1.307
40	707	.021	.107	.408	-.391	50	111	-.086	.109	.265	-.443	50	161	-.257	.245	.591	-1.163
40	708	.042	.100	.390	-.312	50	112	-.063	.114	.350	-.508	50	162	-.080	.127	.291	-.697
40	709	.021	.100	.362	-.303	50	113	-.070	.112	.313	-.433	50	163	-.059	.109	.309	-.492
40	710	.030	.107	.412	-.382	50	114	-.162	.366	1.270	-1.288	50	164	-.063	.100	.311	-.530
40	801	-.018	.097	.300	-.398	50	115	-.091	.318	.814	-1.368	50	165	-.046	.092	.292	-.352
40	802	.021	.099	.347	-.387	50	116	-.508	.250	.353	-1.390	50	166	-.109	.096	.185	-.464
40	803	.007	.097	.314	-.383	50	117	-.359	.241	.509	-1.264	50	167	-.140	.316	1.155	-1.486
40	804	.009	.080	.288	-.410	50	118	-.073	.129	.346	-.691	50	168	-.115	.221	.967	-.871
40	901	.139	.226	.806	-.783	50	119	-.086	.118	.339	-.750	50	169	-.409	.259	.405	-1.796
40	902	.058	.137	.513	-.646	50	120	-.053	.110	.362	-.487	50	170	-.294	.251	.445	-1.168
40	903	.458	.190	.196	-.331	50	121	-.028	.111	.339	-.430	50	171	-.280	.266	.671	-1.405
40	904	.414	.297	.240	-.590	50	122	-.078	.094	.253	-.464	50	172	-.143	.173	.422	-1.021
40	905	.183	.147	.267	-.748	50	123	-.161	.355	1.125	-1.413	50	173	-.101	.138	.276	-.889
40	906	.092	.103	.240	-.838	50	124	-.036	.219	1.192	-1.100	50	174	-.080	.123	.354	-.549
40	907	.039	.108	.372	-.338	50	125	-.323	.214	.497	-1.481	50	175	-.065	.130	.441	-.561
40	908	.160	.126	.233	-.719	50	126	-.362	.236	.483	-1.062	50	176	-.061	.119	.304	-.495
40	909	.022	.096	.375	-.422	50	127	-.296	.247	.431	-1.199	50	177	-.066	.126	.477	-.539
40	910	.033	.086	.259	-.403	50	128	-.140	.178	.562	-.998	50	178	-.081	.131	.362	-.530
40	911	.106	.105	.273	-.450	50	129	-.086	.136	.311	-.669	50	179	-.086	.114	.258	-.498
40	912	.078	.105	.236	-.506	50	130	-.074	.125	.352	-.526	50	180	-.061	.421	1.082	-2.066
40	913	.130	.103	.218	-.540	50	131	-.051	.123	.309	-.607	50	181	-.034	.267	.943	-1.796
40	914	.016	.093	.292	-.336	50	132	-.052	.111	.385	-.487	50	182	-.342	.252	.580	-1.405
40	915	.045	.088	.285	-.403	50	133	-.046	.117	.439	-.655	50	183	-.315	.264	.474	-1.266
40	916	.021	.097	.281	-.459	50	134	-.069	.114	.304	-.689	50	184	-.134	.214	.584	-.945
40	917	.105	.106	.210	-.587	50	135	-.074	.116	.294	-.495	50	185	-.065	.153	.509	-.661
40	918	.161	.102	.151	-.556	50	136	-.108	.400	1.340	-1.692	50	186	-.041	.132	.357	-.634
40	919	.033	.099	.352	-.464	50	137	-.137	.312	.832	-1.235	50	187	-.048	.129	.404	-.921
40	920	.218	.127	.229	-.733	50	138	-.395	.232	.445	-1.320	50	188	-.050	.125	.413	-.586
40	921	.341	.139	.672	-.930	50	139	-.304	.274	.634	-1.082	50	189	-.090	.122	.362	-.517
40	922	.243	.135	.108	-.703	50	140	-.071	.132	.357	-.679	50	190	-.122	.116	.291	-.550
40	923	.106	.139	.329	-.742	50	141	-.084	.108	.249	-.447	50	191	-.083	.367	.946	-2.186
40	924	.065	.134	.370	-.746	50	142	-.055	.113	.371	-.441	50	192	-.088	.249	.822	-1.953
40	925	.016	.122	.377	-.530	50	143	-.051	.119	.394	-.472	50	193	-.264	.250	.497	-1.239
40	926	.003	.108	.522	-.468	50	144	-.083	.113	.275	-.560	50	194	-.239	.242	.404	-1.276
40	927	.050	.113	.322	-.487	50	145	-.116	.392	1.216	-1.501	50	195	-.185	.241	.583	-1.156
40	928	.030	.093	.355	-.441	50	146	-.057	.103	.741	-.607	50	196	-.097	.179	.399	-.827
40	929	.002	.107	.386	-.363	50	147	-.327	.215	.603	-1.177	50	197	-.057	.146	.367	-.776
40	930	.009	.107	.385	-.366	50	148	-.294	.230	.566	-1.181	50	198	-.040	.138	.364	-.562
40	931	.005	.104	.351	-.331	50	149	-.260	.251	.540	-1.042	50	199	-.049	.121	.411	-.571
40	932	.022	.105	.340	-.333	50	150	-.123	.191	.540	-.958	50	200	-.052	.124	.376	-.483

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
50	201	-	075	119	341	-	618	50	306	-	168	124	238	-	594	50	356	135	129	551	-	258	
50	202	-	117	129	288	-	581	50	307	-	048	141	525	-	387	50	357	175	115	688	-	283	
50	203	-	136	132	255	-	595	50	308	-	244	132	190	-	683	50	358	183	153	919	-	516	
50	204	-	097	301	840	-1	828	50	309	-	144	126	235	-	697	50	359	162	164	908	-	532	
50	205	-	065	194	614	-1	426	50	310	-	022	131	521	-	443	50	360	153	117	212	-	686	
50	206	-	171	201	458	-1	057	50	311	-	064	140	658	-	381	50	361	057	097	295	-	432	
50	207	-	168	202	476	-1	351	50	312	-	230	167	880	-	323	50	362	018	087	312	-	304	
50	208	-	073	156	405	-1	233	50	313	-	352	187	971	-	268	50	363	118	110	191	-	599	
50	209	-	030	126	423	-	543	50	314	-	345	192	060	-	359	50	364	033	090	301	-	375	
50	210	-	019	120	392	-	524	50	315	-	371	235	1	266	-	560	50	365	024	093	429	-	295
50	211	-	031	118	365	-	438	50	316	-	148	116	284	-	568	50	366	070	094	380	-	229	
50	212	-	043	112	327	-	443	50	317	-	019	118	397	-	447	50	367	110	108	545	-	229	
50	213	-	087	124	348	-	501	50	318	-	192	118	212	-	688	50	368	123	106	529	-	184	
50	214	-	093	133	308	-	644	50	319	-	115	100	203	-	488	50	369	159	111	729	-	162	
50	215	-	091	207	401	-	970	50	320	-	020	120	424	-	442	50	370	126	117	712	-	384	
50	216	-	049	127	397	-	655	50	321	-	037	126	503	-	378	50	371	005	095	328	-	339	
50	217	-	118	125	759	-	336	50	322	-	367	187	987	-	238	50	372	012	086	316	-	319	
50	218	-	072	124	267	-	637	50	323	-	341	164	822	-	295	50	373	019	090	432	-	553	
50	219	-	054	125	296	-	821	50	324	-	387	228	1	024	-	492	50	374	020	088	413	-	421
50	220	-	031	109	401	-	440	50	325	-	140	124	361	-	547	50	375	007	112	398	-	352	
50	221	-	009	109	367	-	466	50	326	-	032	127	446	-	489	50	376	024	116	430	-	354	
50	222	-	002	100	276	-	356	50	327	-	154	097	220	-	543	50	377	055	100	401	-	294	
50	223	-	014	107	312	-	480	50	328	-	113	113	328	-	592	50	378	010	100	386	-	330	
50	224	-	019	100	310	-	340	50	329	-	044	115	390	-	507	50	379	041	103	417	-	299	
50	225	-	023	099	322	-	418	50	330	-	014	118	458	-	429	50	380	053	105	460	-	240	
50	226	-	049	101	251	-	388	50	331	-	145	107	456	-	155	50	381	076	104	496	-	273	
50	227	-	072	108	253	-	511	50	332	-	289	153	823	-	245	50	382	126	120	544	-	264	
50	228	-	064	129	292	-	564	50	333	-	394	197	995	-	431	50	383	157	116	637	-	245	
50	229	-	056	130	331	-	844	50	334	-	365	196	069	-	327	50	384	130	132	831	-	288	
50	230	-	062	143	387	-	851	50	335	-	400	194	088	-	318	50	385	111	143	944	-	331	
50	231	-	017	119	326	-	625	50	336	-	130	125	231	-	588	50	386	000	106	334	-	311	
50	232	-	008	095	303	-	301	50	337	-	052	125	351	-	474	50	387	030	113	356	-	512	
50	233	-	001	115	358	-	396	50	338	-	076	105	571	-	288	50	388	056	100	389	-	264	
50	234	-	014	109	499	-	316	50	339	-	170	139	940	-	348	50	389	066	113	437	-	328	
50	235	-	016	110	295	-	386	50	340	-	271	164	1	090	-	326	50	390	065	101	392	-	240
50	236	-	023	086	242	-	358	50	341	-	347	167	1	001	-	129	50	391	077	107	552	-	294
50	237	-	015	152	446	-	725	50	342	-	395	221	1	183	-	519	50	392	102	105	690	-	254
50	238	-	002	132	513	-	698	50	343	-	385	240	1	240	-	609	50	393	120	108	530	-	199
50	239	-	017	140	431	-	725	50	344	-	134	105	194	-	479	50	394	158	135	725	-	309	
50	240	-	091	123	333	-	441	50	345	-	072	116	351	-	466	50	395	155	113	542	-	276	
50	241	-	008	122	444	-	393	50	346	-	027	112	445	-	334	50	396	170	125	649	-	222	
50	242	-	001	121	415	-	419	50	347	-	123	098	590	-	191	50	397	136	120	805	-	220	
50	243	-	018	123	358	-	416	50	348	-	199	137	728	-	211	50	398	078	119	530	-	242	
50	244	-	016	117	428	-	352	50	349	-	257	167	902	-	347	50	401	123	100	195	-	495	
50	245	-	017	115	431	-	384	50	350	-	285	154	851	-	256	50	402	120	098	198	-	529	
50	301	-	193	099	171	-	589	50	351	-	265	198	1	014	-	547	50	403	123	107	208	-	615
50	302	-	068	119	394	-	456	50	352	-	155	115	168	-	549	50	404	140	098	153	-	565	
50	303	-	002	138	481	-	454	50	353	-	068	099	314	-	391	50	405	142	101	171	-	561	
50	304	-	124	161	689	-	484	50	354	-	004	112	453	-	378	50	406	162	108	232	-	526	
50	305	-	257	227	1	049	885	50	355	-	074	117	481	-	332	50	407	189	122	198	-	752	

MD	TAP	CPHEAN	CPRMS	CPHAX	CPHIN	MD	TAP	CPHEAN	CPRMS	CPHAX	CPHIN	MD	TAP	CPHEAN	CPRMS	CPHAX	CPHIN							
50	408	-	229	129	236	-	826	50	458	-	105	114	299	-	636	50	508	-	068	124	347	-	643	
50	409	-	277	133	186	-	797	50	459	-	126	109	214	-	559	50	509	-	164	166	318	-	898	
50	410	-	335	149	190	-	948	50	460	-	122	128	345	-	847	50	510	-	184	166	311	-	919	
50	411	-	418	178	075	-	227	50	461	-	109	132	366	-	551	50	511	-	227	171	245	-	1.096	
50	412	-	439	172	112	-	179	50	462	-	212	109	138	-	629	50	512	-	269	167	217	-	1.095	
50	413	-	506	181	-	008	-	1	50	463	-	213	118	162	-	616	50	513	-	284	164	131	-	1.237
50	414	-	134	118	336	-	612	50	464	-	261	129	149	-	769	50	514	-	279	153	145	-	951	
50	415	-	134	124	349	-	562	50	465	-	301	120	008	-	734	50	515	-	012	123	421	-	570	
50	416	-	119	118	227	-	553	50	466	-	401	132	014	-	979	50	516	-	010	132	345	-	703	
50	417	-	118	126	444	-	636	50	467	-	106	113	216	-	699	50	517	-	014	117	459	-	422	
50	418	-	172	119	221	-	560	50	468	-	083	119	319	-	650	50	518	-	018	119	424	-	342	
50	419	-	201	130	159	-	694	50	469	-	123	117	243	-	688	50	519	-	006	121	558	-	393	
50	420	-	380	139	083	-	355	50	470	-	130	120	396	-	623	50	520	-	022	125	416	-	594	
50	421	-	417	183	070	-	354	50	471	-	156	129	234	-	804	50	521	-	013	130	394	-	514	
50	422	-	448	138	013	-	048	50	472	-	177	133	286	-	725	50	522	-	057	134	350	-	527	
50	423	-	150	128	251	-	604	50	473	-	223	133	227	-	736	50	523	-	048	149	491	-	804	
50	424	-	155	134	322	-	783	50	474	-	236	126	190	-	749	50	524	-	138	154	340	-	826	
50	425	-	134	130	373	-	83	50	475	-	243	149	233	-	113	50	525	-	180	160	347	-	1.097	
50	426	-	142	130	418	-	677	50	476	-	257	154	201	-	860	50	526	-	231	183	238	-	1.371	
50	427	-	135	129	292	-	635	50	477	-	283	153	184	-	008	50	527	-	273	200	251	-	1.568	
50	428	-	146	127	318	-	631	50	478	-	270	156	181	-	270	50	528	-	006	112	441	-	537	
50	429	-	217	131	261	-	726	50	479	-	257	148	151	-	211	50	529	-	001	107	358	-	606	
50	430	-	251	157	283	-	229	50	480	-	126	137	275	-	813	50	530	-	011	112	443	-	370	
50	431	-	294	154	196	-	154	50	481	-	117	137	385	-	721	50	531	-	013	108	370	-	299	
50	432	-	359	166	117	-	075	50	482	-	136	136	376	-	743	50	532	-	007	108	363	-	383	
50	433	-	382	175	091	-	990	50	483	-	138	133	361	-	605	50	533	-	003	102	367	-	456	
50	434	-	430	164	044	-	054	50	484	-	162	136	353	-	737	50	534	-	008	114	330	-	352	
50	435	-	416	163	042	-	165	50	485	-	202	161	398	-	864	50	535	-	002	102	317	-	319	
50	436	-	130	119	306	-	591	50	486	-	206	141	288	-	014	50	536	-	009	110	362	-	339	
50	437	-	149	132	238	-	601	50	487	-	231	158	210	-	851	50	537	-	017	100	378	-	299	
50	438	-	124	128	317	-	596	50	488	-	248	152	247	-	849	50	538	-	028	099	348	-	283	
50	439	-	102	125	317	-	510	50	489	-	234	140	169	-	737	50	539	-	022	107	389	-	324	
50	440	-	196	130	221	-	626	50	490	-	241	153	227	-	070	50	540	-	005	081	314	-	332	
50	441	-	252	120	111	-	653	50	491	-	126	152	309	-	882	50	541	-	000	098	389	-	324	
50	442	-	395	167	089	-	054	50	492	-	092	124	303	-	710	50	542	-	002	102	377	-	316	
50	443	-	383	173	180	-	988	50	493	-	129	151	286	-	931	50	543	-	004	098	334	-	336	
50	444	-	411	158	077	-	078	50	494	-	131	150	412	-	718	50	601	-	103	089	182	-	506	
50	445	-	120	126	318	-	755	50	495	-	117	147	444	-	676	50	602	-	099	118	350	-	530	
50	446	-	129	108	202	-	542	50	496	-	154	151	439	-	779	50	603	-	079	119	279	-	714	
50	447	-	121	134	297	-	696	50	497	-	211	161	299	-	017	50	604	-	081	127	425	-	628	
50	448	-	127	141	331	-	807	50	498	-	208	153	293	-	775	50	605	-	093	119	300	-	522	
50	449	-	161	148	312	-	090	50	499	-	229	174	300	-	962	50	606	-	094	112	269	-	518	
50	450	-	174	142	323	-	787	50	500	-	253	174	259	-	047	50	607	-	095	111	259	-	434	
50	451	-	211	149	310	-	831	50	501	-	248	137	297	-	875	50	608	-	103	118	231	-	527	
50	452	-	220	145	215	-	919	50	502	-	259	154	181	-	944	50	609	-	110	113	268	-	688	
50	453	-	233	146	271	-	818	50	503	-	259	160	316	-	962	50	610	-	089	111	238	-	440	
50	454	-	274	148	289	-	947	50	504	-	068	133	382	-	710	50	611	-	081	116	311	-	475	
50	455	-	341	165	136	-	929	50	505	-	056	136	322	-	640	50	612	-	086	121	257	-	574	
50	456	-	408	150	044	-	859	50	506	-	053	136	393	-	804	50	613	-	093	124	247	-	747	
50	457	-	380	182	122	-	91	50	507	-	062	145	455	-	841	50	614	-	109	122	285	-	602	

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
50	615	-	122	131	302	-	562	50	665	002	117	338	-	441	50	913	-	111	099	294	-	458	
50	616	-	096	104	238	-	492	50	666	017	110	412	-	393	50	914	-	002	096	374	-	301	
50	617	-	096	106	235	-	499	50	667	016	109	376	-	332	50	915	-	019	090	274	-	315	
50	618	-	122	113	247	-	637	50	668	028	115	396	-	337	50	916	-	009	094	325	-	397	
50	619	-	112	105	282	-	545	50	669	033	114	443	-	409	50	917	-	068	094	225	-	520	
50	620	-	093	118	363	-	572	50	670	025	112	429	-	315	50	918	-	223	119	126	-	693	
50	621	-	092	119	370	-	373	50	671	-	043	126	405	-	467	50	919	-	056	115	294	-	491
50	622	-	100	119	316	-	651	50	672	-	023	120	330	-	479	50	920	-	319	128	054	-	883
50	623	-	098	097	162	-	540	50	673	-	011	113	441	-	409	50	921	-	399	136	038	-	916
50	624	-	096	121	227	-	660	50	674	-	012	120	388	-	396	50	922	-	416	143	029	-	017
50	625	-	092	118	266	-	570	50	675	001	119	359	-	438	50	923	-	166	164	326	-	910	
50	626	-	097	120	256	-	611	50	676	026	114	378	-	347	50	924	-	078	149	480	-	809	
50	627	-	117	095	158	-	604	50	677	039	109	390	-	306	50	925	-	004	134	486	-	597	
50	628	-	113	115	225	-	670	50	678	039	108	407	-	380	50	926	-	014	111	450	-	394	
50	629	-	099	112	215	-	611	50	679	042	109	414	-	333	50	927	-	069	132	400	-	870	
50	630	-	100	111	207	-	383	50	680	-	003	118	356	-	387	50	928	-	029	094	275	-	371
50	631	-	102	090	209	-	445	50	681	011	106	367	-	368	50	929	-	024	103	373	-	355	
50	632	-	097	108	244	-	608	50	682	003	100	371	-	363	50	930	-	007	110	341	-	576	
50	633	-	093	110	261	-	463	50	683	001	112	350	-	423	50	931	-	008	105	347	-	428	
50	634	-	096	117	259	-	513	50	684	006	107	406	-	318	50	932	-	034	099	435	-	301	
50	635	-	093	102	277	-	700	50	685	010	106	320	-	350	60	101	-	141	304	764	-	934	
50	636	-	113	114	302	-	550	50	686	028	112	375	-	331	60	102	-	163	144	317	-	835	
50	637	-	117	116	295	-	546	50	687	042	109	401	-	288	60	103	-	410	157	068	-	094	
50	638	-	136	100	180	-	589	50	688	029	109	379	-	315	60	104	-	474	170	057	-	175	
50	639	-	127	120	244	-	751	50	701	025	107	436	-	391	60	105	-	362	160	157	-	055	
50	640	-	117	120	261	-	687	50	702	017	100	339	-	318	60	106	-	229	159	212	-	949	
50	641	-	097	092	248	-	372	50	703	005	111	429	-	410	60	107	-	165	151	262	-	767	
50	642	-	085	113	355	-	482	50	704	004	111	361	-	345	60	108	-	127	154	394	-	124	
50	643	-	091	117	363	-	506	50	705	015	109	284	-	420	60	109	-	103	162	447	-	111	
50	644	-	157	110	207	-	592	50	706	-	002	097	366	-	318	60	110	-	061	126	358	-	679
50	645	-	152	133	264	-	691	50	707	029	108	366	-	371	60	111	-	041	139	477	-	563	
50	646	-	147	135	256	-	691	50	708	004	102	326	-	321	60	112	-	030	126	429	-	534	
50	647	-	149	122	202	-	981	50	709	053	104	491	-	334	60	113	-	019	122	490	-	601	
50	648	-	093	129	261	-	633	50	710	057	101	447	-	290	60	114	-	206	358	1	098	-	728
50	649	-	062	120	290	-	444	50	801	-	004	098	425	-	394	60	115	-	337	264	431	-	289
50	650	-	074	097	234	-	440	50	802	-	030	103	554	-	343	60	116	-	462	208	165	-	241
50	651	-	070	119	312	-	602	50	803	-	003	098	419	-	406	60	117	-	376	193	349	-	127
50	652	-	149	132	275	-	680	50	804	-	006	077	255	-	271	60	118	-	123	149	355	-	673
50	653	-	150	111	214	-	743	50	901	-	112	296	728	-	311	60	119	-	100	141	371	-	970
50	654	-	127	137	292	-	976	50	902	-	111	191	472	-	664	60	120	-	033	133	336	-	829
50	655	-	089	124	293	-	555	50	903	-	105	223	198	-	390	60	121	-	005	120	423	-	736
50	656	-	048	115	356	-	510	50	904	-	825	337	046	-	665	60	122	-	019	107	355	-	605
50	657	-	034	091	395	-	350	50	905	-	087	142	362	-	747	60	123	-	237	386	797	-	585
50	658	-	014	112	388	-	613	50	906	-	114	122	185	-	736	60	124	-	150	197	378	-	172
50	659	-	023	119	384	-	747	50	907	-	035	112	411	-	495	60	125	-	356	186	299	-	361
50	660	-	095	139	338	-	698	50	908	-	074	121	311	-	575	60	126	-	389	210	200	-	216
50	661	-	129	158	265	-	395	50	909	-	038	092	300	-	353	60	127	-	369	207	254	-	252
50	662	-	099	126	324	-	680	50	910	-	030	096	292	-	396	60	128	-	283	194	252	-	450
50	663	-	032	111	345	-	470	50	911	-	039	102	345	-	392	60	129	-	177	162	290	-	883
50	664	-	020	114	385	-	364	50	912	-	096	108	294	-	556	60	130	-	158	155	348	-	998

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
60	131	119	145	432	683	60	181	271	349	547	-2	177	60	231	023	134	405
60	132	059	123	297	634	60	182	456	227	210	-1	564	60	232	009	096	290
60	133	036	131	564	612	60	183	400	218	330	-1	880	60	233	012	115	414
60	134	048	128	383	635	60	184	281	213	367	-1	309	60	234	023	106	401
60	135	036	119	328	764	60	185	160	176	447	-1	229	60	235	007	119	424
60	136	328	371	871	046	60	186	127	155	512	-1	056	60	236	011	085	275
60	137	325	272	701	325	60	187	107	144	345	-	858	60	237	013	170	478
60	138	442	231	185	310	60	188	076	137	379	-	716	60	238	013	151	601
60	139	376	196	307	241	60	189	066	129	332	-	652	60	239	001	129	376
60	140	176	162	310	869	60	190	068	120	359	-	661	60	240	017	115	518
60	141	142	118	237	699	60	191	360	419	909	-2	226	60	241	007	118	367
60	142	068	134	307	868	60	192	250	308	517	-2	177	60	242	013	113	412
60	143	042	123	330	700	60	193	375	247	281	-2	027	60	243	021	115	455
60	144	032	118	345	608	60	194	323	226	314	-2	593	60	244	028	112	401
60	145	298	422	818	811	60	195	296	223	406	-1	733	60	245	019	117	414
60	146	163	203	317	099	60	196	209	219	387	-1	602	60	301	161	111	381
60	147	380	194	166	248	60	197	117	167	311	-1	178	60	302	039	128	449
60	148	368	194	173	354	60	198	089	137	447	-	668	60	303	043	147	562
60	149	364	202	211	186	60	199	076	127	330	-	626	60	304	175	179	807
60	150	271	198	341	043	60	200	062	120	306	-	577	60	305	281	206	940
60	151	183	179	411	095	60	201	056	120	337	-	619	60	306	115	135	392
60	152	135	148	314	750	60	202	062	119	427	-	526	60	307	092	135	567
60	153	090	136	328	979	60	203	060	117	342	-	546	60	308	206	140	362
60	154	047	123	314	550	60	204	227	336	596	-1	801	60	309	104	133	428
60	155	045	122	505	616	60	205	167	247	478	-1	529	60	310	034	136	606
60	156	037	129	428	746	60	206	248	199	273	-1	548	60	311	124	153	897
60	157	018	118	369	779	60	207	238	223	252	-2	067	60	312	316	180	046
60	158	324	427	918	932	60	208	109	165	465	-	924	60	313	441	204	393
60	159	290	227	538	225	60	209	068	138	370	-	946	60	314	315	203	057
60	160	369	198	246	991	60	210	058	131	333	-1	028	60	315	363	229	042
60	161	363	201	296	196	60	211	046	127	314	-	589	60	316	121	133	380
60	162	183	131	298	792	60	212	042	109	290	-	470	60	317	043	146	639
60	163	148	128	253	798	60	213	064	111	304	-	496	60	318	177	128	248
60	164	085	107	222	541	60	214	067	111	261	-	395	60	319	102	104	358
60	165	042	116	415	569	60	215	094	214	675	-1	115	60	320	022	131	604
60	166	048	100	313	520	60	216	079	156	371	-1	253	60	321	097	142	622
60	167	313	370	691	788	60	217	092	127	558	-	374	60	322	456	213	179
60	168	134	255	784	255	60	218	116	134	380	-	824	60	323	343	177	034
60	169	458	251	048	030	60	219	077	134	389	-	702	60	324	385	231	268
60	170	452	185	064	294	60	220	049	117	312	-	564	60	325	118	126	363
60	171	418	201	215	281	60	221	014	106	321	-	377	60	326	019	134	493
60	172	333	182	128	661	60	222	002	093	434	-	413	60	327	176	103	159
60	173	222	149	197	945	60	223	014	106	314	-	454	60	328	107	120	329
60	174	190	149	169	136	60	224	010	092	328	-	318	60	329	015	124	474
60	175	143	160	330	005	60	225	011	098	298	-	325	60	330	051	127	607
60	176	095	134	308	552	60	226	031	097	317	-	411	60	331	241	140	697
60	177	085	133	314	940	60	227	057	106	274	-	393	60	332	402	202	033
60	178	079	136	359	788	60	228	083	137	459	-	824	60	333	482	238	318
60	179	068	129	327	554	60	229	073	142	323	-1	013	60	334	384	235	347
60	180	389	437	068	277	60	230	031	152	488	-	937	60	335	375	201	023

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
60	3336	-144	137	403	-628	60	386	022	099	330	-348	60	438	-047	119	327	-731
60	3337	030	136	443	-412	60	387	009	112	329	-403	60	439	-035	117	385	-444
60	3338	099	111	567	-204	60	388	096	110	342	-241	60	440	-143	127	274	-595
60	3339	206	153	767	-186	60	389	093	119	308	-343	60	441	-212	119	168	-652
60	340	299	174	960	-192	60	390	093	117	487	-409	60	442	-340	162	106	-1138
60	341	384	167	1014	-054	60	391	108	112	485	-281	60	443	-399	186	177	-1191
60	342	408	221	1140	-136	60	392	129	123	647	-266	60	444	-404	183	081	-1278
60	343	350	243	1208	-278	60	393	153	122	809	-241	60	445	-056	123	416	-504
60	344	148	107	210	-501	60	394	154	121	676	-247	60	446	-078	104	246	-706
60	345	062	123	219	-483	60	395	154	125	602	-227	60	447	-061	122	382	-581
60	346	059	127	634	-330	60	396	136	114	562	-257	60	448	-074	122	421	-567
60	347	162	130	648	-178	60	397	125	112	604	-346	60	449	-102	138	435	-810
60	348	234	175	951	-176	60	398	081	131	595	-348	60	450	-108	143	374	-786
60	349	278	184	1152	-152	60	401	065	101	286	-532	60	451	-178	168	393	-932
60	350	282	147	881	-251	60	402	074	097	206	-416	60	452	-187	150	211	-848
60	351	225	198	984	-518	60	403	057	093	275	-407	60	453	-233	166	265	-866
60	352	117	133	523	-614	60	404	069	109	281	-543	60	454	-310	167	187	-1135
60	353	033	099	341	-340	60	405	084	105	339	-507	60	455	-369	184	223	-1024
60	354	044	118	505	-312	60	406	085	116	308	-686	60	456	-478	179	066	-1159
60	355	106	124	605	-247	60	407	121	112	258	-580	60	457	-456	186	091	-1227
60	356	161	130	712	-219	60	408	191	148	299	-758	60	458	-057	121	435	-549
60	357	191	120	861	-184	60	409	215	153	280	-839	60	459	-073	093	207	-443
60	358	200	147	837	-303	60	410	340	159	211	-1358	60	460	-056	121	369	-512
60	359	159	159	733	-430	60	411	416	179	164	-1325	60	461	-059	116	322	-459
60	360	085	105	231	-705	60	412	485	188	114	-1213	60	462	-173	120	212	-614
60	361	031	091	284	-497	60	413	547	211	038	-1461	60	463	-186	121	180	-676
60	362	030	091	335	-289	60	414	069	113	326	-432	60	464	-317	136	079	-829
60	363	052	117	369	-468	60	415	081	123	312	-556	60	465	-374	144	042	-1011
60	364	009	090	290	-402	60	416	069	117	294	-613	60	466	-452	165	037	-1029
60	365	050	091	343	-219	60	417	061	115	295	-658	60	467	-065	103	261	-578
60	366	078	104	431	-260	60	418	133	122	314	-618	60	468	-073	129	333	-766
60	367	111	095	440	-236	60	419	163	133	245	-737	60	469	-068	104	292	-540
60	368	135	102	503	-241	60	420	422	167	118	-1078	60	470	-074	109	272	-524
60	369	139	111	538	-218	60	421	431	173	107	-1296	60	471	-107	124	335	-789
60	370	111	107	563	-277	60	422	471	159	066	-1044	60	472	-108	127	286	-932
60	371	037	093	352	-277	60	423	053	115	303	-521	60	473	-142	138	272	-851
60	372	043	092	335	-356	60	424	054	109	323	-543	60	474	-198	136	272	-1036
60	373	046	090	365	-296	60	425	044	116	427	-569	60	475	-210	167	251	-982
60	374	060	097	389	-286	60	426	067	118	557	-604	60	476	-309	180	360	-1042
60	375	019	121	377	-465	60	427	089	124	345	-865	60	477	-351	173	211	-1218
60	376	038	105	441	-307	60	428	093	118	376	-510	60	478	-364	183	178	-1115
60	377	053	108	456	-298	60	429	162	147	369	-747	60	479	-391	183	164	-1131
60	378	007	102	380	-374	60	430	211	175	330	-1247	60	480	-090	132	317	-723
60	379	061	107	422	-465	60	431	261	173	304	-897	60	481	-085	131	304	-885
60	380	074	103	447	-288	60	432	361	190	276	-1058	60	482	-086	133	479	-758
60	381	087	113	504	-262	60	433	447	182	111	-1309	60	483	-075	138	408	-685
60	382	129	128	611	-302	60	434	470	180	155	-1111	60	484	-096	151	320	-758
60	383	139	115	627	-221	60	435	438	190	074	-1171	60	485	-130	172	382	-882
60	384	130	113	522	-229	60	436	050	112	292	-446	60	486	-171	160	346	-710
60	385	097	127	780	-348	60	437	064	111	249	-496	60	487	-221	183	289	-963

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN					
60	488	-	283	174	269	-1	253	60	538	043	104	372	-	329	60	643	-	070	118	284	-	467
60	489	-	360	178	131	-1	109	60	539	044	096	393	-	308	60	646	-	064	115	292	-	481
60	490	-	324	163	116	-	996	60	540	017	087	300	-	271	60	647	-	072	100	274	-	447
60	491	-	070	133	355	-	698	60	541	029	099	388	-	315	60	648	-	063	116	341	-	513
60	492	-	082	134	307	-	773	60	542	028	095	313	-	331	60	649	-	042	113	346	-	424
60	493	-	065	133	352	-	636	60	543	026	104	411	-	366	60	650	-	042	104	283	-	445
60	494	-	065	137	295	-	742	60	601	-	034	099	-	423	60	651	-	047	132	378	-	655
60	495	-	051	139	410	-	679	60	602	-	031	113	-	415	60	652	-	084	115	364	-	427
60	496	-	079	153	410	-	686	60	603	-	026	118	-	647	60	653	-	085	100	276	-	582
60	497	-	129	172	373	-	846	60	604	-	026	112	-	468	60	654	-	079	123	330	-	822
60	498	-	148	169	356	-	806	60	605	-	034	115	-	611	60	655	-	072	124	379	-	820
60	499	-	180	195	342	-1	277	60	606	-	012	110	-	434	60	656	-	046	115	386	-	444
60	500	-	272	189	246	-1	129	60	607	-	023	112	-	436	60	657	-	019	087	278	-	459
60	501	-	284	189	248	-1	115	60	608	-	047	119	-	552	60	658	-	004	107	371	-	492
60	502	-	316	174	129	-	942	60	609	-	037	120	-	608	60	659	-	010	115	362	-	653
60	503	-	293	181	223	-1	068	60	610	-	026	108	-	484	60	660	-	083	135	323	-	638
60	504	-	026	129	349	-	536	60	611	-	024	108	-	323	60	661	-	068	134	314	-	577
60	505	-	032	120	357	-	443	60	612	-	033	109	-	409	60	662	-	057	142	322	-	643
60	506	-	018	120	451	-	475	60	613	-	028	105	-	405	60	663	-	010	130	441	-	481
60	507	-	026	125	350	-	78	60	614	-	033	109	-	424	60	664	-	004	117	410	-	375
60	508	-	019	128	451	-	532	60	615	-	051	118	-	419	60	665	-	032	117	392	-	343
60	509	-	060	155	523	-	939	60	616	-	039	109	-	425	60	666	-	057	107	420	-	281
60	510	-	087	163	441	-	784	60	617	-	034	108	-	362	60	667	-	049	121	392	-1	037
60	511	-	113	157	425	-	943	60	618	-	047	122	-	640	60	668	-	063	124	523	-	372
60	512	-	208	170	272	-1	256	60	619	-	043	096	-	476	60	669	-	078	134	530	-	462
60	513	-	231	167	265	-	929	60	620	-	028	111	-	440	60	670	-	068	112	458	-	358
60	514	-	262	177	209	-1	139	60	621	-	025	111	-	437	60	671	-	028	135	414	-	509
60	515	-	044	128	516	-	458	60	622	-	033	105	-	414	60	672	-	001	106	489	-	315
60	516	-	017	118	457	-	487	60	623	-	046	101	-	469	60	673	-	002	118	375	-	471
60	517	-	035	116	428	-	431	60	624	-	044	124	-	551	60	674	-	002	118	404	-	412
60	518	-	051	114	502	-	322	60	625	-	051	130	-	627	60	675	-	043	119	409	-	367
60	519	-	042	116	435	-	73	60	626	-	047	126	-	474	60	676	-	064	115	449	-	267
60	520	-	065	119	524	-	336	60	627	-	074	110	-	937	60	677	-	068	113	409	-	302
60	521	-	069	126	526	-	312	60	628	-	066	129	-	023	60	678	-	068	111	494	-	322
60	522	-	002	133	587	-	309	60	629	-	045	123	-	789	60	679	-	069	116	480	-	329
60	523	-	046	136	531	-	72	60	630	-	043	119	-	645	60	680	-	009	112	414	-	350
60	524	-	019	170	692	-	668	60	631	-	038	091	-	432	60	681	-	021	126	451	-	398
60	525	-	115	176	409	-	934	60	632	-	033	106	-	431	60	682	-	018	105	403	-	368
60	526	-	158	181	387	-1	005	60	633	-	035	108	-	379	60	683	-	009	112	387	-	360
60	527	-	210	196	252	-1	52	60	634	-	038	113	-	435	60	684	-	021	104	339	-	329
60	528	-	020	109	372	-	341	60	635	-	041	100	-	469	60	685	-	034	115	428	-	346
60	529	-	020	110	358	-	455	60	636	-	069	118	-	745	60	686	-	059	121	528	-	361
60	530	-	030	102	450	-	298	60	637	-	064	121	-	864	60	687	-	065	132	494	-	455
60	531	-	031	101	346	-	366	60	638	-	056	099	-	478	60	688	-	060	109	438	-	343
60	532	-	029	106	429	-	288	60	639	-	053	118	-	562	60	701	-	071	102	425	-	250
60	533	-	021	104	397	-	387	60	640	-	057	116	-	555	60	702	-	064	104	404	-	439
60	534	-	022	113	415	-	346	60	641	-	053	090	-	372	60	703	-	032	102	422	-	270
60	535	-	023	107	392	-	453	60	642	-	051	115	-	627	60	704	-	003	105	342	-	353
60	536	-	01	115	362	-	466	60	643	-	061	120	-	539	60	705	-	009	105	348	-	332
60	537	-	031	106	361	-	394	60	644	-	078	098	-	390	60	706	-	010	098	366	-	303

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
60	707	054	108	432	-368	70	111	-077	176	639	-930	70	161	-276	194	273	-1155
60	708	010	106	414	-434	70	112	-071	161	488	-957	70	162	-200	130	208	-786
60	709	087	107	427	-307	70	113	-060	156	456	-837	70	163	-195	132	197	-812
60	710	091	114	532	-281	70	114	-299	290	825	-1483	70	164	-136	118	280	-551
60	801	014	104	353	-327	70	115	-341	247	304	-1685	70	165	-106	117	258	-841
60	802	052	108	395	-317	70	116	-325	224	338	-1529	70	166	-114	125	291	-621
60	803	020	105	354	-326	70	117	-284	195	301	-1347	70	167	-524	335	646	-2257
60	804	026	083	298	-269	70	118	-182	173	320	-1015	70	168	-243	226	387	-1530
60	901	420	263	329	-1439	70	119	-148	175	444	-1276	70	169	-480	250	678	-2356
60	902	332	210	249	-316	70	120	-091	170	462	-1097	70	170	-380	196	180	-1238
60	903	503	243	256	-610	70	121	-057	159	448	-838	70	171	-351	194	130	-1419
60	904	829	316	001	-1820	70	122	-051	115	324	-534	70	172	-281	160	224	-925
60	905	175	186	285	-852	70	123	-337	287	598	-1641	70	173	-259	165	278	-912
60	906	238	164	173	-093	70	124	-171	192	462	-1004	70	174	-207	144	278	-832
60	907	131	125	231	-697	70	125	-256	172	298	-1045	70	175	-172	160	339	-852
60	908	038	135	427	-761	70	126	-282	186	270	-1212	70	176	-143	152	351	-763
60	909	062	104	252	-519	70	127	-290	201	334	-1131	70	177	-132	153	376	-1309
60	910	020	100	346	-426	70	128	-249	188	334	-1360	70	178	-107	149	373	-734
60	911	012	112	439	-510	70	129	-184	162	423	-904	70	179	-112	153	376	-1057
60	912	034	091	403	-406	70	130	-169	183	309	-1439	70	180	-468	346	527	-1836
60	913	039	103	354	-455	70	131	-159	177	454	-1249	70	181	-415	334	376	-2054
60	914	013	099	296	-614	70	132	-115	164	358	-943	70	182	-363	253	269	-1838
60	915	006	102	307	-737	70	133	-073	145	583	-707	70	183	-368	262	347	-2252
60	916	022	108	285	-632	70	134	-085	147	406	-1060	70	184	-289	217	319	-1367
60	917	055	105	322	-594	70	135	-087	159	375	-959	70	185	-233	194	449	-1044
60	918	199	135	206	-722	70	136	-343	292	660	-1891	70	186	-197	183	484	-953
60	919	140	143	311	-816	70	137	-336	247	315	-1528	70	187	-163	158	365	-968
60	920	341	145	113	-910	70	138	-317	208	299	-1157	70	188	-123	149	285	-788
60	921	411	149	011	-1045	70	139	-262	179	260	-955	70	189	-106	145	375	-953
60	922	396	153	059	-1156	70	140	-181	165	308	-830	70	190	-088	140	375	-823
60	923	071	154	459	-810	70	141	-162	134	379	-756	70	191	-496	347	332	-2089
60	924	019	151	569	-774	70	142	-113	146	471	-995	70	192	-315	265	282	-2044
60	925	051	126	500	-379	70	143	-093	148	349	-740	70	193	-319	238	321	-1780
60	926	076	117	446	-332	70	144	-082	145	355	-734	70	194	-318	240	285	-1666
60	927	022	134	453	-622	70	145	-379	301	733	-1756	70	195	-302	230	307	-1577
60	928	040	107	395	-331	70	146	-229	184	274	-1038	70	196	-244	214	254	-1366
60	929	075	120	456	-345	70	147	-286	196	238	-1127	70	197	-178	184	360	-940
60	930	050	122	421	-387	70	148	-282	193	313	-1112	70	198	-128	151	343	-748
60	931	025	120	416	-492	70	149	-300	202	245	-1091	70	199	-133	154	325	-886
60	932	080	108	444	-243	70	150	-248	189	283	-1160	70	200	-093	136	328	-723
70	101	329	279	493	-1469	70	151	-214	185	326	-1052	70	201	-077	140	401	-732
70	102	184	148	363	-841	70	152	-187	165	388	-877	70	202	-086	136	369	-725
70	103	338	162	182	-977	70	153	-162	163	328	-890	70	203	-086	133	312	-762
70	104	347	174	208	-1045	70	154	-120	151	359	-823	70	204	-372	329	426	-2222
70	105	296	174	170	-1093	70	155	-102	151	457	-726	70	205	-257	269	405	-1746
70	106	245	161	363	-911	70	156	-101	155	439	-646	70	206	-251	225	330	-1684
70	107	199	169	274	-961	70	157	-103	170	442	-1092	70	207	-241	217	312	-1742
70	108	170	210	533	-501	70	158	-475	340	638	-1986	70	208	-144	161	294	-1077
70	109	143	193	446	-260	70	159	-323	189	234	-1166	70	209	-135	167	462	-1229
70	110	102	180	543	-888	70	160	-298	196	344	-1182	70	210	-083	132	382	-725

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
70	211	- .069	.121	.308	- .616	70	316	- .070	.129	.406	- .656	70	366	.074	.087	.328	- .236
70	212	- .064	.115	.313	- .407	70	317	- .079	.134	.570	- .408	70	367	.105	.094	.520	- .229
70	213	- .063	.119	.263	- .500	70	318	- .147	.139	.407	- .675	70	368	.088	.100	.442	- .248
70	214	- .051	.133	.325	- .827	70	319	- .062	.117	.368	- .492	70	369	.064	.105	.561	- .287
70	215	- .176	.169	.243	- .360	70	320	.060	.139	.658	- .429	70	370	.045	.101	.447	- .289
70	216	- .129	.140	.206	- .850	70	321	.137	.146	.786	- .359	70	371	.015	.090	.325	- .415
70	217	- .016	.107	.377	- .329	70	322	.467	.214	1.258	- .201	70	372	.039	.099	.382	- .394
70	218	- .109	.115	.247	- .702	70	323	.385	.181	1.008	- .126	70	373	.054	.098	.439	- .518
70	219	- .097	.121	.281	- .814	70	324	.392	.228	1.126	- .304	70	374	.084	.100	.435	- .280
70	220	- .072	.112	.234	- .572	70	325	- .095	.143	.535	- .551	70	375	.058	.104	.502	- .392
70	221	- .061	.118	.336	- .650	70	326	.061	.139	.735	- .407	70	376	.090	.119	.510	- .331
70	222	- .049	.098	.276	- .390	70	327	- .154	.119	.340	- .588	70	377	.090	.110	.460	- .401
70	223	- .042	.112	.319	- .511	70	328	.085	.136	.573	- .657	70	378	.015	.106	.467	- .456
70	224	- .020	.097	.358	- .384	70	329	.019	.137	.623	- .530	70	379	.079	.112	.531	- .292
70	225	- .006	.101	.320	- .463	70	330	.090	.143	.718	- .453	70	380	.117	.114	.611	- .294
70	226	- .019	.095	.288	- .340	70	331	.276	.149	.989	- .135	70	381	.132	.109	.631	- .273
70	227	- .022	.099	.325	- .409	70	332	.415	.212	1.460	- .219	70	382	.166	.122	.649	- .189
70	228	- .061	.113	.265	- .952	70	333	.461	.238	1.567	- .220	70	383	.146	.125	.631	- .184
70	229	- .063	.112	.279	- .548	70	334	.359	.227	1.333	- .341	70	384	.075	.106	.447	- .319
70	230	- .082	.121	.268	- .639	70	335	.375	.192	1.123	- .354	70	385	.030	.105	.500	- .333
70	231	- .082	.134	.279	- .948	70	336	.135	.139	.491	- .637	70	386	.014	.114	.353	- .427
70	232	- .006	.101	.370	- .425	70	337	.002	.136	.735	- .450	70	387	.033	.119	.346	- .521
70	233	- .012	.118	.358	- .477	70	338	.146	.119	.608	- .265	70	388	.121	.110	.503	- .232
70	234	- .002	.114	.510	- .388	70	339	.248	.167	.822	- .232	70	389	.127	.103	.507	- .200
70	235	- .003	.122	.347	- .470	70	340	.353	.201	1.087	- .167	70	390	.139	.122	.613	- .265
70	236	- .021	.092	.240	- .537	70	341	.418	.182	1.117	- .091	70	391	.143	.121	.737	- .195
70	237	- .071	.167	.412	- .976	70	342	.398	.224	1.337	- .207	70	392	.164	.129	.655	- .260
70	238	- .044	.136	.525	- .963	70	343	.299	.220	1.154	- .291	70	393	.184	.147	.011	- .224
70	239	- .037	.141	.458	- .721	70	344	- .106	.121	.248	- .590	70	394	.190	.145	.776	- .291
70	240	- .035	.119	.371	- .481	70	345	.023	.127	.469	- .549	70	395	.187	.137	.847	- .250
70	241	- .031	.125	.369	- .569	70	346	.083	.123	.591	- .409	70	396	.127	.122	.712	- .245
70	242	- .020	.115	.469	- .395	70	347	.163	.121	.668	- .244	70	397	.099	.125	.664	- .314
70	243	- .002	.121	.464	- .501	70	348	.225	.162	.865	- .236	70	398	.025	.104	.370	- .307
70	244	- .001	.108	.381	- .329	70	349	.264	.177	.937	- .218	70	401	.075	.109	.268	- .327
70	245	- .009	.118	.444	- .451	70	350	.226	.144	.819	- .169	70	402	.084	.109	.280	- .512
70	301	- .113	.118	.287	- .640	70	351	.135	.171	.768	- .414	70	403	.045	.097	.343	- .487
70	302	- .006	.149	.551	- .666	70	352	.062	.140	.403	- .721	70	404	.044	.105	.310	- .483
70	303	- .082	.163	.769	- .449	70	353	.000	.107	.362	- .389	70	405	.066	.105	.343	- .508
70	304	- .204	.188	.899	- .515	70	354	.060	.121	.522	- .382	70	406	.050	.113	.424	- .619
70	305	- .284	1.208	1.186	- .399	70	355	.113	.129	.675	- .392	70	407	.086	.116	.273	- .575
70	306	- .051	.141	.401	- .566	70	356	.155	.146	.803	- .429	70	408	.168	.153	.345	- .755
70	307	- .150	.149	.748	- .430	70	357	.161	.114	.755	- .371	70	409	.172	.167	.368	- .830
70	308	- .173	.163	.527	- .780	70	358	.140	.147	.869	- .376	70	410	.296	.187	.221	- .121
70	309	- .067	.147	.536	- .583	70	359	.086	.152	.868	- .480	70	411	.348	.191	.200	- .176
70	310	- .103	.152	.911	- .357	70	360	.016	.101	.362	- .409	70	412	.402	.211	.182	- .1307
70	311	- .185	.164	.950	- .343	70	361	.027	.102	.439	- .525	70	413	.542	.224	.060	- .1435
70	312	- .359	.198	1.054	- .226	70	362	.065	.089	.336	- .253	70	414	.079	.123	.279	- .556
70	313	- .436	1.208	1.115	- .216	70	363	.024	.103	.428	- .529	70	415	.081	.123	.350	- .810
70	314	- .384	1.226	1.014	- .336	70	364	.051	.090	.338	- .362	70	416	.070	.117	.338	- .522
70	315	- .335	1.220	1.012	- .484	70	365	.076	.086	.362	- .239	70	417	.057	.125	.386	- .617

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
70	418	-.086	.137	.363	-.724	70	468	-.060	.127	.348	-.653	70	518	.052	.113	.524	-.286
70	419	-.129	.148	.340	-.769	70	469	-.044	.100	.277	-.637	70	519	.049	.124	.497	-.399
70	420	-.405	.193	.343	-1.137	70	470	-.052	.102	.312	-.626	70	520	.084	.115	.504	-.259
70	421	-.386	.186	.338	-1.142	70	471	-.058	.106	.274	-.727	70	521	.101	.123	.572	-.350
70	422	-.436	.166	.099	-1.163	70	472	-.052	.114	.261	-.736	70	522	.057	.116	.454	-.470
70	423	-.060	.121	.306	-.633	70	473	-.090	.125	.292	-.589	70	523	.099	.126	.550	-.325
70	424	-.079	.127	.432	-.714	70	474	-.132	.127	.342	-.743	70	524	.075	.140	.796	-.482
70	425	-.057	.121	.341	-.555	70	475	-.141	.174	.384	-.970	70	525	-.009	.167	.448	-1.067
70	426	-.055	.124	.401	-.540	70	476	-.242	.202	.290	-1.273	70	526	-.036	.183	.558	-.931
70	427	-.071	.136	.311	-.690	70	477	-.343	.208	.177	-1.519	70	527	-.049	.179	.563	-1.229
70	428	-.057	.137	.454	-.775	70	478	-.395	.210	.140	-1.380	70	528	-.024	.100	.326	-.455
70	429	-.090	.154	.374	-.868	70	479	-.434	.195	.118	-1.439	70	529	.023	.111	.414	-.322
70	430	-.160	.179	.362	-1.027	70	480	-.081	.124	.305	-.606	70	530	.024	.103	.396	-.322
70	431	-.185	.185	.445	-.978	70	481	-.071	.119	.523	-.687	70	531	.011	.116	.355	-.503
70	432	-.345	.221	.283	-1.129	70	482	-.064	.121	.353	-.628	70	532	-.000	.120	.404	-.560
70	433	-.425	.229	.230	-1.345	70	483	-.047	.125	.419	-.674	70	533	-.008	.118	.449	-.499
70	434	-.455	.213	.325	-1.308	70	484	-.057	.149	.397	-.959	70	534	-.032	.126	.324	-.680
70	435	-.484	.210	.163	-1.323	70	485	-.068	.161	.499	-.977	70	535	-.036	.113	.386	-.416
70	436	-.082	.126	.349	-.601	70	486	-.101	.166	.436	-.870	70	536	-.033	.098	.392	-.297
70	437	-.093	.128	.330	-.575	70	487	-.155	.205	.497	-1.162	70	537	-.033	.113	.391	-.403
70	438	-.078	.130	.333	-.611	70	488	-.237	.217	.499	-1.103	70	538	-.039	.109	.406	-.286
70	439	-.057	.125	.379	-.733	70	489	-.339	.190	.225	-1.354	70	539	.041	.111	.468	-.289
70	440	-.118	.155	.360	-.934	70	490	-.319	.193	.249	-1.371	70	540	.017	.086	.292	-.236
70	441	-.167	.136	.217	-.623	70	491	-.073	.130	.312	-.761	70	541	.024	.102	.374	-.334
70	442	-.363	.210	.230	-1.118	70	492	-.068	.136	.343	-.577	70	542	.018	.110	.364	-.448
70	443	-.413	.210	.242	-1.296	70	493	-.042	.116	.311	-.593	70	543	.011	.108	.359	-.427
70	444	-.453	.215	.248	-1.419	70	494	-.031	.124	.403	-.541	70	601	-.047	.103	.302	-.529
70	445	-.055	.122	.433	-.516	70	495	-.007	.119	.433	-.445	70	602	-.036	.129	.414	-.555
70	446	-.071	.097	.276	-.497	70	496	-.019	.145	.451	-.939	70	603	-.024	.126	.430	-.576
70	447	-.035	.116	.379	-.560	70	497	-.045	.170	.454	-.926	70	604	-.028	.123	.457	-.606
70	448	-.041	.124	.476	-.785	70	498	-.054	.155	.387	-.784	70	605	-.035	.135	.442	-.687
70	449	-.056	.130	.379	-.929	70	499	-.072	.179	.547	-1.020	70	606	-.038	.133	.394	-.518
70	450	-.056	.136	.365	-.867	70	500	-.194	.209	.460	-1.476	70	607	-.035	.125	.396	-.501
70	451	-.077	.146	.427	-.669	70	501	-.238	.205	.273	-1.121	70	608	-.067	.132	.346	-.731
70	452	-.129	.155	.359	-1.012	70	502	-.305	.198	.302	-1.311	70	609	-.055	.139	.405	-.750
70	453	-.204	.194	.323	-.892	70	503	-.273	.198	.275	-1.141	70	610	-.036	.117	.412	-.479
70	454	-.256	.193	.278	-1.003	70	504	-.032	.119	.330	-.461	70	611	-.023	.117	.389	-.533
70	455	-.377	.206	.248	-1.072	70	505	-.016	.117	.424	-.678	70	612	-.028	.112	.335	-.423
70	456	-.494	.217	.281	-1.306	70	506	-.006	.116	.401	-.440	70	613	-.024	.110	.304	-.413
70	457	-.455	.205	.237	-1.383	70	507	-.003	.115	.321	-.443	70	614	-.030	.111	.403	-.364
70	458	-.044	.118	.335	-.494	70	508	-.019	.117	.441	-.456	70	615	-.031	.106	.309	-.548
70	459	-.065	.098	.259	-.559	70	509	-.011	.130	.378	-.600	70	616	-.050	.121	.385	-.543
70	460	-.048	.121	.318	-.733	70	510	-.069	.131	.314	-.937	70	617	-.035	.118	.381	-.507
70	461	-.039	.116	.454	-.583	70	511	-.024	.150	.419	-.824	70	618	-.074	.124	.302	-.692
70	462	-.107	.119	.257	-.593	70	512	-.077	.178	.361	-1.194	70	619	-.063	.101	.311	-.411
70	463	-.117	.123	.305	-.587	70	513	-.151	.183	.353	-1.218	70	620	-.049	.114	.384	-.423
70	464	-.306	.150	.197	-.867	70	514	-.195	.200	.309	-1.203	70	621	-.042	.112	.393	-.447
70	465	-.342	.167	.264	-.973	70	515	-.020	.124	.487	-.505	70	622	-.025	.101	.350	-.389
70	466	-.490	.183	.027	-1.137	70	516	-.040	.141	.388	-.875	70	623	-.033	.088	.223	-.392
70	467	-.058	.101	.274	-.453	70	517	-.028	.113	.415	-.394	70	624	-.031	.108	.289	-.509

WD	TAP	CPMEAN	CPRMS	CPHAX	CPHIN	WD	TAP	CPMEAN	CPRMS	CPHAX	CPHIN	WD	TAP	CPMEAN	CPRMS	CPHAX	CPHIN
70	625	-070	120	302	-628	70	675	045	122	474	-399	70	923	042	149	1048	-534
70	626	-054	114	294	-700	70	676	044	110	453	-306	70	924	089	116	556	-295
70	627	-092	105	252	-472	70	677	037	108	424	-380	70	925	078	113	547	-380
70	628	-081	123	350	-521	70	678	034	109	386	-330	70	926	072	103	448	-276
70	629	-064	118	372	-481	70	679	038	111	453	-306	70	927	088	109	448	-480
70	630	-050	114	346	-424	70	680	-004	106	351	-364	70	928	078	087	468	-229
70	631	-050	088	232	-329	70	681	-006	113	401	-389	70	929	080	101	493	-293
70	632	-040	099	267	-372	70	682	-006	105	370	-485	70	930	064	102	501	-310
70	633	-032	102	284	-404	70	683	006	110	366	-333	70	931	023	102	348	-353
70	634	-018	108	299	-459	70	684	029	111	379	-409	70	932	063	098	463	-297
70	635	-023	093	258	-487	70	685	040	118	394	-380	80	101	-285	224	527	-305
70	636	-086	121	282	-654	70	686	045	110	416	-343	80	102	-175	146	321	-945
70	637	-073	120	364	-584	70	687	038	113	455	-412	80	103	-223	149	255	-993
70	638	-074	100	233	-513	70	688	039	112	352	-306	80	104	-214	148	274	-846
70	639	-066	109	293	-527	70	701	042	097	324	-287	80	105	-201	167	305	-985
70	640	-053	105	310	-415	70	702	037	106	460	-326	80	106	-184	162	262	-886
70	641	-051	081	215	-294	70	703	035	101	370	-274	80	107	-155	152	347	-952
70	642	-052	102	266	-479	70	704	025	112	441	-393	80	108	-151	182	531	-1071
70	643	-058	107	269	-494	70	705	003	104	388	-364	80	109	-126	177	432	-1085
70	644	-084	094	259	-484	70	706	003	106	337	-380	80	110	-105	163	411	-1129
70	645	-075	112	323	-511	70	707	040	097	358	-295	80	111	-087	166	657	-775
70	646	-064	108	302	-489	70	708	-003	111	338	-444	80	112	-084	151	477	-799
70	647	-064	091	266	-474	70	709	112	110	585	-209	80	113	-083	143	505	-228
70	648	-048	105	357	-401	70	710	122	119	534	-292	80	114	-215	236	657	-364
70	649	-036	112	342	-518	70	801	007	104	341	-396	80	115	-255	225	358	-956
70	650	-047	093	216	-463	70	802	023	104	359	-310	80	116	-213	181	341	-960
70	651	-050	115	272	-546	70	803	030	105	364	-288	80	117	-202	169	341	-1027
70	652	-060	115	267	-568	70	804	019	083	327	-301	80	118	-150	163	314	-859
70	653	-064	093	240	-468	70	901	-365	204	210	-453	80	119	-127	162	519	-641
70	654	-057	110	309	-429	70	902	-333	194	255	-267	80	120	-105	150	466	-874
70	655	-054	107	308	-429	70	903	-450	242	322	-333	80	121	-093	147	477	-573
70	656	-023	105	312	-400	70	904	-653	312	021	-2033	80	122	-079	122	238	-662
70	657	-012	088	256	-394	70	905	-225	197	283	-324	80	123	-259	237	576	-1018
70	658	-009	110	320	-590	70	906	-284	165	236	-150	80	124	-139	175	403	-1043
70	659	-013	115	315	-622	70	907	-188	132	243	-765	80	125	-171	161	345	-1165
70	660	-014	113	362	-409	70	908	-097	142	373	-637	80	126	-177	178	334	-1023
70	661	-012	115	387	-538	70	909	-117	124	460	-951	80	127	-170	168	304	-943
70	662	-023	117	401	-513	70	910	-064	126	391	-636	80	128	-142	159	314	-748
70	663	-010	113	367	-467	70	911	-016	124	375	-635	80	129	-152	166	386	-1026
70	664	-031	119	509	-372	70	912	-031	097	304	-433	80	130	-153	172	422	-901
70	665	-039	118	450	-335	70	913	-053	108	356	-415	80	131	-118	151	355	-795
70	666	-041	112	417	-363	70	914	-033	131	422	-902	80	132	-099	140	350	-862
70	667	-040	117	403	-370	70	915	-022	117	425	-463	80	133	-097	143	447	-802
70	668	-042	113	410	-384	70	916	-053	127	373	-680	80	134	-092	139	322	-854
70	669	-040	117	468	-428	70	917	-096	125	361	-673	80	135	-107	150	382	-255
70	670	-040	116	417	-340	70	918	-140	144	328	-800	80	136	-259	240	442	-1067
70	671	-016	125	492	-463	70	919	-183	159	271	-989	80	137	-239	214	382	-1031
70	672	-013	115	387	-392	70	920	-346	162	224	-161	80	138	-189	176	305	-1002
70	673	-006	116	368	-446	70	921	-439	170	234	-144	80	139	-174	162	387	-765
70	674	-011	118	410	-353	70	922	-367	178	167	-1	80	140	-154	151	345	-

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
80	141	-139	125	198	-652	80	191	-304	279	562	-2.717	80	241	-093	140	320	-662
80	142	-105	140	309	-611	80	192	-196	208	304	-1.283	80	242	-094	117	268	-561
80	143	-099	146	367	-867	80	193	-205	205	355	-1.536	80	243	-078	125	404	-554
80	144	-091	147	470	-772	80	194	-205	267	336	-1.373	80	244	-080	122	320	-530
80	145	-314	241	466	-1.417	80	195	-194	191	299	-1.526	80	245	-076	134	351	-607
80	146	-180	152	296	-920	80	196	-167	185	357	-1.100	80	301	-050	129	398	-529
80	147	-197	176	365	-1.137	80	197	-168	171	369	-1.105	80	302	-038	161	760	-502
80	148	-186	172	286	-860	80	198	-122	145	312	-724	80	303	-082	162	748	-427
80	149	-177	165	417	-0.79	80	199	-118	143	381	-712	80	304	-172	196	898	-579
80	150	-156	166	433	-870	80	200	-103	137	296	-722	80	305	-225	232	1.089	-527
80	151	-162	170	372	-809	80	201	-100	134	371	-633	80	306	-007	148	578	-471
80	152	-141	158	369	-883	80	202	-117	143	306	-680	80	307	-142	150	777	-296
80	153	-133	149	344	-782	80	203	-125	141	306	-588	80	308	-083	156	636	-587
80	154	-117	147	377	-056	80	204	-230	218	341	-1.684	80	309	-005	152	682	-511
80	155	-109	147	365	-828	80	205	-210	227	294	-1.710	80	310	-097	142	653	-342
80	156	-123	142	357	-668	80	206	-191	187	294	-1.634	80	311	-175	153	865	-432
80	157	-118	151	397	-933	80	207	-183	194	395	-1.152	80	312	-282	179	982	-364
80	158	-346	266	423	-1.651	80	208	-125	154	360	-881	80	313	-339	208	1.161	-248
80	159	-251	168	194	-967	80	209	-125	142	388	-706	80	314	-252	201	984	-361
80	160	-199	181	427	-003	80	210	-124	138	296	-1.037	80	315	-263	224	1.100	-388
80	161	-182	169	393	-928	80	211	-103	136	401	-647	80	316	-008	137	553	-461
80	162	-160	131	239	-715	80	212	-114	122	265	-615	80	317	-101	140	838	-346
80	163	-141	123	245	-753	80	213	-119	137	364	-695	80	318	-070	146	609	-617
80	164	-123	119	230	-555	80	214	-133	138	295	-707	80	319	-003	121	488	-395
80	165	-085	119	308	-573	80	215	-186	170	238	-1.186	80	320	-092	138	678	-372
80	166	-121	117	194	-559	80	216	-144	153	322	-912	80	321	-157	142	845	-325
80	167	-357	260	419	-1.767	80	217	-015	113	542	-442	80	322	-395	218	1.213	-225
80	168	-185	198	403	-1.286	80	218	-122	117	344	-670	80	323	-293	183	1.056	-251
80	169	-258	195	269	-1.524	80	219	-134	122	172	-790	80	324	-289	228	1.265	-467
80	170	-232	163	221	-0.23	80	220	-127	123	207	-672	80	325	-019	144	572	-579
80	171	-208	154	249	-945	80	221	-115	116	384	-539	80	326	-089	138	633	-408
80	172	-187	153	214	-863	80	222	-107	109	192	-531	80	327	-060	125	353	-521
80	173	-167	149	325	-874	80	223	-100	121	304	-674	80	328	-007	140	605	-496
80	174	-165	133	238	-854	80	224	-096	96	234	-489	80	329	-072	137	642	-368
80	175	-135	154	370	-899	80	225	-098	113	285	-533	80	330	-123	139	691	-323
80	176	-115	150	359	-722	80	226	-109	112	203	-630	80	331	-258	140	826	-199
80	177	-115	138	285	-729	80	227	-107	120	316	-575	80	332	-368	205	1.175	-222
80	178	-112	144	303	-694	80	228	-119	124	227	-619	80	333	-407	244	1.304	-266
80	179	-127	152	366	-825	80	229	-119	120	254	-890	80	334	-312	239	1.223	-295
80	180	-333	298	288	-1.110	80	230	-131	137	227	-1.018	80	335	-305	197	919	-283
80	181	-269	261	415	-1.762	80	231	-122	129	200	-940	80	336	-048	146	462	-604
80	182	-215	218	350	-1.521	80	232	-080	104	256	-411	80	337	-053	136	511	-449
80	183	-205	210	464	-1.187	80	233	-060	126	303	-512	80	338	-167	110	593	-240
80	184	-184	181	305	-1.436	80	234	-058	129	408	-459	80	339	-232	139	771	-196
80	185	-159	165	547	-770	80	235	-058	121	320	-494	80	340	-301	163	926	-177
80	186	-133	146	319	-752	80	236	-113	109	228	-508	80	341	-342	185	1.131	-200
80	187	-133	159	272	-906	80	237	-119	154	276	-978	80	342	-319	235	1.256	-301
80	188	-125	135	321	-611	80	238	-111	153	371	-1.046	80	343	-247	228	1.054	-410
80	189	-112	133	341	-714	80	239	-093	140	478	-609	80	344	-025	126	407	-471
80	190	-122	145	323	-781	80	240	-086	134	325	-642	80	345	-041	128	536	-417

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
80	346	119	118	559	-340	80	396	133	120	559	-261	80	448	-024	118	470	-445
80	347	180	110	707	-227	80	397	075	119	535	-266	80	449	-036	109	360	-631
80	348	213	157	885	-238	80	398	012	114	469	-422	80	450	-014	115	365	-529
80	349	227	176	950	-333	80	401	073	100	294	-570	80	451	-024	135	517	-566
80	350	210	157	1008	-185	80	402	097	112	200	-654	80	452	-053	144	363	-790
80	351	131	189	100	559	80	403	037	093	308	-448	80	453	-080	165	500	-839
80	352	018	140	605	492	80	404	025	104	439	-397	80	454	-136	184	402	-877
80	353	073	107	522	433	80	405	049	102	272	-573	80	455	-231	200	330	-1038
80	354	106	125	669	469	80	406	010	104	342	-502	80	456	-265	207	666	-961
80	355	135	130	852	401	80	407	029	114	366	-746	80	457	-340	216	397	-1385
80	356	143	139	823	412	80	408	084	136	414	-667	80	458	-068	122	318	-641
80	357	143	118	604	244	80	409	081	153	475	-674	80	459	-066	106	307	-460
80	358	110	152	806	321	80	410	144	168	405	-877	80	460	-051	114	310	-471
80	359	063	157	777	431	80	411	238	190	323	-1333	80	461	-040	112	310	-549
80	360	068	104	391	338	80	412	286	213	446	-1295	80	462	-040	113	336	-588
80	361	082	097	476	334	80	413	344	226	352	-1742	80	463	-040	106	333	-521
80	362	103	092	465	238	80	414	079	120	316	-490	80	464	-154	142	257	-741
80	363	089	098	405	481	80	415	097	132	316	-708	80	465	-203	158	370	-724
80	364	103	097	391	192	80	416	063	120	309	-583	80	466	-303	175	286	-1030
80	365	112	086	447	210	80	417	051	120	348	-556	80	467	-053	099	314	-467
80	366	103	090	370	278	80	418	045	131	350	-724	80	468	-043	110	389	-485
80	367	092	095	424	235	80	419	055	133	391	-649	80	469	-038	098	309	-508
80	368	070	093	492	191	80	420	204	179	703	-961	80	470	-034	098	305	-478
80	369	038	108	454	304	80	421	264	193	332	-1210	80	471	-026	105	309	-754
80	370	003	098	470	277	80	422	279	176	522	-849	80	472	-016	095	310	-538
80	371	035	113	492	315	80	423	055	127	394	-469	80	473	-016	109	312	-562
80	372	059	109	678	394	80	424	076	124	323	-635	80	474	-053	124	322	-741
80	373	069	112	585	527	80	425	036	119	355	-533	80	475	-038	153	484	-767
80	374	092	112	511	456	80	426	027	116	392	-622	80	476	-123	209	533	-1100
80	375	101	111	551	325	80	427	035	123	380	-634	80	477	-219	210	300	-1214
80	376	119	109	550	206	80	428	014	133	567	-632	80	478	-245	216	370	-1184
80	377	113	102	468	249	80	429	024	142	573	-771	80	479	-264	207	423	-1184
80	378	044	121	431	435	80	430	059	151	472	-1213	80	480	-071	123	294	-576
80	379	100	105	475	263	80	431	073	166	453	-830	80	481	-071	117	380	-513
80	380	138	110	580	293	80	432	176	189	372	-1088	80	482	-045	109	301	-584
80	381	159	111	548	201	80	433	276	219	294	-1117	80	483	-031	121	333	-724
80	382	165	116	617	238	80	434	293	221	529	-1210	80	484	-005	120	389	-726
80	383	156	124	647	334	80	435	362	213	275	-1295	80	485	-006	143	462	-677
80	384	047	106	582	320	80	436	075	128	372	-627	80	486	-006	146	482	-709
80	385	005	110	495	359	80	437	083	124	312	-590	80	487	-031	173	437	-904
80	386	015	116	472	402	80	438	072	119	356	-600	80	488	-122	228	561	-1013
80	387	019	138	347	609	80	439	046	119	407	-654	80	489	-208	199	372	-890
80	388	138	104	558	192	80	440	051	139	409	-646	80	490	-232	181	324	-1173
80	389	146	107	509	261	80	441	081	115	290	-604	80	491	-077	121	346	-644
80	390	162	110	534	198	80	442	218	197	675	-978	80	492	-046	114	364	-441
80	391	169	121	692	194	80	443	252	187	394	-964	80	493	-029	122	451	-562
80	392	176	134	780	233	80	444	298	199	455	-1132	80	494	-010	117	340	-997
80	393	187	123	864	249	80	445	058	115	323	-516	80	495	-021	111	381	-496
80	394	188	134	705	194	80	446	068	103	266	-458	80	496	-034	123	544	-542
80	395	168	117	546	211	80	447	026	115	435	-539	80	497	-039	129	549	-648

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
80	498	.033	.132	.395	-.569	80	605	-.051	.130	.358	-.591	80	655	-.041	.110	.357	-.420
80	499	.010	.152	.520	-.859	80	606	-.058	.126	.459	-.561	80	656	-.023	.111	.334	-.494
80	500	-.019	.124	.460	-.134	80	607	-.049	.122	.328	-.548	80	657	-.033	.096	.254	-.337
80	501	-.100	.219	.454	-.102	80	608	-.081	.133	.380	-.623	80	658	-.037	.118	.322	-.480
80	502	-.140	.200	.367	-.101	80	609	-.072	.125	.342	-.544	80	659	-.036	.119	.354	-.468
80	503	-.161	.200	.579	-.106	80	610	-.061	.126	.364	-.450	80	660	-.072	.130	.331	-.516
80	504	-.047	.118	.345	-.474	80	611	-.048	.120	.352	-.467	80	661	-.050	.119	.347	-.506
80	505	-.049	.128	.408	-.687	80	612	-.042	.119	.322	-.441	80	662	-.037	.129	.347	-.530
80	506	-.009	.117	.406	-.566	80	613	-.046	.112	.342	-.441	80	663	-.003	.121	.472	-.383
80	507	-.009	.122	.404	-.487	80	614	-.046	.116	.336	-.437	80	664	-.008	.115	.489	-.411
80	508	.046	.109	.474	-.419	80	615	-.059	.130	.328	-.709	80	665	-.021	.127	.435	-.411
80	509	.058	.120	.406	-.569	80	616	-.075	.117	.387	-.522	80	666	-.023	.130	.446	-.466
80	510	.060	.129	.495	-.582	80	617	-.059	.112	.404	-.466	80	667	-.019	.121	.438	-.425
80	511	.057	.128	.529	-.863	80	618	-.084	.122	.398	-.505	80	668	-.016	.120	.403	-.399
80	512	.012	.173	.429	-.650	80	619	-.071	.103	.358	-.474	80	669	-.030	.122	.319	-.534
80	513	-.050	.184	.478	-.877	80	620	-.062	.118	.473	-.513	80	670	-.015	.125	.386	-.429
80	514	-.054	.183	.459	-.221	80	621	-.061	.117	.502	-.473	80	671	-.047	.125	.463	-.450
80	515	-.030	.127	.377	-.516	80	622	-.038	.108	.321	-.405	80	672	-.026	.123	.400	-.494
80	516	-.056	.145	.325	-.805	80	623	-.026	.085	.302	-.302	80	673	-.016	.129	.430	-.661
80	517	.009	.123	.451	-.412	80	624	-.028	.105	.382	-.424	80	674	-.019	.116	.428	-.364
80	518	.039	.105	.413	-.287	80	625	-.076	.118	.339	-.488	80	675	-.017	.123	.398	-.534
80	519	.048	.115	.480	-.395	80	626	-.061	.112	.357	-.478	80	676	-.032	.120	.387	-.439
80	520	.084	.111	.578	-.347	80	627	-.086	.105	.318	-.612	80	677	-.048	.135	.389	-.538
80	521	.105	.123	.537	-.288	80	628	-.086	.125	.406	-.947	80	678	-.027	.121	.372	-.416
80	522	.102	.125	.542	-.335	80	629	-.073	.118	.400	-.544	80	679	-.041	.128	.349	-.640
80	523	.122	.128	.628	-.280	80	630	-.062	.113	.376	-.495	80	680	-.057	.110	.322	-.444
80	524	.128	.137	.630	-.464	80	631	-.048	.089	.214	-.401	80	681	-.053	.115	.380	-.492
80	525	.096	.142	.606	-.833	80	632	-.036	.104	.264	-.360	80	682	-.056	.111	.307	-.430
80	526	.064	.150	.537	-.112	80	633	-.031	.107	.319	-.437	80	683	-.006	.115	.394	-.397
80	527	.055	.154	.544	-.727	80	634	-.018	.109	.323	-.476	80	684	-.010	.129	.554	-.402
80	528	-.020	.113	.358	-.411	80	635	-.021	.083	.264	-.370	80	685	-.002	.118	.466	-.385
80	529	-.017	.111	.406	-.382	80	636	-.091	.115	.261	-.691	80	686	-.002	.116	.456	-.402
80	530	-.040	.110	.344	-.408	80	637	-.078	.111	.242	-.413	80	687	-.014	.113	.311	-.411
80	531	-.082	.139	.342	-.804	80	638	-.066	.091	.221	-.356	80	688	-.009	.124	.423	-.445
80	532	-.079	.139	.334	-.833	80	639	-.057	.106	.310	-.412	80	701	-.025	.114	.372	-.434
80	533	-.066	.153	.452	-.871	80	640	-.046	.106	.297	-.380	80	702	-.026	.109	.357	-.395
80	534	-.042	.175	.503	-.060	80	641	-.045	.092	.207	-.394	80	703	-.024	.105	.328	-.354
80	535	-.019	.113	.365	-.396	80	642	-.049	.114	.288	-.480	80	704	-.002	.103	.352	-.377
80	536	-.010	.107	.318	-.388	80	643	-.051	.116	.283	-.496	80	705	-.022	.110	.365	-.452
80	537	-.013	.119	.378	-.452	80	644	-.091	.100	.214	-.467	80	706	-.077	.106	.267	-.462
80	538	-.015	.112	.397	-.394	80	645	-.085	.118	.288	-.509	80	707	-.019	.108	.318	-.432
80	539	-.023	.106	.365	-.329	80	646	-.064	.113	.304	-.454	80	708	-.077	.111	.340	-.450
80	540	-.033	.088	.349	-.254	80	647	-.058	.084	.249	-.363	80	709	-.131	.113	.600	-.225
80	541	-.033	.113	.412	-.340	80	648	-.048	.100	.306	-.465	80	710	-.140	.125	.593	-.250
80	542	-.026	.111	.412	-.440	80	649	-.041	.105	.366	-.409	80	801	-.035	.120	.336	-.480
80	543	-.006	.118	.403	-.410	80	650	-.043	.098	.243	-.633	80	802	-.027	.110	.304	-.397
80	601	-.051	.101	.292	-.515	80	651	-.044	.119	.293	-.764	80	803	-.071	.116	.495	-.290
80	602	-.053	.127	.459	-.601	80	652	-.100	.123	.358	-.642	80	804	-.005	.087	.242	-.271
80	603	-.041	.123	.372	-.676	80	653	-.082	.098	.257	-.462	80	901	-.232	.176	.280	-.1219
80	604	-.039	.129	.331	-.581	80	654	-.064	.113	.331	-.453	80	902	-.250	.171	.267	-.1028

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
80	903	-294	182	363	-1.109	90	121	-117	132	414	-694	90	171	-126	119	230	-722
80	904	-365	230	171	-1.652	90	122	-121	109	177	-660	90	172	-120	116	274	-729
80	905	-251	184	380	-1.085	90	123	-169	178	418	-1.351	90	173	-137	108	234	-627
80	906	-201	141	272	-790	90	124	-159	155	365	-893	90	174	-129	115	172	-676
80	907	-127	119	370	-582	90	125	-128	145	260	-760	90	175	-134	133	265	-629
80	908	-126	136	335	-809	90	126	-129	134	271	-909	90	176	-132	125	290	-639
80	909	-120	120	331	-656	90	127	-133	140	339	-815	90	177	-140	122	268	-628
80	910	-076	119	326	-565	90	128	-117	142	332	-822	90	178	-127	117	285	-639
80	911	-057	117	352	-678	90	129	-122	136	335	-729	90	179	-146	128	252	-819
80	912	-031	093	333	-392	90	130	-131	135	459	-903	90	180	-175	204	616	-1.305
80	913	-063	103	274	-425	90	131	-127	130	266	-667	90	181	-154	180	254	-1.459
80	914	-062	126	307	-560	90	132	-125	125	415	-636	90	182	-132	161	448	-1.142
80	915	-048	122	390	-666	90	133	-117	125	291	-633	90	183	-139	159	331	-1.362
80	916	-075	131	509	-583	90	134	-119	134	293	-599	90	184	-123	130	257	-1.019
80	917	-107	125	364	-737	90	135	-123	126	383	-832	90	185	-131	136	382	-752
80	918	-046	117	416	-690	90	136	-168	181	374	-1.294	90	186	-112	120	334	-508
80	919	-154	152	249	-1.103	90	137	-160	152	339	-949	90	187	-125	117	285	-573
80	920	-237	162	290	-1.056	90	138	-141	145	268	-744	90	188	-124	119	277	-552
80	921	-264	164	303	-868	90	139	-131	138	302	-915	90	189	-140	119	237	-567
80	922	-262	172	218	-1.687	90	140	-124	129	280	-621	90	190	-134	124	233	-562
80	923	-107	125	548	-770	90	141	-127	111	233	-582	90	191	-152	180	277	-1.744
80	924	-112	117	587	-306	90	142	-134	124	285	-614	90	192	-138	176	355	-1.148
80	925	-074	115	481	-363	90	143	-119	136	264	-712	90	193	-133	163	335	-1.127
80	926	-065	109	512	-299	90	144	-123	122	279	-552	90	194	-124	156	514	-1.315
80	927	-109	112	541	-262	90	145	-194	176	376	-1.412	90	195	-118	138	337	-798
80	928	-100	092	446	-271	90	146	-149	122	250	-988	90	196	-116	134	316	-659
80	929	-068	110	449	-369	90	147	-146	144	386	-978	90	197	-119	122	295	-613
80	930	-066	109	428	-366	90	148	-144	142	251	-724	90	198	-109	124	282	-559
80	931	-012	112	344	-425	90	149	-131	147	402	-695	90	199	-120	126	249	-506
80	932	-047	110	372	-352	90	150	-126	122	279	-619	90	200	-119	133	326	-584
90	101	-208	153	316	-990	90	151	-151	133	238	-896	90	201	-130	116	224	-608
90	102	-169	134	265	-1.166	90	152	-141	133	240	-688	90	202	-118	122	251	-775
90	103	-174	140	169	-992	90	153	-138	126	300	-583	90	203	-131	136	302	-689
90	104	-152	130	326	-724	90	154	-134	116	281	-518	90	204	-111	148	478	-1.009
90	105	-161	135	301	-805	90	155	-128	126	346	-588	90	205	-113	135	326	-916
90	106	-134	121	321	-759	90	156	-128	121	255	-610	90	206	-102	134	368	-858
90	107	-141	121	198	-628	90	157	-129	126	359	-727	90	207	-110	142	404	-916
90	108	-140	160	468	-921	90	158	-209	196	549	-1.163	90	208	-097	133	352	-703
90	109	-127	137	352	-708	90	159	-172	133	283	-1.090	90	209	-107	119	226	-696
90	110	-128	132	318	-837	90	160	-143	140	296	-839	90	210	-099	123	282	-573
90	111	-121	128	604	-642	90	161	-147	140	292	-704	90	211	-124	125	304	-638
90	112	-116	124	387	-600	90	162	-142	111	269	-608	90	212	-112	110	228	-491
90	113	-120	138	325	-626	90	163	-134	108	155	-502	90	213	-110	126	352	-695
90	114	-177	155	346	-1.021	90	164	-142	111	263	-530	90	214	-108	122	430	-536
90	115	-189	158	344	-1.431	90	165	-119	109	212	-660	90	215	-080	128	337	-694
90	116	-163	152	300	-893	90	166	-137	096	174	-519	90	216	-080	107	256	-466
90	117	-157	144	251	-930	90	167	-172	155	247	-1.524	90	217	-028	108	359	-383
90	118	-128	126	344	-595	90	168	-150	178	363	-1.266	90	218	-085	100	258	-430
90	119	-117	133	363	-722	90	169	-134	126	298	-936	90	219	-089	113	332	-657
90	120	-112	125	290	-656	90	170	-137	129	300	-729	90	220	-106	125	301	-851

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
90	221	110	102	220	487	90	326	146	144	813	261	90	376	215	146	787	296
90	222	110	112	253	513	90	327	059	118	735	266	90	377	200	123	740	213
90	223	108	127	355	847	90	328	085	139	826	272	90	378	176	125	731	255
90	224	083	112	301	491	90	329	135	139	914	248	90	379	198	132	713	192
90	225	088	113	289	529	90	330	164	139	911	210	90	380	206	138	775	138
90	226	089	106	269	579	90	331	217	115	856	086	90	381	218	133	708	234
90	227	094	110	298	486	90	332	225	145	750	212	90	382	205	116	716	160
90	228	099	111	280	608	90	333	192	159	848	326	90	383	172	124	591	215
90	229	119	112	182	752	90	334	116	162	700	354	90	384	048	107	408	317
90	230	088	100	206	426	90	335	125	151	702	361	90	385	001	108	380	354
90	231	103	110	235	534	90	336	114	145	678	369	90	386	153	134	863	271
90	232	113	118	265	613	90	337	160	141	748	261	90	387	122	153	872	408
90	233	090	133	295	509	90	338	209	116	102	110	90	388	216	126	745	202
90	234	088	120	333	556	90	339	231	138	138	166	90	389	222	143	938	239
90	235	079	133	355	538	90	340	239	145	158	205	90	390	236	141	872	215
90	236	070	111	332	552	90	341	215	125	900	159	90	391	215	124	718	213
90	237	079	139	429	654	90	342	163	155	979	353	90	392	204	127	731	216
90	238	093	147	382	113	90	343	099	154	831	419	90	393	219	135	729	209
90	239	093	125	339	532	90	344	180	118	634	310	90	394	183	121	591	226
90	240	099	137	339	690	90	345	195	133	702	328	90	395	190	118	635	204
90	241	088	127	301	490	90	346	211	124	665	233	90	396	109	106	482	253
90	242	096	137	333	588	90	347	206	101	636	102	90	397	061	110	473	272
90	243	112	134	310	595	90	348	176	121	667	186	90	398	018	111	374	404
90	244	106	125	326	581	90	349	145	126	586	206	90	401	125	109	176	571
90	245	105	132	308	617	90	350	107	101	545	244	90	402	152	123	193	677
90	301	033	131	634	419	90	351	040	117	487	460	90	403	035	097	339	367
90	302	054	159	588	458	90	352	211	163	715	283	90	404	005	098	430	315
90	303	073	168	1082	510	90	353	213	122	705	192	90	405	062	099	273	473
90	304	080	172	788	498	90	354	210	134	796	247	90	406	019	110	415	558
90	305	085	176	833	503	90	355	187	125	738	248	90	407	023	107	460	327
90	306	096	154	964	366	90	356	147	118	692	273	90	408	047	119	451	569
90	307	163	163	908	284	90	357	109	090	427	401	90	409	007	129	786	488
90	308	037	158	627	517	90	358	053	107	544	448	90	410	020	140	642	583
90	309	069	158	713	479	90	359	004	109	581	441	90	411	108	149	490	854
90	310	140	163	1061	284	90	360	215	116	626	146	90	412	066	163	554	679
90	311	183	158	786	319	90	361	208	133	797	169	90	413	153	188	660	924
90	312	222	168	1000	241	90	362	208	117	754	106	90	414	119	119	344	680
90	313	200	173	904	365	90	363	210	119	758	111	90	415	135	140	262	808
90	314	120	168	777	459	90	364	216	134	737	181	90	416	098	124	259	608
90	315	094	182	848	614	90	365	214	117	659	169	90	417	073	113	467	413
90	316	105	149	831	327	90	366	147	097	430	165	90	418	024	119	407	572
90	317	157	152	863	223	90	367	124	095	457	162	90	419	019	119	345	427
90	318	053	145	665	357	90	368	085	095	512	278	90	420	053	140	423	962
90	319	091	124	611	279	90	369	043	098	411	269	90	421	080	157	660	786
90	320	148	150	764	259	90	370	002	094	341	312	90	422	091	148	501	741
90	321	177	154	836	228	90	371	199	149	818	436	90	423	099	118	246	598
90	322	229	169	926	288	90	372	205	150	907	406	90	424	102	124	347	604
90	323	148	143	760	275	90	373	212	136	703	243	90	425	034	119	410	494
90	324	125	176	819	397	90	374	194	136	902	222	90	426	012	132	486	474
90	325	088	146	658	375	90	375	183	139	721	223	90	427	041	111	473	424

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
90	428	.015	.121	.474	-.466	90	478	-.024	.164	.765	-.738	90	528	-.097	.123	.316	-.495
90	429	.043	.130	.610	-.429	90	479	-.041	.163	.721	-.754	90	529	-.081	.138	.310	-.835
90	430	.011	.121	.449	-.471	90	480	-.084	.120	.289	-.587	90	530	-.039	.144	.393	-.729
90	431	.043	.143	.664	-.730	90	481	-.086	.118	.344	-.472	90	531	-.037	.145	.403	-.724
90	432	-.004	.140	.535	-.606	90	482	-.047	.112	.309	-.443	90	532	-.077	.154	.361	-.932
90	433	-.089	.162	.685	-.697	90	483	-.017	.110	.336	-.412	90	533	-.070	.153	.790	-.765
90	434	-.064	.171	.593	-.869	90	484	-.056	.117	.499	-.340	90	534	-.123	.181	.761	-.918
90	435	-.121	.189	.469	-.963	90	485	-.081	.116	.599	-.348	90	535	-.048	.114	.282	-.466
90	436	-.110	.128	.283	-.569	90	486	-.088	.120	.499	-.313	90	536	-.033	.110	.311	-.408
90	437	-.111	.126	.285	-.544	90	487	-.119	.145	.757	-.729	90	537	-.036	.111	.320	-.429
90	438	-.082	.111	.275	-.454	90	488	-.114	.156	.730	-.623	90	538	-.079	.127	.287	-.478
90	439	-.057	.114	.295	-.456	90	489	-.037	.168	.581	-.634	90	539	-.002	.107	.342	-.435
90	440	-.015	.120	.375	-.521	90	490	-.056	.171	.646	-.888	90	540	-.062	.091	.435	-.263
90	441	-.005	.101	.461	-.337	90	491	-.082	.116	.238	-.536	90	541	-.046	.110	.481	-.328
90	442	-.047	.154	.523	-.878	90	492	-.088	.126	.271	-.622	90	542	-.084	.112	.489	-.281
90	443	-.080	.160	.632	-.625	90	493	-.027	.113	.395	-.417	90	543	-.111	.126	.557	-.360
90	444	-.089	.183	.539	-.158	90	494	-.006	.111	.459	-.345	90	601	-.088	.100	.261	-.450
90	445	-.093	.112	.272	-.527	90	495	-.062	.123	.506	-.328	90	602	-.098	.120	.273	-.524
90	446	-.109	.104	.248	-.499	90	496	-.083	.121	.564	-.403	90	603	-.093	.123	.323	-.664
90	447	-.044	.112	.407	-.522	90	497	-.125	.136	.744	-.352	90	604	-.103	.136	.366	-.581
90	448	-.026	.121	.471	-.487	90	498	-.132	.127	.587	-.261	90	605	-.107	.119	.350	-.529
90	449	-.041	.111	.266	-.476	90	499	-.138	.138	.709	-.338	90	606	-.095	.122	.323	-.468
90	450	-.005	.125	.433	-.417	90	500	-.153	.158	.660	-.464	90	607	-.103	.115	.238	-.562
90	451	-.017	.135	.612	-.489	90	501	-.143	.152	.872	-.511	90	608	-.116	.118	.305	-.586
90	452	-.011	.127	.498	-.401	90	502	-.125	.172	.678	-.601	90	609	-.108	.123	.300	-.580
90	453	-.027	.139	.562	-.456	90	503	-.080	.178	.711	-.560	90	610	-.098	.115	.298	-.510
90	454	-.009	.149	.567	-.509	90	504	-.107	.129	.300	-.613	90	611	-.086	.108	.298	-.455
90	455	-.040	.148	.478	-.696	90	505	-.100	.122	.321	-.545	90	612	-.084	.111	.281	-.491
90	456	-.026	.159	.582	-.834	90	506	-.021	.118	.344	-.449	90	613	-.083	.120	.372	-.527
90	457	-.069	.170	.647	-.854	90	507	-.019	.120	.475	-.445	90	614	-.076	.113	.276	-.479
90	458	-.087	.113	.266	-.485	90	508	-.107	.125	.501	-.279	90	615	-.084	.117	.310	-.525
90	459	-.108	.104	.201	-.499	90	509	-.154	.132	.802	-.298	90	616	-.094	.106	.256	-.485
90	460	-.080	.122	.294	-.583	90	510	-.175	.136	.889	-.302	90	617	-.090	.105	.236	-.485
90	461	-.057	.117	.380	-.472	90	511	-.176	.140	.636	-.394	90	618	-.111	.122	.324	-.519
90	462	-.014	.108	.390	-.434	90	512	-.200	.145	.908	-.172	90	619	-.104	.095	.218	-.560
90	463	-.004	.112	.511	-.360	90	513	-.184	.172	.884	-.450	90	620	-.094	.111	.280	-.629
90	464	-.024	.123	.381	-.526	90	514	-.190	.175	.850	-.486	90	621	-.094	.111	.261	-.691
90	465	-.040	.123	.392	-.606	90	515	-.114	.134	.263	-.665	90	622	-.074	.111	.293	-.358
90	466	-.076	.145	.495	-.752	90	516	-.123	.142	.323	-.556	90	623	-.070	.087	.237	-.395
90	467	-.086	.092	.197	-.425	90	517	-.024	.122	.416	-.422	90	624	-.070	.108	.286	-.499
90	468	-.075	.118	.302	-.473	90	518	-.036	.121	.469	-.470	90	625	-.107	.112	.205	-.542
90	469	-.042	.093	.271	-.446	90	519	-.108	.127	.634	-.288	90	626	-.100	.109	.235	-.537
90	470	-.025	.096	.351	-.376	90	520	-.161	.122	.688	-.189	90	627	-.118	.096	.200	-.478
90	471	-.025	.089	.248	-.343	90	521	-.202	.144	.768	-.225	90	628	-.111	.115	.259	-.537
90	472	-.003	.101	.376	-.351	90	522	-.202	.146	.705	-.220	90	629	-.105	.113	.261	-.508
90	473	-.029	.099	.425	-.370	90	523	-.248	.146	.836	-.201	90	630	-.101	.110	.256	-.502
90	474	-.007	.103	.369	-.441	90	524	-.264	.154	.804	-.162	90	631	-.087	.092	.220	-.356
90	475	-.043	.119	.442	-.362	90	525	-.239	.163	.875	-.189	90	632	-.073	.112	.289	-.400
90	476	-.047	.125	.551	-.370	90	526	-.236	.174	.1055	-.266	90	633	-.071	.116	.357	-.419
90	477	-.004	.152	.699	-.716	90	527	-.239	.180	1.031	-.313	90	634	-.070	.117	.334	-.466

WD	TAP	CPNEAN	CPNHS	CPNAX	CPNIN	WD	TAP	CPNEAN	CPNHS	CPNAX	CPNIN	WD	TAP	CPNEAN	CPNHS	CPNAX	CPNIN
90	635	- .065	.097	.286	- .437	90	685	- .105	.133	.324	- .721	100	101	- .238	.134	.178	-1. 183
90	636	- .119	.117	.273	- .602	90	686	- .109	.122	.261	- .599	100	102	- .234	.130	.168	- .815
90	637	- .107	.117	.283	- .563	90	687	- .113	.141	.426	- .635	100	103	- .193	.125	.233	- .743
90	638	- .090	.089	.211	- .398	90	688	- .127	.138	.292	- .694	100	104	- .192	.126	.164	-1. 052
90	639	- .080	.106	.258	- .492	90	701	- .115	.124	.312	- .540	100	105	- .209	.126	.205	- .743
90	640	- .077	.108	.268	- .496	90	702	- .110	.132	.262	- .675	100	106	- .188	.116	.279	- .610
90	641	- .077	.091	.184	- .370	90	703	- .122	.123	.280	- .596	100	107	- .202	.128	.147	- .828
90	642	- .071	.110	.238	- .457	90	704	- .115	.123	.290	- .588	100	108	- .204	.140	.434	- .755
90	643	- .071	.113	.258	- .507	90	705	- .086	.123	.321	- .466	100	109	- .189	.152	.276	- .728
90	644	- .094	.095	.257	- .441	90	706	- .094	.117	.312	- .468	100	110	- .183	.138	.253	- .856
90	645	- .080	.113	.355	- .436	90	707	- .116	.130	.289	- .623	100	111	- .187	.151	.338	- .746
90	646	- .074	.111	.377	- .443	90	708	- .091	.114	.244	- .593	100	112	- .191	.148	.231	- .823
90	647	- .087	.092	.225	- .425	90	709	- .200	.127	.654	- .226	100	113	- .202	.150	.222	-1. 051
90	648	- .088	.115	.296	- .508	90	710	- .198	.131	.766	- .203	100	114	- .216	.159	.313	-1. 042
90	649	- .081	.117	.331	- .520	90	801	- .079	.160	.389	- .890	100	115	- .221	.146	.352	- .840
90	650	- .075	.095	.225	- .391	90	802	- .063	.114	.318	- .537	100	116	- .191	.144	.334	-1. 172
90	651	- .072	.115	.277	- .441	90	803	- .181	.150	.906	- .298	100	117	- .197	.144	.240	- .791
90	652	- .102	.119	.260	- .496	90	804	- .055	.098	.264	- .395	100	118	- .204	.146	.271	- .834
90	653	- .087	.095	.266	- .405	90	901	- .154	.121	.196	- .847	100	119	- .191	.136	.260	- .768
90	654	- .076	.113	.294	- .492	90	902	- .167	.132	.251	- .853	100	120	- .188	.142	.244	-1. 006
90	655	- .082	.116	.271	- .461	90	903	- .219	.144	.304	-1. 000	100	121	- .202	.150	.302	- .852
90	656	- .100	.115	.273	- .453	90	904	- .225	.141	.243	- .830	100	122	- .181	.108	.126	- .649
90	657	- .092	.091	.232	- .407	90	905	- .208	.138	.321	- .982	100	123	- .190	.147	.474	- .910
90	658	- .081	.110	.326	- .469	90	906	- .183	.133	.169	- .864	100	124	- .198	.137	.192	-1. 169
90	659	- .078	.113	.367	- .486	90	907	- .138	.109	.264	- .627	100	125	- .175	.143	.304	- .741
90	660	- .107	.139	.326	- .726	90	908	- .135	.118	.259	- .710	100	126	- .177	.133	.288	- .746
90	661	- .098	.128	.417	- .521	90	909	- .133	.102	.159	- .524	100	127	- .172	.133	.348	- .672
90	662	- .092	.123	.247	- .579	90	910	- .118	.107	.235	- .534	100	128	- .187	.136	.267	- .792
90	663	- .115	.129	.377	- .525	90	911	- .103	.113	.235	- .793	100	129	- .175	.131	.233	- .594
90	664	- .134	.145	.332	- .833	90	912	- .067	.105	.313	- .453	100	130	- .189	.127	.190	- .668
90	665	- .117	.145	.322	- .678	90	913	- .112	.099	.188	- .461	100	131	- .198	.135	.290	- .689
90	666	- .110	.128	.275	- .543	90	914	- .121	.116	.268	- .827	100	132	- .185	.129	.251	- .652
90	667	- .095	.139	.310	- .661	90	915	- .115	.117	.373	- .678	100	133	- .185	.131	.213	- .744
90	668	- .113	.129	.256	- .524	90	916	- .135	.119	.258	- .704	100	134	- .205	.130	.284	- .665
90	669	- .114	.137	.350	- .684	90	917	- .140	.132	.326	- .772	100	135	- .183	.137	.201	- .684
90	670	- .103	.139	.331	- .658	90	918	- .011	.114	.422	- .392	100	136	- .203	.147	.222	- .836
90	671	- .082	.131	.369	- .540	90	919	- .178	.139	.225	-1. 055	100	137	- .191	.139	.252	- .792
90	672	- .085	.142	.498	- .600	90	920	- .043	.127	.424	- .575	100	138	- .184	.144	.222	- .776
90	673	- .078	.126	.324	- .447	90	921	- .102	.132	.496	- .630	100	139	- .192	.135	.254	- .718
90	674	- .110	.150	.331	- .842	90	922	- .183	.146	.193	- .985	100	140	- .201	.133	.220	- .788
90	675	- .128	.134	.346	- .562	90	923	- .264	.171	.999	- .296	100	141	- .205	.105	.118	- .576
90	676	- .123	.126	.277	- .546	90	924	- .168	.160	.728	- .785	100	142	- .192	.126	.206	- .661
90	677	- .111	.142	.350	- .611	90	925	- .125	.118	.576	- .309	100	143	- .193	.143	.256	- .889
90	678	- .121	.136	.334	- .661	90	926	- .115	.127	.603	- .336	100	144	- .203	.135	.294	- .665
90	679	- .117	.136	.301	- .618	90	927	- .226	.156	.740	- .298	100	145	- .193	.147	.217	- .854
90	680	- .101	.111	.249	- .536	90	928	- .157	.106	.508	- .179	100	146	- .189	.105	.165	- .751
90	681	- .089	.118	.298	- .553	90	929	- .095	.112	.582	- .295	100	147	- .174	.145	.291	- .702
90	682	- .073	.120	.371	- .430	90	930	- .129	.123	.534	- .227	100	148	- .175	.140	.274	- .695
90	683	- .087	.128	.316	- .519	90	931	- .046	.118	.383	- .415	100	149	- .182	.139	.265	- .709
90	684	- .111	.126	.285	- .609	90	932	- .037	.101	.395	- .311	100	150	- .181	.142	.250	- .981

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
100	151	- 211	138	286	- 771	100	201	- 141	112	211	- 553	100	306	333	226	1 241	- 519
100	152	- 182	132	341	- 689	100	202	- 162	117	379	- 547	100	307	367	227	1 141	- 197
100	153	- 201	129	193	- 731	100	203	- 148	128	308	- 670	100	308	219	193	1 910	- 357
100	154	- 218	139	247	- 749	100	204	- 153	117	281	- 663	100	309	253	197	1 927	- 293
100	155	- 209	129	188	- 711	100	205	- 157	112	218	- 633	100	310	336	206	1 966	- 270
100	156	- 198	133	208	- 793	100	206	- 152	116	193	- 582	100	311	361	214	1 196	- 185
100	157	- 199	142	264	- 869	100	207	- 158	116	255	- 621	100	312	367	215	1 284	- 230
100	158	- 210	147	233	- 651	100	208	- 163	111	205	- 496	100	313	279	197	1 236	- 253
100	159	- 186	109	144	- 640	100	209	- 155	111	242	- 596	100	314	123	172	1 963	- 361
100	160	- 198	130	193	- 717	100	210	- 162	113	169	- 532	100	315	067	169	1 708	- 481
100	161	- 208	146	271	- 866	100	211	- 165	117	177	- 639	100	316	332	193	1 047	- 167
100	162	- 184	101	140	- 550	100	212	- 150	118	333	- 533	100	317	377	202	1 086	- 169
100	163	- 200	103	179	- 513	100	213	- 170	123	227	- 630	100	318	267	219	1 989	- 344
100	164	- 207	103	077	- 677	100	214	- 179	125	242	- 652	100	319	291	172	1 933	- 162
100	165	- 186	107	114	- 570	100	215	- 135	099	214	- 520	100	320	345	209	1 137	- 228
100	166	- 200	101	133	- 585	100	216	- 147	104	186	- 798	100	321	372	213	1 187	- 209
100	167	- 149	113	232	- 536	100	217	- 040	096	331	- 306	100	322	269	185	1 108	- 386
100	168	- 166	127	222	- 845	100	218	- 154	101	167	- 455	100	323	137	142	1 678	- 262
100	169	- 165	103	197	- 603	100	219	- 153	101	179	- 510	100	324	073	166	1 686	- 462
100	170	- 165	103	234	- 568	100	220	- 157	106	227	- 529	100	325	346	215	1 210	- 256
100	171	- 175	107	184	- 534	100	221	- 157	100	145	- 480	100	326	390	219	1 295	- 191
100	172	- 171	098	156	- 603	100	222	- 147	099	165	- 451	100	327	294	167	1 935	- 154
100	173	- 178	099	133	- 512	100	223	- 176	124	262	- 661	100	328	314	199	1 085	- 254
100	174	- 208	104	112	- 649	100	224	- 167	109	140	- 596	100	329	379	205	1 316	- 179
100	175	- 182	116	233	- 581	100	225	- 161	106	172	- 490	100	330	403	206	1 382	- 154
100	176	- 186	126	241	- 692	100	226	- 186	116	152	- 643	100	331	423	166	1 989	- 058
100	177	- 186	124	158	- 620	100	227	- 194	116	213	- 616	100	332	365	187	1 257	- 188
100	178	- 189	120	178	- 653	100	228	- 154	103	259	- 531	100	333	252	178	1 071	- 286
100	179	- 188	127	228	- 850	100	229	- 161	103	198	- 526	100	334	115	166	1 863	- 455
100	180	- 147	116	251	- 592	100	230	- 154	108	188	- 529	100	335	073	131	1 665	- 287
100	181	- 162	119	212	- 764	100	231	- 155	113	269	- 704	100	336	389	194	1 113	- 241
100	182	- 162	119	246	- 576	100	232	- 178	106	129	- 589	100	337	425	197	1 168	- 178
100	183	- 155	115	241	- 634	100	233	- 168	120	256	- 554	100	338	459	171	1 126	- 008
100	184	- 164	116	181	- 579	100	234	- 172	126	292	- 652	100	339	440	192	1 195	- 138
100	185	- 157	127	237	- 665	100	235	- 189	121	374	- 620	100	340	372	178	1 017	- 215
100	186	- 175	115	197	- 586	100	236	- 189	096	125	- 507	100	341	296	140	1 856	- 121
100	187	- 175	108	149	- 502	100	237	- 145	125	255	- 698	100	342	167	147	1 776	- 334
100	188	- 174	115	179	- 548	100	238	- 146	130	351	- 632	100	343	071	135	1 682	- 396
100	189	- 167	121	182	- 565	100	239	- 150	123	224	- 563	100	344	434	175	1 178	- 058
100	190	- 165	118	249	- 620	100	240	- 144	119	214	- 691	100	345	446	209	1 284	- 138
100	191	- 149	117	249	- 548	100	241	- 154	121	182	- 679	100	346	450	206	1 221	- 097
100	192	- 167	118	237	- 575	100	242	- 169	129	178	- 712	100	347	444	158	1 962	- 058
100	193	- 154	117	247	- 684	100	243	- 171	127	219	- 613	100	348	350	170	1 949	- 199
100	194	- 146	118	355	- 574	100	244	- 175	126	191	- 817	100	349	249	151	1 916	- 233
100	195	- 156	115	210	- 533	100	245	- 173	130	290	- 680	100	350	135	115	1 569	- 222
100	196	- 156	113	189	- 604	100	301	- 174	171	809	- 368	100	351	005	130	1 467	- 426
100	197	- 159	116	240	- 604	100	302	- 170	196	962	- 407	100	352	402	180	1 084	- 134
100	198	- 154	113	211	- 510	100	303	- 161	202	1 644	- 396	100	353	419	147	1 023	- 064
100	199	- 166	111	227	- 623	100	304	- 142	187	1 009	- 619	100	354	402	170	1 117	- 156
100	200	- 156	114	238	- 559	100	305	- 092	182	767	- 486	100	355	361	165	1 019	- 200

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
100	356	281	151	830	176	100	408	609	143	491	628	100	458	185	132	223	631
100	357	196	123	669	148	100	409	137	164	792	371	100	459	198	106	134	554
100	358	079	129	510	314	100	410	133	180	854	419	100	460	132	126	272	668
100	359	006	122	382	394	100	411	019	170	539	558	100	461	082	136	338	573
100	360	366	145	925	055	100	412	081	176	665	649	100	462	086	138	607	399
100	361	354	131	993	034	100	413	081	233	850	773	100	463	126	147	630	347
100	362	384	150	030	020	100	414	221	149	229	021	100	464	164	151	701	289
100	363	366	144	942	050	100	415	268	174	211	178	100	465	154	167	680	326
100	364	350	144	984	048	100	416	188	129	341	706	100	466	171	181	871	462
100	365	365	140	827	050	100	417	109	132	385	549	100	467	154	093	177	468
100	366	321	148	886	138	100	418	030	140	546	413	100	468	142	122	226	591
100	367	268	120	873	110	100	419	056	136	539	398	100	469	046	108	366	446
100	368	160	107	568	214	100	420	055	168	767	499	100	470	017	098	285	347
100	369	072	093	465	212	100	421	050	186	717	571	100	471	006	102	352	351
100	370	018	097	314	346	100	422	105	189	874	611	100	472	085	113	621	292
100	371	267	136	673	372	100	423	184	130	219	612	100	473	148	121	619	197
100	372	306	152	801	262	100	424	208	137	213	038	100	474	111	113	605	262
100	373	350	161	863	264	100	425	034	134	484	757	100	475	187	152	738	224
100	374	336	174	915	257	100	426	040	141	713	445	100	476	214	168	811	268
100	375	349	196	035	449	100	427	035	137	514	498	100	477	212	175	793	508
100	376	376	167	009	174	100	428	107	140	626	405	100	478	208	186	852	542
100	377	336	158	879	127	100	429	163	163	713	388	100	479	180	201	899	895
100	378	231	141	798	243	100	430	118	151	019	359	100	480	157	123	315	641
100	379	315	144	787	110	100	431	192	159	780	252	100	481	163	125	367	730
100	380	363	140	957	016	100	432	201	204	876	476	100	482	044	109	385	390
100	381	408	171	108	091	100	433	098	196	907	703	100	483	018	119	482	397
100	382	370	160	037	063	100	434	153	207	895	536	100	484	155	138	598	302
100	383	366	146	874	132	100	435	119	239	088	733	100	485	234	142	715	182
100	384	084	111	590	290	100	436	201	148	277	755	100	486	270	155	754	193
100	385	005	105	322	331	100	437	209	143	208	876	100	487	283	170	863	240
100	386	172	147	748	354	100	438	139	126	230	550	100	488	287	165	967	225
100	387	143	173	799	357	100	439	069	131	330	674	100	489	270	198	044	419
100	388	367	152	009	113	100	440	089	141	597	464	100	490	252	200	073	404
100	389	381	157	042	127	100	441	113	121	594	355	100	491	174	122	238	642
100	390	419	187	217	028	100	442	122	182	837	462	100	492	157	122	183	584
100	391	431	171	974	155	100	443	068	207	911	578	100	493	055	111	351	415
100	392	411	168	073	046	100	444	154	227	122	702	100	494	033	123	557	355
100	393	380	165	180	155	100	445	170	124	252	563	100	495	142	123	586	222
100	394	365	155	976	152	100	446	202	111	118	638	100	496	175	133	605	256
100	395	338	152	907	168	100	447	030	127	417	469	100	497	258	133	769	237
100	396	218	135	747	172	100	448	019	133	570	426	100	498	268	145	850	187
100	397	103	114	585	255	100	449	018	129	461	455	100	499	295	157	894	172
100	398	018	115	407	443	100	450	083	148	632	464	100	500	331	159	893	247
100	401	214	125	157	637	100	451	155	153	783	488	100	501	342	176	913	232
100	402	235	144	133	171	100	452	146	156	664	321	100	502	359	172	893	278
100	403	021	107	379	412	100	453	176	179	794	387	100	503	321	172	920	270
100	404	057	119	508	497	100	454	231	191	017	412	100	504	203	128	207	623
100	405	076	121	371	488	100	455	153	182	733	455	100	505	197	136	224	676
100	406	114	127	624	359	100	456	167	201	943	460	100	506	063	117	408	477
100	407	115	132	564	321	100	457	144	215	840	639	100	507	015	125	394	386

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
100	508	179	131	696	-224	100	615	-139	119	226	-560	100	665	-185	126	187	-646
100	509	243	143	694	-196	100	616	-192	130	196	-647	100	666	-175	130	214	-634
100	510	270	137	776	-167	100	617	-182	128	199	-627	100	667	-185	128	218	-1014
100	511	299	142	928	-125	100	618	-180	118	245	-607	100	668	-192	130	197	-721
100	512	346	145	858	-073	100	619	-188	102	137	-619	100	669	-203	144	182	-789
100	513	385	164	958	-155	100	620	-181	120	203	-634	100	670	-184	142	238	-951
100	514	339	178	940	-214	100	621	-177	120	217	-587	100	671	-202	134	284	-823
100	515	191	134	227	-612	100	622	-150	117	284	-503	100	672	-183	128	185	-605
100	516	180	135	235	-677	100	623	-144	095	194	-490	100	673	-200	129	199	-745
100	517	040	122	344	-479	100	624	-145	117	280	-352	100	674	-195	143	250	-694
100	518	039	128	524	-387	100	625	-183	119	222	-600	100	675	-193	140	233	-721
100	519	147	119	535	-232	100	626	-174	117	229	-584	100	676	-191	137	190	-785
100	520	224	129	719	-204	100	627	-187	102	248	-578	100	677	-170	137	260	-617
100	521	318	147	949	-137	100	628	-182	122	327	-646	100	678	-167	134	336	-758
100	522	306	151	901	-098	100	629	-171	121	331	-617	100	679	-168	129	250	-595
100	523	363	158	943	-097	100	630	-162	119	333	-593	100	680	-175	099	185	-529
100	524	427	174	1043	-132	100	631	-166	093	128	-527	100	681	-168	131	305	-562
100	525	419	176	1031	-100	100	632	-153	111	200	-587	100	682	-179	108	174	-547
100	526	369	191	1103	-107	100	633	-147	114	219	-589	100	683	-177	122	192	-547
100	527	363	176	1068	-165	100	634	-145	117	224	-637	100	684	-179	127	227	-619
100	528	190	126	243	-716	100	635	-143	092	211	-478	100	685	-189	123	203	-677
100	529	187	150	311	-716	100	636	-164	110	243	-643	100	686	-174	125	200	-614
100	530	226	202	359	-1049	100	637	-154	109	240	-659	100	687	-197	143	232	-716
100	531	178	263	416	-1984	100	638	-148	094	127	-502	100	688	-204	141	225	-866
100	532	240	303	426	-1984	100	639	-147	113	173	-541	100	701	-190	115	174	-633
100	533	055	291	664	-1308	100	640	-148	116	193	-531	100	702	-181	124	179	-674
100	534	117	214	790	-1037	100	641	-145	097	257	-469	100	703	-196	118	158	-568
100	535	089	115	279	-613	100	642	-134	119	377	-541	100	704	-191	117	185	-567
100	536	067	116	346	-444	100	643	-133	122	379	-562	100	705	-187	114	218	-545
100	537	060	115	347	-455	100	644	-181	108	187	-575	100	706	-204	125	270	-607
100	538	134	116	254	-559	100	645	-169	129	249	-664	100	707	-163	125	223	-646
100	539	009	107	301	-407	100	646	-162	124	268	-599	100	708	-199	118	176	-607
100	540	113	104	455	-241	100	647	-189	099	134	-536	100	709	-376	151	841	-058
100	541	086	129	510	-339	100	648	-187	122	234	-602	100	710	-375	158	981	-097
100	542	142	116	554	-269	100	649	-173	121	244	-588	100	801	-081	216	703	-845
100	543	117	154	648	-529	100	650	-158	095	123	-488	100	802	-109	130	351	-624
100	601	173	104	172	-614	100	651	-150	115	194	-548	100	803	-300	162	984	-208
100	602	170	131	348	-715	100	652	-191	138	270	-697	100	804	-079	100	256	-522
100	603	178	124	235	-620	100	653	-200	102	174	-582	100	901	-208	119	159	-744
100	604	174	126	252	-612	100	654	-194	117	201	-618	100	902	-207	131	210	-847
100	605	177	129	224	-743	100	655	-205	117	148	-709	100	903	-274	143	163	-967
100	606	183	128	217	-697	100	656	-196	115	222	-699	100	904	-245	144	217	-1111
100	607	174	122	204	-592	100	657	-187	103	171	-527	100	905	-250	133	202	-931
100	608	186	115	132	-554	100	658	-175	124	276	-587	100	906	-259	156	202	-913
100	609	201	134	221	-737	100	659	-177	127	296	-592	100	907	-193	107	170	-639
100	610	176	130	243	-664	100	660	-212	144	342	-1070	100	908	-200	125	193	-977
100	611	163	118	223	-554	100	661	-214	132	240	-639	100	909	-197	111	157	-776
100	612	155	121	207	-602	100	662	-203	145	237	-796	100	910	-193	120	189	-649
100	613	143	125	261	-580	100	663	-205	141	253	-650	100	911	-205	137	221	-833
100	614	147	119	217	-500	100	664	-204	127	246	-679	100	912	-138	108	186	-559

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
100	913	-196	113	302	-573	110	131	-203	127	250	-689	110	181	-191	121	225	-578
100	914	-210	130	232	-981	110	132	-213	123	173	-640	110	182	-194	119	170	-630
100	915	-214	143	189	-1027	110	133	-207	123	164	-703	110	183	-205	123	204	-632
100	916	-213	138	141	-1248	110	134	-217	135	230	-616	110	184	-203	124	168	-666
100	917	-228	145	205	-920	110	135	-228	129	197	-772	110	185	-207	114	157	-553
100	918	-130	156	728	-421	110	136	-222	139	199	-783	110	186	-203	110	222	-586
100	919	-241	142	219	-867	110	137	-220	125	213	-704	110	187	-210	126	211	-621
100	920	-140	157	669	-367	110	138	-208	124	293	-650	110	188	-208	121	204	-659
100	921	-042	153	660	-486	110	139	-219	123	262	-694	110	189	-217	121	209	-630
100	922	-268	163	170	-1061	110	140	-233	127	169	-751	110	190	-228	124	209	-765
100	923	-408	167	1069	-131	110	141	-225	106	132	-585	110	191	-201	129	218	-632
100	924	-347	167	932	-651	110	142	-212	130	183	-779	110	192	-207	119	152	-698
100	925	-238	141	763	-228	110	143	-238	121	156	-832	110	193	-208	126	174	-609
100	926	-210	123	698	-208	110	144	-240	129	197	-800	110	194	-221	123	226	-617
100	927	-374	143	886	-071	110	145	-198	123	310	-606	110	195	-197	124	184	-640
100	928	-288	123	764	-140	110	146	-212	104	140	-584	110	196	-208	114	167	-607
100	929	-163	127	738	-269	110	147	-195	125	194	-795	110	197	-212	126	174	-643
100	930	-203	130	695	-211	110	148	-197	126	224	-855	110	198	-223	118	220	-638
100	931	-087	115	410	-596	110	149	-197	124	163	-707	110	199	-210	117	148	-604
100	932	-047	128	446	-310	110	150	-206	124	179	-670	110	200	-219	112	203	-660
110	101	-222	106	085	-688	110	151	-229	120	158	-611	110	201	-228	123	188	-700
110	102	-227	108	088	-762	110	152	-212	125	219	-763	110	202	-232	131	169	-619
110	103	-192	105	163	-648	110	153	-222	118	178	-737	110	203	-255	134	188	-751
110	104	-204	106	135	-597	110	154	-235	117	134	-651	110	204	-212	121	193	-672
110	105	-212	104	090	-587	110	155	-227	126	152	-803	110	205	-216	130	238	-657
110	106	-193	097	113	-525	110	156	-222	120	149	-745	110	206	-216	124	167	-713
110	107	-194	103	095	-661	110	157	-204	120	262	-772	110	207	-224	126	224	-629
110	108	-200	138	221	-703	110	158	-225	130	197	-699	110	208	-225	116	140	-642
110	109	-192	125	320	-708	110	159	-230	110	087	-630	110	209	-243	131	198	-751
110	110	-196	134	202	-833	110	160	-210	115	189	-621	110	210	-233	122	184	-693
110	111	-195	126	202	-688	110	161	-212	121	144	-653	110	211	-256	122	139	-652
110	112	-201	131	202	-877	110	162	-244	104	096	-755	110	212	-274	125	126	-743
110	113	-210	128	230	-765	110	163	-222	100	069	-581	110	213	-271	133	200	-756
110	114	-213	125	214	-746	110	164	-238	096	048	-588	110	214	-284	133	198	-721
110	115	-223	124	221	-659	110	165	-219	101	086	-763	110	215	-227	107	110	-577
110	116	-205	129	247	-957	110	166	-245	100	092	-604	110	216	-220	104	117	-604
110	117	-209	117	156	-683	110	167	-198	103	122	-531	110	217	-061	111	299	-460
110	118	-213	118	187	-647	110	168	-182	122	224	-821	110	218	-244	101	112	-625
110	119	-210	122	173	-693	110	169	-194	107	124	-557	110	219	-227	100	071	-541
110	120	-213	120	156	-647	110	170	-203	108	194	-598	110	220	-252	101	023	-584
110	121	-202	120	170	-771	110	171	-208	100	078	-620	110	221	-241	101	110	-724
110	122	-222	106	124	-588	110	172	-209	101	087	-723	110	222	-262	106	059	-752
110	123	-200	129	266	-650	110	173	-222	104	069	-634	110	223	-250	127	146	-711
110	124	-195	131	260	-818	110	174	-225	099	115	-607	110	224	-267	104	143	-614
110	125	-194	123	193	-684	110	175	-221	126	222	-623	110	225	-266	105	059	-657
110	126	-213	131	194	-767	110	176	-230	120	168	-648	110	226	-288	106	121	-806
110	127	-199	121	149	-772	110	177	-211	122	155	-646	110	227	-299	098	066	-704
110	128	-209	123	182	-663	110	178	-221	118	154	-654	110	228	-236	109	114	-625
110	129	-213	124	183	-717	110	179	-226	128	324	-682	110	229	-233	100	071	-566
110	130	-200	126	255	-704	110	180	-204	121	239	-648	110	230	-227	108	073	-633

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
110	2331	-	224	107	109	-	697	110	336	486	173	1	163	-	059	110	386	166	178	723	-	611	
110	2332	-	265	113	124	-	724	110	337	540	176	1	298	-	019	110	387	099	206	793	-	613	
110	2333	-	278	126	232	-	688	110	338	601	169	1	151	-	122	110	388	379	151	954	-	134	
110	2334	-	263	121	115	-	751	110	339	581	199	1	271	-	036	110	389	405	139	979	-	100	
110	2335	-	272	137	208	-	770	110	340	514	192	1	179	-	016	110	390	431	138	913	-	045	
110	2336	-	300	111	198	-	699	110	341	386	134	1	866	-	006	110	391	421	166	1	137	-	073
110	2337	-	218	123	130	-	738	110	342	207	137	1	711	-	192	110	392	463	183	1	226	-	090
110	2338	-	234	128	168	-	786	110	343	081	124	1	623	-	291	110	393	463	174	1	104	-	055
110	2339	-	226	123	149	-	782	110	344	441	146	1	966	-	048	110	394	427	170	1	110	-	046
110	240	-	244	125	132	-	707	110	345	454	178	1	088	-	012	110	395	463	188	1	358	-	046
110	241	-	227	131	144	-	834	110	346	473	184	1	129	-	011	110	396	270	146	1	943	-	182
110	242	-	247	118	154	-	765	110	347	519	147	1	968	-	044	110	397	123	137	1	585	-	287
110	243	-	254	123	086	-	653	110	348	430	170	1	980	-	118	110	398	037	127	1	399	-	432
110	244	-	250	129	151	-	966	110	349	314	157	1	786	-	232	110	401	246	113	1	128	-	708
110	245	-	252	115	211	-	743	110	350	196	125	1	738	-	159	110	402	293	131	1	062	-	929
110	301	-	283	136	877	-	120	110	351	018	128	1	568	-	380	110	403	002	107	1	384	-	357
110	302	-	286	169	988	-	186	110	352	399	173	1	974	-	117	110	404	089	128	1	610	-	325
110	303	-	255	168	837	-	242	110	353	427	136	1	920	-	005	110	405	086	116	1	324	-	503
110	304	-	225	169	863	-	357	110	354	422	165	1	034	-	049	110	406	160	124	1	655	-	184
110	305	-	143	160	697	-	478	110	355	409	167	1	064	-	055	110	407	216	126	1	687	-	234
110	306	-	482	203	1	228	163	110	356	344	160	1	974	-	192	110	408	037	159	1	741	-	941
110	307	-	511	209	1	137	100	110	357	245	122	1	696	-	168	110	409	229	152	1	834	-	252
110	308	-	388	185	1	127	288	110	358	096	131	1	541	-	309	110	410	271	179	1	867	-	321
110	309	-	434	181	1	021	178	110	359	069	123	1	402	-	413	110	411	085	164	1	894	-	630
110	310	-	509	183	1	127	079	110	360	333	120	1	808	-	187	110	412	216	170	1	906	-	281
110	311	-	508	189	1	122	121	110	361	369	135	1	902	-	030	110	413	234	212	1	894	-	802
110	312	-	520	204	1	231	148	110	362	352	132	1	960	-	009	110	414	236	131	1	177	-	757
110	313	-	440	189	1	137	138	110	363	368	137	1	943	-	110	110	415	297	145	1	222	-	878
110	314	-	205	163	810	-	298	110	364	342	127	1	796	-	057	110	416	178	133	1	224	-	675
110	315	-	102	151	783	-	417	110	365	359	130	1	934	-	175	110	417	087	120	1	278	-	506
110	316	-	513	182	1	156	032	110	366	295	123	1	818	-	093	110	418	119	134	1	549	-	299
110	317	-	571	187	1	216	027	110	367	292	116	1	679	-	047	110	419	149	128	1	674	-	257
110	318	-	390	172	1	211	131	110	368	181	107	1	573	-	201	110	420	171	148	1	679	-	392
110	319	-	480	157	1	063	035	110	369	063	109	1	388	-	336	110	421	159	171	1	981	-	435
110	320	-	537	190	1	122	042	110	370	044	105	1	385	-	454	110	422	264	181	1	880	-	228
110	321	-	561	195	1	178	016	110	371	174	153	1	737	-	644	110	423	231	118	1	231	-	642
110	322	-	399	183	1	063	177	110	372	257	140	1	796	-	425	110	424	252	121	1	097	-	046
110	323	-	192	129	720	-	203	110	373	296	151	1	797	-	341	110	425	026	116	1	422	-	492
110	324	-	099	145	768	-	346	110	374	301	161	1	917	-	499	110	426	049	148	1	885	-	434
110	325	-	476	182	1	119	056	110	375	303	158	1	956	-	269	110	427	018	123	1	483	-	454
110	326	-	522	189	1	243	016	110	376	358	155	1	978	-	144	110	428	162	143	1	647	-	367
110	327	-	484	153	1	129	015	110	377	400	167	1	009	-	035	110	429	231	148	1	994	-	329
110	328	-	506	183	1	232	042	110	378	207	144	1	738	-	387	110	430	196	143	1	731	-	254
110	329	-	574	191	1	350	074	110	379	327	141	1	955	-	069	110	431	274	159	1	794	-	354
110	330	-	601	194	1	381	079	110	380	381	150	1	966	-	011	110	432	310	176	1	925	-	198
110	331	-	623	174	1	149	069	110	381	400	159	1	070	-	055	110	433	194	176	1	775	-	370
110	332	-	529	200	1	172	091	110	382	449	177	1	055	-	018	110	434	292	188	1	950	-	350
110	333	-	354	183	1	971	136	110	383	362	153	1	942	-	062	110	435	281	206	1	925	-	583
110	334	-	161	160	1	859	279	110	384	098	123	1	571	-	324	110	436	246	121	1	125	-	604
110	335	-	110	112	1	537	215	110	385	012	108	1	304	-	391	110	437	261	124	1	125	-	709

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
110	438	157	117	198	549	110	488	400	168	919	176	110	538	203	116	186	657
110	439	043	115	385	421	110	489	399	196	1038	432	110	539	037	105	283	402
110	440	164	137	668	274	110	490	339	235	1015	288	110	540	119	103	518	225
110	441	200	118	661	209	110	491	264	132	1193	694	110	541	090	122	481	393
110	442	229	159	670	321	110	492	249	125	1136	737	110	542	148	126	601	457
110	443	179	175	866	318	110	493	090	120	1136	517	110	543	114	171	738	557
110	444	290	238	1204	515	110	494	006	124	1177	369	110	601	234	110	170	687
110	445	233	119	231	610	110	495	166	125	1136	215	110	602	245	126	173	736
110	446	276	115	062	787	110	496	196	139	1136	237	110	603	217	120	126	619
110	447	036	121	479	502	110	497	291	153	1136	181	110	604	210	117	181	612
110	448	038	135	596	405	110	498	316	149	1136	130	110	605	215	127	166	751
110	449	007	127	538	464	110	499	327	142	1136	137	110	606	226	128	213	794
110	450	172	150	749	312	110	500	397	166	1136	144	110	607	231	122	198	637
110	451	246	161	823	315	110	501	389	165	1136	155	110	608	240	122	144	626
110	452	225	145	745	203	110	502	382	194	1136	279	110	609	252	124	144	702
110	453	322	162	940	183	110	503	330	176	1136	176	110	610	258	118	186	783
110	454	356	174	959	261	110	504	302	140	1136	815	110	611	230	130	227	663
110	455	287	165	091	213	110	505	296	136	1136	051	110	612	212	122	198	581
110	456	329	190	017	480	110	506	130	125	1136	590	110	613	196	115	219	646
110	457	266	243	069	624	110	507	020	133	1136	429	110	614	200	126	208	641
110	458	244	124	155	765	110	508	164	133	1136	227	110	615	195	126	254	583
110	459	257	110	067	648	110	509	258	146	1136	154	110	616	222	122	192	601
110	460	147	126	235	778	110	510	292	142	1136	167	110	617	205	121	203	571
110	461	059	137	392	625	110	511	317	143	1136	110	110	618	239	124	165	736
110	462	174	121	755	161	110	512	357	151	1136	081	110	619	237	101	062	581
110	463	237	130	752	158	110	513	374	170	1136	179	110	620	225	118	164	641
110	464	301	137	797	207	110	514	321	190	1136	277	110	621	227	118	164	636
110	465	286	156	906	206	110	515	284	126	1136	776	110	622	212	115	186	598
110	466	307	184	950	300	110	516	341	151	1136	009	110	623	218	101	111	599
110	467	227	097	104	585	110	517	100	124	1136	505	110	624	208	121	175	685
110	468	225	126	164	904	110	518	004	115	1136	370	110	625	231	128	211	710
110	469	053	095	281	393	110	519	125	126	1136	268	110	626	226	125	225	698
110	470	000	107	343	400	110	520	224	125	1136	220	110	627	244	107	105	808
110	471	019	108	439	326	110	521	320	143	1136	107	110	628	233	127	215	907
110	472	152	116	668	156	110	522	318	143	1136	094	110	629	235	125	256	851
110	473	243	125	731	156	110	523	385	150	1136	049	110	630	228	123	202	818
110	474	207	126	740	137	110	524	432	167	1136	071	110	631	212	100	098	556
110	475	304	149	802	190	110	525	390	144	1136	018	110	632	199	121	161	631
110	476	369	167	119	167	110	526	385	161	1136	162	110	633	190	124	191	634
110	477	357	168	945	295	110	527	343	157	1136	202	110	634	217	138	198	738
110	478	325	190	894	417	110	528	263	127	1136	798	110	635	235	110	163	622
110	479	300	214	087	492	110	529	266	146	1136	803	110	636	245	135	236	677
110	480	229	113	188	657	110	530	280	221	1136	179	110	637	237	132	237	639
110	481	227	119	236	694	110	531	247	362	1136	625	110	638	243	103	091	602
110	482	081	119	360	526	110	532	327	386	1136	273	110	639	241	119	154	659
110	483	029	118	411	775	110	533	139	312	1136	508	110	640	242	121	117	644
110	484	205	140	704	180	110	534	037	301	1136	649	110	641	237	097	105	613
110	485	298	137	812	142	110	535	154	120	1136	583	110	642	217	118	210	710
110	486	339	162	871	251	110	536	114	115	1136	492	110	643	218	120	216	706
110	487	370	155	937	114	110	537	094	120	1136	562	110	644	220	116	107	846

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
110	645	-268	132	152	-998	110	707	-269	116	120	-726	120	111	-229	133	149	-700
110	646	-261	117	123	-705	110	708	-291	120	103	-742	120	112	-257	120	226	-676
110	647	-286	109	053	-628	110	709	-358	144	947	-090	120	113	-251	126	137	-681
110	648	-275	130	088	-715	110	710	-400	157	1068	-053	120	114	-236	118	123	-683
110	649	-260	133	112	-711	110	801	-100	219	512	-1084	120	115	-238	125	151	-641
110	650	-261	099	064	-724	110	802	-153	124	226	-562	120	116	-226	122	193	-648
110	651	-250	120	154	-705	110	803	-297	152	991	-152	120	117	-244	127	158	-681
110	652	-343	141	107	-907	110	804	-114	089	184	-452	120	118	-234	125	244	-667
110	653	-326	115	021	-853	110	901	-242	120	126	-1102	120	119	-243	116	156	-803
110	654	-301	125	098	-733	110	902	-204	107	209	-609	120	120	-237	133	216	-925
110	655	-303	122	102	-711	110	903	-251	115	060	-813	120	121	-272	122	212	-667
110	656	-296	122	110	-724	110	904	-232	112	099	-883	120	122	-285	115	139	-820
110	657	-289	099	020	-608	110	905	-240	123	167	-714	120	123	-235	123	222	-646
110	658	-267	119	056	-659	110	906	-236	124	199	-886	120	124	-232	119	173	-803
110	659	-268	121	063	-701	110	907	-231	104	094	-600	120	125	-220	118	136	-591
110	660	-322	148	167	-961	110	908	-239	114	094	-671	120	126	-212	124	160	-682
110	661	-291	130	110	-798	110	909	-235	101	055	-614	120	127	-213	114	105	-663
110	662	-299	128	084	-712	110	910	-221	102	111	-705	120	128	-227	124	192	-751
110	663	-287	127	050	-780	110	911	-247	129	288	-803	120	129	-233	119	164	-633
110	664	-293	138	172	-779	110	912	-147	110	262	-628	120	130	-217	124	170	-628
110	665	-294	126	113	-791	110	913	-219	108	145	-639	120	131	-229	116	138	-609
110	666	-276	126	124	-703	110	914	-223	115	133	-1273	120	132	-235	118	122	-650
110	667	-272	136	129	-771	110	915	-222	113	157	-656	120	133	-220	119	206	-589
110	668	-301	123	097	-699	110	916	-215	114	126	-829	120	134	-239	123	147	-668
110	669	-312	129	092	-794	110	917	-233	116	116	-762	120	135	-243	123	182	-766
110	670	-306	138	092	-809	110	918	-210	133	710	-184	120	136	-236	128	165	-680
110	671	-297	131	179	-814	110	919	-233	115	160	-742	120	137	-226	119	169	-709
110	672	-325	134	097	-816	110	920	-263	151	720	-243	120	138	-243	123	149	-685
110	673	-296	133	144	-695	110	921	-150	143	646	-395	120	139	-243	117	177	-668
110	674	-304	124	111	-802	110	922	-232	111	108	-820	120	140	-231	116	122	-677
110	675	-297	119	054	-746	110	923	-442	164	018	-206	120	141	-246	095	017	-585
110	676	-276	125	120	-759	110	924	-388	143	907	-171	120	142	-253	117	125	-653
110	677	-271	118	236	-720	110	925	-279	149	915	-230	120	143	-274	120	101	-663
110	678	-281	139	200	-783	110	926	-228	117	738	-274	120	144	-265	125	121	-749
110	679	-258	132	101	-708	110	927	-389	140	920	-201	120	145	-247	118	096	-728
110	680	-280	120	132	-692	110	928	-328	125	806	-045	120	146	-244	109	096	-624
110	681	-246	124	115	-666	110	929	-191	133	809	-196	120	147	-226	129	239	-650
110	682	-268	111	071	-742	110	930	-231	135	692	-185	120	148	-240	126	226	-777
110	683	-283	122	108	-741	110	931	-150	116	191	-586	120	149	-235	126	186	-730
110	684	-271	120	124	-702	110	932	-036	122	541	-352	120	150	-237	116	166	-718
110	685	-267	132	135	-744	120	101	-234	102	093	-735	120	151	-257	124	101	-723
110	686	-270	120	132	-641	120	102	-230	116	180	-765	120	152	-236	122	169	-668
110	687	-325	128	074	-797	120	103	-224	106	135	-583	120	153	-258	124	097	-705
110	688	-341	140	061	-854	120	104	-224	101	130	-574	120	154	-263	128	182	-772
110	701	-284	125	140	-703	120	105	-217	113	133	-667	120	155	-267	117	153	-736
110	702	-281	125	082	-763	120	106	-211	100	125	-573	120	156	-255	131	200	-803
110	703	-287	122	038	-743	120	107	-208	115	135	-583	120	157	-277	126	091	-793
110	704	-290	115	177	-735	120	108	-225	129	183	-652	120	158	-268	126	184	-756
110	705	-294	125	104	-714	120	109	-237	116	111	-740	120	159	-261	116	087	-848
110	706	-298	131	106	-747	120	110	-239	129	190	-728	120	160	-249	121	151	-663

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
120	161	243	136	197	673	120	211	302	128	199	707	120	316	518	200	189	128
120	162	265	099	074	637	120	212	327	134	197	755	120	317	542	202	242	076
120	163	260	098	041	608	120	213	347	131	122	935	120	318	454	195	126	249
120	164	274	106	111	650	120	214	367	127	037	861	120	319	472	164	112	005
120	165	257	098	142	695	120	215	267	108	144	641	120	320	522	197	308	007
120	166	301	102	016	808	120	216	288	112	137	643	120	321	529	201	338	018
120	167	213	100	073	602	120	217	129	111	308	524	120	322	311	168	143	230
120	168	212	117	237	724	120	218	277	097	023	591	120	323	096	117	504	237
120	169	237	097	107	587	120	219	279	113	096	924	120	324	023	132	490	378
120	170	226	107	113	716	120	220	277	107	082	689	120	325	485	193	130	035
120	171	236	106	095	604	120	221	316	102	032	727	120	326	504	191	114	042
120	172	241	097	052	694	120	222	287	108	070	692	120	327	499	176	134	120
120	173	241	105	117	637	120	223	280	132	106	938	120	328	515	203	248	123
120	174	255	097	071	611	120	224	310	111	037	720	120	329	562	207	303	086
120	175	252	131	162	930	120	225	331	100	040	690	120	330	574	208	329	073
120	176	256	126	210	761	120	226	343	106	039	724	120	331	531	176	160	009
120	177	248	114	182	783	120	227	345	113	002	804	120	332	439	195	241	117
120	178	267	122	134	686	120	228	299	119	026	771	120	333	260	174	870	255
120	179	279	131	186	746	120	229	303	114	089	776	120	334	087	151	653	406
120	180	231	117	166	667	120	230	288	110	105	661	120	335	021	108	445	297
120	181	234	120	138	783	120	231	283	115	058	873	120	336	523	191	163	010
120	182	233	123	210	687	120	232	330	111	003	754	120	337	545	192	151	006
120	183	233	122	235	759	120	233	322	130	139	823	120	338	570	150	095	107
120	184	246	117	206	829	120	234	332	125	196	837	120	339	551	172	148	022
120	185	232	114	105	708	120	235	354	131	188	970	120	340	468	169	010	018
120	186	242	125	153	720	120	236	358	112	054	705	120	341	322	152	952	146
120	187	256	113	125	680	120	237	271	141	267	732	120	342	159	154	771	346
120	188	258	130	182	768	120	238	271	129	175	732	120	343	029	138	507	458
120	189	281	135	171	715	120	239	304	123	098	865	120	344	474	169	354	050
120	190	314	132	074	779	120	240	275	128	144	882	120	345	493	196	535	072
120	191	232	129	265	783	120	241	280	132	158	718	120	346	504	188	491	002
120	192	232	112	161	726	120	242	282	131	105	854	120	347	485	157	291	006
120	193	243	127	196	635	120	243	312	117	139	692	120	348	395	177	299	145
120	194	252	126	233	767	120	244	307	123	114	744	120	349	280	166	061	214
120	195	234	118	208	675	120	245	317	136	135	149	120	350	117	111	512	198
120	196	243	121	281	645	120	301	293	141	868	163	120	351	029	127	412	391
120	197	247	123	205	742	120	302	262	167	898	261	120	352	391	163	080	103
120	198	255	118	240	665	120	303	213	162	813	319	120	353	401	155	927	131
120	199	262	126	235	785	120	304	139	163	828	320	120	354	399	172	016	119
120	200	273	135	159	880	120	305	064	141	589	420	120	355	365	170	059	135
120	201	277	130	129	709	120	306	458	211	258	237	120	356	294	164	989	240
120	202	324	141	127	995	120	307	457	209	166	130	120	357	207	127	739	217
120	203	329	142	103	991	120	308	412	201	100	246	120	358	062	139	588	440
120	204	354	137	221	716	120	309	438	196	162	096	120	359	058	133	420	583
120	205	276	123	088	681	120	310	529	194	257	089	120	360	346	134	812	087
120	206	256	133	191	688	120	311	482	206	228	136	120	361	349	121	850	051
120	207	265	129	154	799	120	312	479	205	290	108	120	362	357	121	782	001
120	208	257	111	164	643	120	313	353	178	986	144	120	363	330	126	782	208
120	209	273	132	170	834	120	314	129	146	619	298	120	364	347	116	751	054
120	210	279	122	152	705	120	315	029	136	543	445	120	365	357	123	826	006

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
120	366	288	116	721	070	120	418	142	139	725	320	120	468	288	126	122	877
120	367	263	113	687	051	120	419	176	145	658	288	120	469	037	100	410	403
120	368	139	110	645	198	120	420	219	156	772	276	120	470	049	119	353	307
120	369	023	109	408	296	120	421	245	183	914	353	120	471	012	119	494	337
120	370	098	096	374	393	120	422	402	208	149	251	120	472	215	132	776	139
120	371	270	162	985	404	120	423	294	140	177	756	120	473	281	151	831	223
120	372	293	144	829	320	120	424	362	154	106	090	120	474	258	146	860	257
120	373	321	154	953	388	120	425	017	140	508	490	120	475	378	177	167	259
120	374	316	158	884	287	120	426	087	153	701	463	120	476	428	184	178	086
120	375	301	157	806	346	120	427	001	132	649	468	120	477	410	177	1052	138
120	376	315	150	895	186	120	428	213	162	915	256	120	478	480	213	1203	358
120	377	355	132	864	039	120	429	303	202	024	201	120	479	413	239	169	538
120	378	263	152	929	323	120	430	236	167	972	234	120	480	304	135	185	841
120	379	332	140	919	079	120	431	347	175	1014	294	120	481	317	135	159	910
120	380	362	137	943	067	120	432	400	196	146	121	120	482	057	129	471	547
120	381	395	144	945	140	120	433	299	228	997	313	120	483	070	142	641	358
120	382	369	150	945	157	120	434	372	206	062	371	120	484	271	161	886	180
120	383	324	135	893	138	120	435	381	264	089	615	120	485	378	173	1009	295
120	384	044	126	551	402	120	436	298	134	132	937	120	486	417	179	980	055
120	385	074	124	448	472	120	437	343	138	082	909	120	487	426	176	131	084
120	386	215	155	994	672	120	438	182	125	197	765	120	488	499	195	171	133
120	387	168	179	681	484	120	439	064	130	361	488	120	489	460	213	146	275
120	388	352	139	871	034	120	440	209	159	855	435	120	490	493	209	1275	142
120	389	389	161	025	041	120	441	247	145	720	206	120	491	322	130	131	773
120	390	423	161	095	043	120	442	287	175	858	473	120	492	333	126	122	904
120	391	408	168	034	147	120	443	287	221	172	323	120	493	102	134	285	556
120	392	442	172	037	123	120	444	387	253	347	462	120	494	030	142	549	447
120	393	413	174	283	026	120	445	268	128	129	785	120	495	205	144	744	283
120	394	351	162	170	112	120	446	401	133	019	039	120	496	265	162	960	238
120	395	365	142	838	074	120	447	022	135	656	436	120	497	352	168	954	145
120	396	208	153	966	215	120	448	067	155	685	415	120	498	401	161	1008	036
120	397	058	126	496	278	120	449	037	136	621	364	120	499	401	170	1029	088
120	398	094	128	418	348	120	450	204	161	833	318	120	500	455	184	170	010
120	401	256	114	096	657	120	451	285	167	911	256	120	501	459	183	1063	047
120	402	410	169	022	203	120	452	265	156	828	230	120	502	447	196	137	445
120	403	040	109	446	306	120	453	340	169	036	336	120	503	431	204	153	482
120	404	148	127	601	243	120	454	427	189	162	216	120	504	363	128	124	922
120	405	045	133	526	451	120	455	361	201	1008	318	120	505	375	145	067	207
120	406	222	130	823	183	120	456	424	199	034	351	120	506	125	127	314	535
120	407	272	143	959	231	120	457	434	224	182	466	120	507	019	139	590	494
120	408	051	141	599	469	120	458	283	131	195	757	120	508	212	136	779	180
120	409	254	159	018	209	120	459	337	121	110	948	120	509	298	158	802	223
120	410	309	180	119	318	120	460	202	129	188	669	120	510	349	164	101	135
120	411	165	188	779	383	120	461	059	147	616	549	120	511	375	158	999	209
120	412	271	173	084	204	120	462	221	144	745	290	120	512	400	166	992	091
120	413	339	196	180	316	120	463	274	143	842	164	120	513	421	177	1053	083
120	414	295	130	103	872	120	464	369	168	904	114	120	514	418	208	139	228
120	415	344	158	105	047	120	465	381	177	924	148	120	515	369	129	102	887
120	416	207	123	189	647	120	466	419	196	199	194	120	516	374	139	023	910
120	417	098	119	383	532	120	467	294	106	035	651	120	517	109	121	317	576

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
120	518	006	133	429	-475	120	625	-266	123	174	-741	120	675	-338	121	073	-811
120	519	150	131	681	-227	120	626	-261	119	171	-726	120	676	-324	132	107	-888
120	520	253	140	866	-237	120	627	-303	106	050	-718	120	677	-321	140	093	-909
120	521	341	153	932	-122	120	628	-289	124	159	-730	120	678	-332	143	083	-803
120	522	365	154	013	-087	120	629	-281	123	146	-660	120	679	-336	139	125	-932
120	523	426	153	029	-007	120	630	-274	126	135	-645	120	680	-316	118	119	-692
120	524	433	171	970	-086	120	631	-292	098	115	-615	120	681	-315	136	100	-835
120	525	444	178	263	-045	120	632	-273	119	183	-648	120	682	-321	123	043	-867
120	526	432	171	084	-110	120	633	-263	122	234	-641	120	683	-317	131	072	-867
120	527	359	149	951	-098	120	634	-306	144	208	-978	120	684	-329	126	210	-863
120	528	305	147	148	-969	120	635	-291	103	094	-667	120	685	-332	128	163	-824
120	529	274	162	259	-942	120	636	-354	139	042	-848	120	686	-304	121	064	-709
120	530	245	231	402	-191	120	637	-334	134	056	-841	120	687	-400	146	107	-923
120	531	093	301	570	-872	120	638	-313	105	002	-716	120	688	-406	139	064	-908
120	532	202	328	563	-255	120	639	-300	116	051	-754	120	701	-347	136	157	-830
120	533	037	260	805	-199	120	640	-281	113	018	-696	120	702	-310	126	085	-784
120	534	160	234	981	-074	120	641	-284	099	008	-619	120	703	-336	127	032	-801
120	535	180	117	218	-597	120	642	-269	120	084	-681	120	704	-322	123	050	-707
120	536	123	116	242	-525	120	643	-269	123	082	-691	120	705	-329	117	043	-704
120	537	099	115	331	-557	120	644	-270	123	020	-889	120	706	-318	122	072	-758
120	538	230	130	175	-651	120	645	-347	142	109	-884	120	707	-320	135	082	-793
120	539	025	102	303	-406	120	646	-323	125	062	-735	120	708	-344	119	053	-819
120	540	135	099	495	-213	120	647	-350	100	015	-677	120	709	-369	150	008	-069
120	541	123	128	522	-276	120	648	-327	119	011	-719	120	710	-410	160	016	-132
120	542	181	128	717	-286	120	649	-309	120	044	-703	120	801	-088	217	639	-920
120	543	174	147	734	-360	120	650	-317	103	033	-695	120	802	-168	125	235	-643
120	601	277	111	038	-834	120	651	-307	124	115	-818	120	803	-314	155	981	-137
120	602	278	127	092	-854	120	652	-392	142	070	-977	120	804	-163	098	225	-458
120	603	257	123	229	-717	120	653	-383	105	082	-873	120	901	-245	112	079	-823
120	604	239	129	215	-702	120	654	-355	118	009	-778	120	902	-241	099	072	-586
120	605	236	126	146	-695	120	655	-344	116	003	-979	120	903	-256	113	111	-784
120	606	294	130	167	-758	120	656	-334	115	001	-734	120	904	-243	107	106	-674
120	607	288	124	108	-664	120	657	-337	096	063	-704	120	905	-255	120	092	-774
120	608	297	128	145	-752	120	658	-320	117	015	-773	120	906	-257	114	089	-1045
120	609	282	123	084	-788	120	659	-320	120	019	-754	120	907	-247	099	065	-619
120	610	261	117	120	-621	120	660	-359	145	079	-1017	120	908	-250	116	113	-724
120	611	276	126	160	-697	120	661	-358	131	090	-931	120	909	-274	104	036	-810
120	612	260	123	248	-643	120	662	-371	132	055	-854	120	910	-249	110	147	-627
120	613	242	121	130	-695	120	663	-354	136	032	-1024	120	911	-261	116	111	-757
120	614	249	125	132	-681	120	664	-345	132	086	-811	120	912	-191	105	120	-726
120	615	254	134	255	-805	120	665	-334	134	060	-912	120	913	-257	113	063	-684
120	616	267	126	137	-763	120	666	-338	129	191	-799	120	914	-254	109	115	-716
120	617	262	125	148	-719	120	667	-349	134	112	-956	120	915	-246	113	125	-709
120	618	291	132	087	-811	120	668	-346	122	031	-755	120	916	-252	103	181	-609
120	619	290	106	041	-739	120	669	-368	149	107	-1010	120	917	-255	112	087	-641
120	620	282	122	131	-737	120	670	-335	131	124	-863	120	918	-268	153	775	-189
120	621	278	120	107	-749	120	671	-364	127	124	-836	120	919	-241	112	128	-764
120	622	246	114	147	-703	120	672	-344	128	028	-835	120	920	-363	164	923	-147
120	623	256	103	063	-670	120	673	-346	131	070	-823	120	921	-198	143	672	-320
120	624	244	120	122	-695	120	674	-337	134	112	-925	120	922	-242	115	130	-764

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
120	923	456	182	1.331	-0.23	130	141	-268	102	0.24	-6.20	130	191	-274	127	0.69	-7.66
120	924	381	162	1.120	-1.64	130	142	-279	117	0.71	-6.68	130	192	-248	120	1.66	-7.16
120	925	288	143	0.932	-1.40	130	143	-291	122	1.63	-6.70	130	193	-266	123	1.83	-7.17
120	926	254	131	0.809	-1.90	130	144	-301	130	1.15	-7.46	130	194	-257	120	2.15	-7.03
120	927	410	165	1.059	-1.48	130	145	-264	128	1.31	-8.72	130	195	-253	120	1.66	-6.54
120	928	365	126	0.864	-0.08	130	146	-245	104	0.44	-6.60	130	196	-263	114	1.05	-6.21
120	929	213	129	0.821	-1.57	130	147	-266	131	1.72	-7.94	130	197	-275	124	1.11	-6.93
120	930	268	143	0.987	-1.34	130	148	-264	131	1.16	-7.36	130	198	-280	126	1.59	-6.80
120	931	159	116	0.304	-0.531	130	149	-261	112	1.92	-6.99	130	199	-288	134	1.99	-8.07
120	932	032	135	0.707	-0.359	130	150	-255	123	1.77	-7.38	130	200	-323	133	0.98	-8.07
130	101	-237	117	0.161	-6.38	130	151	-297	129	1.92	-8.01	130	201	-320	129	1.17	-8.14
130	102	-258	111	0.074	-6.76	130	152	-280	135	2.48	-7.92	130	202	-355	139	0.27	-8.42
130	103	-236	111	0.152	-6.67	130	153	-267	128	1.11	-9.40	130	203	-369	139	2.37	-8.59
130	104	-239	110	0.120	-6.29	130	154	-305	127	1.78	-8.31	130	204	-296	128	0.83	-7.72
130	105	-240	109	0.104	-6.61	130	155	-277	135	1.68	-7.94	130	205	-292	127	1.31	-9.22
130	106	-233	111	0.138	-6.49	130	156	-307	130	1.55	-7.58	130	206	-284	124	1.21	-7.76
130	107	-253	108	0.124	-6.08	130	157	-317	133	1.56	-8.16	130	207	-280	122	0.83	-6.61
130	108	-239	128	0.169	-7.28	130	158	-293	140	1.67	-1.011	130	208	-283	121	1.21	-7.89
130	109	-264	126	0.140	-7.74	130	159	-274	109	0.33	-6.81	130	209	-337	127	1.82	-8.45
130	110	-266	140	0.169	-8.51	130	160	-282	134	0.95	-6.73	130	210	-322	142	1.87	-8.24
130	111	-264	126	0.167	-6.90	130	161	-299	133	0.89	-7.51	130	211	-341	129	1.65	-8.33
130	112	-275	132	0.107	-6.92	130	162	-284	103	0.13	-6.63	130	212	-339	127	1.51	-8.55
130	113	-299	117	0.093	-9.22	130	163	-275	112	1.16	-8.22	130	213	-372	129	0.19	-8.81
130	114	-246	122	0.116	-7.07	130	164	-304	104	0.26	-6.90	130	214	-393	129	0.63	-9.71
130	115	-265	130	0.147	-7.59	130	165	-277	097	0.51	-6.87	130	215	-393	104	0.57	-7.48
130	116	-239	138	0.239	-8.50	130	166	-331	104	0.32	-7.01	130	216	-334	107	0.37	-7.31
130	117	-245	129	0.165	-8.33	130	167	-229	102	1.80	-5.82	130	217	-192	095	1.57	-5.01
130	118	-261	128	0.243	-8.51	130	168	-222	119	2.04	-7.31	130	218	-350	110	0.50	-7.20
130	119	-246	134	0.136	-7.46	130	169	-246	103	0.87	-6.26	130	219	-324	108	0.63	-7.02
130	120	-273	124	0.120	-7.28	130	170	-237	100	1.30	-6.60	130	220	-346	105	0.12	-7.88
130	121	-294	127	0.076	-7.70	130	171	-246	104	1.62	-6.74	130	221	-335	108	0.23	-7.29
130	122	-301	101	0.081	-6.62	130	172	-262	104	0.85	-6.74	130	222	-366	103	0.36	-7.60
130	123	-238	116	0.171	-7.21	130	173	-277	102	0.24	-6.62	130	223	-335	137	1.42	-8.29
130	124	-251	116	0.143	-7.00	130	174	-284	110	0.78	-6.83	130	224	-370	104	0.24	-7.11
130	125	-234	123	0.194	-7.33	130	175	-265	121	1.54	-7.30	130	225	-366	100	0.80	-7.88
130	126	-232	122	0.149	-6.32	130	176	-265	121	2.34	-6.84	130	226	-392	121	0.51	-7.92
130	127	-224	124	0.195	-6.53	130	177	-276	122	0.85	-7.28	130	227	-383	102	0.42	-8.45
130	128	-229	123	0.156	-6.05	130	178	-291	121	1.22	-7.24	130	228	-353	099	0.55	-7.44
130	129	-238	125	0.234	-6.75	130	179	-307	129	0.93	-7.17	130	229	-351	110	0.21	-7.22
130	130	-241	129	0.182	-6.73	130	180	-247	118	1.22	-6.43	130	230	-354	110	0.09	-7.26
130	131	-250	121	0.119	-6.83	130	181	-246	129	2.18	-8.62	130	231	-336	108	0.33	-7.53
130	132	-262	115	0.108	-7.50	130	182	-249	124	2.07	-6.21	130	232	-377	098	0.44	-6.85
130	133	-246	122	0.185	-6.19	130	183	-240	118	2.09	-6.36	130	233	-355	122	0.16	-9.02
130	134	-269	123	0.180	-6.93	130	184	-256	124	1.24	-8.11	130	234	-377	122	0.03	-8.34
130	135	-303	135	0.168	-8.36	130	185	-254	121	2.30	-6.66	130	235	-375	124	1.23	-8.34
130	136	-249	120	0.102	-7.68	130	186	-254	123	1.83	-7.06	130	236	-364	112	2.09	-7.91
130	137	-263	129	0.090	-8.04	130	187	-270	120	1.22	-7.53	130	237	-318	134	1.63	-8.14
130	138	-251	127	0.158	-7.00	130	188	-277	119	1.54	-7.62	130	238	-329	126	0.31	-9.06
130	139	-263	128	0.149	-7.07	130	189	-312	130	1.60	-7.91	130	239	-318	128	0.34	-8.05
130	140	-267	129	0.180	-8.04	130	190	-365	137	0.84	-8.64	130	240	-346	124	0.29	-8.14

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN					
130	241	-	332	129	069	-	829	130	346	437	191	1 086	-	121	130	396	147	133	729	-	227	
130	242	-	335	124	071	-	794	130	347	422	135	872	-	023	130	397	-	011	134	642	-	467
130	243	-	341	121	044	-	875	130	348	322	150	862	-	098	130	398	-	142	109	199	-	579
130	244	-	354	136	088	-	831	130	349	198	139	748	-	203	130	401	-	254	120	087	-	661
130	245	-	357	121	025	-	783	130	350	055	107	479	-	316	130	402	-	520	202	044	-	1 275
130	301	-	249	143	071	-	286	130	351	089	116	328	-	542	130	403	-	086	129	664	-	297
130	302	-	215	171	976	-	335	130	352	382	197	1 209	-	298	130	404	-	217	147	779	-	199
130	303	-	112	156	595	-	373	130	353	387	163	907	-	247	130	405	-	043	145	673	-	369
130	304	-	057	135	680	-	478	130	354	390	168	902	-	118	130	406	-	293	153	865	-	210
130	305	-	017	136	395	-	507	130	355	346	160	834	-	048	130	407	-	289	159	905	-	191
130	306	-	468	189	1 191	-	241	130	356	258	145	738	-	147	130	408	-	124	153	697	-	518
130	307	-	394	207	1 091	-	234	130	357	134	112	674	-	250	130	409	-	298	164	935	-	367
130	308	-	397	203	1 107	-	219	130	358	003	123	528	-	473	130	410	-	364	194	987	-	168
130	309	-	417	191	1 085	-	099	130	359	111	119	320	-	581	130	411	-	224	178	848	-	483
130	310	-	454	188	1 120	-	264	130	360	307	152	848	-	125	130	412	-	378	206	1 108	-	261
130	311	-	422	202	1 215	-	179	130	361	322	156	798	-	160	130	413	-	368	184	1 145	-	170
130	312	-	356	193	1 232	-	134	130	362	338	125	833	-	007	130	414	-	335	127	065	-	899
130	313	-	252	173	962	-	231	130	363	300	139	812	-	181	130	415	-	477	189	200	-	1 240
130	314	-	022	145	549	-	500	130	364	322	136	833	-	132	130	416	-	253	127	134	-	668
130	315	-	054	131	345	-	444	130	365	335	133	828	-	086	130	417	-	123	131	351	-	577
130	316	-	487	205	1 104	-	205	130	366	266	115	646	-	218	130	418	-	154	141	777	-	257
130	317	-	485	200	1 079	-	063	130	367	220	115	777	-	109	130	419	-	215	161	910	-	314
130	318	-	471	207	1 265	-	137	130	368	113	106	484	-	186	130	420	-	254	157	799	-	284
130	319	-	495	181	1 057	-	005	130	369	034	104	389	-	369	130	421	-	294	186	1 003	-	419
130	320	-	511	215	1 178	-	132	130	370	150	103	234	-	499	130	422	-	462	235	1 246	-	221
130	321	-	512	217	1 223	-	098	130	371	276	139	810	-	354	130	423	-	300	146	138	-	842
130	322	-	222	167	837	-	374	130	372	317	154	841	-	362	130	424	-	483	198	062	-	1 439
130	323	-	028	108	500	-	340	130	373	320	147	935	-	222	130	425	-	037	151	608	-	470
130	324	-	052	123	458	-	491	130	374	250	139	884	-	225	130	426	-	157	184	997	-	459
130	325	-	510	192	1 114	-	137	130	375	267	162	833	-	358	130	427	-	035	158	923	-	593
130	326	-	506	185	1 080	-	098	130	376	286	162	924	-	384	130	428	-	267	190	944	-	245
130	327	-	486	159	1 027	-	034	130	377	326	153	859	-	262	130	429	-	383	198	1 185	-	262
130	328	-	493	181	1 102	-	038	130	378	308	149	898	-	174	130	430	-	303	181	934	-	356
130	329	-	528	186	1 126	-	036	130	379	339	145	866	-	080	130	431	-	427	197	1 084	-	168
130	330	-	527	185	1 085	-	023	130	380	363	162	894	-	110	130	432	-	453	220	1 259	-	196
130	331	-	496	169	1 076	-	004	130	381	369	153	1 005	-	054	130	433	-	424	225	1 287	-	365
130	332	-	360	176	932	-	161	130	382	341	154	871	-	098	130	434	-	501	230	1 434	-	206
130	333	-	166	149	657	-	274	130	383	281	142	866	-	131	130	435	-	452	229	1 263	-	457
130	334	-	003	127	461	-	393	130	384	014	118	497	-	417	130	436	-	358	142	095	-	878
130	335	-	048	160	359	-	424	130	385	131	122	313	-	571	130	437	-	435	194	156	-	1 227
130	336	-	504	190	1 111	-	101	130	386	273	148	793	-	428	130	438	-	227	131	189	-	642
130	337	-	518	187	1 137	-	096	130	387	266	172	943	-	412	130	439	-	055	135	502	-	502
130	338	-	493	160	1 061	-	023	130	388	370	147	973	-	098	130	440	-	231	166	812	-	274
130	339	-	452	177	1 124	-	080	130	389	376	151	1 007	-	110	130	441	-	302	136	798	-	133
130	340	-	361	165	996	-	094	130	390	397	168	1 086	-	105	130	442	-	360	202	1 324	-	233
130	341	-	234	124	696	-	099	130	391	366	160	1 169	-	054	130	443	-	389	209	1 044	-	370
130	342	-	074	128	480	-	300	130	392	350	150	926	-	190	130	444	-	501	237	1 300	-	419
130	343	-	041	118	372	-	401	130	393	384	172	1 067	-	167	130	445	-	273	152	227	-	803
130	344	-	427	181	1 006	-	185	130	394	299	160	950	-	125	130	446	-	446	152	171	-	1 110
130	345	-	437	210	1 108	-	335	130	395	315	151	920	-	122	130	447	-	027	156	696	-	528

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
130	448	123	178	911	-523	130	498	443	173	1.091	-0.11	130	605	-257	123	149	-687
130	449	063	153	876	-411	130	499	442	172	1.975	-0.53	130	606	-324	132	131	-794
130	450	288	170	888	-218	130	500	477	182	1.160	-0.00	130	607	-315	129	063	-835
130	451	348	179	1.005	-370	130	501	530	205	1.378	-0.69	130	608	-347	142	140	-1.006
130	452	336	191	1.018	-295	130	502	463	180	1.236	-0.52	130	609	-339	126	020	-736
130	453	436	203	1.099	-213	130	503	469	192	1.207	-1.38	130	610	-312	116	057	-738
130	454	457	206	1.219	-156	130	504	-420	143	0.75	-1.067	130	611	-305	122	082	-791
130	455	465	224	1.394	-288	130	505	-440	161	1.148	-1.430	130	612	-283	122	084	-763
130	456	503	207	1.279	-093	130	506	-088	139	0.595	-0.679	130	613	-275	116	123	-677
130	457	508	216	1.099	-221	130	507	046	144	0.671	-0.459	130	614	-311	141	155	-913
130	458	319	138	1.162	-771	130	508	297	165	0.971	-1.162	130	615	-292	134	128	-809
130	459	396	133	1.039	-967	130	509	364	178	1.117	-1.31	130	616	-304	123	099	-751
130	460	220	143	382	-716	130	510	412	175	0.995	-1.42	130	617	-298	123	112	-724
130	461	-048	148	493	-558	130	511	422	190	1.348	-1.33	130	618	-336	134	039	-887
130	462	266	158	885	-209	130	512	436	162	1.137	-0.20	130	619	-319	111	031	-738
130	463	309	159	827	-157	130	513	457	184	1.212	-0.91	130	620	-300	126	115	-766
130	464	395	163	872	-067	130	514	408	182	1.011	-1.72	130	621	-298	125	134	-749
130	465	508	208	1.259	-065	130	515	-378	144	1.063	-0.924	130	622	-262	120	196	-625
130	466	461	194	1.181	-166	130	516	-506	176	-0.36	-1.401	130	623	-314	112	046	-720
130	467	303	130	1.258	-781	130	517	123	130	0.420	-0.546	130	624	-284	125	107	-723
130	468	360	168	1.122	-1.406	130	518	041	136	0.647	-0.494	130	625	-330	131	066	-784
130	469	010	117	457	-439	130	519	205	150	0.753	-0.224	130	626	-319	128	067	-764
130	470	117	126	573	-438	130	520	341	163	1.015	-1.154	130	627	-337	109	027	-767
130	471	069	128	523	-330	130	521	393	162	1.088	-0.087	130	628	-311	126	046	-797
130	472	293	144	825	-191	130	522	428	168	1.032	-0.042	130	629	-301	124	074	-757
130	473	386	168	947	-133	130	523	460	174	1.122	-0.073	130	630	-296	121	076	-771
130	474	342	156	806	-151	130	524	496	182	1.242	-0.42	130	631	-313	095	006	-585
130	475	435	209	1.181	-136	130	525	486	186	1.349	-0.075	130	632	-284	113	065	-597
130	476	473	191	1.118	-093	130	526	395	165	1.034	-1.01	130	633	-277	117	091	-610
130	477	489	199	1.183	-097	130	527	354	163	1.004	-1.120	130	634	-324	135	088	-807
130	478	507	223	1.217	-118	130	528	-294	153	1.196	-0.798	130	635	-313	110	047	-754
130	479	472	213	1.222	-180	130	529	-272	166	0.299	-0.866	130	636	-408	144	037	-995
130	480	357	152	1.157	-1.265	130	530	-177	249	0.341	-1.268	130	637	-390	144	009	-980
130	481	374	162	1.115	-1.037	130	531	-038	294	0.649	-2.222	130	638	-358	104	061	-728
130	482	048	136	566	-446	130	532	-086	314	0.676	-2.223	130	639	-328	119	048	-684
130	483	126	154	729	-388	130	533	097	242	0.800	-1.097	130	640	-308	121	103	-669
130	484	322	173	1.101	-232	130	534	191	207	0.886	-0.942	130	641	-296	095	022	-619
130	485	446	186	1.237	-173	130	535	-170	118	0.213	-0.590	130	642	-277	116	126	-756
130	486	480	172	1.040	-097	130	536	114	110	0.238	-0.605	130	643	-285	120	119	-792
130	487	489	190	1.150	-091	130	537	-067	121	0.277	-0.690	130	644	-293	124	024	-881
130	488	550	192	1.195	-073	130	538	223	131	0.221	-0.656	130	645	-372	146	107	-834
130	489	553	206	1.262	-015	130	539	-002	116	0.370	-0.371	130	646	-348	133	103	-795
130	490	565	198	1.402	-001	130	540	177	101	0.527	-1.111	130	647	-355	110	001	-799
130	491	393	147	1.113	-981	130	541	161	125	0.618	-0.285	130	648	-328	130	101	-794
130	492	399	161	063	-1.430	130	542	216	140	0.777	-1.185	130	649	-317	131	117	-793
130	493	069	145	550	-559	130	543	240	140	0.709	-2.116	130	650	-339	102	001	-688
130	494	081	145	720	-397	130	601	-311	106	0.008	-0.715	130	651	-327	123	096	-787
130	495	276	155	845	-209	130	602	-310	128	1.100	-0.714	130	652	-405	133	040	-813
130	496	303	167	945	-182	130	603	-271	130	1.166	-0.775	130	653	-385	111	068	-713
130	497	393	168	1.028	-052	130	604	-269	128	1.161	-0.678	130	654	-358	127	023	-736

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
130	655	347	126	017	747	130	903	278	121	084	793	140	121	306	123	022	856
130	656	348	126	054	769	130	904	257	116	126	783	140	122	314	105	169	644
130	657	353	117	042	776	130	905	286	128	080	888	140	123	236	129	217	696
130	658	357	140	070	829	130	906	281	121	141	937	140	124	267	135	153	798
130	659	337	143	074	853	130	907	274	096	005	673	140	125	241	130	159	691
130	660	403	132	019	030	130	908	289	122	112	811	140	126	245	119	173	660
130	661	397	134	003	899	130	909	299	095	105	649	140	127	247	123	152	721
130	662	398	128	023	825	130	910	266	112	103	825	140	128	261	120	115	689
130	663	375	133	056	818	130	911	280	102	045	711	140	129	292	128	087	759
130	664	383	120	023	840	130	912	218	120	126	699	140	130	262	126	108	725
130	665	364	124	031	768	130	913	327	125	045	739	140	131	277	117	116	711
130	666	376	123	025	871	130	914	279	122	111	745	140	132	276	123	123	716
130	667	374	127	194	732	130	915	277	107	087	766	140	133	277	122	123	708
130	668	403	138	009	950	130	916	269	112	040	755	140	134	314	127	084	836
130	669	380	140	107	913	130	917	292	107	069	921	140	135	303	126	089	864
130	670	378	133	018	844	130	918	304	177	945	239	140	136	287	126	123	749
130	671	361	131	026	902	130	919	280	115	087	771	140	137	282	133	130	867
130	672	395	126	022	913	130	920	372	176	900	194	140	138	295	126	109	744
130	673	378	132	025	874	130	921	286	152	873	166	140	139	264	129	103	769
130	674	369	127	038	824	130	922	278	121	188	834	140	140	278	125	103	730
130	675	356	125	018	851	130	923	491	187	206	124	140	141	285	105	004	632
130	676	353	143	057	153	130	924	398	152	978	177	140	142	313	130	140	805
130	677	351	128	045	810	130	925	331	146	033	075	140	143	324	130	082	764
130	678	370	137	024	890	130	926	288	136	825	146	140	144	320	117	037	656
130	679	372	138	104	933	130	927	436	168	272	007	140	145	271	138	156	880
130	680	356	118	033	779	130	928	383	135	924	008	140	146	260	111	072	730
130	681	354	130	063	807	130	929	241	137	802	185	140	147	273	125	201	799
130	682	342	114	066	717	130	930	304	156	914	098	140	148	273	128	101	777
130	683	354	120	047	775	130	931	130	123	363	617	140	149	264	125	108	667
130	684	364	121	030	850	130	932	058	124	650	432	140	150	253	130	219	776
130	685	355	123	154	760	140	101	247	104	101	561	140	151	301	128	119	729
130	686	349	136	068	800	140	102	255	116	188	709	140	152	283	120	115	691
130	687	429	149	010	987	140	103	240	110	109	669	140	153	293	121	071	731
130	688	468	147	061	044	140	104	242	121	251	680	140	154	302	129	151	721
130	701	374	141	088	835	140	105	243	116	132	627	140	155	294	119	123	696
130	702	330	124	051	760	140	106	233	107	130	620	140	156	321	131	139	762
130	703	333	123	098	761	140	107	244	107	101	666	140	157	329	125	028	835
130	704	354	123	047	944	140	108	262	118	126	888	140	158	322	168	184	175
130	705	367	130	076	796	140	109	275	128	147	824	140	159	310	115	074	763
130	706	352	133	180	852	140	110	274	123	161	678	140	160	297	137	168	850
130	707	357	144	050	035	140	111	278	126	250	777	140	161	287	133	076	867
130	708	352	124	063	859	140	112	290	126	111	708	140	162	315	107	140	717
130	709	367	141	117	031	140	113	298	125	122	715	140	163	301	108	083	688
130	710	351	143	041	089	140	114	249	131	150	808	140	164	329	103	019	679
130	801	030	198	758	829	140	115	269	128	186	697	140	165	295	095	002	674
130	802	119	129	246	577	140	116	262	125	168	717	140	166	368	106	007	759
130	803	302	151	010	130	140	117	268	125	122	852	140	167	247	103	087	602
130	804	084	093	197	398	140	118	270	130	179	699	140	168	225	117	158	692
130	901	278	116	061	685	140	119	268	120	197	665	140	169	274	103	036	622
130	982	267	109	055	693	140	120	287	129	227	760	140	170	283	104	061	776

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
140	171	- 281	108	063	- 869	140	221	- 374	101	- 053	- 754	140	326	464	175	1 235	- 237
140	172	- 280	106	120	- 842	140	222	- 358	101	- 041	- 702	140	327	444	188	1 039	- 262
140	173	- 297	100	034	- 708	140	223	- 323	120	- 140	- 712	140	328	463	210	1 145	- 255
140	174	- 298	113	054	- 715	140	224	- 373	102	- 047	- 829	140	329	478	208	1 086	- 195
140	175	- 288	124	140	- 697	140	225	- 354	111	- 033	- 699	140	330	473	201	1 040	- 217
140	176	- 289	113	060	- 730	140	226	- 383	109	- 115	- 957	140	331	397	144	835	- 006
140	177	- 300	121	110	- 725	140	227	- 380	108	- 034	- 808	140	332	258	152	852	- 224
140	178	- 316	121	088	- 701	140	228	- 362	106	- 033	- 724	140	333	077	134	607	- 368
140	179	- 354	128	036	- 865	140	229	- 352	099	- 011	- 724	140	334	- 074	119	318	- 586
140	180	- 352	123	204	- 715	140	230	- 354	108	- 039	- 664	140	335	- 110	099	238	- 432
140	181	- 261	121	125	- 693	140	231	- 355	108	- 036	- 744	140	336	411	202	1 030	- 188
140	182	- 263	119	114	- 664	140	232	- 368	099	- 027	- 739	140	337	436	198	1 040	- 220
140	183	- 264	121	178	- 743	140	233	- 375	123	- 072	- 857	140	338	394	158	939	- 175
140	184	- 277	121	136	- 660	140	234	- 357	130	- 031	- 871	140	339	347	170	958	- 116
140	185	- 277	125	156	- 765	140	235	- 365	129	- 111	- 833	140	340	254	155	892	- 183
140	186	- 289	126	145	- 715	140	236	- 355	100	- 009	- 726	140	341	157	112	825	- 212
140	187	- 313	117	118	- 688	140	237	- 316	127	- 050	- 781	140	342	013	118	592	- 427
140	188	- 332	127	175	- 734	140	238	- 355	128	- 065	- 833	140	343	077	112	422	- 502
140	189	- 361	134	079	- 881	140	239	- 359	120	- 026	- 829	140	344	347	215	1 004	- 446
140	190	- 380	131	118	- 787	140	240	- 346	120	- 044	- 755	140	345	359	248	1 126	- 643
140	191	- 279	124	145	- 704	140	241	- 352	135	- 054	- 886	140	346	384	195	069	- 215
140	192	- 245	116	147	- 668	140	242	- 356	115	- 109	- 733	140	347	340	135	874	- 039
140	193	- 273	126	202	- 745	140	243	- 337	131	- 090	- 750	140	348	242	151	933	- 167
140	194	- 264	119	103	- 667	140	244	- 362	127	- 028	- 831	140	349	120	142	739	- 352
140	195	- 268	120	109	- 660	140	245	- 363	128	- 035	- 820	140	350	003	099	401	- 333
140	196	- 278	128	126	- 739	140	301	140	150	- 625	- 446	140	351	129	113	286	- 526
140	197	- 316	119	133	- 778	140	302	120	160	- 764	- 560	140	352	269	206	1 033	- 478
140	198	- 294	126	170	- 660	140	303	056	141	- 629	- 399	140	353	271	176	931	- 357
140	199	- 311	126	105	- 753	140	304	015	132	- 382	- 488	140	354	314	161	1 001	- 296
140	200	- 346	127	045	- 782	140	305	085	128	- 344	- 524	140	355	273	145	918	- 215
140	201	- 355	123	091	- 842	140	306	343	236	1 238	- 750	140	356	182	129	724	- 209
140	202	- 387	133	059	- 813	140	307	309	197	- 967	- 260	140	357	077	110	647	- 251
140	203	- 388	139	068	- 858	140	308	312	193	- 962	- 525	140	358	- 053	124	488	- 456
140	204	- 313	135	172	- 852	140	309	407	202	1 141	- 262	140	359	141	124	281	- 557
140	205	- 323	127	172	- 798	140	310	389	206	1 065	- 204	140	360	218	156	832	- 242
140	206	- 332	133	124	- 732	140	311	374	192	1 138	- 214	140	361	226	143	645	- 374
140	207	- 332	133	112	- 769	140	312	283	199	- 969	- 280	140	362	270	119	703	- 078
140	208	- 283	113	127	- 708	140	313	165	159	- 756	- 280	140	363	203	142	712	- 361
140	209	- 246	128	082	- 730	140	314	038	128	- 470	- 442	140	364	247	130	652	- 306
140	210	- 331	133	086	- 798	140	315	113	137	- 373	- 523	140	365	250	115	722	- 072
140	211	- 360	130	199	- 822	140	316	406	198	1 090	- 208	140	366	206	103	564	- 186
140	212	- 357	119	071	- 720	140	317	412	187	1 048	- 175	140	367	156	095	484	- 146
140	213	- 381	128	015	- 931	140	318	392	188	1 047	- 259	140	368	035	094	401	- 237
140	214	- 389	130	010	- 813	140	319	439	166	1 015	- 287	140	369	082	095	227	- 415
140	215	- 326	105	064	- 732	140	320	422	201	1 160	- 370	140	370	174	094	195	- 498
140	216	- 320	106	002	- 808	140	321	419	199	1 157	- 269	140	371	253	140	783	- 437
140	217	- 208	104	163	- 521	140	322	118	144	- 655	- 352	140	372	285	152	1 021	- 408
140	218	- 347	103	027	- 710	140	323	029	100	- 323	- 402	140	373	289	159	817	- 311
140	219	- 313	106	012	- 779	140	324	100	115	- 272	- 535	140	374	197	147	659	- 367
140	220	- 360	106	000	- 691	140	325	462	186	1 255	- 313	140	375	200	135	684	- 272

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
140	376	224	151	894	- 348	140	428	356	205	1 098	- 179	140	478	547	217	1 330	- 126
140	377	262	147	836	- 183	140	429	416	195	1 057	- 262	140	479	550	217	1 211	- 080
140	378	295	140	834	- 154	140	430	379	204	1 079	- 249	140	480	399	178	1 191	- 214
140	379	312	129	783	- 077	140	431	462	217	1 359	- 305	140	481	468	206	070	- 1 488
140	380	348	134	933	- 004	140	432	444	203	1 212	- 088	140	482	009	132	564	- 431
140	381	312	147	892	- 136	140	433	475	220	1 391	- 267	140	483	178	186	900	- 362
140	382	258	134	670	- 180	140	434	513	210	1 255	- 036	140	484	418	180	1 143	- 103
140	383	219	127	660	- 221	140	435	510	204	1 207	- 111	140	485	505	189	1 187	- 003
140	384	076	112	343	- 508	140	436	346	149	1 116	- 895	140	486	534	187	1 189	- 028
140	385	165	101	201	- 541	140	437	515	193	026	- 1 159	140	487	574	191	1 268	- 070
140	386	303	132	1 046	- 088	140	438	242	132	210	- 670	140	488	558	220	1 293	- 121
140	387	288	149	867	- 170	140	439	054	141	532	- 673	140	489	551	212	1 280	- 036
140	388	317	132	962	- 089	140	440	283	176	968	- 303	140	490	492	195	1 236	- 073
140	389	323	133	918	- 081	140	441	347	147	827	- 193	140	491	420	178	259	- 1 121
140	390	355	146	1 063	- 125	140	442	355	164	938	- 105	140	492	479	191	092	- 1 400
140	391	348	152	856	- 161	140	443	369	190	1 054	- 092	140	493	018	156	680	- 604
140	392	295	140	772	- 120	140	444	484	229	1 217	- 248	140	494	136	154	697	- 458
140	393	293	139	790	- 142	140	445	234	144	214	- 867	140	495	367	175	1 051	- 118
140	394	225	133	742	- 229	140	446	489	177	137	- 1 155	140	496	398	178	1 015	- 106
140	395	236	141	736	- 242	140	447	118	186	1 003	- 387	140	497	473	178	1 262	- 092
140	396	085	132	614	- 347	140	448	230	211	1 157	- 516	140	498	539	195	1 259	- 047
140	397	073	109	298	- 492	140	449	145	186	903	- 384	140	499	533	190	1 164	- 028
140	398	183	112	225	- 578	140	450	363	219	1 289	- 312	140	500	500	184	1 171	- 063
140	401	204	112	114	- 723	140	451	393	228	1 106	- 385	140	501	499	203	1 285	- 118
140	402	544	212	111	- 1 274	140	452	450	201	1 188	- 133	140	502	479	185	1 115	- 060
140	403	158	161	883	- 384	140	453	454	217	1 228	- 118	140	503	426	196	1 305	- 221
140	404	308	169	934	- 304	140	454	499	208	1 259	- 295	140	504	413	182	291	- 1 351
140	405	135	158	729	- 391	140	455	464	217	1 447	- 172	140	505	523	205	073	- 1 457
140	406	353	169	850	- 167	140	456	584	217	1 279	- 060	140	506	029	169	792	- 590
140	407	362	176	1 018	- 081	140	457	469	212	1 148	- 158	140	507	104	164	716	- 441
140	408	191	160	840	- 300	140	458	321	142	166	- 816	140	508	351	162	991	- 136
140	409	363	188	1 020	- 132	140	459	484	168	046	- 1 092	140	509	427	188	1 212	- 072
140	410	387	190	1 110	- 209	140	460	257	142	263	- 746	140	510	440	186	1 152	- 070
140	411	291	185	910	- 300	140	461	049	174	612	- 613	140	511	431	171	1 037	- 069
140	412	438	208	1 203	- 248	140	462	300	169	895	- 151	140	512	405	164	1 029	- 102
140	413	391	191	1 056	- 236	140	463	396	171	1 059	- 060	140	513	419	189	1 166	- 089
140	414	307	140	096	- 832	140	464	394	166	934	- 056	140	514	389	177	959	- 218
140	415	547	206	151	- 1 389	140	465	476	193	1 101	- 142	140	515	386	165	180	- 1 058
140	416	297	136	353	- 875	140	466	462	203	1 123	- 174	140	516	495	192	107	- 1 379
140	417	102	133	367	- 561	140	467	222	157	296	- 726	140	517	067	146	584	- 616
140	418	206	146	837	- 277	140	468	425	187	232	- 1 268	140	518	094	139	646	- 344
140	419	224	159	967	- 261	140	469	061	134	591	- 328	140	519	265	158	1 017	- 122
140	420	294	159	790	- 202	140	470	191	160	768	- 242	140	520	375	162	1 126	- 056
140	421	268	188	953	- 232	140	471	132	143	681	- 357	140	521	448	176	1 655	- 021
140	422	464	185	1 179	- 091	140	472	341	150	925	- 075	140	522	484	196	1 303	- 075
140	423	251	154	305	- 865	140	473	464	181	1 084	- 102	140	523	465	171	1 223	- 027
140	424	500	222	140	- 1 474	140	474	383	160	1 045	- 091	140	524	505	183	1 240	- 020
140	425	114	180	837	- 441	140	475	486	201	1 271	- 119	140	525	469	183	1 457	- 047
140	426	246	197	1 014	- 547	140	476	464	199	1 285	- 032	140	526	397	193	1 358	- 106
140	427	156	200	1 222	- 412	140	477	515	208	1 323	- 042	140	527	296	154	879	- 185

UD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	UD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	UD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
140	528	- .229	.132	.382	-.832	140	635	-.293	.101	.040	-.736	140	685	-.339	.132	.142	-.781
140	529	-.169	.177	.432	-.763	140	636	-.383	.124	.001	-.886	140	686	-.338	.130	.069	-.808
140	530	-.024	.253	.727	-1.259	140	637	-.371	.123	.002	-.930	140	687	-.431	.153	.076	-.994
140	531	.126	.235	.918	-1.113	140	638	-.351	.102	-.037	-.755	140	688	-.497	.147	-.079	-1.103
140	532	.055	.281	.930	-1.639	140	639	-.319	.112	.033	-.670	140	701	-.365	.139	.055	-.970
140	533	.175	.219	1.109	-.863	140	640	-.296	.113	.049	-.688	140	702	-.311	.128	.057	-.901
140	534	.238	.201	.931	-.694	140	641	-.296	.106	.028	-.713	140	703	-.322	.118	.045	-.747
140	535	.155	.115	.279	-.586	140	642	-.283	.129	.119	-.800	140	704	-.344	.129	.025	-.882
140	536	.102	.108	.243	-.450	140	643	-.282	.133	.105	-.836	140	705	-.349	.120	.001	-.841
140	537	-.045	.114	.300	-.428	140	644	-.409	.107	-.115	-.784	140	706	-.336	.120	.113	-.761
140	538	.176	.116	.236	-.551	140	645	-.388	.127	.020	-.857	140	707	-.364	.140	.013	-.954
140	539	.025	.109	.415	-.300	140	646	-.365	.117	-.039	-.838	140	708	-.357	.118	.133	-.726
140	540	.193	.106	.625	-.093	140	647	-.360	.095	-.067	-.663	140	709	-.364	.138	.863	-.003
140	541	.191	.124	.570	-.254	140	648	-.326	.113	.019	-.693	140	710	-.338	.132	.812	-.059
140	542	.270	.118	.804	-.108	140	649	-.320	.114	.054	-.697	140	801	-.074	.189	.650	-.769
140	543	.268	.131	.865	-.145	140	650	-.344	.103	-.051	-.739	140	802	-.101	.122	.266	-.555
140	601	-.311	.108	.013	-.757	140	651	-.337	.126	.018	-.835	140	803	-.290	.140	.850	-.104
140	602	-.330	.125	.128	-.722	140	652	-.399	.135	.023	-1.056	140	804	-.073	.094	.270	-.459
140	603	-.303	.127	.121	-.739	140	653	-.390	.111	-.069	-.770	140	901	-.318	.129	.039	-1.046
140	604	-.279	.124	.138	-.703	140	654	-.365	.126	.018	-.846	140	902	-.275	.115	.061	-.763
140	605	-.276	.123	.143	-.685	140	655	-.345	.122	.044	-.730	140	903	-.311	.120	.065	-.788
140	606	-.339	.145	.165	-.947	140	656	-.336	.121	.070	-.704	140	904	-.316	.124	.097	-1.009
140	607	-.332	.128	.117	-.765	140	657	-.336	.098	-.048	-.655	140	905	-.311	.129	.234	-.772
140	608	-.346	.130	.104	-.866	140	658	-.324	.117	.028	-.722	140	906	-.310	.122	.053	-.960
140	609	-.337	.132	.074	-.860	140	659	-.319	.121	.078	-.730	140	907	-.282	.105	.074	-.725
140	610	-.324	.131	.082	-.834	140	660	-.407	.135	.030	-.925	140	908	-.313	.124	.018	-.999
140	611	-.310	.129	.042	-.784	140	661	-.391	.121	-.015	-.882	140	909	-.295	.104	.016	-.622
140	612	-.302	.125	.099	-.769	140	662	-.389	.137	.175	-.790	140	910	-.295	.104	.048	-.631
140	613	-.283	.127	.141	-.699	140	663	-.378	.131	.009	-.906	140	911	-.309	.109	-.002	-.809
140	614	-.308	.133	.151	-.922	140	664	-.373	.120	.017	-.831	140	912	-.215	.121	.275	-.660
140	615	-.286	.126	.097	-.794	140	665	-.378	.127	.085	-.849	140	913	-.386	.121	-.039	-.816
140	616	-.322	.123	.031	-.716	140	666	-.366	.135	.041	-.867	140	914	-.279	.103	.050	-.645
140	617	-.306	.122	.080	-.731	140	667	-.368	.131	.064	-.867	140	915	-.288	.106	.246	-.625
140	618	-.330	.127	.051	-.922	140	668	-.402	.134	.030	-.915	140	916	-.281	.107	.029	-.720
140	619	-.329	.107	-.013	-.715	140	669	-.366	.144	.065	-1.002	140	917	-.296	.116	.073	-.749
140	620	-.314	.123	.068	-.758	140	670	-.376	.131	.023	-.901	140	918	-.310	.159	.902	-.145
140	621	-.305	.123	.070	-.732	140	671	-.393	.128	-.014	-.867	140	919	-.284	.112	.083	-.741
140	622	-.269	.117	.110	-.680	140	672	-.377	.124	-.007	-.989	140	920	-.416	.175	1.014	-.138
140	623	-.294	.101	.070	-.689	140	673	-.388	.144	.035	-.909	140	921	-.274	.145	.781	-.121
140	624	-.267	.117	.143	-.722	140	674	-.376	.132	.145	-1.189	140	922	-.294	.126	.074	-.940
140	625	-.313	.122	.122	-.957	140	675	-.346	.137	.088	-.824	140	923	-.449	.167	1.075	.025
140	626	-.308	.120	.105	-.995	140	676	-.357	.133	.016	-1.039	140	924	-.418	.168	1.109	-.150
140	627	-.368	.099	-.070	-.726	140	677	-.354	.135	.067	-.879	140	925	-.334	.147	.994	-.107
140	628	-.349	.113	-.004	-.769	140	678	-.388	.140	.057	-.842	140	926	-.323	.146	1.066	-.107
140	629	-.330	.111	.036	-.748	140	679	-.366	.133	.039	-.938	140	927	-.474	.183	1.172	.011
140	630	-.324	.108	.032	-.735	140	680	-.336	.118	.095	-.801	140	928	-.399	.125	.996	-.013
140	631	-.307	.094	.052	-.684	140	681	-.367	.130	.005	-.858	140	929	-.276	.134	.904	-.221
140	632	-.281	.112	.158	-.702	140	682	-.338	.115	.025	-.792	140	930	-.357	.155	1.142	-.106
140	633	-.268	.117	.178	-.677	140	683	-.368	.124	.091	-.879	140	931	-.092	.121	.403	-.567
140	634	-.301	.132	.172	-.848	140	684	-.351	.132	.031	-.855	140	932	-.091	.133	.715	-.293

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
150	101	-241	120	138	-717	150	151	-299	127	133	-734	150	201	-320	120	026	-679
150	102	-261	114	194	-685	150	152	-294	132	128	-786	150	202	-351	135	093	-790
150	103	-240	110	178	-626	150	153	-305	128	088	-798	150	203	-360	126	033	-778
150	104	-234	110	098	-619	150	154	-307	117	022	-720	150	204	-283	121	076	-850
150	105	-234	109	142	-675	150	155	-302	138	159	-864	150	205	-288	123	157	-701
150	106	-252	098	091	-701	150	156	-330	123	052	-892	150	206	-304	128	202	-813
150	107	-272	104	057	-748	150	157	-337	128	128	-738	150	207	-288	129	154	-680
150	108	-272	124	129	-674	150	158	-316	154	108	-930	150	208	-276	115	045	-665
150	109	-284	122	100	-738	150	159	-301	115	148	-913	150	209	-310	128	189	-761
150	110	-274	119	141	-773	150	160	-329	132	111	-811	150	210	-312	122	100	-788
150	111	-283	120	174	-787	150	161	-318	131	063	-844	150	211	-319	120	059	-753
150	112	-290	121	066	-759	150	162	-294	097	011	-651	150	212	-338	131	059	-855
150	113	-303	119	151	-701	150	163	-302	101	046	-704	150	213	-366	124	010	-809
150	114	-260	132	135	-807	150	164	-318	095	031	-684	150	214	-370	125	049	-789
150	115	-269	134	146	-791	150	165	-269	094	028	-616	150	215	-322	105	047	-650
150	116	-275	138	185	-948	150	166	-332	111	036	-662	150	216	-331	099	052	-611
150	117	-278	136	188	-718	150	167	-228	099	076	-553	150	217	-251	097	066	-559
150	118	-283	120	077	-685	150	168	-214	113	126	-586	150	218	-316	111	066	-714
150	119	-286	139	167	-892	150	169	-253	100	111	-592	150	219	-330	103	029	-675
150	120	-303	122	080	-899	150	170	-259	099	094	-560	150	220	-333	100	047	-731
150	121	-318	125	137	-731	150	171	-261	112	144	-723	150	221	-340	099	068	-673
150	122	-291	098	025	-660	150	172	-269	101	024	-585	150	222	-337	094	040	-657
150	123	-250	131	148	-735	150	173	-276	101	102	-707	150	223	-332	124	035	-898
150	124	-257	132	111	-1363	150	174	-289	100	055	-677	150	224	-362	098	100	-715
150	125	-248	126	215	-755	150	175	-274	109	076	-624	150	225	-358	098	022	-735
150	126	-248	124	117	-639	150	176	-295	124	062	-745	150	226	-366	101	031	-728
150	127	-240	122	189	-705	150	177	-305	116	101	-775	150	227	-383	107	047	-760
150	128	-247	116	124	-661	150	178	-310	117	099	-731	150	228	-339	100	024	-708
150	129	-271	122	237	-679	150	179	-315	117	166	-735	150	229	-329	102	029	-746
150	130	-266	119	137	-674	150	180	-228	110	153	-599	150	230	-320	098	024	-740
150	131	-294	127	151	-713	150	181	-242	119	113	-710	150	231	-340	101	035	-762
150	132	-292	123	217	-773	150	182	-242	112	136	-677	150	232	-370	098	079	-719
150	133	-295	124	072	-796	150	183	-234	119	155	-615	150	233	-364	125	046	-800
150	134	-298	122	108	-737	150	184	-252	125	141	-636	150	234	-351	117	138	-704
150	135	-313	116	093	-723	150	185	-254	114	131	-622	150	235	-358	124	133	-843
150	136	-290	134	091	-847	150	186	-266	115	136	-764	150	236	-367	113	034	-958
150	137	-301	135	087	-822	150	187	-284	118	101	-636	150	237	-326	124	053	-745
150	138	-297	132	153	-773	150	188	-305	118	152	-717	150	238	-321	119	104	-740
150	139	-302	131	170	-966	150	189	-332	128	152	-778	150	239	-324	117	056	-731
150	140	-288	110	103	-751	150	190	-358	125	050	-775	150	240	-324	108	031	-694
150	141	-302	110	039	-671	150	191	-235	123	182	-689	150	241	-324	111	010	-706
150	142	-292	124	084	-939	150	192	-227	119	178	-626	150	242	-335	115	029	-779
150	143	-311	119	044	-834	150	193	-243	117	154	-664	150	243	-332	118	101	-747
150	144	-322	120	057	-742	150	194	-245	124	182	-677	150	244	-338	119	010	-800
150	145	-283	136	103	-887	150	195	-255	113	142	-692	150	245	-355	126	087	-816
150	146	-254	110	095	-821	150	196	-271	121	112	-689	150	301	-021	173	512	-611
150	147	-276	133	156	-829	150	197	-278	116	164	-690	150	302	-020	152	569	-573
150	148	-272	129	137	-768	150	198	-281	115	118	-736	150	303	-015	134	549	-480
150	149	-263	124	159	-691	150	199	-307	120	086	-731	150	304	-079	124	380	-685
150	150	-265	126	091	-730	150	200	-330	119	033	-835	150	305	-126	121	306	-503

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
150	306	.185	.229	.917	-.726	150	356	.120	.115	.525	-.225	150	408	.217	.160	.801	-.261
150	307	.151	.183	.895	-.500	150	357	.003	.102	.329	-.336	150	409	.381	.199	.992	-.270
150	308	.168	.194	.776	-.692	150	358	-.109	.117	.324	-.566	150	410	.393	.194	.995	-.214
150	309	.269	.189	.868	-.641	150	359	-.180	.119	.282	-.666	150	411	.272	.197	.952	-.405
150	310	.221	.184	1.085	-.539	150	360	.061	.165	.616	-.622	150	412	.425	.197	.914	-.248
150	311	.235	.175	.864	-.389	150	361	.062	.175	.637	-.655	150	413	.371	.194	.933	-.232
150	312	.165	.158	.751	-.420	150	362	.162	.137	.635	-.373	150	414	-.264	.140	.275	-.769
150	313	.049	.140	.576	-.418	150	363	.061	.159	.542	-.647	150	415	-.496	.232	.329	-.467
150	314	-.098	.122	.282	-.553	150	364	.120	.149	.838	-.418	150	416	-.260	.144	.424	-.773
150	315	-.152	.122	.268	-.558	150	365	.183	.125	.776	-.222	150	417	-.038	.138	.459	-.611
150	316	.234	.229	1.031	-.536	150	366	.124	.102	.520	-.199	150	418	.220	.150	.807	-.328
150	317	.283	.194	1.020	-.301	150	367	.094	.102	.466	-.213	150	419	.266	.158	.808	-.218
150	318	.265	.208	.884	-.442	150	368	.005	.096	.383	-.342	150	420	.247	.164	.854	-.295
150	319	.321	.149	.779	-.351	150	369	-.118	.099	.240	-.508	150	421	.264	.189	.997	-.234
150	320	.278	.186	.769	-.634	150	370	.221	.102	.110	-.667	150	422	.307	.196	.953	-.352
150	321	.282	.172	.756	-.517	150	371	.269	.155	.953	-.537	150	423	-.159	.140	.395	-.710
150	322	.026	.124	.483	-.317	150	372	.274	.176	.913	-.990	150	424	-.369	.258	.367	-.540
150	323	-.104	.096	.244	-.472	150	373	.232	.175	.847	-.498	150	425	-.228	.210	.954	-.542
150	324	.157	.113	.273	-.582	150	374	.140	.190	.847	-.633	150	426	.352	.225	.974	-.442
150	325	.268	.230	.927	-.685	150	375	.077	.153	.597	-.434	150	427	.287	.193	.914	-.311
150	326	.299	.201	.898	-.595	150	376	.106	.155	.594	-.550	150	428	.401	.212	.923	-.271
150	327	.242	.206	.851	-.483	150	377	.174	.152	.686	-.380	150	429	.458	.214	.985	-.169
150	328	.303	.211	.989	-.552	150	378	.292	.141	.757	-.405	150	430	.428	.219	.942	-.257
150	329	.285	.217	1.027	-.408	150	379	.315	.141	.903	-.163	150	431	.480	.214	.975	-.227
150	330	.297	.198	1.009	-.336	150	380	.266	.130	.735	-.168	150	432	.514	.209	.924	-.054
150	331	.235	.113	.661	-.134	150	381	.223	.157	.773	-.279	150	433	.473	.211	.976	-.140
150	332	.125	.119	.579	-.270	150	382	.185	.136	.672	-.210	150	434	.503	.216	.928	-.098
150	333	.020	.110	.443	-.404	150	383	.140	.134	.721	-.298	150	435	.471	.203	.934	-.113
150	334	.134	.108	.313	-.516	150	384	.118	.119	.417	-.488	150	436	-.288	.154	.274	-.836
150	335	.150	.101	.208	-.553	150	385	.191	.116	.166	-.620	150	437	-.491	.223	.300	-.199
150	336	.130	.258	.986	-.713	150	386	.274	.134	.771	-.143	150	438	-.212	.141	.535	-.724
150	337	.161	.265	1.004	-.665	150	387	.297	.137	.834	-.134	150	439	.003	.157	.679	-.476
150	338	.299	.149	.796	-.498	150	388	.323	.145	.892	-.123	150	440	.292	.179	.928	-.225
150	339	.264	.143	.819	-.242	150	389	.337	.151	.957	-.107	150	441	.373	.146	.901	-.043
150	340	.166	.129	.654	-.301	150	390	.330	.159	.921	-.114	150	442	.340	.166	.926	-.130
150	341	.062	.103	.451	-.240	150	391	.268	.164	1.165	-.315	150	443	.336	.182	.997	-.215
150	342	.057	.113	.316	-.408	150	392	.269	.175	.890	-.181	150	444	.380	.223	.912	-.311
150	343	.126	.112	.270	-.480	150	393	.200	.146	.845	-.223	150	445	.131	.146	.398	-.659
150	344	.120	.215	.874	-.622	150	394	.153	.126	.592	-.387	150	446	.316	.208	.360	-.000
150	345	.150	.268	.984	-.808	150	395	.178	.136	.694	-.286	150	447	.198	.221	.934	-.482
150	346	.259	.180	.881	-.583	150	396	.014	.126	.634	-.415	150	448	.368	.222	.907	-.396
150	347	.219	.123	.696	-.164	150	397	.109	.119	.263	-.500	150	449	.325	.231	.927	-.345
150	348	.137	.152	.566	-.245	150	398	.222	.117	.173	-.618	150	450	.439	.218	.989	-.203
150	349	.028	.125	.447	-.353	150	401	.137	.104	.211	-.513	150	451	.468	.222	.941	-.389
150	350	.068	.103	.262	-.418	150	402	.335	.205	.278	-.134	150	452	.477	.232	.933	-.112
150	351	.160	.122	.221	-.546	150	403	.283	.175	1.011	-.235	150	453	.541	.221	.985	-.183
150	352	.060	.233	.737	-.748	150	404	.406	.183	.988	-.235	150	454	.489	.214	.981	-.186
150	353	.094	.181	.690	-.522	150	405	.232	.164	.772	-.316	150	455	.517	.219	.9317	-.102
150	354	.216	.149	.778	-.353	150	406	.381	.161	.907	-.288	150	456	.538	.229	.9447	-.212
150	355	.201	.126	.669	-.151	150	407	.389	.167	.907	-.152	150	457	.498	.236	.9326	-.298

WD	TAP	CPNEAN	CPNRS	CPNAX	CPNIN	WD	TAP	CPNEAN	CPNRS	CPNAX	CPNIN	WD	TAP	CPNEAN	CPNRS	CPNAX	CPNIN					
150	458	-	287	159	220	-	823	150	508	369	190	1.021	-	289	150	615	-	282	119	121	-	665
150	459	-	487	161	098	-	215	150	509	426	163	1.163	-	133	150	616	-	313	113	054	-	738
150	460	-	220	152	354	-	803	150	510	436	174	1.601	-	143	150	617	-	303	113	073	-	752
150	461	-	005	178	676	-	610	150	511	435	176	1.144	-	097	150	618	-	339	131	055	-	881
150	462	-	307	159	909	-	167	150	512	462	180	1.121	-	030	150	619	-	329	098	029	-	651
150	463	-	417	174	993	-	014	150	513	319	158	1.950	-	175	150	620	-	317	117	034	-	692
150	464	-	360	153	837	-	092	150	514	252	194	1.001	-	351	150	621	-	313	117	042	-	699
150	465	-	374	169	966	-	179	150	515	281	168	1.231	-	956	150	622	-	278	113	071	-	662
150	466	-	332	170	1.093	-	174	150	516	440	205	1.452	-	1.077	150	623	-	296	100	011	-	659
150	467	-	093	157	306	-	664	150	517	004	137	1.579	-	419	150	624	-	278	119	089	-	651
150	468	-	302	228	468	-	301	150	518	186	166	1.046	-	261	150	625	-	327	121	056	-	731
150	469	-	153	159	700	-	318	150	519	318	160	1.082	-	063	150	626	-	324	120	043	-	742
150	470	-	292	164	933	-	177	150	520	411	169	1.249	-	027	150	627	-	362	106	046	-	925
150	471	-	204	149	805	-	231	150	521	462	178	1.061	-	032	150	628	-	351	125	025	-	978
150	472	-	423	169	1.039	-	101	150	522	448	166	1.081	-	103	150	629	-	334	123	042	-	1.160
150	473	-	433	171	1.053	-	070	150	523	431	167	1.021	-	008	150	630	-	331	123	032	-	1.149
150	474	-	398	163	967	-	113	150	524	409	174	1.019	-	047	150	631	-	305	100	026	-	639
150	475	-	501	205	1.222	-	028	150	525	426	177	1.196	-	052	150	632	-	284	120	156	-	716
150	476	-	545	212	1.193	-	079	150	526	274	152	1.895	-	178	150	633	-	274	122	142	-	725
150	477	-	482	206	1.166	-	128	150	527	193	177	1.882	-	441	150	634	-	293	128	135	-	779
150	478	-	445	210	1.292	-	118	150	528	179	174	1.447	-	731	150	635	-	298	102	009	-	694
150	479	-	459	205	1.119	-	172	150	529	113	189	1.508	-	985	150	636	-	394	132	023	-	793
150	480	-	358	232	380	-	1.120	150	530	095	229	1.712	-	957	150	637	-	385	135	010	-	842
150	481	-	501	228	394	-	1.446	150	531	176	227	1.924	-	1.081	150	638	-	364	104	000	-	700
150	482	-	105	182	1.012	-	498	150	532	190	236	1.152	-	1.284	150	639	-	328	118	104	-	703
150	483	-	289	181	932	-	300	150	533	278	220	1.193	-	1.267	150	640	-	305	118	175	-	662
150	484	-	489	198	1.221	-	018	150	534	306	205	1.141	-	926	150	641	-	312	091	007	-	672
150	485	-	548	186	1.179	-	043	150	535	142	119	1.234	-	573	150	642	-	302	112	065	-	780
150	486	-	582	192	1.299	-	002	150	536	076	117	1.335	-	497	150	643	-	302	116	074	-	802
150	487	-	569	211	1.231	-	041	150	537	015	128	1.489	-	413	150	644	-	395	110	027	-	778
150	488	-	543	202	1.354	-	077	150	538	143	137	1.447	-	639	150	645	-	381	131	038	-	843
150	489	-	436	221	1.352	-	307	150	539	064	107	1.445	-	277	150	646	-	359	121	066	-	774
150	490	-	375	205	1.112	-	396	150	540	235	105	1.626	-	104	150	647	-	335	095	043	-	616
150	491	-	304	220	1.285	-	083	150	541	273	132	1.735	-	149	150	648	-	307	113	030	-	653
150	492	-	417	231	328	-	385	150	542	275	131	1.791	-	232	150	649	-	299	114	032	-	691
150	493	-	047	178	842	-	472	150	543	294	133	1.793	-	124	150	650	-	325	100	009	-	741
150	494	-	237	178	905	-	316	150	601	314	108	1.010	-	731	150	651	-	317	124	089	-	834
150	495	-	429	182	1.197	-	090	150	602	300	119	1.061	-	665	150	652	-	381	130	082	-	929
150	496	-	418	180	1.168	-	127	150	603	294	118	1.160	-	692	150	653	-	373	100	086	-	894
150	497	-	511	192	1.314	-	038	150	604	278	115	1.082	-	797	150	654	-	353	115	004	-	908
150	498	-	561	189	1.294	-	034	150	605	266	115	1.069	-	651	150	655	-	338	114	030	-	853
150	499	-	571	189	1.262	-	101	150	606	325	132	1.050	-	1.120	150	656	-	328	112	032	-	834
150	500	-	498	191	1.143	-	014	150	607	312	134	1.140	-	754	150	657	-	332	100	019	-	693
150	501	-	472	168	1.088	-	060	150	608	331	120	1.023	-	805	150	658	-	324	122	053	-	751
150	502	-	392	177	1.051	-	135	150	609	324	122	1.015	-	760	150	659	-	321	125	063	-	746
150	503	-	337	210	1.170	-	205	150	610	320	130	1.102	-	759	150	660	-	369	125	042	-	790
150	504	-	321	229	296	-	1.188	150	611	319	123	1.051	-	747	150	661	-	349	126	039	-	921
150	505	-	465	253	329	-	617	150	612	292	119	1.088	-	688	150	662	-	356	120	033	-	775
150	506	-	642	181	848	-	587	150	613	291	120	1.152	-	677	150	663	-	358	121	031	-	772
150	507	-	212	183	1.049	-	435	150	614	296	121	1.106	-	850	150	664	-	365	118	010	-	798

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
1500	665	-	361	128	015	-	855	150	913	-	370	117	149	-	752	160	131	-	284	120	074	-	682
1500	666	-	351	120	054	-	738	150	914	-	275	104	057	-	744	160	132	-	287	122	072	-	939
1500	667	-	369	126	121	-	831	150	915	-	286	103	084	-	757	160	133	-	292	123	130	-	710
1500	668	-	358	134	146	-	792	150	916	-	284	103	053	-	736	160	134	-	297	115	113	-	624
1500	669	-	352	134	049	-	901	150	917	-	295	105	121	-	722	160	135	-	307	128	099	-	861
1500	670	-	342	124	100	-	760	150	918	-	393	170	984	-	142	160	136	-	294	146	162	-	945
1500	671	-	344	119	008	-	986	150	919	-	280	111	048	-	705	160	137	-	313	143	121	-	836
1500	672	-	338	113	029	-	728	150	920	-	356	164	086	-	204	160	138	-	318	142	064	-	125
1500	673	-	342	115	003	-	743	150	921	-	258	141	767	-	219	160	139	-	292	146	184	-	876
1500	674	-	343	122	039	-	801	150	922	-	312	122	053	-	852	160	140	-	305	126	170	-	746
1500	675	-	334	123	075	-	804	150	923	-	400	179	185	-	137	160	141	-	310	100	020	-	625
1500	676	-	323	122	090	-	757	150	924	-	392	148	947	-	103	160	142	-	306	123	061	-	864
1500	677	-	345	134	093	-	913	150	925	-	365	150	943	-	086	160	143	-	313	125	111	-	824
1500	678	-	347	137	066	-	850	150	926	-	323	137	936	-	127	160	144	-	314	124	047	-	704
1500	679	-	329	127	085	-	820	150	927	-	472	168	169	-	052	160	145	-	297	137	097	-	802
1500	680	-	352	121	080	-	844	150	928	-	406	134	863	-	013	160	146	-	282	118	092	-	845
1500	681	-	340	120	076	-	774	150	929	-	299	141	815	-	185	160	147	-	299	142	119	-	916
1500	682	-	354	121	004	-	816	150	930	-	392	166	048	-	182	160	148	-	285	147	164	-	859
1500	683	-	350	123	010	-	752	150	931	-	026	142	827	-	440	160	149	-	280	134	177	-	829
1500	684	-	324	115	067	-	707	150	932	-	127	137	639	-	433	160	150	-	296	132	137	-	819
1500	685	-	326	122	155	-	773	160	101	-	246	118	226	-	697	160	151	-	307	132	087	-	916
1500	686	-	295	128	195	-	718	160	102	-	241	108	118	-	590	160	152	-	294	121	112	-	767
1500	687	-	421	148	045	-	996	160	103	-	244	114	149	-	608	160	153	-	302	130	104	-	824
1500	688	-	458	138	002	-	976	160	104	-	244	112	102	-	713	160	154	-	309	128	097	-	730
1500	701	-	384	145	173	-	915	160	105	-	244	119	258	-	709	160	155	-	311	133	179	-	800
1500	702	-	326	138	129	-	759	160	106	-	270	116	202	-	737	160	156	-	305	116	164	-	697
1500	703	-	321	131	094	-	833	160	107	-	273	109	037	-	879	160	157	-	325	125	085	-	775
1500	704	-	329	126	114	-	871	160	108	-	282	130	128	-	955	160	158	-	347	158	092	-	078
1500	705	-	345	127	094	-	889	160	109	-	292	125	093	-	750	160	159	-	344	129	004	-	000
1500	706	-	363	132	080	-	008	160	110	-	296	130	155	-	773	160	160	-	356	163	125	-	002
1500	707	-	400	147	034	-	030	160	111	-	296	127	132	-	805	160	161	-	327	144	110	-	934
1500	708	-	363	134	046	-	012	160	112	-	285	132	233	-	739	160	162	-	326	112	046	-	785
1500	709	-	318	141	010	-	148	160	113	-	301	124	130	-	762	160	163	-	326	122	184	-	833
1500	710	-	325	137	908	-	134	160	114	-	282	138	137	-	814	160	164	-	352	111	005	-	844
1500	801	-	123	117	686	-	670	160	115	-	271	136	143	-	915	160	165	-	294	098	021	-	675
1500	802	-	063	127	429	-	561	160	116	-	266	131	144	-	800	160	166	-	349	096	043	-	731
1500	803	-	299	137	816	-	090	160	117	-	276	137	221	-	794	160	167	-	241	107	081	-	593
1500	804	-	026	103	428	-	348	160	118	-	288	132	100	-	748	160	168	-	228	121	168	-	638
1500	901	-	347	144	036	-	327	160	119	-	298	135	219	-	862	160	169	-	275	106	051	-	669
1500	902	-	279	112	091	-	783	160	120	-	287	115	194	-	794	160	170	-	283	101	064	-	718
1500	903	-	304	122	093	-	785	160	121	-	313	125	070	-	775	160	171	-	293	114	083	-	685
1500	904	-	309	128	156	-	941	160	122	-	319	110	147	-	943	160	172	-	304	103	020	-	643
1500	905	-	317	123	048	-	798	160	123	-	246	128	154	-	828	160	173	-	297	094	013	-	621
1500	906	-	340	127	068	-	851	160	124	-	271	139	230	-	875	160	174	-	318	114	123	-	717
1500	907	-	309	106	005	-	761	160	125	-	258	134	154	-	764	160	175	-	311	126	161	-	106
1500	908	-	337	130	018	-	970	160	126	-	261	130	150	-	690	160	176	-	318	121	121	-	724
1500	909	-	332	100	032	-	701	160	127	-	256	127	174	-	783	160	177	-	316	127	052	-	757
1500	910	-	299	107	053	-	675	160	128	-	262	127	186	-	795	160	178	-	326	125	167	-	809
1500	911	-	306	111	062	-	750	160	129	-	276	124	152	-	841	160	179	-	340	118	093	-	796
1500	912	-	185	125	295	-	618	160	130	-	270	125	120	-	869	160	180	-	229	120	206	-	661

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
160	181	239	139	285	748	160	231	346	106	003	688	160	336	123	230	556	977
160	182	246	128	241	828	160	232	353	106	051	745	160	337	100	250	607	932
160	183	249	125	158	665	160	233	348	126	030	831	160	338	086	184	605	655
160	184	258	115	104	696	160	234	352	123	038	764	160	339	135	136	640	450
160	185	268	121	124	607	160	235	344	116	036	723	160	340	069	126	517	422
160	186	275	116	113	719	160	236	367	106	026	801	160	341	012	094	350	371
160	187	297	121	113	691	160	237	300	127	103	757	160	342	095	109	306	539
160	188	320	114	050	793	160	238	301	114	061	669	160	343	141	112	227	616
160	189	351	128	089	776	160	239	328	122	091	755	160	344	126	198	479	807
160	190	380	124	019	782	160	240	319	131	116	842	160	345	113	248	596	985
160	191	237	114	150	728	160	241	329	122	160	848	160	346	084	208	614	731
160	192	232	116	152	588	160	242	326	128	089	746	160	347	100	113	558	463
160	193	263	136	234	650	160	243	322	117	100	746	160	348	052	119	519	330
160	194	264	122	197	796	160	244	321	124	112	728	160	349	024	114	394	393
160	195	245	123	182	776	160	245	332	120	029	874	160	350	119	082	132	405
160	196	272	115	161	606	160	301	247	172	301	010	160	351	189	101	119	535
160	197	276	115	126	677	160	302	145	186	394	863	160	352	180	189	478	041
160	198	276	124	119	948	160	303	079	131	336	618	160	353	129	179	517	895
160	199	303	143	188	805	160	304	142	123	349	547	160	354	040	187	600	707
160	200	348	134	113	885	160	305	175	124	342	658	160	355	084	127	528	495
160	201	342	137	111	792	160	306	094	252	568	934	160	356	034	110	416	334
160	202	367	126	008	815	160	307	030	186	561	769	160	357	048	096	337	347
160	203	381	132	001	837	160	308	001	216	813	863	160	358	133	113	303	493
160	204	290	132	138	743	160	309	095	186	632	562	160	359	191	116	237	598
160	205	291	129	174	719	160	310	067	198	621	707	160	360	059	179	480	140
160	206	301	128	200	828	160	311	068	178	691	752	160	361	050	175	490	988
160	207	295	131	340	789	160	312	064	141	581	380	160	362	096	131	511	425
160	208	269	126	108	888	160	313	032	132	456	510	160	363	101	183	504	783
160	209	320	127	124	787	160	314	163	116	270	550	160	364	010	168	444	998
160	210	313	129	182	751	160	315	204	128	373	641	160	365	071	130	460	329
160	211	344	136	223	792	160	316	011	260	864	902	160	366	072	106	482	238
160	212	363	129	159	849	160	317	096	208	834	908	160	367	040	097	402	398
160	213	369	133	053	823	160	318	039	243	803	413	160	368	058	086	225	435
160	214	384	127	128	875	160	319	161	186	703	657	160	369	145	095	246	470
160	215	383	109	052	652	160	320	090	239	770	847	160	370	226	096	100	559
160	216	318	103	013	670	160	321	120	208	746	722	160	371	146	182	706	937
160	217	261	092	049	579	160	322	042	126	369	550	160	372	234	154	630	553
160	218	336	109	100	718	160	323	147	097	162	520	160	373	163	174	714	847
160	219	306	107	002	700	160	324	186	116	147	642	160	374	036	175	609	832
160	220	315	099	122	649	160	325	069	245	845	918	160	375	000	171	522	672
160	221	350	104	049	723	160	326	146	211	836	835	160	376	008	164	490	632
160	222	338	109	077	803	160	327	074	183	767	636	160	377	034	164	531	572
160	223	344	125	075	806	160	328	164	198	845	765	160	378	231	148	760	376
160	224	358	112	033	794	160	329	118	224	812	706	160	379	266	130	735	120
160	225	353	103	033	771	160	330	161	190	808	487	160	380	259	139	794	168
160	226	358	106	020	727	160	331	136	129	585	396	160	381	172	144	746	288
160	227	364	106	063	812	160	332	053	132	473	421	160	382	121	124	707	240
160	228	343	103	033	782	160	333	082	123	305	516	160	383	085	122	559	426
160	229	345	105	031	642	160	334	171	121	203	600	160	384	142	111	238	514
160	230	328	099	015	677	160	335	190	103	162	597	160	385	200	113	213	671

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
160	386	254	132	843	-180	160	438	123	150	784	-596	160	488	505	195	1.211	-137
160	387	252	129	704	-219	160	439	679	156	613	-476	160	489	374	201	1.090	-192
160	388	265	138	843	-182	160	440	312	175	871	-189	160	490	201	216	846	-424
160	389	240	131	691	-156	160	441	344	155	889	-116	160	491	221	263	456	-1.274
160	390	265	127	688	-207	160	442	293	172	891	-254	160	492	332	293	631	-1.474
160	391	148	146	802	-445	160	443	206	165	804	-298	160	493	195	228	1.087	-418
160	392	168	137	737	-270	160	444	183	229	1.105	-573	160	494	352	203	1.246	-256
160	393	149	116	693	-314	160	445	034	140	435	-533	160	495	455	182	1.135	-024
160	394	086	118	617	-356	160	446	138	234	516	-1.004	160	496	489	191	1.243	-134
160	395	099	119	515	-302	160	447	359	233	1.142	-561	160	497	505	188	1.238	-110
160	396	030	123	486	-480	160	448	450	221	1.180	-324	160	498	560	192	1.316	-015
160	397	144	115	247	-538	160	449	397	202	1.084	-354	160	499	493	194	1.282	-014
160	398	231	119	160	-665	160	450	467	232	1.197	-210	160	500	449	190	1.096	-026
160	401	059	118	416	-439	160	451	447	230	1.180	-284	160	501	429	186	1.179	-046
160	402	108	211	547	-903	160	452	491	210	1.303	-185	160	502	257	191	1.942	-311
160	403	373	172	1.017	-219	160	453	495	229	1.155	-173	160	503	172	198	1.035	-418
160	404	462	192	1.123	-172	160	454	408	215	1.101	-152	160	504	224	252	653	-1.284
160	405	281	150	790	-337	160	455	467	215	1.334	-226	160	505	350	321	722	-1.254
160	406	424	167	1.312	-078	160	456	440	224	1.144	-228	160	506	149	220	1.181	-460
160	407	391	164	1.060	-259	160	457	338	217	1.031	-326	160	507	262	179	869	-323
160	408	231	174	887	-303	160	458	187	172	430	-899	160	508	413	174	1.011	-059
160	409	374	179	965	-230	160	459	358	200	474	-1.118	160	509	452	191	1.279	-046
160	410	349	178	1.063	-167	160	460	154	165	549	-790	160	510	441	174	1.104	-044
160	411	284	192	958	-387	160	461	046	191	779	-543	160	511	448	180	1.118	-098
160	412	372	186	1.210	-333	160	462	346	159	874	-082	160	512	392	163	1.007	-098
160	413	218	174	1.145	-338	160	463	382	177	926	-190	160	513	241	172	916	-239
160	414	171	148	328	-682	160	464	332	160	832	-103	160	514	137	185	904	-474
160	415	325	247	653	-1.057	160	465	270	157	799	-212	160	515	210	166	444	-968
160	416	205	163	610	-692	160	466	166	169	786	-332	160	516	339	281	911	-1.307
160	417	028	151	612	-472	160	467	051	145	617	-735	160	517	090	180	834	-418
160	418	201	159	787	-213	160	468	134	268	707	-967	160	518	239	176	1.016	-250
160	419	240	157	845	-442	160	469	327	172	1.040	-185	160	519	381	177	998	-164
160	420	195	150	727	-290	160	470	386	174	930	-157	160	520	469	167	1.117	-042
160	421	143	168	729	-396	160	471	280	147	862	-117	160	521	466	176	1.090	-023
160	422	088	172	820	-515	160	472	504	183	1.066	-068	160	522	464	167	1.147	-068
160	423	052	153	511	-499	160	473	495	190	1.139	-124	160	523	442	178	1.068	-004
160	424	145	257	689	-1.163	160	474	430	174	1.028	-033	160	524	377	168	1.052	-081
160	425	333	217	1.176	-292	160	475	508	202	1.223	-052	160	525	354	162	1.194	-049
160	426	442	232	1.351	-273	160	476	500	193	1.136	-011	160	526	212	161	851	-268
160	427	367	204	1.050	-266	160	477	422	197	1.154	-125	160	527	063	193	651	-929
160	428	516	217	1.334	-247	160	478	418	194	1.083	-263	160	528	086	172	561	-631
160	429	520	208	1.453	-093	160	479	319	207	1.007	-408	160	529	020	198	639	-685
160	430	434	218	1.211	-271	160	480	177	266	545	-1.247	160	530	146	221	1.039	-745
160	431	450	214	1.211	-107	160	481	297	316	1.058	-1.462	160	531	277	196	1.051	-882
160	432	461	204	1.209	-307	160	482	267	207	1.058	-544	160	532	258	191	910	-656
160	433	429	224	1.189	-264	160	483	435	223	1.218	-202	160	533	317	179	934	-504
160	434	428	188	1.108	-160	160	484	560	205	1.368	-003	160	534	255	194	1.000	-1.097
160	435	318	204	1.091	-290	160	485	591	207	1.262	-005	160	535	133	118	263	-667
160	436	168	174	408	-861	160	486	586	189	1.241	-052	160	536	076	118	339	-490
160	437	298	264	582	-1.097	160	487	610	205	1.271	-076	160	537	005	117	444	-349

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
160	538	- 123	134	397	- 346	160	645	- 365	129	186	- 950	160	707	- 423	164	053	- 1 017
160	539	- 107	124	627	- 297	160	646	- 343	121	209	- 811	160	708	- 353	133	050	- 908
160	540	- 255	112	757	- 065	160	647	- 351	103	015	- 721	160	709	- 244	129	689	- 270
160	541	- 257	123	724	- 146	160	648	- 322	125	098	- 812	160	710	- 255	137	686	- 206
160	542	- 290	130	729	- 116	160	649	- 311	124	123	- 747	160	801	- 174	173	815	- 544
160	543	- 272	130	744	- 186	160	650	- 323	099	022	- 718	160	802	- 021	130	401	- 620
160	601	- 312	110	049	- 828	160	651	- 318	120	114	- 828	160	803	- 302	141	929	- 313
160	602	- 320	129	105	- 804	160	652	- 308	131	103	- 986	160	804	- 014	108	335	- 384
160	603	- 311	144	248	- 773	160	653	- 397	109	077	- 813	160	901	- 363	151	012	- 1 316
160	604	- 312	133	142	- 755	160	654	- 375	125	012	- 880	160	902	- 290	114	109	- 765
160	605	- 297	131	147	- 841	160	655	- 356	124	022	- 913	160	903	- 294	133	111	- 793
160	606	- 331	132	089	- 828	160	656	- 345	121	028	- 862	160	904	- 313	134	186	- 967
160	607	- 326	121	023	- 872	160	657	- 345	096	006	- 675	160	905	- 314	127	073	- 790
160	608	- 339	130	051	- 815	160	658	- 336	117	094	- 765	160	906	- 322	127	029	- 993
160	609	- 332	130	039	- 895	160	659	- 332	119	113	- 832	160	907	- 308	103	028	- 677
160	610	- 333	121	115	- 776	160	660	- 361	129	020	- 986	160	908	- 331	125	031	- 908
160	611	- 307	119	089	- 774	160	661	- 376	132	016	- 888	160	909	- 332	109	009	- 767
160	612	- 297	116	135	- 683	160	662	- 378	136	018	- 1 043	160	910	- 291	107	030	- 704
160	613	- 305	121	091	- 809	160	663	- 386	134	062	- 897	160	911	- 302	112	076	- 764
160	614	- 312	136	107	- 774	160	664	- 361	133	025	- 1 015	160	912	- 137	143	606	- 722
160	615	- 278	120	115	- 655	160	665	- 351	134	075	- 1 085	160	913	- 351	120	033	- 811
160	616	- 322	125	065	- 805	160	666	- 359	129	061	- 815	160	914	- 299	111	064	- 772
160	617	- 319	125	082	- 772	160	667	- 363	128	032	- 915	160	915	- 304	111	069	- 690
160	618	- 328	133	112	- 821	160	668	- 385	147	061	- 900	160	916	- 283	115	104	- 699
160	619	- 327	104	006	- 776	160	669	- 368	149	054	- 1 057	160	917	- 301	110	044	- 716
160	620	- 317	122	080	- 802	160	670	- 332	129	034	- 868	160	918	- 370	174	929	- 262
160	621	- 315	122	069	- 776	160	671	- 363	134	001	- 965	160	919	- 279	115	046	- 760
160	622	- 277	117	118	- 648	160	672	- 348	137	075	- 972	160	920	- 292	152	862	- 151
160	623	- 289	102	054	- 799	160	673	- 360	137	169	- 965	160	921	- 171	135	609	- 254
160	624	- 270	120	156	- 849	160	674	- 342	141	140	- 895	160	922	- 325	133	051	- 1 029
160	625	- 327	138	049	- 1 372	160	675	- 327	129	078	- 917	160	923	- 359	154	1 175	- 163
160	626	- 319	134	060	- 1 262	160	676	- 313	133	147	- 767	160	924	- 341	150	941	- 065
160	627	- 363	105	006	- 721	160	677	- 328	143	071	- 987	160	925	- 347	153	951	- 102
160	628	- 349	123	056	- 795	160	678	- 349	138	024	- 999	160	926	- 307	142	954	- 155
160	629	- 335	121	088	- 763	160	679	- 351	142	066	- 1 023	160	927	- 428	174	1 172	- 018
160	630	- 328	119	075	- 762	160	680	- 342	130	035	- 812	160	928	- 400	138	888	- 003
160	631	- 294	097	026	- 707	160	681	- 352	130	066	- 779	160	929	- 326	150	1 138	- 198
160	632	- 273	117	094	- 740	160	682	- 347	124	158	- 802	160	930	- 442	182	1 298	- 057
160	633	- 263	117	140	- 746	160	683	- 333	125	105	- 888	160	931	- 056	161	1 004	- 453
160	634	- 271	119	138	- 813	160	684	- 331	122	044	- 777	160	932	- 144	138	720	- 303
160	635	- 291	097	006	- 608	160	685	- 311	120	063	- 717	170	101	- 275	137	151	- 930
160	636	- 307	132	002	- 1 033	160	686	- 315	138	148	- 754	170	102	- 293	141	159	- 938
160	637	- 377	134	003	- 1 063	160	687	- 432	157	019	- 1 118	170	103	- 265	128	189	- 702
160	638	- 355	101	027	- 831	160	688	- 453	138	071	- 1 028	170	104	- 270	126	091	- 771
160	639	- 324	115	051	- 837	160	701	- 383	150	095	- 1 029	170	105	- 258	127	146	- 784
160	640	- 299	115	070	- 692	160	702	- 317	129	063	- 758	170	106	- 303	132	192	- 850
160	641	- 304	094	014	- 684	160	703	- 317	133	125	- 846	170	107	- 330	134	103	- 981
160	642	- 294	115	124	- 749	160	704	- 331	126	138	- 782	170	108	- 318	153	115	- 969
160	643	- 292	119	135	- 754	160	705	- 325	129	022	- 770	170	109	- 333	150	123	- 959
160	644	- 377	106	077	- 842	160	706	- 340	126	055	- 795	170	110	- 323	140	186	- 769

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
170	111	- .336	.147	.110	-1.205	170	161	- .405	.192	.041	-1.185	170	211	- .320	.118	.143	- .706
170	112	- .316	.143	.148	- .972	170	162	- .338	.120	.005	- .917	170	212	- .345	.124	.100	- .739
170	113	- .338	.163	.134	-1.594	170	163	- .322	.113	.026	- .753	170	213	- .359	.124	.029	- .849
170	114	- .314	.169	.300	-1.005	170	164	- .328	.109	.027	- .786	170	214	- .369	.135	.144	- .854
170	115	- .314	.143	.159	- .942	170	165	- .311	.110	.029	- .749	170	215	- .234	.110	.120	- .752
170	116	- .317	.165	.203	-1.056	170	166	- .338	.111	.064	- .786	170	216	- .274	.115	.116	- .651
170	117	- .315	.164	.167	-1.153	170	167	- .227	.106	.102	- .629	170	217	- .229	.098	.135	- .636
170	118	- .339	.157	.216	-1.039	170	168	- .240	.125	.124	- .730	170	218	- .277	.114	.175	- .986
170	119	- .333	.155	.188	-1.112	170	169	- .259	.110	.114	- .739	170	219	- .260	.107	.125	- .851
170	120	- .343	.151	.220	- .992	170	170	- .259	.102	.053	- .628	170	220	- .286	.114	.083	- .684
170	121	- .359	.149	.155	- .976	170	171	- .306	.118	.048	- .798	170	221	- .313	.110	.020	- .763
170	122	- .324	.111	.039	-1.016	170	172	- .274	.101	.069	- .593	170	222	- .335	.120	.030	- .855
170	123	- .291	.152	.224	-1.030	170	173	- .299	.101	.026	- .652	170	223	- .339	.141	.118	- .866
170	124	- .299	.166	.141	-1.051	170	174	- .316	.112	.022	- .886	170	224	- .334	.111	.024	- .689
170	125	- .277	.142	.118	- .849	170	175	- .301	.122	.260	- .732	170	225	- .335	.119	.100	- .807
170	126	- .286	.146	.174	- .862	170	176	- .322	.130	.149	- .850	170	226	- .351	.122	.155	- .896
170	127	- .283	.142	.144	-1.105	170	177	- .321	.124	.068	- .755	170	227	- .365	.129	.053	- .905
170	128	- .271	.129	.193	- .715	170	178	- .316	.121	.151	- .725	170	228	- .299	.110	.057	- .805
170	129	- .279	.129	.174	- .772	170	179	- .329	.139	.116	- .909	170	229	- .303	.108	.101	- .710
170	130	- .297	.144	.174	- .973	170	180	- .217	.122	.246	- .623	170	230	- .300	.117	.042	- .687
170	131	- .297	.125	.105	- .853	170	181	- .210	.120	.154	- .588	170	231	- .315	.103	.042	- .728
170	132	- .304	.122	.120	- .722	170	182	- .211	.118	.198	- .619	170	232	- .323	.113	.048	- .730
170	133	- .292	.132	.127	- .925	170	183	- .220	.113	.174	- .577	170	233	- .331	.124	.099	- .854
170	134	- .326	.135	.095	-1.077	170	184	- .229	.114	.165	- .611	170	234	- .331	.138	.125	- .887
170	135	- .312	.133	.097	- .781	170	185	- .258	.120	.110	- .669	170	235	- .339	.141	.081	-1.001
170	136	- .307	.160	.166	- .927	170	186	- .264	.115	.188	- .632	170	236	- .314	.111	.037	- .854
170	137	- .339	.170	.166	-1.205	170	187	- .275	.118	.138	- .667	170	237	- .264	.133	.155	- .985
170	138	- .324	.161	.191	- .957	170	188	- .290	.114	.065	- .654	170	238	- .271	.131	.142	- .699
170	139	- .328	.152	.228	-1.052	170	189	- .354	.127	.052	- .781	170	239	- .282	.122	.081	- .880
170	140	- .310	.144	.105	- .850	170	190	- .348	.135	.066	- .872	170	240	- .295	.133	.131	- .754
170	141	- .315	.116	.054	- .865	170	191	- .206	.118	.131	- .586	170	241	- .299	.128	.107	- .791
170	142	- .323	.142	.199	-1.065	170	192	- .210	.122	.241	- .624	170	242	- .286	.125	.138	- .804
170	143	- .327	.134	.051	- .895	170	193	- .204	.106	.203	- .552	170	243	- .295	.134	.195	- .889
170	144	- .344	.145	.133	-1.058	170	194	- .225	.114	.178	- .610	170	244	- .300	.135	.252	- .799
170	145	- .363	.180	.138	-1.169	170	195	- .214	.111	.115	- .633	170	245	- .310	.137	.138	- .725
170	146	- .290	.121	.111	-1.072	170	196	- .232	.118	.163	- .667	170	301	- .452	.173	.065	-1.147
170	147	- .346	.167	.180	-1.117	170	197	- .252	.121	.190	- .672	170	302	- .301	.174	.385	- .944
170	148	- .330	.162	.150	-1.198	170	198	- .267	.118	.097	- .810	170	303	- .183	.137	.290	- .664
170	149	- .319	.164	.114	-1.296	170	199	- .282	.123	.080	- .674	170	304	- .197	.133	.272	- .753
170	150	- .341	.154	.179	-1.065	170	200	- .297	.123	.134	- .729	170	305	- .209	.127	.199	- .690
170	151	- .365	.134	.023	- .907	170	201	- .320	.125	.073	- .750	170	306	- .359	.249	.419	-1.211
170	152	- .349	.154	.168	- .882	170	202	- .337	.141	.137	- .846	170	307	- .228	.202	.443	-1.093
170	153	- .341	.148	.132	- .998	170	203	- .372	.147	.045	- .851	170	308	- .301	.242	.413	-1.113
170	154	- .361	.147	.150	-1.023	170	204	- .218	.122	.161	- .790	170	309	- .100	.200	.616	- .914
170	155	- .350	.146	.114	- .860	170	205	- .208	.121	.257	-1.078	170	310	- .141	.207	.515	-1.042
170	156	- .370	.155	.125	-1.051	170	206	- .220	.121	.195	- .834	170	311	- .097	.160	.490	- .762
170	157	- .373	.144	.091	- .841	170	207	- .240	.119	.181	- .782	170	312	- .067	.126	.352	- .584
170	158	- .401	.192	.106	-1.198	170	208	- .255	.131	.196	- .721	170	313	- .119	.115	.283	- .467
170	159	- .357	.145	.027	-1.075	170	209	- .284	.128	.255	- .729	170	314	- .209	.119	.199	- .628
170	160	- .413	.187	.105	-1.267	170	210	- .274	.118	.129	- .804	170	315	- .227	.130	.271	- .874

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
170	316	352	232	414	-1.281	170	366	010	103	286	-422	170	418	186	149	743	-275
170	317	183	217	474	-966	170	367	010	088	293	-342	170	419	216	154	852	-213
170	318	255	269	493	-1.323	170	368	082	093	208	-413	170	420	128	145	664	-421
170	319	033	187	377	-793	170	369	143	090	215	-471	170	421	024	156	610	-549
170	320	110	240	625	-999	170	370	194	094	131	-483	170	422	124	161	597	-629
170	321	054	205	623	-867	170	371	082	184	667	-895	170	423	032	187	809	-673
170	322	108	120	278	-532	170	372	167	159	392	-709	170	424	078	290	169	-1.178
170	323	211	107	105	-651	170	373	043	213	566	-919	170	425	509	250	390	-534
170	324	231	132	155	-808	170	374	082	175	426	-1.036	170	426	582	237	345	-221
170	325	236	271	599	-1.270	170	375	122	176	383	-944	170	427	469	221	333	-296
170	326	123	252	574	-1.267	170	376	121	187	368	-1.071	170	428	543	229	341	-197
170	327	243	234	461	-1.354	170	377	071	167	406	-894	170	429	472	219	129	-254
170	328	111	256	616	-1.303	170	378	143	145	589	-407	170	430	490	231	374	-193
170	329	173	269	524	-1.339	170	379	176	116	522	-311	170	431	456	196	158	-140
170	330	099	232	518	-1.277	170	380	162	109	505	-198	170	432	411	193	255	-235
170	331	007	120	382	-520	170	381	072	136	659	-351	170	433	405	224	326	-298
170	332	041	121	415	-524	170	382	056	113	538	-330	170	434	320	229	163	-424
170	333	150	122	326	-644	170	383	027	104	380	-332	170	435	169	190	702	-460
170	334	223	131	227	-748	170	384	141	103	196	-513	170	436	084	181	719	-747
170	335	231	106	161	-608	170	385	184	103	138	-544	170	437	138	278	779	-1.060
170	336	373	216	271	-1.328	170	386	153	149	764	-555	170	438	038	210	922	-738
170	337	368	232	390	-1.304	170	387	176	120	574	-323	170	439	186	184	962	-353
170	338	109	207	390	-943	170	388	182	124	658	-215	170	440	309	176	905	-190
170	339	031	139	466	-707	170	389	189	121	644	-212	170	441	328	148	787	-192
170	340	000	112	373	-392	170	390	196	122	586	-260	170	442	240	178	862	-449
170	341	080	092	178	-375	170	391	063	136	586	-368	170	443	102	181	790	-482
170	342	135	109	222	-503	170	392	073	118	424	-438	170	444	077	217	768	-807
170	343	172	112	208	-542	170	393	072	114	634	-294	170	445	068	165	647	-463
170	344	334	195	286	-1.027	170	394	031	117	368	-406	170	446	103	199	949	-776
170	345	326	247	438	-1.037	170	395	049	105	417	-345	170	447	434	219	153	-554
170	346	127	256	550	-1.044	170	396	064	102	311	-465	170	448	540	227	328	-332
170	347	005	136	371	-750	170	397	150	101	161	-539	170	449	455	201	165	-363
170	348	000	115	373	-523	170	398	210	120	141	-612	170	450	519	229	255	-130
170	349	056	106	310	-510	170	401	018	135	522	-371	170	451	429	220	242	-291
170	350	122	094	161	-467	170	402	093	195	768	-687	170	452	475	217	316	-343
170	351	163	115	234	-573	170	403	463	170	024	-109	170	453	429	186	116	-135
170	352	298	189	292	-1.028	170	404	473	172	046	-059	170	454	359	193	071	-322
170	353	267	186	301	-1.035	170	405	325	171	893	-287	170	455	421	194	245	-169
170	354	083	227	500	-1.129	170	406	381	172	107	-152	170	456	298	195	978	-389
170	355	013	156	462	-631	170	407	343	150	874	-100	170	457	174	200	894	-394
170	356	002	118	382	-436	170	408	253	179	824	-387	170	458	072	192	619	-762
170	357	080	090	277	-482	170	409	324	177	972	-256	170	459	135	247	689	-1.128
170	358	130	107	272	-546	170	410	304	175	951	-465	170	460	082	201	099	-677
170	359	164	111	168	-558	170	411	248	175	942	-382	170	461	108	189	846	-616
170	360	252	187	218	-1.168	170	412	258	178	947	-314	170	462	320	159	890	-166
170	361	286	206	259	-1.164	170	413	097	152	657	-440	170	463	366	163	950	-123
170	362	073	156	409	-734	170	414	086	153	668	-645	170	464	240	154	744	-168
170	363	277	237	242	-1.292	170	415	098	249	859	-1.147	170	465	101	146	609	-349
170	364	176	161	261	-845	170	416	106	210	856	-782	170	466	050	169	723	-615
170	365	037	121	343	-473	170	417	076	143	647	-401	170	467	134	142	910	-464

WD	TAP	CPNEAN	CPRNS	CPMAX	CPMIN	WD	TAP	CPNEAN	CPRNS	CPMAX	CPMIN	WD	TAP	CPNEAN	CPRNS	CPMAX	CPMIN
170	468	.089	.237	.939	-.756	170	518	.305	.185	1.041	-.198	170	625	-.353	.162	.149	-1.030
170	469	.401	.188	1.085	-.159	170	519	.414	.170	1.262	-.065	170	626	-.348	.156	.093	-.996
170	470	.468	.179	1.056	-.079	170	520	.453	.180	1.235	-.051	170	627	-.384	.136	.000	-1.222
170	471	.387	.175	.961	-.124	170	521	.455	.181	1.097	-.141	170	628	-.373	.156	.079	-1.324
170	472	.463	.172	1.241	.000	170	522	.483	.174	1.168	-.028	170	629	-.363	.154	.098	-1.180
170	473	.526	.179	1.077	.049	170	523	.421	.161	1.249	-.042	170	630	-.358	.151	.120	-1.151
170	474	.420	.169	.938	-.137	170	524	.322	.160	.903	-.210	170	631	-.322	.117	.071	-.890
170	475	.482	.201	1.140	-.128	170	525	.298	.161	1.081	-.160	170	632	-.306	.147	.178	-1.468
170	476	.420	.184	1.151	-.176	170	526	.111	.159	.623	-.458	170	633	-.295	.140	.165	-1.112
170	477	.310	.192	1.089	-.274	170	527	-.113	.185	.454	-.945	170	634	-.297	.141	.206	-1.075
170	478	.244	.177	.843	-.372	170	528	-.038	.172	.534	-.615	170	635	-.310	.123	.241	-1.139
170	479	.109	.190	.790	-.413	170	529	-.054	.191	.638	-.582	170	636	-.396	.168	.121	-1.175
170	480	.013	.187	.608	-1.068	170	530	.216	.183	.815	-.523	170	637	-.391	.166	.118	-1.133
170	481	-.018	.298	.924	-1.039	170	531	.337	.181	1.022	-.576	170	638	-.358	.122	.004	-.955
170	482	.399	.240	1.198	-.297	170	532	.298	.170	.944	-.658	170	639	-.334	.145	.068	-1.214
170	483	.472	.201	1.270	-.267	170	533	.301	.172	.996	-.829	170	640	-.319	.154	.142	-1.261
170	484	.568	.206	1.504	-.009	170	534	.237	.185	.904	-.766	170	641	-.304	.106	.073	-1.036
170	485	.549	.191	1.279	-.077	170	535	-.133	.115	.381	-.564	170	642	-.291	.127	.121	-1.022
170	486	.543	.198	1.226	-.016	170	536	-.074	.121	.317	-.488	170	643	-.288	.128	.124	-.985
170	487	.501	.196	1.202	-.042	170	537	-.025	.115	.419	-.355	170	644	-.396	.139	.047	-1.016
170	488	.413	.165	1.110	-.098	170	538	-.090	.133	.375	-.506	170	645	-.389	.166	.037	-1.149
170	489	.182	.175	.738	-.341	170	539	.137	.138	.563	-.336	170	646	-.364	.147	.044	-.959
170	490	.025	.192	.722	-.633	170	540	.244	.103	.678	-.052	170	647	-.378	.124	.060	-.881
170	491	-.032	.209	.762	-1.014	170	541	.269	.127	.761	-.106	170	648	-.352	.155	.163	-1.124
170	492	-.066	.294	1.220	-1.092	170	542	.248	.129	.798	-.193	170	649	-.340	.145	.135	-1.280
170	493	.324	.240	1.305	-.346	170	543	-.235	.129	.699	-.169	170	650	-.326	.110	.022	-.764
170	494	.450	.206	1.100	-.124	170	601	-.343	.129	.046	-1.065	170	651	-.321	.134	.099	-.831
170	495	.536	.212	1.248	-.107	170	602	-.338	.157	.052	-1.131	170	652	-.402	.162	.059	-1.241
170	496	.513	.193	1.388	-.020	170	603	-.321	.145	.169	-1.093	170	653	-.413	.122	.033	-.825
170	497	.522	.181	1.172	-.003	170	604	-.293	.129	.120	-.889	170	654	-.395	.141	.139	-1.270
170	498	.500	.173	1.149	-.044	170	605	-.307	.125	.101	-.851	170	655	-.378	.145	.187	-.990
170	499	.450	.176	1.029	-.060	170	606	-.366	.170	.235	-1.479	170	656	-.366	.147	.180	-1.001
170	500	.369	.177	1.043	-.133	170	607	-.328	.151	.123	-1.240	170	657	-.367	.124	.042	-.910
170	501	.311	.169	.997	-.148	170	608	-.366	.153	.084	-1.041	170	658	-.360	.148	.155	-.971
170	502	.136	.166	.947	-.417	170	609	-.341	.149	.105	-1.242	170	659	-.353	.150	.184	-.962
170	503	.010	.172	.663	-.580	170	610	-.349	.164	.211	-1.154	170	660	-.385	.150	.086	-1.029
170	504	.061	.209	.638	-.963	170	611	-.320	.134	.324	-1.319	170	661	-.383	.147	.090	-.983
170	505	.110	.307	.991	-1.120	170	612	-.331	.140	.118	-1.006	170	662	-.380	.160	.060	-1.094
170	506	.267	.213	.947	-.482	170	613	-.305	.138	.178	-.896	170	663	-.404	.160	.011	-1.571
170	507	.398	.220	1.201	-.198	170	614	-.330	.140	.285	-1.125	170	664	-.374	.152	.094	-1.012
170	508	.428	.173	1.199	-.047	170	615	-.307	.130	.150	-1.019	170	665	-.372	.146	.052	-1.178
170	509	.472	.171	1.112	-.027	170	616	-.337	.147	.083	-1.050	170	666	-.411	.174	.016	-1.222
170	510	.437	.168	1.098	-.028	170	617	-.329	.142	.106	-.900	170	667	-.396	.156	.101	-1.123
170	511	.395	.166	.958	-.074	170	618	-.359	.150	.174	-.984	170	668	-.427	.182	.075	-1.449
170	512	.309	.148	.873	-.232	170	619	-.358	.124	.027	-.960	170	669	-.436	.199	.043	-1.713
170	513	.116	.152	.660	-.323	170	620	-.352	.149	.094	-.935	170	670	-.401	.187	.089	-1.527
170	514	.010	.171	.598	-.571	170	621	-.346	.149	.105	-.940	170	671	-.332	.137	.039	-.924
170	515	.130	.161	.495	-.798	170	622	-.316	.140	.186	-.824	170	672	-.343	.150	.114	-1.015
170	516	.209	.300	.852	-1.164	170	623	-.313	.119	.141	-.933	170	673	-.367	.154	.130	-1.031
170	517	.203	.205	.991	-.373	170	624	-.302	.142	.221	-.874	170	674	-.341	.141	.093	-1.179

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
170	675	-339	154	225	-868	170	923	262	151	843	-211	180	141	-307	131	059	-895
170	676	-330	155	330	-963	170	924	327	155	955	-146	180	142	-296	142	136	-826
170	677	-362	164	133	-965	170	925	299	145	944	-117	180	143	-321	157	198	-955
170	678	-397	173	071	-1293	170	926	309	148	862	-103	180	144	-310	175	233	-1159
170	679	-400	188	068	-1486	170	927	424	181	1249	-115	180	145	-281	165	199	-928
170	680	-303	134	072	-868	170	928	374	136	929	-009	180	146	-271	138	141	-1016
170	681	-335	129	020	-947	170	929	319	155	970	-252	180	147	-265	155	175	-1020
170	682	-312	128	076	-795	170	930	456	185	1182	-006	180	148	-264	158	207	-986
170	683	-309	122	065	-762	170	931	098	169	991	-363	180	149	-243	135	179	-1003
170	684	-324	132	110	-817	170	932	152	131	705	-317	180	150	-277	146	130	-1040
170	685	-313	133	102	-871	180	101	-242	124	173	-726	180	151	-283	143	217	-825
170	686	-317	143	124	-1039	180	102	-242	119	119	-704	180	152	-289	152	162	-846
170	687	-449	171	003	-1164	180	103	-238	123	123	-880	180	153	-271	144	207	-741
170	688	-479	169	003	-1305	180	104	-229	121	128	-789	180	154	-286	155	157	-836
170	701	-375	147	082	-993	180	105	-237	127	159	-884	180	155	-286	141	244	-896
170	702	-288	132	114	-724	180	106	-268	126	142	-870	180	156	-300	152	214	-1100
170	703	-301	132	042	-911	180	107	-297	143	095	-996	180	157	-317	145	144	-918
170	704	-318	134	105	-1061	180	108	-284	167	265	-1356	180	158	-327	184	135	-1113
170	705	-303	126	082	-892	180	109	-288	152	162	-1062	180	159	-317	150	101	-1163
170	706	-303	133	105	-773	180	110	-299	157	142	-1000	180	160	-331	173	134	-1096
170	707	-410	172	051	-1112	180	111	-300	158	242	-968	180	161	-337	178	142	-1076
170	708	-307	122	024	-926	180	112	-317	167	190	-1114	180	162	-312	129	090	-845
170	709	193	124	550	-246	180	113	-322	170	131	-1162	180	163	-316	133	088	-797
170	710	161	115	531	-335	180	114	-281	166	205	-987	180	164	-335	135	125	-839
170	801	219	158	914	-725	180	115	-266	156	187	-1030	180	165	-305	137	096	-781
170	802	013	124	365	-622	180	116	-293	170	190	-1315	180	166	-315	132	070	-1171
170	803	268	136	810	-267	180	117	-273	156	217	-991	180	167	-219	116	159	-642
170	804	020	119	437	-404	180	118	-286	157	201	-784	180	168	-204	141	309	-749
170	901	-438	196	109	-1566	180	119	-286	145	203	-750	180	169	-229	117	101	-712
170	902	-327	150	093	-1189	180	120	-304	151	130	-1034	180	170	-252	120	108	-692
170	903	-289	138	235	-846	180	121	-332	160	164	-1042	180	171	-258	125	112	-748
170	904	-316	154	099	-1298	180	122	-367	161	097	-1506	180	172	-269	116	126	-619
170	905	-348	151	169	-910	180	123	-255	155	274	-1086	180	173	-268	134	112	-868
170	906	-333	139	116	-1096	180	124	-255	145	184	-1125	180	174	-307	121	074	-786
170	907	-334	109	023	-734	180	125	-249	146	195	-925	180	175	-297	140	159	-781
170	908	-338	141	035	-1017	180	126	-236	152	189	-891	180	176	-299	143	069	-916
170	909	-352	121	002	-790	180	127	-249	136	220	-957	180	177	-305	155	139	-941
170	910	-329	126	043	-841	180	128	-252	139	114	-886	180	178	-300	155	157	-867
170	911	-316	126	107	-908	180	129	-268	145	170	-842	180	179	-306	158	148	-874
170	912	-114	166	436	-762	180	130	-264	142	189	-753	180	180	-177	121	201	-676
170	913	-322	133	069	-813	180	131	-272	144	119	-950	180	181	-178	129	241	-591
170	914	-341	125	031	-953	180	132	-306	158	198	-1080	180	182	-182	122	298	-581
170	915	-364	136	084	-1226	180	133	-301	149	186	-974	180	183	-185	130	186	-627
170	916	-322	126	116	-884	180	134	-316	160	206	-1008	180	184	-189	113	166	-572
170	917	-348	153	089	-1610	180	135	-339	178	198	-1187	180	185	-233	127	150	-678
170	918	-385	165	947	-073	180	136	-270	167	155	-1017	180	186	-237	129	166	-676
170	919	-332	118	033	-846	180	137	-285	173	227	-1149	180	187	-234	134	155	-737
170	920	-205	137	715	-361	180	138	-313	179	174	-1277	180	188	-269	148	232	-883
170	921	-071	114	489	-371	180	139	-296	167	107	-1020	180	189	-293	163	276	-960
170	922	-383	163	112	-1428	180	140	-285	142	124	-1156	180	190	-322	173	318	-863

MD	TAP	CPNEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPNEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPNEAN	CPRMS	CPMAX	CPMIN
180	191	-150	127	254	-660	180	241	-185	120	331	-634	180	346	-296	214	321	-1.099
180	192	-157	124	255	-551	180	242	-203	128	210	-711	180	347	-107	121	212	-587
180	193	-174	117	187	-694	180	243	-225	134	180	-701	180	348	-051	112	357	-517
180	194	-181	118	235	-671	180	244	-229	127	100	-686	180	349	-081	110	310	-550
180	195	-168	117	270	-573	180	245	-226	133	154	-785	180	350	-075	136	297	-305
180	196	-195	119	222	-596	180	301	-509	190	020	-1.220	180	351	-059	131	260	-326
180	197	-218	124	254	-662	180	302	-381	192	173	-1.112	180	352	-104	125	206	-620
180	198	-225	126	180	-735	180	303	-238	141	304	-761	180	353	-425	166	119	-1.085
180	199	-249	135	238	-819	180	304	-211	142	389	-715	180	354	-274	214	311	-1.194
180	200	-280	145	215	-770	180	305	-229	140	275	-744	180	355	-085	150	390	-678
180	201	-279	145	277	-817	180	306	-453	226	223	-1.446	180	356	-052	112	341	-429
180	202	-294	150	159	-833	180	307	-355	188	141	-933	180	357	-093	095	235	-379
180	203	-338	167	298	-1.014	180	308	-497	264	181	-1.542	180	358	-106	112	300	-444
180	204	-164	126	238	-877	180	309	-287	199	309	-1.453	180	359	-123	115	318	-482
180	205	-174	129	233	-742	180	310	-292	224	305	-1.147	180	360	-337	180	133	-1.036
180	206	-170	132	351	-905	180	311	-253	180	328	-1.011	180	361	-397	225	179	-1.285
180	207	-178	121	296	-629	180	312	-155	123	250	-593	180	362	-164	143	356	-603
180	208	-191	131	264	-725	180	313	-172	127	290	-613	180	363	-446	246	300	-1.709
180	209	-229	136	207	-863	180	314	-216	149	267	-813	180	364	-225	161	213	-903
180	210	-246	136	198	-856	180	315	-243	142	209	-768	180	365	-072	120	264	-605
180	211	-280	146	205	-899	180	316	-474	223	369	-1.220	180	366	-082	103	235	-457
180	212	-300	140	157	-786	180	317	-318	204	337	-1.071	180	367	-037	087	221	-349
180	213	-322	154	207	-965	180	318	-413	256	434	-1.467	180	368	-070	086	291	-363
180	214	-337	160	167	-865	180	319	-234	190	278	-1.079	180	369	-107	089	165	-446
180	215	-150	113	183	-634	180	320	-306	240	331	-1.286	180	370	-126	100	164	-610
180	216	-163	112	179	-919	180	321	-227	204	343	-1.059	180	371	-009	185	545	-1.065
180	217	-161	099	129	-647	180	322	-144	117	236	-572	180	372	-111	129	518	-787
180	218	-189	109	152	-730	180	323	-207	107	147	-606	180	373	-020	201	545	-935
180	219	-173	097	144	-567	180	324	-210	131	199	-717	180	374	-156	161	244	-949
180	220	-189	101	172	-600	180	325	-370	219	251	-1.376	180	375	-215	186	243	-1.115
180	221	-229	106	079	-706	180	326	-265	214	340	-1.188	180	376	-230	180	275	-942
180	222	-248	120	224	-684	180	327	-423	190	212	-1.223	180	377	-131	162	423	-904
180	223	-243	135	164	-819	180	328	-281	218	500	-1.251	180	378	-073	151	569	-575
180	224	-257	119	111	-749	180	329	-318	224	472	-1.157	180	379	-137	120	558	-284
180	225	-273	125	100	-726	180	330	-237	192	460	-1.104	180	380	-128	113	620	-225
180	226	-292	124	062	-803	180	331	-112	102	210	-537	180	381	-008	125	464	-416
180	227	-288	128	055	-845	180	332	-095	106	265	-578	180	382	-018	110	468	-316
180	228	-191	111	142	-723	180	333	-152	112	195	-606	180	383	-016	106	387	-340
180	229	-173	105	200	-682	180	334	-197	122	164	-682	180	384	-090	109	251	-462
180	230	-191	114	172	-665	180	335	-194	105	117	-556	180	385	-125	111	243	-474
180	231	-211	111	124	-676	180	336	-477	189	161	-390	180	386	-084	142	522	-498
180	232	-238	117	131	-747	180	337	-464	192	193	-1.276	180	387	-126	121	558	-350
180	233	-234	151	225	-858	180	338	-351	191	199	-1.071	180	388	-131	123	567	-282
180	234	-235	127	218	-670	180	339	-100	145	344	-728	180	389	-148	120	557	-213
180	235	-243	131	190	-843	180	340	-063	110	322	-507	180	390	-142	104	526	-194
180	236	-250	119	085	-758	180	341	-108	093	195	-448	180	391	-010	124	368	-450
180	237	-179	125	184	-722	180	342	-128	112	234	-545	180	392	-027	111	365	-409
180	238	-169	125	260	-727	180	343	-141	115	208	-580	180	393	-014	106	349	-368
180	239	-191	115	160	-683	180	344	-521	172	016	-1.419	180	394	-009	112	388	-417
180	240	-198	132	281	-725	180	345	-497	200	209	-1.441	180	395	-027	113	494	-349

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
180	396	-.051	108	.454	-.442	180	448	.426	.239	1.344	-.603	180	498	.454	180	1.130	-.041
180	397	-.107	113	.211	-.562	180	449	.399	.225	1.125	-.280	180	499	.392	180	1.113	-.121
180	398	-.155	118	.229	-.705	180	450	.450	.256	1.242	-.518	180	500	.286	157	.861	-.231
180	401	.063	157	.909	-.531	180	451	.365	.242	1.171	-.436	180	501	.219	150	.806	-.299
180	402	.185	198	.912	-.679	180	452	.370	.257	1.120	-.374	180	502	.014	145	.467	-.546
180	403	.390	197	1.128	-.502	180	453	.347	.223	1.143	-.397	180	503	-.131	157	.402	-.723
180	404	.358	186	.996	-.331	180	454	.234	.193	.873	-.479	180	504	-.024	187	.703	-.026
180	405	.260	180	.874	-.400	180	455	.287	.208	1.063	-.756	180	505	.040	267	1.014	-.988
180	406	.308	188	1.104	-.240	180	456	.138	.195	.840	-.706	180	506	.339	207	1.209	-.250
180	407	.261	168	.893	-.404	180	457	.001	.186	.641	-.664	180	507	.371	190	1.231	-.138
180	408	.175	191	.946	-.638	180	458	-.068	.195	.574	-.986	180	508	.438	185	1.126	-.094
180	409	.247	194	.865	-.504	180	459	-.071	.251	.767	-.1016	180	509	.407	184	1.063	-.169
180	410	.194	188	.964	-.619	180	460	-.060	.222	.932	-.945	180	510	.427	169	1.156	-.147
180	411	.179	197	.971	-.541	180	461	-.114	.223	.893	-.784	180	511	.348	153	.990	-.123
180	412	.140	171	.912	-.534	180	462	.219	.181	.912	-.385	180	512	.256	144	.779	-.151
180	413	-.020	152	.559	-.576	180	463	.255	.184	.857	-.337	180	513	.025	148	.565	-.533
180	414	-.047	199	.706	-.753	180	464	.132	.153	.594	-.457	180	514	-.099	146	.401	-.632
180	415	-.006	239	.932	-.324	180	465	-.046	.126	.508	-.518	180	515	-.104	166	.410	-.730
180	416	-.028	264	.916	-.113	180	466	-.211	.144	.554	-.871	180	516	-.102	250	1.212	-.140
180	417	.089	189	.760	-.509	180	467	.120	.152	.857	-.358	180	517	.242	189	1.058	-.279
180	418	.116	152	.624	-.417	180	468	.163	.233	.988	-.637	180	518	.328	184	1.051	-.265
180	419	.147	169	.789	-.398	180	469	.376	.179	1.004	-.189	180	519	.433	192	1.175	-.138
180	420	.051	140	.546	-.446	180	470	.418	.189	1.196	-.044	180	520	.455	196	1.392	-.044
180	421	-.092	142	.426	-.591	180	471	.311	.170	.956	-.213	180	521	.436	179	1.212	-.100
180	422	-.272	144	.147	-.782	180	472	.417	.191	1.122	-.137	180	522	.414	169	1.079	-.082
180	423	.071	188	.786	-.536	180	473	.392	.188	1.059	-.139	180	523	.337	154	.971	-.161
180	424	.167	232	.965	-.433	180	474	.353	.182	.999	-.319	180	524	.251	150	.833	-.141
180	425	.460	228	1.377	-.295	180	475	.364	.207	.970	-.323	180	525	.201	164	.836	-.349
180	426	.449	234	1.162	-.289	180	476	.291	.194	.863	-.304	180	526	-.008	143	.470	-.473
180	427	.368	225	1.283	-.396	180	477	.202	.194	.981	-.593	180	527	-.172	186	.317	-.1019
180	428	.407	224	1.286	-.425	180	478	.109	.162	.783	-.448	180	528	-.008	169	.583	-.653
180	429	.349	227	1.215	-.401	180	479	-.028	.159	.612	-.520	180	529	-.113	175	.825	-.613
180	430	.357	232	1.413	-.392	180	480	.053	.180	.612	-.821	180	530	.267	183	.893	-.693
180	431	.299	197	1.198	-.331	180	481	.106	.255	1.019	-.862	180	531	.340	178	1.309	-.336
180	432	.270	208	.956	-.544	180	482	.407	.208	1.174	-.252	180	532	.339	171	1.045	-.290
180	433	.259	208	.944	-.514	180	483	.485	.224	1.370	-.089	180	533	.300	180	.880	-.549
180	434	.155	192	.869	-.551	180	484	.504	.213	1.299	-.077	180	534	-.213	174	.827	1.023
180	435	.009	179	.670	-.621	180	485	.481	.202	1.265	-.106	180	535	-.147	126	.238	-.767
180	436	-.041	185	.611	-.674	180	486	.471	.204	1.306	-.098	180	536	-.065	120	.435	-.506
180	437	.021	263	1.078	-.1371	180	487	.404	.183	1.013	-.191	180	537	.041	115	.474	-.344
180	438	.031	239	.968	-.1039	180	488	.324	.176	.960	-.305	180	538	-.019	127	.393	-.486
180	439	.158	184	.859	-.342	180	489	.068	.165	.637	-.536	180	539	.146	120	.545	-.265
180	440	.227	175	.831	-.344	180	490	.127	.154	.423	-.768	180	540	.254	127	.795	-.056
180	441	.264	164	.979	-.227	180	491	.041	.163	.662	-.594	180	541	.239	131	.664	-.220
180	442	.112	150	.729	-.353	180	492	.107	.255	1.023	-.983	180	542	.231	121	.770	-.231
180	443	-.051	156	.549	-.548	180	493	.387	.216	1.116	-.327	180	543	.179	123	.581	-.279
180	444	.223	181	.277	-.796	180	494	.471	.202	1.279	-.087	180	601	-.389	177	.189	-.1357
180	445	.099	175	1.005	-.538	180	495	.510	.203	1.284	-.061	180	602	-.377	212	.407	-.1789
180	446	.169	184	.889	-.675	180	496	.447	.192	1.277	-.015	180	603	-.390	209	.245	-.1506
180	447	.495	234	1.198	-.787	180	497	.432	.196	1.058	-.135	180	604	-.397	195	.152	-.2.231

WD	TAP	CPNEAN	CPRMS	CPHAX	CPHIN	WD	TAP	CPNEAN	CPRMS	CPHAX	CPHIN	WD	TAP	CPNEAN	CPRMS	CPHAX	CPHIN			
180	605	-	388	188	062	-1.471	180	655	-	383	191	246	-1.430	180	903	-	275	152	213	-1.246
180	606	-	355	190	196	-1.114	180	656	-	411	202	132	-1.711	180	904	-	331	177	171	-1.786
180	607	-	349	193	176	-1.351	180	657	-	374	144	091	-1.191	180	905	-	329	156	143	-1.012
180	608	-	367	188	145	-1.189	180	658	-	350	166	165	-1.129	180	906	-	346	160	112	-1.441
180	609	-	357	187	130	-1.241	180	659	-	338	168	187	-1.124	180	907	-	325	132	107	-1.765
180	610	-	356	186	202	-1.102	180	660	-	304	175	203	-1.066	180	908	-	368	162	150	-1.232
180	611	-	371	194	238	-1.268	180	661	-	285	162	270	-1.117	180	909	-	315	133	136	-1.834
180	612	-	353	188	151	-1.269	180	662	-	318	174	212	-1.005	180	910	-	299	128	145	-1.786
180	613	-	369	192	140	-1.251	180	663	-	368	179	139	-1.616	180	911	-	326	150	138	-1.019
180	614	-	365	211	203	-1.356	180	664	-	420	181	082	-1.449	180	912	-	113	170	451	-1.692
180	615	-	388	215	123	-1.470	180	665	-	450	238	123	-2.065	180	913	-	275	161	326	-1.862
180	616	-	333	195	196	-1.271	180	666	-	436	217	072	-2.552	180	914	-	424	196	027	-1.411
180	617	-	324	187	220	-1.050	180	667	-	448	233	088	-2.108	180	915	-	391	170	121	-1.424
180	618	-	345	187	196	-1.627	180	668	-	462	207	116	-1.417	180	916	-	394	174	112	-1.500
180	619	-	310	139	070	-1.951	180	669	-	463	239	054	-1.970	180	917	-	346	146	077	-1.039
180	620	-	311	173	188	-1.065	180	670	-	484	242	147	-1.693	180	918	-	266	189	825	-1.346
180	621	-	314	177	211	-1.045	180	671	-	250	144	211	-1.977	180	919	-	312	150	142	-1.934
180	622	-	365	208	164	-1.448	180	672	-	257	158	286	-1.864	180	920	-	089	159	755	-1.533
180	623	-	396	189	190	-1.166	180	673	-	271	165	302	-1.081	180	921	-	005	124	450	-1.458
180	624	-	379	217	335	-1.282	180	674	-	293	175	140	-1.213	180	922	-	354	176	138	-1.265
180	625	-	315	171	421	-1.151	180	675	-	343	182	157	-1.145	180	923	-	161	135	019	-1.247
180	626	-	311	168	385	-1.175	180	676	-	343	160	120	-1.036	180	924	-	236	134	918	-1.194
180	627	-	334	159	153	-1.912	180	677	-	380	200	091	-1.394	180	925	-	287	135	711	-1.128
180	628	-	324	188	250	-1.259	180	678	-	432	238	184	-2.086	180	926	-	255	140	869	-1.171
180	629	-	325	194	277	-1.233	180	679	-	425	219	122	-1.693	180	927	-	337	153	1.086	-1.144
180	630	-	327	193	285	-1.167	180	680	-	234	124	126	-1.671	180	928	-	315	121	804	-1.070
180	631	-	338	143	056	-1.852	180	681	-	233	135	181	-1.748	180	929	-	291	145	794	-1.583
180	632	-	367	198	159	-1.213	180	682	-	224	133	156	-1.711	180	930	-	445	167	1.028	-1.007
180	633	-	374	215	159	-1.570	180	683	-	233	152	225	-1.770	180	931	-	140	166	916	-1.440
180	634	-	379	254	243	-1.933	180	684	-	256	132	178	-1.800	180	932	-	139	140	751	-1.287
180	635	-	370	183	066	-2.082	180	685	-	276	143	168	-1.953	190	101	-	189	122	199	-1.707
180	636	-	357	198	245	-1.362	180	686	-	297	156	154	-1.109	190	102	-	183	116	239	-1.773
180	637	-	348	193	264	-1.306	180	687	-	408	178	087	-1.339	190	103	-	186	116	172	-1.650
180	638	-	356	142	098	-1.978	180	688	-	435	179	103	-1.362	190	104	-	180	111	163	-1.654
180	639	-	353	171	186	-1.070	180	701	-	370	168	084	-1.063	190	105	-	164	111	179	-1.594
180	640	-	384	202	209	-1.277	180	702	-	266	133	097	-1.813	190	106	-	188	119	204	-1.611
180	641	-	374	150	020	-1.166	180	703	-	295	149	153	-1.919	190	107	-	206	117	234	-1.698
180	642	-	354	176	154	-1.602	180	704	-	269	143	266	-1.070	190	108	-	222	151	189	-1.723
180	643	-	340	176	156	-1.490	180	705	-	244	136	179	-1.872	190	109	-	217	138	195	-1.906
180	644	-	373	157	052	-1.084	180	706	-	214	133	214	-1.715	190	110	-	235	144	233	-1.833
180	645	-	351	185	221	-1.142	180	707	-	396	178	057	-1.293	190	111	-	256	152	302	-1.940
180	646	-	338	167	186	-1.997	180	708	-	233	130	147	-1.691	190	112	-	280	163	253	-1.058
180	647	-	367	150	068	-1.980	180	709	-	140	114	504	-1.331	190	113	-	278	158	189	-1.080
180	648	-	377	213	299	-1.606	180	710	-	121	111	532	-1.237	190	114	-	193	146	365	-1.853
180	649	-	358	206	194	-2.042	180	801	-	270	177	966	-1.390	190	115	-	221	145	229	-1.982
180	650	-	332	128	079	-1.804	180	802	-	029	133	583	-1.527	190	116	-	201	139	329	-1.913
180	651	-	313	154	195	-1.912	180	803	-	279	157	934	-1.206	190	117	-	211	150	264	-1.828
180	652	-	346	195	213	-1.265	180	804	-	033	103	368	-1.414	190	118	-	213	134	242	-1.824
180	653	-	376	154	050	-1.036	180	901	-	354	204	060	-1.591	190	119	-	204	135	204	-1.846
180	654	-	355	173	175	-1.983	180	902	-	283	149	168	-1.978	190	120	-	232	143	217	-1.909

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
190	121	-278	167	235	-1.618	190	171	-156	094	165	-508	190	221	-137	091	133	-434
190	122	-256	130	170	-0.856	190	172	-160	097	129	-546	190	222	-143	088	121	-483
190	123	-169	122	184	-0.638	190	173	-157	088	126	-518	190	223	-143	114	259	-533
190	124	-170	123	210	-0.605	190	174	-178	094	092	-577	190	224	-145	096	146	-525
190	125	-149	114	193	-0.751	190	175	-170	113	196	-625	190	225	-147	094	099	-502
190	126	-157	127	284	-0.712	190	176	-170	113	271	-659	190	226	-149	099	199	-474
190	127	-153	115	303	-0.585	190	177	-176	124	212	-614	190	227	-166	095	163	-514
190	128	-167	117	216	-0.610	190	178	-187	134	247	-703	190	228	-095	086	222	-406
190	129	-191	134	227	-0.784	190	179	-196	126	169	-899	190	229	-098	095	342	-441
190	130	-182	123	182	-0.607	190	180	-111	104	191	-600	190	230	-099	095	203	-419
190	131	-193	131	304	-0.831	190	181	-121	109	198	-599	190	231	-105	090	222	-497
190	132	-225	135	216	-0.933	190	182	-117	105	219	-449	190	232	-128	086	173	-452
190	133	-224	130	227	-0.650	190	183	-124	104	229	-480	190	233	-131	116	234	-498
190	134	-251	152	221	-0.849	190	184	-132	110	207	-599	190	234	-140	114	218	-571
190	135	-253	153	189	-1.011	190	185	-147	114	221	-541	190	235	-151	113	192	-546
190	136	-183	126	234	-0.739	190	186	-148	113	203	-623	190	236	-155	093	100	-610
190	137	-189	123	214	-0.647	190	187	-154	117	205	-527	190	237	-104	104	220	-562
190	138	-189	122	186	-0.811	190	188	-150	110	254	-625	190	238	-109	104	241	-510
190	139	-196	136	224	-0.741	190	189	-179	131	184	-703	190	239	-108	107	249	-553
190	140	-185	127	227	-0.680	190	190	-181	141	212	-812	190	240	-105	099	207	-464
190	141	-210	111	153	-0.777	190	191	-094	098	247	-447	190	241	-099	104	270	-416
190	142	-220	133	156	-0.724	190	192	-123	116	323	-595	190	242	-106	103	258	-438
190	143	-229	135	234	-0.829	190	193	-115	103	207	-514	190	243	-113	104	242	-532
190	144	-246	156	278	-0.989	190	194	-117	096	207	-450	190	244	-116	109	261	-541
190	145	-167	127	227	-0.913	190	195	-112	100	197	-469	190	245	-126	102	200	-454
190	146	-157	102	175	-0.541	190	196	-132	107	202	-530	190	301	-478	167	060	-1.206
190	147	-159	122	195	-0.659	190	197	-142	103	170	-482	190	302	-380	169	131	-1.260
190	148	-171	110	166	-0.687	190	198	-142	107	200	-547	190	303	-252	150	226	-1.853
190	149	-156	110	242	-0.582	190	199	-157	119	190	-637	190	304	-189	143	318	-1.968
190	150	-174	128	271	-0.691	190	200	-156	118	226	-655	190	305	-177	124	231	-1.659
190	151	-223	133	176	-0.745	190	201	-163	119	197	-567	190	306	-397	188	282	-1.149
190	152	-189	127	349	-0.664	190	202	-173	130	240	-743	190	307	-359	189	207	-1.073
190	153	-203	138	257	-0.808	190	203	-189	142	243	-1.011	190	308	-488	241	137	-1.782
190	154	-211	134	271	-0.703	190	204	-104	113	260	-445	190	309	-354	206	166	-1.348
190	155	-209	131	223	-0.827	190	205	-107	110	266	-504	190	310	-364	193	155	-1.121
190	156	-225	141	150	-0.975	190	206	-111	104	268	-482	190	311	-275	159	192	-1.009
190	157	-255	149	226	-0.883	190	207	-112	103	251	-537	190	312	-180	123	202	-1.682
190	158	-186	132	310	-0.715	190	208	-142	114	293	-523	190	313	-159	117	239	-1.609
190	159	-178	100	089	-0.610	190	209	-135	108	183	-720	190	314	-153	112	160	-1.581
190	160	-187	137	235	-0.762	190	210	-140	108	251	-499	190	315	-162	119	197	-1.732
190	161	-198	122	244	-0.665	190	211	-155	107	161	-508	190	316	-422	179	149	-1.265
190	162	-176	092	146	-0.563	190	212	-157	107	203	-571	190	317	-334	178	171	-1.244
190	163	-188	099	141	-0.544	190	213	-178	123	233	-594	190	318	-490	244	114	-1.520
190	164	-196	103	113	-0.580	190	214	-185	129	226	-723	190	319	-386	207	142	-1.389
190	165	-227	116	249	-0.735	190	215	-074	097	236	-353	190	320	-378	216	221	-1.338
190	166	-216	115	122	-0.755	190	216	-077	092	236	-445	190	321	-321	197	223	-1.255
190	167	-136	094	184	-0.558	190	217	-089	088	192	-349	190	322	-134	117	271	-1.650
190	168	-149	119	274	-0.543	190	218	-101	086	212	-429	190	323	-164	095	137	-1.515
190	169	-142	093	167	-0.453	190	219	-105	083	156	-412	190	324	-144	113	200	-1.562
190	170	-137	086	141	-0.446	190	220	-121	088	163	-429	190	325	-397	176	191	-1.057

WD	TAP	CPNEAN	CPRMS	CPHAX	CPMIN	WD	TAP	CPNEAN	CPRMS	CPHAX	CPMIN	WD	TAP	CPNEAN	CPRMS	CPHAX	CPMIN
190	326	-336	179	139	-1.004	190	376	-270	168	162	-1.130	190	428	260	207	1.109	-456
190	327	-464	186	016	-1.267	190	377	-157	136	264	-751	190	429	212	198	.983	-354
190	328	-376	232	195	-1.560	190	378	-008	137	436	-516	190	430	211	221	1.067	-402
190	329	-366	212	230	-1.178	190	379	-078	107	538	-272	190	431	163	192	.921	-350
190	330	-311	195	199	-1.063	190	380	-069	113	450	-291	190	432	119	193	.843	-463
190	331	-175	107	137	-1.643	190	381	-052	110	438	-457	190	433	106	221	1.150	-769
190	332	-106	109	270	-1.492	190	382	-020	104	338	-364	190	434	-011	196	.775	-897
190	333	-116	109	225	-1.322	190	383	-004	106	430	-395	190	435	-106	180	.490	-652
190	334	-133	113	281	-1.575	190	384	-048	102	277	-386	190	436	-018	209	.756	-796
190	335	-146	096	142	-1.500	190	385	-072	100	213	-525	190	437	-102	253	1.102	-802
190	336	-442	167	125	-1.149	190	386	-021	130	407	-568	190	438	096	251	1.105	-717
190	337	-437	168	170	-1.126	190	387	-069	124	516	-544	190	439	156	215	1.171	-414
190	338	-378	152	079	-1.901	190	388	-073	121	469	-338	190	440	123	187	.782	-341
190	339	-191	157	237	-1.003	190	389	-072	107	460	-239	190	441	107	139	.789	-251
190	340	-102	124	297	-1.792	190	390	-081	121	502	-345	190	442	010	158	.735	-493
190	341	-107	087	148	-1.472	190	391	-059	117	357	-447	190	443	-141	150	.372	-732
190	342	-094	102	245	-1.461	190	392	-014	111	371	-450	190	444	-303	187	.217	-976
190	343	-098	104	292	-1.453	190	393	-020	106	378	-374	190	445	147	220	1.028	-603
190	344	-477	147	016	-1.356	190	394	-036	111	364	-442	190	446	229	194	.900	-400
190	345	-448	169	120	-1.255	190	395	-000	105	377	-386	190	447	378	228	1.183	-631
190	346	-320	171	269	-1.976	190	396	-040	108	357	-451	190	448	333	200	1.018	-420
190	347	-190	125	211	-1.838	190	397	-062	105	307	-417	190	449	321	215	1.144	-652
190	348	-083	116	382	-1.608	190	398	-112	111	301	-474	190	450	273	206	1.097	-474
190	349	-074	108	312	-1.473	190	401	-126	180	725	-416	190	451	203	204	1.085	-597
190	350	-110	091	266	-1.468	190	402	-211	192	921	-681	190	452	240	207	1.010	-311
190	351	-099	106	351	-1.439	190	403	-316	178	1.053	-290	190	453	163	190	.873	-459
190	352	-421	181	226	-1.407	190	404	-244	174	882	-361	190	454	101	191	.837	-505
190	353	-455	139	067	-1.068	190	405	-185	153	849	-317	190	455	142	191	.918	-515
190	354	-349	175	180	-1.253	190	406	-182	157	911	-269	190	456	-028	189	.887	-610
190	355	-168	159	276	-1.941	190	407	-132	154	771	-406	190	457	-127	174	.507	-796
190	356	-071	114	422	-1.507	190	408	-087	187	774	-678	190	458	-039	240	.874	-924
190	357	-098	090	199	-1.411	190	409	-111	169	833	-456	190	459	039	251	.943	-1.117
190	358	-082	106	276	-1.485	190	410	-083	174	869	-522	190	460	007	267	1.123	-906
190	359	-092	109	267	-1.481	190	411	-054	188	889	-553	190	461	079	231	1.334	-742
190	360	-442	179	091	-1.102	190	412	-019	162	586	-567	190	462	129	161	.696	-391
190	361	-403	188	143	-1.175	190	413	-092	147	501	-657	190	463	152	168	.773	-322
190	362	-224	115	206	-1.670	190	414	-011	212	880	-664	190	464	004	138	.554	-479
190	363	-487	199	038	-1.461	190	415	-095	261	1.015	-786	190	465	-155	115	.218	-586
190	364	-320	137	105	-1.867	190	416	-078	262	1.059	-718	190	466	-292	153	.211	-875
190	365	-138	103	196	-1.509	190	417	-071	197	925	-506	190	467	145	179	.968	-439
190	366	-134	100	183	-1.469	190	418	-066	148	576	-475	190	468	211	234	1.254	-685
190	367	-065	086	198	-1.415	190	419	-072	162	816	-365	190	469	317	169	1.056	-223
190	368	-050	087	252	-1.415	190	420	-021	132	355	-478	190	470	293	156	1.067	-147
190	369	-067	091	223	-1.372	190	421	-135	133	311	-723	190	471	239	165	.862	-220
190	370	-080	092	203	-1.446	190	422	-303	126	104	-810	190	472	266	149	1.014	-130
190	371	-140	151	412	-1.845	190	423	-131	228	1.123	-578	190	473	246	156	.802	-230
190	372	-042	132	501	-1.626	190	424	-250	230	1.085	-543	190	474	177	164	1.022	-338
190	373	-053	170	463	-1.807	190	425	-371	218	1.219	-425	190	475	203	187	.893	-291
190	374	-173	149	297	-1.889	190	426	-345	208	1.317	-401	190	476	133	183	.959	-418
190	375	-295	165	194	-1.994	190	427	-300	210	1.178	-385	190	477	054	174	.685	-414

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
190	478	- .004	170	.678	- .494	190	528	.054	.161	.833	- .659	190	635	- .524	.238	.094	-1. 690
190	479	- .142	149	.353	- .635	190	529	.154	.160	.843	- .630	190	636	- .187	.132	.223	- .967
190	480	- .092	220	.943	- .760	190	530	.290	.155	1. 018	- .352	190	637	- .174	.135	.279	- .994
190	481	- .209	247	1. 241	- .965	190	531	.305	.155	.906	- .344	190	638	- .212	.124	.215	- .780
190	482	.350	181	1. 025	- .205	190	532	.313	.180	1. 138	- .297	190	639	- .248	.178	.298	-1. 039
190	483	.363	171	1. 138	- .271	190	533	.231	.181	.808	- .579	190	640	- .361	.224	.246	-1. 533
190	484	.346	174	1. 106	- .180	190	534	.125	.148	.642	- .789	190	641	- .497	.196	.046	-1. 411
190	485	.318	177	1. 059	- .216	190	535	- .153	.135	.452	- .645	190	642	- .502	.226	.087	-1. 838
190	486	.280	158	1. 154	- .186	190	536	- .081	.124	.353	- .571	190	643	- .484	.220	.103	-1. 598
190	487	.238	184	1. 007	- .318	190	537	.019	.112	.350	- .442	190	644	- .212	.123	.126	- .695
190	488	.126	166	.745	- .311	190	538	.013	.129	.593	- .402	190	645	- .191	.150	.241	- .706
190	489	- .073	148	.699	- .510	190	539	.133	.119	.533	- .270	190	646	- .200	.157	.266	-1. 089
190	490	- .209	141	.326	- .658	190	540	.208	.111	.621	- .187	190	647	- .278	.145	.163	- .950
190	491	.091	198	1. 047	- .537	190	541	.212	.137	.791	- .196	190	648	- .381	.215	.269	-1. 323
190	492	.223	227	1. 056	- .567	190	542	.157	.138	.611	- .266	190	649	- .447	.242	.148	-2. 138
190	493	.345	190	1. 409	- .308	190	543	.115	.119	.549	- .348	190	650	- .467	.202	.010	-1. 858
190	494	.385	187	1. 279	- .264	190	601	- .319	.170	.221	-1. 602	190	651	- .449	.237	.121	-1. 945
190	495	.403	173	1. 108	- .038	190	602	- .289	.184	.259	-1. 130	190	652	- .203	.159	.181	-1. 259
190	496	.381	172	1. 156	- .056	190	603	- .369	.232	.272	-1. 608	190	653	- .214	.150	.165	- .877
190	497	.291	151	.859	- .096	190	604	- .462	.211	.269	-1. 787	190	654	- .223	.150	.280	-1. 099
190	498	.291	162	1. 082	- .147	190	605	- .464	.207	.135	-1. 527	190	655	- .276	.181	.364	-1. 096
190	499	.235	168	.823	- .238	190	606	- .288	.191	.229	-1. 540	190	656	- .393	.219	.251	-1. 426
190	500	.132	153	.707	- .430	190	607	- .273	.187	.241	-1. 274	190	657	- .469	.175	.090	-1. 347
190	501	.092	153	.894	- .386	190	608	- .276	.174	.207	-1. 700	190	658	- .456	.203	.157	-1. 661
190	502	.071	161	.517	- .570	190	609	- .258	.171	.386	-1. 197	190	659	- .432	.199	.175	-1. 383
190	503	.053	146	.455	- .717	190	610	- .287	.184	.274	-1. 267	190	660	- .145	.116	.209	- .765
190	504	.053	187	.878	- .565	190	611	- .290	.188	.226	-1. 103	190	661	- .154	.130	.302	- .597
190	505	.167	249	.935	- .869	190	612	- .366	.212	.306	-1. 379	190	662	- .169	.138	.275	- .690
190	506	.325	183	1. 031	- .262	190	613	- .443	.217	.296	-1. 382	190	663	- .202	.157	.263	-1. 105
190	507	.360	172	1. 082	- .099	190	614	- .526	.282	.236	-1. 813	190	664	- .335	.184	.345	-1. 269
190	508	.337	150	.865	- .207	190	615	- .529	.256	.256	-1. 686	190	665	- .442	.227	.092	-1. 451
190	509	.315	161	.972	- .120	190	616	- .246	.165	.160	-1. 128	190	666	- .518	.262	.043	-1. 798
190	510	.275	156	.983	- .241	190	617	- .246	.165	.180	-1. 121	190	667	- .532	.308	.035	-3. 406
190	511	.254	160	.854	- .202	190	618	- .229	.152	.256	- .899	190	668	- .500	.234	.105	-1. 850
190	512	.150	157	.739	- .414	190	619	- .240	.119	.137	- .938	190	669	- .538	.269	.172	-1. 986
190	513	.053	143	.460	- .527	190	620	- .243	.154	.189	-1. 344	190	670	- .469	.233	.232	-1. 979
190	514	.152	133	.284	- .749	190	621	- .243	.161	.156	-1. 275	190	671	- .132	.112	.244	- .529
190	515	.086	181	.558	- .869	190	622	- .470	.259	.288	-1. 636	190	672	- .131	.114	.211	- .736
190	516	.023	226	.926	- .975	190	623	- .603	.266	.076	-1. 980	190	673	- .117	.115	.274	- .711
190	517	.212	162	.875	- .346	190	624	- .584	.294	.126	-2. 542	190	674	- .129	.139	.293	-1. 089
190	518	.264	165	1. 111	- .228	190	625	- .237	.151	.276	- .993	190	675	- .197	.154	.254	- .735
190	519	.324	156	.956	- .184	190	626	- .230	.154	.318	- .903	190	676	- .263	.182	.237	-1. 322
190	520	.311	149	.857	- .167	190	627	- .215	.109	.147	- .780	190	677	- .339	.211	.304	-1. 499
190	521	.316	148	.892	- .132	190	628	- .199	.133	.321	- .862	190	678	- .398	.225	.211	-1. 753
190	522	.278	147	.910	- .130	190	629	- .195	.139	.250	-1. 024	190	679	- .407	.209	.164	-1. 414
190	523	.250	152	.805	- .172	190	630	- .193	.142	.234	-1. 111	190	680	- .119	.106	.273	- .476
190	524	.138	140	.604	- .331	190	631	- .261	.152	.167	-1. 068	190	681	- .115	.106	.259	- .527
190	525	.086	126	.707	- .344	190	632	- .352	.224	.176	-1. 476	190	682	- .129	.111	.211	- .489
190	526	.068	124	.428	- .508	190	633	- .473	.266	.313	-1. 523	190	683	- .115	.123	.249	- .725
190	527	.275	160	.205	- .945	190	634	- .510	.335	.366	-1. 981	190	684	- .124	.127	.226	- .668

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
190	685	-185	145	186	-749	200	101	-187	122	183	-650	200	151	-164	114	170	-558
190	686	-222	144	176	-713	200	102	-194	117	140	-680	200	152	-166	119	237	-549
190	687	-314	156	145	-906	200	103	-167	112	190	-594	200	153	-155	114	231	-529
190	688	-330	166	424	-933	200	104	-170	113	233	-548	200	154	-183	119	184	-732
190	701	-324	162	252	-911	200	105	-171	108	174	-540	200	155	-196	127	223	-597
190	702	-235	160	272	-911	200	106	-182	108	217	-685	200	156	-223	120	187	-722
190	703	-212	129	150	-733	200	107	-189	110	181	-700	200	157	-220	133	203	-760
190	704	-156	132	244	-824	200	108	-178	129	270	-627	200	158	-184	128	269	-623
190	705	-135	127	301	-627	200	109	-200	132	275	-755	200	159	-161	097	117	-649
190	706	-135	115	228	-616	200	110	-225	133	215	-790	200	160	-186	116	180	-636
190	707	-297	161	187	-645	200	111	-245	136	198	-793	200	161	-183	117	242	-583
190	708	-123	111	203	-515	200	112	-273	167	218	-1034	200	162	-163	097	162	-480
190	709	-056	118	473	-352	200	113	-254	149	165	-1157	200	163	-157	093	177	-495
190	710	-065	114	410	-404	200	114	-190	122	226	-647	200	164	-158	097	137	-546
190	801	-241	144	879	-254	200	115	-186	124	235	-708	200	165	-182	104	199	-556
190	802	-012	129	446	-121	200	116	-196	131	235	-649	200	166	-202	100	203	-548
190	803	-204	145	761	-418	200	117	-185	123	290	-642	200	167	-136	099	177	-594
190	804	-022	096	380	-296	200	118	-202	119	207	-750	200	168	-122	123	267	-581
190	901	-202	127	139	-829	200	119	-181	129	206	-766	200	169	-138	100	155	-506
190	902	-199	120	144	-700	200	120	-234	128	155	-733	200	170	-141	094	173	-511
190	903	-203	132	299	-959	200	121	-254	150	235	-846	200	171	-140	099	153	-513
190	904	-255	167	245	-145	200	122	-251	128	133	-835	200	172	-140	093	126	-440
190	905	-248	136	269	-739	200	123	-170	122	239	-713	200	173	-149	088	146	-436
190	906	-311	157	216	-162	200	124	-166	120	155	-627	200	174	-154	094	139	-462
190	907	-203	104	107	-638	200	125	-140	114	204	-553	200	175	-140	114	264	-534
190	908	-283	146	192	-988	200	126	-143	114	219	-541	200	176	-139	112	254	-608
190	909	-232	124	120	-882	200	127	-152	114	209	-710	200	177	-151	111	186	-584
190	910	-270	145	183	-885	200	128	-147	112	178	-540	200	178	-141	120	328	-600
190	911	-264	156	182	-992	200	129	-158	110	189	-573	200	179	-146	117	175	-761
190	912	-089	221	865	-833	200	130	-152	111	222	-760	200	180	-141	131	264	-772
190	913	-220	161	433	-145	200	131	-177	130	263	-673	200	181	-133	122	271	-824
190	914	-553	212	025	-403	200	132	-195	126	308	-745	200	182	-122	113	295	-465
190	915	-414	190	156	-145	200	133	-206	124	121	-745	200	183	-113	110	288	-530
190	916	-527	217	087	-617	200	134	-239	129	222	-947	200	184	-127	113	277	-550
190	917	-382	165	044	-201	200	135	-231	132	173	-789	200	185	-131	108	204	-508
190	918	-123	165	760	-412	200	136	-162	113	280	-642	200	186	-135	118	219	-526
190	919	-374	161	078	-670	200	137	-171	115	200	-578	200	187	-139	123	204	-591
190	920	-032	138	465	-448	200	138	-170	107	200	-639	200	188	-140	116	253	-615
190	921	-060	109	414	-541	200	139	-161	113	224	-563	200	189	-139	123	262	-580
190	922	-323	164	080	-102	200	140	-154	113	291	-578	200	190	-143	118	308	-571
190	923	-080	141	605	-338	200	141	-158	092	134	-514	200	191	-123	119	275	-682
190	924	-140	127	788	-234	200	142	-194	123	241	-706	200	192	-104	124	340	-626
190	925	-159	127	628	-234	200	143	-200	128	204	-781	200	193	-114	117	250	-645
190	926	-146	134	858	-339	200	144	-206	130	173	-867	200	194	-116	109	219	-533
190	927	-211	146	949	-186	200	145	-166	125	288	-748	200	195	-120	109	189	-570
190	928	-205	122	660	-162	200	146	-144	103	258	-506	200	196	-129	120	257	-707
190	929	-193	152	902	-459	200	147	-143	111	223	-515	200	197	-131	113	191	-554
190	930	-339	167	360	-068	200	148	-152	122	213	-667	200	198	-139	119	241	-524
190	931	-127	153	911	-291	200	149	-141	118	206	-525	200	199	-141	127	243	-755
190	932	-082	135	580	-440	200	150	-147	108	163	-475	200	200	-139	121	239	-526

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
200	201	135	120	260	538	200	306	377	165	039	-1.077	200	356	120	130	282	700
200	202	151	124	280	707	200	307	400	171	179	-1.148	200	357	101	092	233	590
200	203	148	119	235	591	200	308	557	215	074	-1.366	200	358	079	103	317	549
200	204	111	131	287	841	200	309	444	208	091	-1.432	200	359	078	103	301	539
200	205	113	130	257	044	200	310	403	188	084	-1.138	200	360	573	204	085	571
200	206	114	118	253	579	200	311	398	174	205	-1.157	200	361	552	218	068	553
200	207	107	121	255	349	200	312	277	156	270	-1.034	200	362	274	148	170	966
200	208	093	113	318	540	200	313	218	143	197	-1.907	200	363	542	205	076	463
200	209	134	116	228	700	200	314	202	137	292	-1.751	200	364	367	167	099	102
200	210	134	118	237	529	200	315	198	142	238	-1.853	200	365	233	129	167	771
200	211	126	115	271	526	200	316	489	191	088	-1.168	200	366	192	128	102	856
200	212	134	112	230	593	200	317	459	191	096	-1.144	200	367	097	096	203	509
200	213	136	125	190	848	200	318	609	244	614	-1.881	200	368	075	094	262	453
200	214	130	130	266	822	200	319	475	176	043	-1.164	200	369	071	090	301	389
200	215	089	089	218	474	200	320	422	183	102	-1.080	200	370	060	088	242	348
200	216	067	088	213	438	200	321	390	173	126	-1.046	200	371	214	167	199	994
200	217	091	095	261	433	200	322	172	129	195	-1.691	200	372	155	190	281	1226
200	218	075	094	243	399	200	323	177	113	161	-1.579	200	373	179	209	265	1068
200	219	080	085	213	378	200	324	156	136	243	-1.701	200	374	237	171	184	113
200	220	095	092	254	369	200	325	469	206	038	-1.301	200	375	347	200	115	276
200	221	113	092	208	390	200	326	433	192	059	-1.235	200	376	275	157	198	949
200	222	103	087	217	390	200	327	522	192	033	-1.385	200	377	244	163	201	961
200	223	118	104	370	497	200	328	495	217	143	-1.499	200	378	073	149	363	964
200	224	128	092	202	561	200	329	484	201	157	-1.337	200	379	010	119	426	464
200	225	131	093	238	553	200	330	446	187	177	-1.270	200	380	006	101	269	432
200	226	133	097	179	655	200	331	303	125	077	-1.868	200	381	100	113	259	617
200	227	122	097	172	484	200	332	191	139	278	-1.825	200	382	066	107	279	481
200	228	073	086	204	364	200	333	152	132	255	-1.885	200	383	039	110	402	469
200	229	075	087	229	410	200	334	149	129	282	-1.696	200	384	054	105	303	406
200	230	085	094	206	647	200	335	156	106	315	-1.622	200	385	056	104	291	464
200	231	085	092	195	376	200	336	442	157	048	-1.282	200	386	071	141	329	670
200	232	095	085	172	401	200	337	441	156	037	-1.155	200	387	017	121	397	525
200	233	099	103	256	534	200	338	408	146	058	-1.978	200	388	001	105	467	333
200	234	107	109	215	621	200	339	320	173	235	-1.040	200	389	008	104	399	340
200	235	117	115	279	493	200	340	193	156	242	-1.863	200	390	005	110	387	439
200	236	123	102	214	559	200	341	142	109	229	-1.596	200	391	098	109	186	500
200	237	073	104	258	468	200	342	110	124	302	-1.632	200	392	068	114	308	536
200	238	069	110	324	445	200	343	114	126	281	-1.757	200	393	061	100	249	433
200	239	074	106	301	402	200	344	408	128	013	-1.073	200	394	056	097	274	439
200	240	069	101	287	431	200	345	392	150	118	-1.112	200	395	031	117	333	427
200	241	080	101	272	461	200	346	389	157	167	-1.058	200	396	049	109	359	421
200	242	088	102	303	429	200	347	322	137	100	-1.033	200	397	056	097	270	414
200	243	093	100	320	472	200	348	179	153	285	-1.911	200	398	088	117	227	561
200	244	097	104	242	447	200	349	122	134	374	-1.787	200	401	339	206	980	374
200	245	089	106	226	477	200	350	138	109	167	-1.643	200	402	402	200	117	367
200	301	499	167	022	130	200	351	116	125	233	-1.982	200	403	315	163	929	343
200	302	377	161	099	217	200	352	482	165	005	-1.141	200	404	219	131	844	318
200	303	294	161	181	052	200	353	474	142	012	-1.119	200	405	212	143	861	491
200	304	220	149	280	262	200	354	434	182	096	-1.327	200	406	167	132	022	375
200	305	196	138	317	14	200	355	288	190	198	-1.163	200	407	112	129	653	282

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
200	408	067	170	849	- 589	200	458	195	260	1.120	- 600	200	508	265	126	764	- 236
200	409	065	143	763	- 462	200	459	348	234	1.067	- 684	200	509	195	127	640	- 222
200	410	028	141	617	- 580	200	460	237	244	1.021	- 806	200	510	185	122	674	- 201
200	411	051	165	657	- 638	200	461	238	218	1.028	- 516	200	511	112	125	696	- 237
200	412	043	137	550	- 536	200	462	138	132	1.795	- 235	200	512	029	120	509	- 355
200	413	162	145	427	- 705	200	463	133	129	736	- 249	200	513	158	131	359	- 669
200	414	195	231	933	- 740	200	464	025	117	528	- 357	200	514	250	131	216	- 730
200	415	258	238	084	- 893	200	465	204	116	186	- 592	200	515	019	163	640	- 524
200	416	174	229	023	- 777	200	466	388	132	056	- 866	200	516	093	191	898	- 462
200	417	138	200	921	- 675	200	467	330	210	974	- 286	200	517	262	181	998	- 206
200	418	036	124	559	- 344	200	468	400	245	1.232	- 430	200	518	294	169	058	- 231
200	419	017	145	548	- 394	200	469	356	164	930	- 184	200	519	295	166	856	- 149
200	420	058	123	594	- 492	200	470	356	146	875	- 152	200	520	292	151	881	- 121
200	421	157	127	357	- 634	200	471	287	155	891	- 174	200	521	209	125	717	- 258
200	422	350	127	164	- 873	200	472	307	147	1.042	- 228	200	522	216	127	726	- 194
200	423	359	269	1.267	- 549	200	473	229	118	739	- 064	200	523	146	119	727	- 198
200	424	478	262	1.500	- 434	200	474	170	130	854	- 272	200	524	027	115	431	- 358
200	425	447	219	1.482	- 629	200	475	150	139	771	- 240	200	525	007	120	461	- 387
200	426	327	196	981	- 528	200	476	069	133	621	- 340	200	526	145	133	403	- 703
200	427	349	208	1.114	- 584	200	477	010	140	722	- 451	200	527	338	188	174	- 1.214
200	428	280	178	1.028	- 183	200	478	109	136	359	- 705	200	528	082	157	780	- 681
200	429	175	162	837	- 328	200	479	216	142	317	- 690	200	529	134	176	801	- 617
200	430	138	173	803	- 470	200	480	263	233	1.180	- 604	200	530	229	173	901	- 400
200	431	111	162	1.012	- 474	200	481	416	232	1.156	- 493	200	531	228	167	922	- 395
200	432	030	148	598	- 493	200	482	418	194	1.197	- 298	200	532	189	164	875	- 509
200	433	011	161	747	- 544	200	483	389	155	958	- 119	200	533	086	152	583	- 547
200	434	125	165	484	- 758	200	484	342	157	1.016	- 228	200	534	024	155	483	- 667
200	435	220	159	358	- 827	200	485	239	133	793	- 223	200	535	117	123	316	- 588
200	436	211	262	1.058	- 714	200	486	222	129	739	- 225	200	536	074	126	313	- 620
200	437	307	272	1.219	- 755	200	487	144	132	699	- 254	200	537	003	119	401	- 444
200	438	287	238	1.161	- 648	200	488	053	123	512	- 377	200	538	026	128	549	- 370
200	439	243	194	1.153	- 521	200	489	131	127	283	- 661	200	539	077	104	474	- 312
200	440	135	158	1.031	- 305	200	490	241	132	146	- 815	200	540	125	106	523	- 335
200	441	096	123	642	- 293	200	491	233	215	1.104	- 524	200	541	116	129	596	- 326
200	442	043	135	619	- 442	200	492	363	224	1.196	- 495	200	542	063	131	442	- 435
200	443	215	146	235	- 774	200	493	396	206	1.120	- 106	200	543	027	118	516	- 435
200	444	395	175	088	- 075	200	494	373	166	990	- 083	200	601	259	123	190	- 944
200	445	364	251	1.169	- 401	200	495	358	156	981	- 068	200	602	221	173	200	- 1.129
200	446	443	208	1.171	- 374	200	496	296	134	838	- 178	200	603	313	252	244	- 1.588
200	447	436	197	1.266	- 477	200	497	227	127	682	- 217	200	604	599	271	231	- 2.070
200	448	349	190	912	- 230	200	498	205	125	687	- 186	200	605	580	230	013	- 2.268
200	449	384	200	1.386	- 259	200	499	133	120	707	- 219	200	606	244	157	231	- 1.259
200	450	302	165	939	- 286	200	500	039	120	487	- 399	200	607	192	159	384	- 1.103
200	451	195	166	863	- 384	200	501	008	116	453	- 407	200	608	195	129	320	- 929
200	452	207	159	812	- 437	200	502	153	128	310	- 738	200	609	192	131	307	- 740
200	453	117	159	855	- 411	200	503	228	127	038	- 670	200	610	187	133	213	- 901
200	454	027	139	610	- 396	200	504	134	193	1.038	- 475	200	611	198	139	144	- 985
200	455	082	160	858	- 541	200	505	270	213	1.018	- 309	200	612	245	197	223	- 1.374
200	456	38	151	412	- 755	200	506	333	177	979	- 258	200	613	465	266	237	- 1.505
200	457	216	146	399	- 760	200	507	317	166	900	- 214	200	614	520	318	338	- 2.195

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
200	615	-579	251	117	-1.635	200	665	-376	216	260	-1.449	200	913	-152	142	491	-691
200	616	-194	125	256	-1.667	200	666	-454	273	302	-1.898	200	914	-749	218	156	-2.334
200	617	-181	128	249	-1.771	200	667	-502	298	166	-2.573	200	915	-375	179	145	-1.178
200	618	-199	114	199	-1.793	200	668	-428	245	213	-2.498	200	916	-651	223	023	-1.473
200	619	-172	102	114	-1.567	200	669	-448	304	282	-2.397	200	917	-413	181	063	-1.477
200	620	-173	127	208	-1.684	200	670	-359	232	289	-1.729	200	918	-144	135	684	-3.15
200	621	-159	130	261	-1.701	200	671	-103	109	297	-1.432	200	919	-389	148	124	-1.063
200	622	-442	263	349	-1.385	200	672	-084	104	301	-1.439	200	920	-052	120	383	-4.62
200	623	-562	296	157	-2.035	200	673	-086	108	283	-1.538	200	921	-076	108	344	-4.37
200	624	-545	284	222	-1.902	200	674	-085	109	307	-1.531	200	922	-319	140	208	-1.115
200	625	-181	120	190	-1.883	200	675	-125	121	319	-1.697	200	923	-012	116	464	-4.16
200	626	-156	120	218	-1.810	200	676	-185	150	231	-1.808	200	924	-074	122	485	-3.43
200	627	-161	101	166	-1.567	200	677	-207	167	219	-1.926	200	925	-091	121	580	-2.77
200	628	-160	125	258	-1.677	200	678	-286	197	287	-1.351	200	926	-096	129	556	-3.08
200	629	-153	126	300	-1.672	200	679	-278	173	306	-1.181	200	927	-136	131	745	-2.38
200	630	-142	127	296	-1.655	200	680	-090	100	296	-1.483	200	928	-154	111	623	-2.72
200	631	-159	114	171	-1.752	200	681	-096	106	256	-1.408	200	929	-164	155	830	-3.59
200	632	-242	202	309	-1.338	200	682	-092	111	258	-1.509	200	930	-308	158	978	-2.48
200	633	-495	298	335	-1.754	200	683	-081	102	241	-1.480	200	931	-188	180	169	-2.93
200	634	-480	398	477	-2.341	200	684	-076	109	236	-1.500	200	932	-095	135	679	-3.84
200	635	-429	247	193	-1.642	200	685	-101	115	389	-1.482	210	101	-236	112	083	-7.05
200	636	-130	110	211	-1.518	200	686	-125	130	264	-1.587	210	102	-232	108	154	-6.93
200	637	-110	113	251	-1.506	200	687	-196	149	256	-1.833	210	103	-209	112	132	-6.93
200	638	-131	095	254	-1.583	200	688	-197	144	252	-1.791	210	104	-203	106	127	-6.68
200	639	-147	133	370	-1.729	200	701	-225	153	226	-1.771	210	105	-196	099	184	-6.26
200	640	-263	199	309	-1.945	200	702	-135	132	250	-1.910	210	106	-204	115	178	-6.76
200	641	-487	216	155	-1.394	200	703	-108	112	336	-1.536	210	107	-218	103	140	-6.98
200	642	-553	246	193	-1.665	200	704	-093	113	439	-1.483	210	108	-210	124	172	-6.17
200	643	-531	238	128	-1.782	200	705	-086	111	296	-1.512	210	109	-257	136	196	-7.32
200	644	-150	101	160	-1.537	200	706	-083	105	269	-1.429	210	110	-281	136	184	-8.84
200	645	-129	127	330	-1.639	200	707	-177	141	276	-1.755	210	111	-362	165	083	-1.020
200	646	-128	130	268	-1.615	200	708	-090	106	213	-1.489	210	112	-350	163	115	-1.104
200	647	-168	116	191	-1.678	200	709	-001	113	287	-1.456	210	113	-380	176	079	-1.106
200	648	-279	186	344	-1.079	200	710	-004	116	362	-1.470	210	114	-228	121	170	-6.88
200	649	-422	237	335	-1.598	200	801	-178	154	808	-1.321	210	115	-216	126	225	-7.39
200	650	-494	198	092	-1.755	200	802	-013	131	425	-1.127	210	116	-210	128	225	-6.86
200	651	-487	231	222	-1.772	200	803	-106	134	562	-1.390	210	117	-222	126	151	-6.02
200	652	-123	120	432	-1.577	200	804	-012	102	373	-1.367	210	118	-215	117	160	-5.88
200	653	-152	102	213	-1.570	200	901	-163	100	178	-1.601	210	119	-235	129	165	-9.94
200	654	-146	133	337	-1.817	200	902	-194	115	190	-1.667	210	120	-264	130	134	-8.77
200	655	-157	149	324	-1.828	200	903	-186	122	297	-1.741	210	121	-341	163	108	-1.149
200	656	-278	198	377	-1.214	200	904	-226	136	432	-1.860	210	122	-297	124	116	-9.58
200	657	-429	192	098	-1.757	200	905	-212	122	271	-1.684	210	123	-223	125	190	-7.81
200	658	-458	230	248	-1.724	200	906	-352	155	175	-1.015	210	124	-233	137	216	-8.95
200	659	-431	224	185	-1.925	200	907	-159	089	128	-1.494	210	125	-189	124	228	-6.93
200	660	-115	110	253	-1.522	200	908	-187	138	159	-1.836	210	126	-190	122	164	-6.64
200	661	-101	108	283	-1.527	200	909	-192	103	136	-1.693	210	127	-191	125	250	-6.42
200	662	-100	115	281	-1.477	200	910	-259	118	199	-1.603	210	128	-182	128	264	-6.66
200	663	-120	123	249	-1.655	200	911	-119	118	924	-1.737	210	129	-180	127	230	-7.96
200	664	-214	154	192	-1.031	200	912	-109	197			210	130	-207	154	203	-7.60

WD	TAP	CPHEAN	CPRMS	CPHAX	CPHIN	WD	TAP	CPHEAN	CPRMS	CPHAX	CPHIN	WD	TAP	CPHEAN	CPRMS	CPHAX	CPHIN						
210	131	-	214	137	227	-	769	210	181	-	172	121	193	-	703	210	231	-	083	090	205	-	424
210	132	-	249	126	161	-	676	210	182	-	165	123	281	-	662	210	232	-	097	089	187	-	390
210	133	-	269	126	112	-	693	210	183	-	171	122	160	-	733	210	233	-	084	166	310	-	437
210	134	-	275	128	137	-	807	210	184	-	170	121	208	-	626	210	234	-	107	101	208	-	490
210	135	-	264	135	171	-	856	210	185	-	165	119	340	-	607	210	235	-	110	108	231	-	532
210	136	-	219	129	191	-	713	210	186	-	175	121	220	-	695	210	236	-	122	097	192	-	507
210	137	-	235	126	141	-	710	210	187	-	185	130	202	-	833	210	237	-	066	114	349	-	590
210	138	-	207	126	203	-	865	210	188	-	176	123	199	-	823	210	238	-	066	109	322	-	418
210	139	-	195	121	225	-	647	210	189	-	169	117	204	-	762	210	239	-	071	100	264	-	426
210	140	-	201	118	195	-	711	210	190	-	164	121	218	-	628	210	240	-	068	104	270	-	402
210	141	-	198	094	144	-	550	210	191	-	181	128	254	-	737	210	241	-	073	104	254	-	470
210	142	-	270	132	125	-	858	210	192	-	160	130	212	-	613	210	242	-	080	102	285	-	446
210	143	-	246	121	213	-	666	210	193	-	160	128	194	-	631	210	243	-	082	107	296	-	439
210	144	-	247	116	125	-	738	210	194	-	165	116	249	-	624	210	244	-	088	104	243	-	446
210	145	-	202	127	258	-	075	210	195	-	158	123	175	-	651	210	245	-	087	103	352	-	440
210	146	-	184	098	139	-	586	210	196	-	187	131	177	-	684	210	301	-	319	138	022	-	966
210	147	-	172	118	239	-	572	210	197	-	200	139	323	-	006	210	302	-	304	144	110	-	065
210	148	-	191	125	215	-	722	210	198	-	188	135	242	-	674	210	303	-	271	135	195	-	982
210	149	-	183	121	169	-	706	210	199	-	208	140	205	-	944	210	304	-	239	148	226	-	116
210	150	-	164	116	227	-	673	210	200	-	194	142	256	-	812	210	305	-	257	143	268	-	148
210	151	-	169	119	226	-	588	210	201	-	199	140	181	-	858	210	306	-	277	134	197	-	767
210	152	-	166	115	197	-	567	210	202	-	189	128	172	-	739	210	307	-	282	132	140	-	883
210	153	-	180	120	169	-	570	210	203	-	191	135	326	-	752	210	308	-	345	183	177	-	206
210	154	-	226	119	176	-	622	210	204	-	150	136	263	-	751	210	309	-	302	162	184	-	131
210	155	-	276	129	114	-	848	210	205	-	143	131	278	-	848	210	310	-	275	137	157	-	786
210	156	-	293	137	116	-	888	210	206	-	138	126	210	-	944	210	311	-	277	137	264	-	815
210	157	-	280	134	114	-	772	210	207	-	137	120	280	-	636	210	312	-	262	134	161	-	169
210	158	-	195	125	189	-	710	210	208	-	134	119	204	-	562	210	313	-	244	128	251	-	867
210	159	-	214	102	211	-	559	210	209	-	162	128	360	-	900	210	314	-	246	134	149	-	803
210	160	-	189	131	218	-	725	210	210	-	159	125	227	-	619	210	315	-	246	141	181	-	878
210	161	-	192	112	274	-	693	210	211	-	160	133	186	-	679	210	316	-	326	181	252	-	988
210	162	-	191	094	155	-	474	210	212	-	180	134	228	-	632	210	317	-	325	179	249	-	006
210	163	-	191	094	096	-	483	210	213	-	191	151	191	-	985	210	318	-	366	202	133	-	340
210	164	-	184	099	169	-	495	210	214	-	199	148	177	-	109	210	319	-	318	134	084	-	949
210	165	-	268	110	082	-	670	210	215	-	067	095	268	-	369	210	320	-	281	142	219	-	902
210	166	-	284	107	047	-	780	210	216	-	082	091	222	-	573	210	321	-	275	139	221	-	007
210	167	-	180	100	163	-	561	210	217	-	089	094	210	-	397	210	322	-	229	123	278	-	755
210	168	-	160	122	225	-	619	210	218	-	089	089	183	-	425	210	323	-	217	115	155	-	731
210	169	-	188	104	107	-	729	210	219	-	088	095	259	-	425	210	324	-	215	141	246	-	883
210	170	-	183	097	110	-	533	210	220	-	102	093	215	-	404	210	325	-	332	182	155	-	075
210	171	-	182	099	174	-	740	210	221	-	127	091	169	-	499	210	326	-	319	172	142	-	969
210	172	-	182	100	144	-	630	210	222	-	123	094	276	-	418	210	327	-	325	131	057	-	954
210	173	-	183	094	107	-	554	210	223	-	128	118	272	-	639	210	328	-	312	151	117	-	199
210	174	-	175	091	112	-	467	210	224	-	126	096	271	-	495	210	329	-	294	151	161	-	051
210	175	-	169	120	206	-	674	210	225	-	141	106	208	-	697	210	330	-	288	148	134	-	007
210	176	-	173	111	265	-	676	210	226	-	140	098	155	-	520	210	331	-	283	109	112	-	675
210	177	-	159	117	204	-	540	210	227	-	142	102	152	-	702	210	332	-	245	137	252	-	868
210	178	-	160	111	231	-	560	210	228	-	075	091	282	-	388	210	333	-	215	142	322	-	851
210	179	-	173	113	329	-	551	210	229	-	080	085	196	-	392	210	334	-	207	142	368	-	913
210	180	-	176	125	288	-	655	210	230	-	077	085	213	-	422	210	335	-	245	116	227	-	726

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
210	336	309	143	111	910	210	386	068	127	306	658	210	438	195	230	868	725
210	337	300	143	125	881	210	387	060	112	308	469	210	439	208	176	850	355
210	338	299	111	014	741	210	388	037	106	356	458	210	440	076	131	621	306
210	339	360	136	125	764	210	389	042	115	401	436	210	441	053	106	447	247
210	340	263	141	215	980	210	390	033	106	373	333	210	442	054	117	414	561
210	341	241	119	139	710	210	391	113	111	246	475	210	443	151	128	257	571
210	342	217	148	233	814	210	392	087	108	280	477	210	444	273	148	181	812
210	343	223	159	214	960	210	393	085	107	286	463	210	445	527	220	379	289
210	344	370	123	059	941	210	394	064	106	240	455	210	446	593	184	1287	021
210	345	354	146	163	022	210	395	042	109	385	415	210	447	354	217	028	378
210	346	354	148	150	152	210	396	058	101	258	410	210	448	345	185	970	451
210	347	354	121	024	832	210	397	060	102	294	407	210	449	322	183	008	225
210	348	297	152	253	836	210	398	087	121	337	483	210	450	267	151	843	182
210	349	230	151	324	752	210	401	516	180	207	362	210	451	184	140	703	278
210	350	231	116	117	659	210	402	436	171	060	281	210	452	136	131	652	312
210	351	211	140	223	883	210	403	174	238	901	946	210	453	095	143	597	314
210	352	472	159	002	055	210	404	116	151	692	627	210	454	013	129	539	510
210	353	478	134	018	154	210	405	139	129	591	305	210	455	020	124	769	372
210	354	472	169	033	339	210	406	120	116	529	281	210	456	131	132	566	619
210	355	377	178	154	306	210	407	056	103	474	324	210	457	187	136	214	679
210	356	195	153	274	852	210	408	009	152	763	561	210	458	425	251	308	496
210	357	164	117	207	698	210	409	016	125	475	454	210	459	479	210	196	317
210	358	137	132	315	737	210	410	001	123	545	484	210	460	279	234	097	710
210	359	131	134	340	722	210	411	113	140	538	535	210	461	280	168	856	337
210	360	319	177	062	410	210	412	057	122	573	447	210	462	149	112	503	212
210	361	555	182	001	334	210	413	125	123	392	544	210	463	122	116	734	312
210	362	262	131	078	836	210	414	400	262	294	635	210	464	039	108	361	516
210	363	495	168	031	269	210	415	393	214	203	387	210	465	149	109	266	540
210	364	317	140	044	926	210	416	102	217	717	860	210	466	295	111	088	734
210	365	230	115	111	711	210	417	128	167	777	378	210	467	535	193	182	222
210	366	220	126	168	679	210	418	014	118	380	445	210	468	510	204	292	110
210	367	131	098	225	488	210	419	031	114	344	413	210	469	365	177	989	429
210	368	084	094	259	447	210	420	077	113	360	479	210	470	349	146	896	059
210	369	079	089	209	370	210	421	130	122	251	609	210	471	294	128	884	157
210	370	072	091	204	403	210	422	272	125	098	690	210	472	302	135	790	163
210	371	371	209	088	976	210	423	504	216	286	253	210	473	211	121	686	201
210	372	290	220	191	671	210	424	513	194	224	203	210	474	145	118	560	191
210	373	358	213	242	322	210	425	316	243	166	517	210	475	136	139	656	368
210	374	271	163	158	914	210	426	264	179	840	506	210	476	051	132	511	349
210	375	327	180	144	175	210	427	248	189	865	401	210	477	013	122	428	397
210	376	290	173	170	264	210	428	204	161	848	278	210	478	092	127	458	556
210	377	233	154	241	914	210	429	131	136	598	286	210	479	172	133	252	682
210	378	106	118	267	567	210	430	057	130	565	310	210	480	453	223	275	659
210	379	061	115	377	498	210	431	071	133	587	357	210	481	574	222	499	411
210	380	047	103	353	438	210	432	002	125	945	396	210	482	430	208	116	319
210	381	109	107	255	477	210	433	048	120	578	383	210	483	466	179	109	301
210	382	090	102	294	443	210	434	111	132	414	538	210	484	319	158	827	187
210	383	056	109	305	436	210	435	152	130	271	617	210	485	237	141	671	253
210	384	061	102	275	434	210	436	419	245	204	442	210	486	212	144	834	209
210	385	066	102	341	410	210	437	432	223	217	223	210	487	130	122	571	326

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
210	488	038	115	361	361	210	538	060	131	640	369	210	645	141	121	247	349
210	489	126	121	325	312	210	539	067	107	516	335	210	646	112	117	281	371
210	490	222	127	391	346	210	540	043	110	473	324	210	647	108	103	213	311
210	491	284	193	151	345	210	541	012	121	439	364	210	648	172	187	330	897
210	492	433	215	291	394	210	542	030	132	439	596	210	649	370	254	306	338
210	493	461	209	209	347	210	543	017	107	341	374	210	650	456	192	224	643
210	494	391	190	021	262	210	601	238	110	156	701	210	651	446	219	387	817
210	495	375	183	058	104	210	602	132	125	281	816	210	652	156	126	227	620
210	496	328	150	138	160	210	603	103	152	326	153	210	653	146	105	163	502
210	497	205	140	649	228	210	604	380	331	457	310	210	654	108	125	308	579
210	498	195	134	696	284	210	605	515	256	726	671	210	655	104	135	261	659
210	499	117	118	503	272	210	606	221	125	162	777	210	656	178	176	329	159
210	500	019	126	505	409	210	607	093	125	313	579	210	657	310	194	260	340
210	501	029	116	418	454	210	608	228	125	122	668	210	658	382	247	452	790
210	502	171	115	217	528	210	609	182	132	251	744	210	659	383	237	358	795
210	503	271	129	160	737	210	610	150	122	233	696	210	660	116	109	266	606
210	504	173	198	126	420	210	611	113	124	360	666	210	661	104	107	215	592
210	505	335	220	218	336	210	612	074	167	478	214	210	662	086	104	224	481
210	506	299	190	006	292	210	613	225	315	605	461	210	663	091	114	250	514
210	507	269	174	815	438	210	614	217	336	624	735	210	664	136	142	321	815
210	508	220	142	649	260	210	615	389	279	559	376	210	665	234	208	418	380
210	509	159	136	717	301	210	616	172	116	236	625	210	666	370	236	279	416
210	510	153	139	696	263	210	617	125	117	265	581	210	667	395	246	342	830
210	511	099	128	541	409	210	618	216	128	249	658	210	668	343	219	340	274
210	512	016	119	432	416	210	619	187	093	103	499	210	669	385	316	405	384
210	513	199	116	153	573	210	620	145	115	216	521	210	670	289	258	354	840
210	514	303	138	105	886	210	621	125	118	249	579	210	671	105	105	251	465
210	515	022	157	730	501	210	622	192	306	621	175	210	672	092	107	352	467
210	516	127	187	113	493	210	623	189	285	529	359	210	673	081	106	276	436
210	517	218	192	007	496	210	624	280	247	693	277	210	674	075	106	283	429
210	518	218	167	999	347	210	625	198	109	132	620	210	675	080	114	300	499
210	519	262	163	956	240	210	626	149	108	179	537	210	676	099	126	256	675
210	520	237	160	797	314	210	627	184	089	192	472	210	677	143	151	285	829
210	521	201	140	743	207	210	628	174	109	355	530	210	678	193	181	357	059
210	522	186	133	670	329	210	629	162	111	358	526	210	679	210	162	264	991
210	523	122	118	558	235	210	630	136	112	383	496	210	680	091	100	254	419
210	524	004	113	414	322	210	631	076	104	343	466	210	681	090	106	349	477
210	525	026	115	409	420	210	632	051	168	480	020	210	682	082	106	241	459
210	526	140	121	232	706	210	633	201	309	638	336	210	683	068	106	296	415
210	527	305	158	109	029	210	634	105	354	849	753	210	684	064	100	265	423
210	528	027	166	622	756	210	635	096	240	743	377	210	685	062	110	265	471
210	529	099	186	049	857	210	636	148	108	189	502	210	686	073	112	291	481
210	530	152	187	008	724	210	637	121	110	227	455	210	687	117	148	366	670
210	531	133	172	784	550	210	638	098	091	213	455	210	688	128	146	501	858
210	532	067	174	738	507	210	639	066	115	319	462	210	701	134	129	202	701
210	533	033	193	817	093	210	640	077	164	465	158	210	702	089	115	297	490
210	534	215	235	443	655	210	641	322	255	361	263	210	703	078	105	239	435
210	535	059	129	537	601	210	642	497	249	534	336	210	704	071	111	368	461
210	536	048	132	517	479	210	643	494	229	617	288	210	705	074	106	296	419
210	537	005	119	532	349	210	644	179	101	154	536	210	706	087	105	238	443

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
210	707	-111	138	325	-696	220	111	-568	190	-045	-1.259	220	161	-203	137	208	-701
210	708	-087	103	305	-495	220	112	-629	177	-153	-1.322	220	162	-258	120	101	-668
210	709	-050	109	275	-446	220	113	-650	190	-038	-1.388	220	163	-274	132	186	-808
210	710	-034	108	288	-404	220	114	-271	122	055	-990	220	164	-295	138	137	-916
210	801	-132	157	892	-328	220	115	-279	130	187	-837	220	165	-453	138	051	-1.107
210	802	-004	133	466	-893	220	116	-254	131	134	-737	220	166	-464	160	012	-1.143
210	803	-012	127	541	-438	220	117	-227	128	203	-653	220	167	-223	126	191	-911
210	804	-009	094	365	-374	220	118	-250	130	186	-707	220	168	-213	156	252	-981
210	901	-196	099	177	-585	220	119	-307	140	180	-841	220	169	-231	126	272	-789
210	902	-236	110	166	-727	220	120	-414	160	073	-1.127	220	170	-223	144	191	-886
210	903	-172	117	180	-606	220	121	-568	202	011	-1.268	220	171	-241	145	110	-1.276
210	904	-193	111	203	-618	220	122	-568	173	107	-1.234	220	172	-255	142	184	-900
210	905	-162	128	215	-746	220	123	-263	127	125	-779	220	173	-247	140	155	-925
210	906	-357	141	070	-941	220	124	-296	146	186	-818	220	174	-271	151	126	-1.049
210	907	-189	094	125	-497	220	125	-244	131	208	-686	220	175	-267	161	264	-1.000
210	908	-084	109	255	-640	220	126	-234	135	255	-874	220	176	-297	173	242	-1.159
210	909	-297	126	058	-784	220	127	-217	124	208	-587	220	177	-291	167	182	-1.015
210	910	-369	157	032	-1.034	220	128	-198	133	221	-768	220	178	-272	162	191	-939
210	911	-145	128	225	-608	220	129	-238	146	286	-829	220	179	-264	157	219	-1.371
210	912	-238	166	874	-492	220	130	-302	175	276	-1.130	220	180	-179	129	231	-702
210	913	-036	130	484	-609	220	131	-333	173	211	-1.054	220	181	-197	140	273	-1.000
210	914	-658	191	049	-1.695	220	132	-452	189	120	-1.089	220	182	-197	151	294	-865
210	915	-269	171	186	-1.047	220	133	-507	181	013	-1.383	220	183	-191	146	242	-818
210	916	-605	196	006	-1.466	220	134	-489	204	076	-1.454	220	184	-211	162	302	-1.013
210	917	-333	181	058	-1.041	220	135	-470	178	019	-1.211	220	185	-244	166	273	-913
210	918	-125	114	528	-256	220	136	-282	142	186	-895	220	186	-280	169	314	-1.038
210	919	-369	132	000	-830	220	137	-313	151	201	-903	220	187	-290	170	325	-1.036
210	920	-051	109	310	-435	220	138	-234	131	249	-878	220	188	-277	178	197	-1.214
210	921	-084	099	298	-385	220	139	-184	131	345	-634	220	189	-293	182	169	-1.239
210	922	-277	110	064	-816	220	140	-167	131	206	-817	220	190	-288	157	182	-1.074
210	923	-032	116	481	-429	220	141	-263	106	079	-762	220	191	-147	124	202	-800
210	924	-049	116	541	-299	220	142	-455	178	135	-1.094	220	192	-153	136	341	-873
210	925	-051	117	469	-318	220	143	-466	185	096	-1.150	220	193	-160	138	287	-852
210	926	-056	128	558	-575	220	144	-473	184	019	-1.205	220	194	-153	126	316	-639
210	927	-092	118	585	-289	220	145	-285	156	142	-912	220	195	-162	133	288	-728
210	928	-134	112	511	-192	220	146	-268	130	126	-823	220	196	-182	152	548	-892
210	929	-159	154	805	-317	220	147	-230	148	306	-926	220	197	-204	159	288	-909
210	930	-274	166	867	-311	220	148	-255	159	356	-837	220	198	-224	170	261	-1.139
210	931	-168	172	854	-449	220	149	-228	145	228	-941	220	199	-266	192	569	-1.015
210	932	-120	158	884	-296	220	150	-224	151	301	-811	220	200	-271	187	273	-1.358
220	101	-237	105	095	-670	220	151	-258	161	244	-1.163	220	201	-287	182	219	-1.198
220	102	-234	106	098	-648	220	152	-248	160	262	-1.098	220	202	-283	209	219	-1.446
220	103	-236	116	117	-714	220	153	-248	151	254	-876	220	203	-288	183	191	-1.138
220	104	-224	108	141	-643	220	154	-329	147	179	-917	220	204	-115	127	264	-904
220	105	-268	112	127	-679	220	155	-384	147	054	-1.118	220	205	-114	119	259	-702
220	106	-288	113	149	-680	220	156	-454	165	113	-1.161	220	206	-101	123	430	-605
220	107	-341	131	108	-852	220	157	-457	182	079	-1.215	220	207	-110	119	362	-534
220	108	-331	150	160	-891	220	158	-211	134	176	-868	220	208	-122	120	311	-679
220	109	-423	166	154	-1.136	220	159	-243	117	087	-776	220	209	-139	127	297	-691
220	110	-427	179	090	-1.143	220	160	-229	134	242	-734	220	210	-152	138	268	-776

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
220	211	-180	145	303	-1.049	220	316	-208	119	207	-616	220	366	-159	097	145	-491
220	212	-205	149	191	-1.051	220	317	-197	119	202	-612	220	367	-104	103	201	-448
220	213	-239	172	230	-1.141	220	318	-192	121	202	-711	220	368	-074	102	310	-443
220	214	-236	164	220	-1.081	220	319	-197	105	091	-557	220	369	-075	098	245	-434
220	215	-064	093	242	-3.45	220	320	-192	119	144	-625	220	370	-072	087	247	-408
220	216	-069	092	207	-4.06	220	321	-185	119	173	-604	220	371	-390	200	094	-1.693
220	217	-075	087	207	-5.05	220	322	-212	119	183	-653	220	372	-324	176	106	-1.336
220	218	-075	090	226	-3.62	220	323	-212	115	161	-706	220	373	-293	164	091	-1.102
220	219	-071	086	219	-3.62	220	324	-220	146	268	-924	220	374	-238	144	148	-984
220	220	-081	088	193	-3.97	220	325	-179	128	212	-612	220	375	-209	136	185	-841
220	221	-096	089	180	-4.77	220	326	-180	128	204	-633	220	376	-226	152	254	-800
220	222	-100	094	265	-4.51	220	327	-216	098	099	-620	220	377	-180	142	206	-767
220	223	-110	117	356	-6.37	220	328	-214	116	159	-705	220	378	-163	143	346	-991
220	224	-122	102	226	-4.93	220	329	-192	112	172	-562	220	379	-127	123	287	-547
220	225	-125	099	233	-7.32	220	330	-189	111	172	-550	220	380	-084	120	272	-526
220	226	-144	106	183	-7.95	220	331	-200	097	124	-594	220	381	-109	115	269	-563
220	227	-136	102	173	-6.44	220	332	-213	116	146	-650	220	382	-086	120	337	-521
220	228	-065	087	240	-3.90	220	333	-216	122	133	-777	220	383	-049	111	339	-484
220	229	-063	083	232	-3.40	220	334	-210	136	202	-870	220	384	-039	111	348	-384
220	230	-060	090	233	-4.32	220	335	-201	118	222	-676	220	385	-054	118	332	-489
220	231	-064	090	256	-4.40	220	336	-215	130	201	-803	220	386	-120	131	260	-963
220	232	-074	085	299	-3.34	220	337	-210	132	224	-796	220	387	-108	122	289	-578
220	233	-080	109	286	-4.52	220	338	-223	102	087	-575	220	388	-088	109	297	-440
220	234	-091	104	293	-4.45	220	339	-233	126	142	-700	220	389	-068	119	393	-449
220	235	-099	108	284	-5.83	220	340	-225	127	161	-705	220	390	-052	115	282	-471
220	236	-111	105	236	-5.66	220	341	-197	105	126	-553	220	391	-104	112	265	-530
220	237	-057	102	277	-4.02	220	342	-191	130	249	-849	220	392	-099	117	287	-519
220	238	-052	100	286	-3.93	220	343	-194	140	300	-1.184	220	393	-088	122	319	-501
220	239	-062	103	291	-4.19	220	344	-281	115	108	-735	220	394	-068	121	331	-546
220	240	-062	107	298	-4.68	220	345	-274	138	201	-799	220	395	-044	118	390	-468
220	241	-053	110	277	-4.19	220	346	-271	138	217	-779	220	396	-046	120	455	-477
220	242	-063	105	361	-4.84	220	347	-285	115	120	-766	220	397	-045	114	347	-495
220	243	-062	102	338	-3.90	220	348	-235	134	223	-748	220	398	-064	109	277	-395
220	244	-060	108	261	-3.97	220	349	-184	131	370	-913	220	401	-535	197	284	-210
220	245	-077	103	295	-3.90	220	350	-178	113	169	-592	220	402	-297	180	877	-340
220	301	-200	099	146	-5.08	220	351	-173	138	284	-696	220	403	-229	244	402	-924
220	302	-204	111	173	-6.98	220	352	-365	168	071	-1.174	220	404	-108	217	460	-882
220	303	-180	113	206	-6.31	220	353	-350	134	063	-976	220	405	-015	148	512	-949
220	304	-180	120	184	-5.70	220	354	-338	167	149	-1.101	220	406	-000	107	442	-540
220	305	-204	119	222	-6.77	220	355	-270	165	230	-1.016	220	407	-020	096	327	-378
220	306	-191	112	146	-6.68	220	356	-150	134	253	-638	220	408	-094	128	449	-575
220	307	-194	126	181	-7.25	220	357	-118	101	234	-569	220	409	-028	108	343	-385
220	308	-203	122	262	-6.48	220	358	-099	118	340	-623	220	410	-043	113	389	-468
220	309	-203	115	196	-6.14	220	359	-097	120	354	-616	220	411	-155	120	303	-556
220	310	-195	109	237	-7.23	220	360	-433	176	025	-1.037	220	412	-074	115	303	-457
220	311	-180	115	165	-6.16	220	361	-406	183	036	-1.310	220	413	-122	108	227	-463
220	312	-196	117	162	-6.36	220	362	-221	115	115	-668	220	414	-562	260	442	-873
220	313	-218	115	160	-6.94	220	363	-336	167	069	-1.098	220	415	-322	241	990	-734
220	314	-223	117	152	-7.01	220	364	-255	134	249	-1.012	220	416	-229	299	603	-1.506
220	315	-238	128	194	-7.64	220	365	-194	107	194	-782	220	417	-041	213	459	-1.342

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
220	418	016	106	396	489	220	468	455	216	110	815	220	518	070	163	675	530
220	419	070	118	445	489	220	469	081	229	780	830	220	519	075	160	702	432
220	420	070	104	296	540	220	470	157	187	747	762	220	520	101	168	825	387
220	421	071	116	350	452	220	471	148	182	676	942	220	521	073	151	611	474
220	422	173	093	121	548	220	472	144	159	610	529	220	522	087	144	613	432
220	423	340	219	117	721	220	473	115	124	550	381	220	523	016	120	461	355
220	424	401	226	066	330	220	474	077	115	467	310	220	524	027	116	406	407
220	425	056	261	832	966	220	475	035	130	492	683	220	525	056	112	400	371
220	426	025	242	751	934	220	476	002	115	436	420	220	526	121	112	360	692
220	427	033	183	560	851	220	477	046	117	411	606	220	527	234	150	347	026
220	428	077	142	555	398	220	478	096	115	264	532	220	528	040	170	825	618
220	429	039	124	482	350	220	479	135	111	332	513	220	529	061	165	866	623
220	430	013	115	359	431	220	480	254	295	234	444	220	530	071	162	836	582
220	431	000	118	384	416	220	481	322	281	193	446	220	531	047	183	019	635
220	432	044	108	308	429	220	482	161	278	006	959	220	532	020	166	720	772
220	433	084	113	374	427	220	483	169	274	840	992	220	533	197	196	493	209
220	434	109	116	279	544	220	484	138	183	857	756	220	534	250	207	303	492
220	435	127	113	203	496	220	485	117	146	595	518	220	535	042	130	502	621
220	436	484	241	405	610	220	486	114	135	674	457	220	536	026	127	413	474
220	437	351	229	028	630	220	487	048	132	560	399	220	537	017	127	432	429
220	438	075	246	830	984	220	488	005	121	423	438	220	538	072	149	702	431
220	439	010	258	696	123	220	489	112	124	296	588	220	539	044	135	668	428
220	440	021	114	392	413	220	490	196	132	182	670	220	540	016	112	460	368
220	441	001	098	358	309	220	491	136	252	106	195	220	541	032	137	512	494
220	442	067	106	329	457	220	492	196	269	106	849	220	542	117	137	385	704
220	443	096	118	308	506	220	493	132	251	897	793	220	543	081	114	290	454
220	444	183	121	158	709	220	494	170	220	892	670	220	544	322	118	145	835
220	445	335	234	239	589	220	495	148	221	865	588	220	601	141	125	320	585
220	446	448	189	038	589	220	496	130	176	643	791	220	602	046	141	481	679
220	447	063	269	950	906	220	497	092	157	670	455	220	603	055	280	698	336
220	448	090	245	798	933	220	498	074	155	608	457	220	604	126	354	772	394
220	449	093	198	660	924	220	499	042	130	532	398	220	605	272	141	245	712
220	450	115	151	615	357	220	500	023	127	415	481	220	606	085	150	510	609
220	451	072	132	493	452	220	501	071	120	346	511	220	607	310	148	281	876
220	452	039	121	425	494	220	502	156	130	248	590	220	608	240	132	187	664
220	453	018	123	424	510	220	503	220	129	181	826	220	609	149	137	492	580
220	454	029	112	457	390	220	504	062	176	828	884	220	610	063	135	498	522
220	455	038	123	534	469	220	505	084	202	986	685	220	611	050	158	600	468
220	456	107	111	265	919	220	506	111	214	900	618	220	612	161	237	850	974
220	457	134	115	280	560	220	507	092	184	656	608	220	613	142	282	981	009
220	458	516	274	323	169	220	508	099	171	789	391	220	614	009	320	779	937
220	459	382	195	988	276	220	509	058	147	549	371	220	615	250	128	149	694
220	460	001	260	779	182	220	510	051	141	620	405	220	616	134	128	289	490
220	461	082	237	714	964	220	511	012	125	418	455	220	617	312	140	228	939
220	462	064	107	408	387	220	512	058	117	334	521	220	618	238	105	105	643
220	463	035	099	420	274	220	513	185	123	227	647	220	619	154	127	265	585
220	464	031	093	321	347	220	514	241	139	191	797	220	620	092	131	365	506
220	465	083	103	279	451	220	515	060	148	828	730	220	621	164	252	993	693
220	466	179	108	127	603	220	516	043	163	012	482	220	622	174	227	900	968
220	467	482	204	157	385	220	517	065	179	767	671	220	623	085	341	262	135

MD	TAP	CPMEAN	CPRMS	CPHAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPHAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPHAX	CPMIN
220	625	-243	135	251	-775	220	675	-055	111	414	-468	220	923	-064	133	340	-546
220	626	-148	131	464	-577	220	676	-058	119	357	-527	220	924	-021	137	439	-518
220	627	-250	126	112	-643	220	677	-072	125	310	-587	220	925	-020	149	470	-788
220	628	-213	143	256	-677	220	678	-101	136	289	-954	220	926	-014	159	388	-619
220	629	-168	138	304	-593	220	679	-119	145	367	-823	220	927	-025	141	575	-528
220	630	-116	136	385	-581	220	680	-068	118	286	-487	220	928	-002	122	382	-497
220	631	-017	117	435	-426	220	681	-066	111	376	-465	220	929	-001	167	601	-581
220	632	-102	172	846	-418	220	682	-072	110	248	-495	220	930	-097	175	803	-413
220	633	-112	277	122	-946	220	683	-057	110	310	-386	220	931	-057	174	1005	-630
220	634	-211	270	228	-958	220	684	-046	111	342	-461	220	932	-016	153	627	-1099
220	635	-137	251	949	-794	220	685	-044	106	270	-515	230	101	-186	108	193	-605
220	636	-215	135	218	-717	220	686	-048	111	376	-402	230	102	-178	106	169	-569
220	637	-159	130	301	-605	220	687	-072	128	300	-707	230	103	-183	112	209	-609
220	638	-105	105	275	-605	220	688	-087	136	339	-784	230	104	-199	104	143	-629
220	639	-029	134	526	-510	220	701	-077	138	370	-650	230	105	-191	111	142	-655
220	640	-029	156	668	-633	220	702	-049	120	324	-438	230	106	-219	110	137	-792
220	641	-004	197	582	-993	220	703	-055	122	425	-483	230	107	-265	135	130	-775
220	642	-126	339	839	-217	220	704	-054	119	375	-513	230	108	-305	161	157	-1004
220	643	-159	337	910	-322	220	705	-062	120	312	-506	230	109	-358	172	148	-1281
220	644	-260	135	125	-776	220	706	-076	106	319	-431	230	110	-455	207	183	-1309
220	645	-189	142	219	-657	220	707	-083	145	430	-749	230	111	-603	223	111	-1425
220	646	-127	128	318	-623	220	708	-063	110	300	-414	230	112	-665	219	-005	-1489
220	647	-099	097	255	-410	220	709	-106	114	264	-528	230	113	-715	230	-040	-1740
220	648	-050	135	703	-594	220	710	-075	120	307	-490	230	114	-202	123	199	-723
220	649	-121	230	643	-147	220	801	-044	165	829	-458	230	115	-201	118	153	-634
220	650	-217	230	533	-1404	220	802	-066	143	581	-769	230	116	-203	129	271	-618
220	651	-223	270	708	-1643	220	803	-022	136	556	-533	230	117	-166	127	200	-622
220	652	-194	136	182	-846	220	804	-022	103	371	-459	230	118	-225	149	304	-776
220	653	-183	100	172	-555	220	901	-177	111	173	-617	230	119	-242	155	216	-799
220	654	-132	116	245	-487	220	902	-247	110	124	-658	230	120	-493	198	125	-1249
220	655	-088	119	301	-459	220	903	-087	102	202	-537	230	121	-590	235	013	-1538
220	656	-087	137	315	-718	220	904	-134	109	202	-570	230	122	-647	169	-165	-1270
220	657	-169	159	272	-1267	220	905	-082	110	239	-509	230	123	-196	138	220	-725
220	658	-213	218	436	-1166	220	906	-206	123	178	-700	230	124	-230	153	276	-906
220	659	-213	212	458	-1175	220	907	-265	126	122	-684	230	125	-185	140	331	-710
220	660	-128	113	219	-557	220	908	-087	091	268	-403	230	126	-181	144	329	-816
220	661	-109	106	230	-524	220	909	-435	135	037	-1088	230	127	-168	145	256	-654
220	662	-087	110	349	-452	220	910	-518	155	037	-1132	230	128	-160	145	242	-853
220	663	-086	112	370	-526	220	911	-352	140	051	-912	230	129	-201	156	382	-774
220	664	-083	118	392	-575	220	912	-287	196	931	-484	230	130	-269	189	270	-1236
220	665	-101	143	356	-750	220	913	-071	125	449	-486	230	131	-295	184	301	-1030
220	666	-127	174	414	-1063	220	914	-530	172	038	-1324	230	132	-488	241	200	-1243
220	667	-146	187	433	-1567	220	915	-359	263	134	-1723	230	133	-530	215	251	-1252
220	668	-143	178	706	-1133	220	916	-360	184	159	-1065	230	134	-588	216	181	-1567
220	669	-186	237	496	-1857	220	917	-153	104	156	-718	230	135	-584	209	-012	-1434
220	670	-168	195	501	-1254	220	918	-062	104	488	-260	230	136	-229	135	189	-720
220	671	-081	106	230	-442	220	919	-294	127	071	-755	230	137	-239	149	205	-1023
220	672	-077	110	265	-432	220	920	-034	096	315	-386	230	138	-190	127	226	-668
220	673	-060	116	290	-386	220	921	-078	094	218	-382	230	139	-141	122	230	-626
220	674	-057	114	334	-450	220	922	-199	107	137	-597	230	140	-166	141	328	-773

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
2330	141	244	135	194	811	2330	191	117	127	293	865	2330	241	044	113	321	449
2330	142	509	226	168	312	2330	192	107	128	300	669	2330	242	052	106	318	436
2330	143	556	234	158	369	2330	193	104	129	328	729	2330	243	055	108	473	353
2330	144	575	221	180	803	2330	194	108	126	382	609	2330	244	056	104	341	396
2330	145	213	138	264	712	2330	195	098	128	326	764	2330	245	060	091	263	479
2330	146	204	114	121	820	2330	196	108	140	466	794	2330	301	128	101	211	472
2330	147	188	133	348	711	2330	197	142	164	363	907	2330	302	138	109	245	521
2330	148	202	154	254	003	2330	198	160	169	308	016	2330	303	120	110	215	566
2330	149	179	147	195	950	2330	199	199	195	363	1	2330	304	136	125	271	516
2330	150	191	160	259	009	2330	200	268	220	345	533	2330	305	145	113	235	598
2330	151	239	190	248	127	2330	201	288	197	242	1	2330	306	143	114	236	621
2330	152	303	228	354	462	2330	202	295	200	145	461	2330	307	139	112	220	555
2330	153	312	199	277	198	2330	203	293	186	199	1	2330	308	143	112	263	570
2330	154	388	212	236	085	2330	204	093	120	308	599	2330	309	148	112	232	501
2330	155	454	196	244	127	2330	205	083	114	257	562	2330	310	134	111	265	496
2330	156	521	200	026	290	2330	206	081	113	279	853	2330	311	127	105	227	486
2330	157	481	198	041	283	2330	207	083	113	56	613	2330	312	136	109	186	542
2330	158	196	128	156	766	2330	208	083	117	17	744	2330	313	144	100	156	467
2330	159	194	111	166	619	2330	209	117	129	13	687	2330	314	163	113	219	587
2330	160	170	122	207	742	2330	210	117	123	251	581	2330	315	177	124	237	723
2330	161	145	129	323	834	2330	211	138	138	280	823	2330	316	142	109	264	511
2330	162	223	150	279	913	2330	212	186	161	309	030	2330	317	137	111	265	521
2330	163	241	136	143	750	2330	213	213	169	192	078	2330	318	133	124	233	594
2330	164	364	159	080	936	2330	214	216	175	201	249	2330	319	137	095	123	461
2330	165	437	152	066	997	2330	215	054	087	244	337	2330	320	133	110	172	490
2330	166	467	160	065	964	2330	216	066	085	260	358	2330	321	126	110	168	482
2330	167	181	116	162	717	2330	217	063	086	227	353	2330	322	139	112	212	502
2330	168	176	142	243	758	2330	218	067	086	244	351	2330	323	143	096	161	469
2330	169	165	123	244	802	2330	219	060	091	267	388	2330	324	152	122	236	650
2330	170	166	127	171	795	2330	220	071	088	191	388	2330	325	133	111	290	541
2330	171	192	156	159	152	2330	221	076	091	306	376	2330	326	134	111	275	470
2330	172	194	144	188	088	2330	222	082	092	227	601	2330	327	165	101	146	588
2330	173	246	172	260	324	2330	223	089	103	282	557	2330	328	172	123	214	703
2330	174	277	174	161	093	2330	224	107	097	177	553	2330	329	145	116	224	588
2330	175	284	206	419	225	2330	225	112	099	207	527	2330	330	144	114	215	583
2330	176	365	207	188	201	2330	226	111	097	236	586	2330	331	136	092	140	518
2330	177	389	195	181	344	2330	227	110	092	172	550	2330	332	147	112	191	533
2330	178	405	198	212	217	2330	228	064	087	255	350	2330	333	138	115	226	536
2330	179	441	203	177	708	2330	229	054	083	219	320	2330	334	136	122	238	625
2330	180	152	141	265	842	2330	230	055	091	283	332	2330	335	133	102	144	653
2330	181	163	138	247	862	2330	231	060	083	204	346	2330	336	181	123	152	665
2330	182	131	128	333	557	2330	232	067	091	253	344	2330	337	175	124	171	653
2330	183	121	132	280	706	2330	233	063	103	263	326	2330	338	173	097	123	552
2330	184	140	157	419	030	2330	234	079	105	332	339	2330	339	176	120	204	735
2330	185	187	183	373	911	2330	235	069	105	284	417	2330	340	152	112	175	620
2330	186	217	192	361	854	2330	236	082	088	210	451	2330	341	134	093	190	454
2330	187	260	230	391	244	2330	237	045	108	312	443	2330	342	136	119	261	641
2330	188	308	218	314	344	2330	238	056	104	272	410	2330	343	134	129	249	821
2330	189	378	194	261	295	2330	239	051	106	369	424	2330	344	218	111	093	732
2330	190	368	185	147	238	2330	240	055	103	275	397	2330	345	210	136	183	879

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
230	346	- .205	.136	.183	- .766	230	396	- .042	.102	.350	- .341	230	448	- .286	.265	.706	-1.233
230	347	- .196	.111	.140	- .765	230	397	- .046	.091	.246	- .355	230	449	- .209	.295	.518	-1.217
230	348	- .134	.120	.211	- .662	230	398	- .060	.108	.360	- .452	230	450	- .107	.207	.506	-1.060
230	349	- .100	.112	.326	- .346	230	401	- .295	.259	1.060	-1.226	230	451	- .069	.166	.436	- .774
230	350	- .104	.092	.241	- .514	230	402	- .033	.178	.651	- .791	230	452	- .085	.137	.400	- .767
230	351	- .102	.114	.310	- .612	230	403	- .515	.196	.224	-1.373	230	453	- .080	.123	.329	- .520
230	352	- .188	.125	.203	- .724	230	404	- .462	.227	.206	-1.427	230	454	- .095	.118	.258	- .602
230	353	- .200	.116	.192	- .750	230	405	- .260	.198	.407	- .915	230	455	- .091	.119	.372	- .527
230	354	- .182	.139	.348	- .861	230	406	- .137	.156	.310	- .863	230	456	- .126	.115	.216	- .642
230	355	- .125	.128	.312	- .581	230	407	- .098	.116	.245	- .594	230	457	- .122	.114	.240	- .625
230	355	- .086	.119	.319	- .495	230	408	- .126	.142	.471	- .752	230	458	- .282	.369	1.277	-1.791
230	355	- .077	.106	.250	- .446	230	409	- .080	.131	.373	- .599	230	459	- .075	.208	.815	- .672
230	358	- .072	.120	.310	- .486	230	410	- .083	.121	.320	- .548	230	460	- .382	.302	.701	-1.493
230	359	- .065	.123	.314	- .518	230	411	- .117	.115	.309	- .526	230	461	- .271	.295	.554	-1.392
230	360	- .141	.112	.237	- .637	230	412	- .092	.117	.338	- .473	230	462	- .074	.112	.268	- .525
230	361	- .127	.096	.178	- .587	230	413	- .099	.121	.320	- .492	230	463	- .059	.104	.267	- .410
230	362	- .089	.086	.168	- .436	230	414	- .323	.231	1.308	-1.174	230	464	- .073	.108	.277	- .439
230	363	- .111	.099	.241	- .526	230	415	- .026	.299	.903	-1.301	230	465	- .064	.091	.211	- .398
230	364	- .099	.089	.175	- .425	230	416	- .538	.258	.291	-1.573	230	466	- .141	.099	.184	- .570
230	365	- .074	.087	.195	- .486	230	417	- .372	.254	.289	-1.320	230	467	- .215	.269	1.052	-1.376
230	366	- .112	.088	.207	- .452	230	418	- .097	.123	.278	- .590	230	468	- .141	.211	1.119	-1.437
230	367	- .054	.085	.266	- .358	230	419	- .107	.128	.322	- .534	230	469	- .394	.302	.370	-1.510
230	368	- .049	.082	.213	- .327	230	420	- .082	.109	.260	- .472	230	470	- .297	.276	.470	-1.186
230	369	- .046	.081	.273	- .357	230	421	- .056	.112	.318	- .574	230	471	- .258	.280	.468	-1.426
230	370	- .050	.078	.198	- .298	230	422	- .130	.090	.130	- .472	230	472	- .142	.193	.365	-1.089
230	371	- .141	.104	.139	- .930	230	423	- .279	.312	1.168	-1.239	230	473	- .096	.135	.346	- .805
230	372	- .138	.108	.227	-1.097	230	424	- .094	.219	.872	- .765	230	474	- .090	.129	.415	- .623
230	373	- .125	.099	.173	- .572	230	425	- .373	.226	.467	-1.246	230	475	- .086	.131	.331	- .639
230	374	- .094	.091	.268	- .453	230	426	- .336	.244	.420	-1.323	230	476	- .093	.121	.312	- .572
230	375	- .092	.108	.257	- .502	230	427	- .250	.268	.551	-1.388	230	477	- .101	.128	.508	- .646
230	376	- .089	.115	.325	- .492	230	428	- .124	.185	.441	- .947	230	478	- .133	.116	.241	- .607
230	377	- .086	.101	.250	- .462	230	429	- .096	.138	.306	- .754	230	479	- .126	.121	.263	- .614
230	378	- .110	.117	.260	- .677	230	430	- .088	.125	.336	- .636	230	480	- .007	.328	1.071	-1.844
230	379	- .092	.105	.400	- .535	230	431	- .069	.120	.343	- .582	230	481	- .045	.227	.863	-1.555
230	380	- .068	.097	.271	- .365	230	432	- .081	.113	.298	- .488	230	482	- .231	.340	.957	-1.735
230	381	- .068	.099	.293	- .415	230	433	- .079	.106	.331	- .453	230	483	- .245	.300	.623	-1.616
230	382	- .058	.103	.320	- .459	230	434	- .127	.120	.283	- .560	230	484	- .110	.210	.433	- .898
230	383	- .048	.100	.345	- .420	230	435	- .120	.112	.254	- .490	230	485	- .059	.168	.505	- .885
230	384	- .035	.098	.263	- .455	230	436	- .284	.368	1.354	-1.667	230	486	- .057	.146	.471	- .625
230	385	- .041	.101	.333	- .393	230	437	- .034	.273	1.023	-1.111	230	487	- .070	.136	.424	- .597
230	386	- .083	.102	.255	- .462	230	438	- .393	.257	.442	-1.629	230	488	- .091	.123	.314	- .567
230	387	- .075	.105	.327	- .554	230	439	- .333	.278	.488	-1.298	230	489	- .141	.129	.375	- .679
230	388	- .067	.095	.256	- .363	230	440	- .075	.130	.335	- .555	230	490	- .166	.125	.269	- .686
230	389	- .052	.105	.308	- .407	230	441	- .093	.102	.268	- .468	230	491	- .110	.247	.676	-1.518
230	390	- .050	.105	.303	- .373	230	442	- .085	.101	.253	- .547	230	492	- .104	.202	.764	-1.044
230	391	- .073	.099	.293	- .459	230	443	- .088	.114	.318	- .468	230	493	- .152	.212	.842	-1.545
230	392	- .062	.101	.313	- .479	230	444	- .149	.113	.217	- .543	230	494	- .151	.212	.641	-1.170
230	393	- .054	.096	.347	- .345	230	445	- .271	.339	1.116	-1.634	230	495	- .105	.186	.595	- .926
230	394	- .048	.112	.315	- .395	230	446	- .145	.195	.886	-1.549	230	496	- .074	.144	.504	- .649
230	395	- .051	.098	.280	- .419	230	447	- .363	.271	.508	-1.644	230	497	- .074	.136	.425	- .604

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
2330	498	065	128	400	539	2330	605	222	261	1011	-1067	2330	655	088	112	290	561
2330	499	072	125	462	541	2330	606	276	144	195	-748	2330	656	078	116	356	526
2330	500	088	142	404	623	2330	607	028	134	419	-468	2330	657	109	105	328	679
2330	501	116	123	322	669	2330	608	319	163	381	-920	2330	658	088	147	508	1013
2330	502	152	129	295	683	2330	609	208	151	554	-796	2330	659	100	156	409	979
2330	503	170	130	220	664	2330	610	105	140	487	-562	2330	660	113	110	314	486
2330	504	092	155	640	128	2330	611	014	147	515	-555	2330	661	096	107	215	643
2330	505	087	141	436	810	2330	612	165	198	877	-462	2330	662	094	111	323	465
2330	506	104	153	509	270	2330	613	292	214	1052	-570	2330	663	092	106	307	811
2330	507	087	148	571	721	2330	614	320	220	1118	-852	2330	664	090	118	431	507
2330	508	063	121	481	458	2330	615	400	282	1169	-776	2330	665	072	129	572	527
2330	509	063	118	404	530	2330	616	249	145	709	-756	2330	666	067	138	508	603
2330	510	064	120	415	464	2330	617	103	146	673	-584	2330	667	087	144	597	657
2330	511	070	110	295	529	2330	618	279	151	3307	-770	2330	668	087	134	565	547
2330	512	087	108	276	465	2330	619	226	113	595	-582	2330	669	079	152	574	784
2330	513	132	118	264	639	2330	620	126	135	353	-494	2330	670	098	151	464	923
2330	514	140	116	230	658	2330	621	058	140	430	-494	2330	671	069	106	360	430
2330	515	068	134	474	961	2330	622	328	238	1047	-454	2330	672	064	108	328	444
2330	516	064	119	359	522	2330	623	346	191	871	-572	2330	673	052	115	345	495
2330	517	068	136	426	809	2330	624	398	281	1102	-725	2330	674	066	110	267	476
2330	518	067	121	346	642	2330	625	237	141	380	-823	2330	675	064	125	452	459
2330	519	042	135	553	496	2330	626	126	139	538	-721	2330	676	062	116	421	427
2330	520	044	121	577	421	2330	627	281	130	181	-810	2330	677	068	107	369	518
2330	521	038	106	359	448	2330	628	201	148	439	-755	2330	678	082	117	318	488
2330	522	035	114	407	395	2330	629	140	142	432	-696	2330	679	087	128	354	747
2330	523	032	107	330	378	2330	630	088	140	454	-624	2330	680	054	105	316	432
2330	524	034	115	313	408	2330	631	005	124	490	-445	2330	681	057	103	311	427
2330	525	038	102	273	474	2330	632	186	185	866	-472	2330	682	055	100	320	392
2330	526	064	113	296	454	2330	633	354	261	1204	-644	2330	683	047	107	316	433
2330	527	092	106	249	477	2330	634	398	267	233	-726	2330	684	048	108	340	396
2330	528	031	131	705	775	2330	635	389	273	185	-909	2330	685	050	106	296	424
2330	529	024	119	463	506	2330	636	268	160	201	-1004	2330	686	057	111	318	421
2330	530	015	117	600	414	2330	637	182	151	294	-848	2330	687	050	123	384	522
2330	531	026	131	743	450	2330	638	108	112	342	-532	2330	688	076	135	404	567
2330	532	033	129	697	575	2330	639	037	139	564	-577	2330	701	061	117	314	620
2330	533	133	128	331	201	2330	640	038	157	716	-565	2330	702	067	104	369	392
2330	534	115	118	261	882	2330	641	078	163	724	-541	2330	703	058	106	374	427
2330	535	059	120	381	525	2330	642	124	246	945	-1160	2330	704	053	111	305	447
2330	536	060	115	320	511	2330	643	119	278	1072	-1139	2330	705	049	106	334	421
2330	537	023	108	387	361	2330	644	233	128	121	-845	2330	706	062	092	231	394
2330	538	011	117	353	320	2330	645	156	135	240	-795	2330	707	065	114	317	520
2330	539	010	115	377	339	2330	646	104	120	294	-709	2330	708	052	108	352	369
2330	540	083	090	298	399	2330	647	113	099	256	-481	2330	709	090	103	253	483
2330	541	063	115	377	399	2330	648	046	129	454	-506	2330	710	061	104	349	472
2330	542	105	105	269	466	2330	649	024	155	696	-776	2330	801	050	121	559	434
2330	543	080	102	306	455	2330	650	049	164	621	-871	2330	802	028	116	397	644
2330	601	283	124	191	712	2330	651	043	216	775	-924	2330	803	063	111	394	521
2330	602	164	141	501	593	2330	652	158	126	227	-708	2330	804	075	092	251	352
2330	603	064	139	613	452	2330	653	157	093	158	-623	2330	901	129	115	272	585
2330	604	119	165	778	661	2330	654	108	109	273	-561	2330	902	166	103	179	488

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
230	903	-027	102	308	-400	240	121	-424	222	188	-1151	240	171	-111	108	198	-1127
230	904	-050	095	297	-410	240	122	-468	199	198	-1334	240	172	-103	108	240	-590
230	905	-031	100	335	-387	240	123	-120	118	263	-526	240	173	-135	137	228	-816
230	906	-102	111	267	-673	240	124	-135	127	264	-625	240	174	-139	124	205	-1018
230	907	-243	162	313	-890	240	125	-107	125	321	-580	240	175	-143	166	439	-1206
230	908	-053	112	387	-482	240	126	-120	121	287	-750	240	176	-196	174	375	-915
230	909	-475	168	115	-336	240	127	-118	123	292	-586	240	177	-267	216	284	-1386
230	910	-358	179	046	-1165	240	128	-103	129	388	-654	240	178	-312	229	300	-1379
230	911	-499	150	146	-1030	240	129	-123	144	368	-871	240	179	-344	244	253	-1510
230	912	-108	253	825	-1072	240	130	-154	171	415	-1193	240	180	-116	126	335	-665
230	913	-031	173	486	-967	240	131	-183	172	365	-1309	240	181	-126	125	256	-617
230	914	-524	221	052	-1386	240	132	-238	212	295	-1142	240	182	-099	116	279	-614
230	915	-800	387	-040	-2832	240	133	-332	203	285	-1157	240	183	-090	115	325	-514
230	916	-106	152	300	-760	240	134	-394	234	329	-1193	240	184	-085	133	346	-721
230	917	-120	103	202	-803	240	135	-413	216	219	-1337	240	185	-095	147	612	-745
230	918	-036	112	372	-466	240	136	-130	127	370	-664	240	186	-105	140	454	-768
230	919	-115	120	260	-512	240	137	-136	125	232	-652	240	187	-133	166	304	-1071
230	920	-066	091	342	-407	240	138	-117	121	262	-514	240	188	-194	210	430	-1165
230	921	-062	098	279	-479	240	139	-101	117	335	-632	240	189	-239	208	272	-1283
230	922	-091	114	346	-542	240	140	-108	136	325	-682	240	190	-242	188	218	-1395
230	923	-059	104	344	-381	240	141	-152	126	222	-936	240	191	-113	118	253	-850
230	924	-032	113	357	-411	240	142	-252	199	357	-1037	240	192	-095	120	243	-659
230	925	-061	119	394	-901	240	143	-334	212	451	-1180	240	193	-087	113	258	-484
230	926	-071	127	422	-562	240	144	-441	236	745	-1568	240	194	-076	114	327	-467
230	927	-045	115	330	-423	240	145	-119	129	290	-651	240	195	-067	115	372	-475
230	928	-089	100	252	-457	240	146	-140	100	152	-586	240	196	-075	116	339	-586
230	929	-073	126	371	-538	240	147	-118	131	287	-690	240	197	-086	120	352	-729
230	930	-035	123	434	-454	240	148	-110	141	366	-905	240	198	-087	131	332	-651
230	931	-058	135	549	-745	240	149	-118	121	265	-940	240	199	-106	140	344	-890
230	932	-066	148	541	-884	240	150	-109	147	318	-725	240	200	-123	150	310	-1108
240	101	-138	109	222	-568	240	151	-120	156	396	-877	240	201	-155	160	344	-957
240	102	-137	108	229	-778	240	152	-138	166	346	-1139	240	202	-153	163	371	-947
240	103	-127	103	222	-565	240	153	-160	181	313	-1512	240	203	-185	168	235	-970
240	104	-119	110	319	-804	240	154	-217	179	344	-1046	240	204	-092	117	278	-688
240	105	-135	109	185	-580	240	155	-280	211	368	-1342	240	205	-085	114	295	-562
240	106	-133	119	307	-727	240	156	-325	217	535	-1191	240	206	-074	109	391	-465
240	107	-140	133	303	-714	240	157	-360	201	191	-1069	240	207	-068	107	268	-448
240	108	-178	154	322	-834	240	158	-117	119	295	-581	240	208	-062	111	278	-534
240	109	-177	181	347	-1035	240	159	-141	099	146	-572	240	209	-073	108	322	-499
240	110	-280	193	276	-1003	240	160	-118	123	265	-576	240	210	-070	110	337	-529
240	111	-409	231	157	-1292	240	161	-086	125	316	-525	240	211	-082	107	297	-467
240	112	-466	247	257	-1505	240	162	-121	115	242	-668	240	212	-087	114	377	-577
240	113	-528	213	215	-1486	240	163	-125	116	254	-612	240	213	-121	134	243	-870
240	114	-144	132	289	-673	240	164	-202	146	209	-873	240	214	-130	132	225	-1021
240	115	-151	126	208	-527	240	165	-283	160	272	-982	240	215	-054	092	238	-431
240	116	-121	125	262	-599	240	166	-338	157	186	-966	240	216	-060	085	263	-362
240	117	-097	115	279	-638	240	167	-130	106	207	-630	240	217	-077	084	212	-367
240	118	-121	135	358	-786	240	168	-113	125	270	-736	240	218	-061	091	251	-349
240	119	-140	140	359	-652	240	169	-113	101	285	-847	240	219	-057	083	310	-351
240	120	-290	194	319	-1033	240	170	-118	107	299	-604	240	220	-056	083	224	-374

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
240	221	060	090	251	369	240	326	105	114	264	464	240	376	046	094	256	338
240	222	063	089	235	396	240	327	111	091	205	412	240	377	051	100	316	359
240	223	067	097	208	384	240	328	107	110	301	458	240	378	080	100	239	456
240	224	066	094	213	374	240	329	088	107	312	425	240	379	054	096	321	418
240	225	072	091	249	410	240	330	092	106	290	437	240	380	056	098	251	436
240	226	074	099	361	453	240	331	103	095	200	469	240	381	082	101	251	453
240	227	073	092	274	460	240	332	096	108	237	506	240	382	053	099	267	436
240	228	063	091	235	428	240	333	088	110	252	450	240	383	050	095	227	407
240	229	048	086	219	461	240	334	089	115	253	555	240	384	050	106	256	485
240	230	055	099	253	465	240	335	102	095	194	586	240	385	056	099	299	535
240	231	062	092	292	339	240	336	136	112	193	501	240	386	053	096	258	412
240	232	055	089	244	381	240	337	139	115	232	504	240	387	053	100	265	376
240	233	050	106	288	529	240	338	135	102	245	488	240	388	053	096	287	348
240	234	054	099	356	429	240	339	117	118	289	525	240	389	053	097	333	430
240	235	061	101	306	386	240	340	104	113	356	500	240	390	052	112	333	424
240	236	061	085	328	353	240	341	093	089	179	393	240	391	058	109	306	453
240	237	053	095	325	431	240	342	090	111	271	536	240	392	052	104	343	389
240	238	047	097	306	404	240	343	094	115	293	601	240	393	050	100	313	371
240	239	049	107	279	443	240	344	112	106	185	520	240	394	047	094	249	369
240	240	048	104	352	386	240	345	104	129	255	547	240	395	053	101	327	361
240	241	049	108	277	416	240	346	099	126	251	500	240	396	047	100	252	431
240	242	044	111	327	424	240	347	083	097	249	499	240	397	046	099	262	412
240	243	046	103	321	345	240	348	066	106	286	451	240	398	062	094	216	382
240	244	041	120	351	332	240	349	071	107	280	401	240	401	069	286	773	472
240	245	048	103	333	423	240	350	085	092	224	410	240	402	127	152	376	967
240	301	093	092	198	423	240	351	083	112	282	573	240	403	493	162	019	183
240	302	108	112	302	504	240	352	071	107	320	430	240	404	463	195	077	167
240	303	100	124	362	533	240	353	077	088	188	412	240	405	361	187	251	169
240	304	102	124	284	558	240	354	062	105	273	499	240	406	225	148	201	135
240	305	106	122	327	598	240	355	059	103	254	414	240	407	153	123	242	652
240	306	103	111	240	551	240	356	066	103	250	394	240	408	154	141	389	776
240	307	108	117	285	551	240	357	079	085	188	387	240	409	132	128	378	718
240	308	124	120	288	500	240	358	076	104	260	559	240	410	101	120	302	680
240	309	112	115	274	444	240	359	081	106	264	560	240	411	106	121	304	741
240	310	099	107	370	521	240	360	052	084	213	378	240	412	099	116	261	564
240	311	092	109	303	554	240	361	052	083	233	358	240	413	097	106	226	528
240	312	101	108	193	520	240	362	060	083	213	385	240	414	110	361	946	693
240	313	100	110	243	534	240	363	058	082	213	372	240	415	217	226	510	200
240	314	113	112	243	541	240	364	056	078	197	309	240	416	508	250	171	572
240	315	109	112	279	555	240	365	053	084	196	321	240	417	425	220	269	225
240	316	101	110	259	511	240	366	063	077	151	321	240	418	147	130	302	694
240	317	096	111	277	492	240	367	049	079	221	377	240	419	130	126	308	542
240	318	115	114	264	534	240	368	066	081	194	363	240	420	089	113	306	516
240	319	115	101	241	536	240	369	058	085	208	372	240	421	068	114	344	502
240	320	101	115	293	495	240	370	073	087	202	457	240	422	100	101	253	548
240	321	098	114	291	469	240	371	069	084	162	360	240	423	035	360	955	554
240	322	104	112	243	486	240	372	065	096	270	418	240	424	116	203	687	204
240	323	097	092	249	376	240	373	062	094	243	411	240	425	425	219	312	396
240	324	098	113	338	463	240	374	051	087	294	335	240	426	428	218	291	162
240	325	104	113	270	453	240	375	061	093	210	380	240	427	360	247	384	341

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
240	428	-255	193	370	-1.076	240	478	-141	128	347	-577	240	528	-068	119	390	-602
240	429	-185	160	330	-0.862	240	479	-130	110	248	-582	240	529	-058	108	263	-544
240	430	-155	139	267	-0.720	240	480	-147	339	092	-1.781	240	530	-045	106	463	-366
240	431	-138	119	243	-0.640	240	481	-159	209	645	-1.246	240	531	-050	102	286	-487
240	432	-107	126	306	-0.600	240	482	-362	250	415	-1.452	240	532	-054	104	376	-410
240	433	-097	121	346	-0.872	240	483	-312	252	458	-1.685	240	533	-079	102	293	-400
240	434	-101	125	328	-0.585	240	484	-174	184	465	-0.840	240	534	-068	102	229	-425
240	435	-098	112	214	-0.610	240	485	-129	143	405	-0.736	240	535	-076	121	357	-713
240	436	-096	405	941	-1.996	240	486	-101	143	460	-0.603	240	536	-070	101	275	-437
240	437	-209	265	594	-1.489	240	487	-101	133	477	-0.649	240	537	-047	112	380	-405
240	438	-475	252	216	-1.328	240	488	-099	129	355	-0.850	240	538	-014	115	463	-397
240	439	-449	239	199	-1.468	240	489	-123	123	251	-0.554	240	539	-022	098	397	-347
240	440	-150	141	326	-0.695	240	490	-130	124	274	-0.578	240	540	-064	081	195	-407
240	441	-158	110	252	-0.712	240	491	-147	205	507	-2.001	240	541	-057	100	231	-470
240	442	-109	118	252	-0.610	240	492	-121	156	492	-0.877	240	542	-062	100	253	-382
240	443	-083	118	311	-0.544	240	493	-162	173	428	-1.044	240	543	-069	102	255	-480
240	444	-108	126	381	-0.532	240	494	-156	173	375	-1.093	240	601	-150	131	362	-581
240	445	-045	368	910	-1.842	240	495	-126	151	446	-0.813	240	602	-043	166	724	-652
240	446	-096	179	586	-0.948	240	496	-110	148	384	-0.826	240	603	-036	177	659	-562
240	447	-433	234	482	-1.448	240	497	-098	124	307	-0.589	240	604	-151	202	952	-641
240	448	-393	226	260	-1.304	240	498	-090	129	336	-0.567	240	605	-261	231	098	-726
240	449	-376	226	244	-1.279	240	499	-091	134	426	-0.609	240	606	-135	164	652	-650
240	450	-234	176	302	-0.905	240	500	-093	125	330	-0.532	240	607	-033	174	741	-703
240	451	-160	135	328	-0.701	240	501	-091	129	350	-0.623	240	608	-207	168	765	-881
240	452	-142	142	367	-0.754	240	502	-101	126	253	-0.633	240	609	-101	166	325	-639
240	453	-128	127	318	-0.589	240	503	-110	119	279	-0.562	240	610	-026	169	734	-606
240	454	-106	120	317	-0.526	240	504	-113	133	258	-0.745	240	611	-027	168	764	-583
240	455	-094	122	330	-0.688	240	505	-097	131	321	-0.941	240	612	-148	206	868	-499
240	456	-106	117	302	-0.636	240	506	-098	125	225	-0.664	240	613	-267	255	174	-550
240	457	-107	116	292	-0.581	240	507	-103	119	272	-0.552	240	614	-300	274	993	-571
240	458	-048	373	070	-1.853	240	508	-077	112	346	-0.583	240	615	-308	305	213	-318
240	459	-137	199	464	-1.582	240	509	-074	112	297	-0.489	240	616	-149	152	364	-668
240	460	-408	230	375	-1.297	240	510	-072	122	321	-0.484	240	617	-035	159	626	-608
240	461	-353	232	323	-1.262	240	511	-072	116	409	-0.689	240	618	-161	166	554	-816
240	462	-169	125	267	-0.597	240	512	-072	108	290	-0.492	240	619	-108	126	404	-517
240	463	-155	120	283	-0.639	240	513	-078	112	276	-0.449	240	620	-059	155	608	-569
240	464	-124	109	215	-0.437	240	514	-078	115	348	-0.497	240	621	-013	162	721	-548
240	465	-076	097	277	-0.321	240	515	-103	120	397	-1.407	240	622	-254	267	170	-548
240	466	-133	101	177	-0.534	240	516	-098	112	305	-0.444	240	623	-265	225	899	-496
240	467	-091	318	839	-2.633	240	517	-102	124	343	-0.667	240	624	-310	300	117	-953
240	468	-064	211	767	-1.140	240	518	-079	122	335	-0.503	240	625	-142	169	601	-710
240	469	-429	236	199	-1.287	240	519	-068	107	261	-0.405	240	626	-064	165	695	-596
240	470	-400	230	140	-1.301	240	520	-062	124	442	-0.610	240	627	-171	138	388	-717
240	471	-350	224	544	-1.301	240	521	-053	110	432	-0.402	240	628	-107	159	520	-689
240	472	-255	172	137	-0.007	240	522	-061	113	409	-0.496	240	629	-069	160	643	-621
240	473	-204	144	229	-0.780	240	523	-053	108	306	-0.493	240	630	-039	159	644	-668
240	474	-171	130	334	-0.688	240	524	-057	118	305	-0.526	240	631	-042	136	677	-421
240	475	-148	140	311	-0.790	240	525	-070	112	293	-0.466	240	632	-145	203	002	-495
240	476	-127	123	295	-0.524	240	526	-057	110	310	-0.402	240	633	-276	277	419	-904
240	477	-127	129	514	-0.616	240	527	-057	096	255	-0.369	240	634	-291	296	304	-1.183

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
240	635	.279	.249	1.374	-.365	240	685	-.067	.102	.281	-.377	250	101	-.096	.109	.267	-.542
240	636	-.140	.159	.477	-.874	240	686	-.064	.112	.386	-.483	250	102	-.099	.107	.216	-.468
240	637	-.090	.154	.793	-.761	240	687	-.074	.103	.315	-.484	250	103	-.065	.102	.318	-.484
240	638	-.061	.124	.549	-.463	240	688	-.091	.114	.247	-.553	250	104	-.059	.120	.314	-.521
240	639	-.049	.142	.604	-.548	240	701	-.074	.108	.261	-.570	250	105	-.090	.108	.237	-.500
240	640	-.031	.147	.554	-.569	240	702	-.068	.098	.274	-.411	250	106	-.055	.118	.362	-.545
240	641	-.006	.147	.670	-.491	240	703	-.058	.102	.450	-.434	250	107	-.076	.127	.388	-.724
240	642	.042	.214	1.061	-.771	240	704	-.066	.097	.237	-.493	250	108	-.119	.139	.311	-.770
240	643	.037	.246	1.064	-.940	240	705	-.050	.103	.303	-.442	250	109	-.111	.140	.352	-.840
240	644	-.135	.120	.316	-.730	240	706	-.055	.094	.268	-.397	250	110	-.180	.180	.380	-.995
240	645	-.108	.133	.409	-.724	240	707	-.071	.087	.266	-.405	250	111	-.302	.190	.205	-.180
240	646	-.091	.121	.382	-.649	240	708	-.045	.110	.308	-.406	250	112	-.407	.239	.277	-.349
240	647	-.100	.101	.234	-.449	240	709	-.053	.111	.314	-.470	250	113	-.479	.263	.168	-.895
240	648	-.087	.130	.292	-.744	240	710	-.051	.104	.346	-.387	250	114	-.114	.132	.304	-.779
240	649	-.069	.141	.462	-.659	240	801	-.068	.103	.301	-.470	250	115	-.109	.122	.312	-.552
240	650	-.100	.131	.586	-.768	240	802	-.049	.106	.414	-.468	250	116	-.096	.122	.295	-.519
240	651	-.112	.176	.671	-1.004	240	803	-.070	.100	.265	-.472	250	117	-.071	.122	.370	-.564
240	652	-.109	.110	.194	-.577	240	804	-.075	.088	.223	-.382	250	118	-.066	.128	.382	-.546
240	653	-.111	.092	.183	-.491	240	901	-.094	.094	.193	-.479	250	119	-.087	.129	.372	-.629
240	654	-.103	.108	.224	-.595	240	902	-.102	.108	.243	-.514	250	120	-.223	.189	.311	-.031
240	655	-.100	.111	.238	-.511	240	903	-.034	.101	.359	-.416	250	121	-.340	.218	.379	-.187
240	656	-.099	.115	.321	-.619	240	904	-.049	.100	.298	-.448	250	122	-.420	.233	.210	-.296
240	657	-.113	.097	.246	-.486	240	905	-.053	.105	.297	-.576	250	123	-.087	.119	.282	-.650
240	658	-.115	.122	.402	-.567	240	906	-.079	.096	.327	-.531	250	124	-.098	.125	.282	-.629
240	659	-.116	.124	.453	-.619	240	907	-.109	.130	.298	-.654	250	125	-.071	.125	.299	-.544
240	660	-.092	.111	.272	-.517	240	908	-.107	.111	.237	-.678	250	126	-.072	.120	.389	-.634
240	661	-.077	.112	.282	-.551	240	909	-.282	.179	.266	-.110	250	127	-.069	.112	.311	-.563
240	662	-.087	.122	.300	-.626	240	910	-.366	.188	.114	-.1245	250	128	-.051	.114	.277	-.530
240	663	-.101	.115	.304	-.476	240	911	-.397	.166	.254	-.1300	250	129	-.062	.127	.414	-.604
240	664	-.091	.114	.431	-.529	240	912	-.164	.250	.594	-.1140	250	130	-.078	.132	.391	-.700
240	665	-.079	.115	.309	-.549	240	913	-.186	.188	.419	-.938	250	131	-.079	.135	.323	-.624
240	666	-.106	.119	.357	-.538	240	914	-.403	.238	.263	-.1550	250	132	-.160	.166	.423	-.006
240	667	-.115	.128	.447	-.688	240	915	-.886	.388	.014	-.2809	250	133	-.268	.213	.333	-.176
240	668	-.090	.131	.519	-.504	240	916	-.095	.139	.346	-.883	250	134	-.360	.246	.304	-.196
240	669	-.094	.119	.414	-.559	240	917	-.180	.125	.189	-.804	250	135	-.394	.237	.421	-.199
240	670	-.099	.117	.517	-.583	240	918	-.124	.123	.303	-.596	250	136	-.097	.122	.274	-.555
240	671	-.071	.110	.366	-.549	240	919	-.057	.115	.331	-.459	250	137	-.118	.134	.253	-.788
240	672	-.066	.107	.321	-.458	240	920	-.101	.098	.225	-.498	250	138	-.086	.122	.330	-.670
240	673	-.068	.110	.280	-.437	240	921	-.067	.096	.237	-.508	250	139	-.061	.113	.321	-.602
240	674	-.063	.116	.328	-.483	240	922	-.019	.117	.395	-.457	250	140	-.052	.120	.397	-.734
240	675	-.060	.107	.266	-.418	240	923	-.052	.105	.317	-.403	250	141	-.075	.112	.308	-.487
240	676	-.058	.107	.472	-.518	240	924	-.068	.106	.321	-.483	250	142	-.183	.197	.289	-.345
240	677	-.054	.113	.462	-.470	240	925	-.061	.103	.301	-.494	250	143	-.305	.227	.453	-.189
240	678	-.086	.121	.546	-.537	240	926	-.071	.110	.314	-.495	250	144	-.408	.248	.321	-.366
240	679	-.101	.127	.589	-.807	240	927	-.064	.105	.309	-.460	250	145	-.093	.120	.293	-.486
240	680	-.054	.104	.306	-.466	240	928	-.080	.094	.232	-.354	250	146	-.092	.104	.273	-.497
240	681	-.056	.112	.342	-.403	240	929	-.079	.113	.331	-.412	250	147	-.063	.113	.336	-.492
240	682	-.050	.094	.273	-.345	240	930	-.071	.113	.306	-.401	250	148	-.079	.119	.371	-.534
240	683	-.046	.109	.328	-.518	240	931	-.100	.117	.293	-.602	250	149	-.065	.119	.313	-.546
240	684	-.061	.101	.435	-.452	240	932	-.095	.118	.302	-.684	250	150	-.068	.128	.386	-.700

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
250	151	-068	137	405	-854	250	201	-111	147	354	-727	250	306	-073	120	329	-553
250	152	-081	137	376	-881	250	202	-157	171	329	-892	250	307	-069	127	349	-536
250	153	-106	144	485	-740	250	203	-174	174	435	-1217	250	308	-087	120	368	-560
250	154	-144	166	321	-988	250	204	-097	145	347	-226	250	309	-090	132	460	-592
250	155	-223	198	335	-959	250	205	-099	141	410	-759	250	310	-071	113	361	-449
250	156	-281	224	403	-1197	250	206	-070	124	329	-542	250	311	-059	119	371	-592
250	157	-342	225	499	-1081	250	207	-055	115	295	-469	250	312	-060	113	332	-497
250	158	-092	144	331	-691	250	208	-037	104	324	-411	250	313	-070	113	289	-477
250	159	-105	103	210	-429	250	209	-049	109	342	-565	250	314	-063	110	327	-471
250	160	-080	131	388	-541	250	210	-052	109	305	-621	250	315	-068	111	292	-504
250	161	-067	134	427	-658	250	211	-060	118	355	-556	250	316	-073	113	307	-445
250	162	-062	097	232	-396	250	212	-073	118	257	-533	250	317	-070	114	307	-430
250	163	-067	098	349	-458	250	213	-102	132	322	-742	250	318	-090	130	344	-1158
250	164	-121	134	416	-788	250	214	-112	147	256	-236	250	319	-077	104	323	-498
250	165	-238	157	284	-903	250	215	-058	112	240	-741	250	320	-069	120	401	-521
250	166	-325	093	212	-1198	250	216	-049	106	245	-728	250	321	-068	120	406	-526
250	167	-085	097	276	-500	250	217	-072	102	236	-554	250	322	-069	113	363	-411
250	168	-088	114	307	-475	250	218	-035	093	245	-384	250	323	-054	097	302	-334
250	169	-070	098	320	-641	250	219	-035	093	258	-382	250	324	-055	117	372	-423
250	170	-068	103	342	-460	250	220	-039	085	241	-308	250	325	-075	126	312	-619
250	171	-068	102	250	-641	250	221	-034	082	231	-287	250	326	-068	125	303	-557
250	172	-065	099	253	-472	250	222	-027	088	281	-503	250	327	-094	101	213	-499
250	173	-052	108	306	-692	250	223	-047	105	269	-433	250	328	-090	121	283	-554
250	174	-088	110	278	-851	250	224	-043	083	258	-324	250	329	-075	118	292	-452
250	175	-085	154	409	-837	250	225	-039	096	302	-333	250	330	-074	116	287	-456
250	176	-120	164	402	-932	250	226	-061	089	258	-418	250	331	-076	093	198	-381
250	177	-236	222	601	-1404	250	227	-068	095	216	-552	250	332	-071	108	231	-392
250	178	-290	261	434	-671	250	228	-031	080	256	-387	250	333	-067	110	303	-413
250	179	-391	274	258	-627	250	229	-033	089	261	-346	250	334	-064	112	321	-434
250	180	-104	124	281	-960	250	230	-039	093	270	-348	250	335	-064	097	221	-399
250	181	-105	115	290	-526	250	231	-042	096	258	-540	250	336	-080	122	299	-529
250	182	-080	118	283	-776	250	232	-040	093	290	-312	250	337	-078	124	314	-503
250	183	-067	124	399	-583	250	233	-024	109	349	-378	250	338	-062	102	357	-440
250	184	-051	125	351	-498	250	234	-031	112	350	-521	250	339	-053	117	436	-454
250	185	-059	125	358	-653	250	235	-027	118	483	-448	250	340	-055	119	393	-517
250	186	-072	144	522	-598	250	236	-034	095	399	-370	250	341	-074	088	219	-416
250	187	-076	142	523	-1067	250	237	-033	110	305	-390	250	342	-079	111	268	-708
250	188	-120	171	332	-839	250	238	-039	101	258	-407	250	343	-080	115	253	-625
250	189	-221	212	515	-1418	250	239	-020	109	367	-350	250	344	-071	099	268	-420
250	190	-252	207	425	-1357	250	240	-013	107	323	-332	250	345	-065	119	342	-467
250	191	-097	121	309	-625	250	241	-010	108	358	-332	250	346	-063	115	326	-445
250	192	-096	133	291	-647	250	242	-013	099	360	-336	250	347	-054	092	266	-344
250	193	-086	127	319	-538	250	243	-008	113	399	-388	250	348	-057	111	285	-417
250	194	-064	119	479	-543	250	244	-023	105	379	-352	250	349	-071	119	258	-530
250	195	-057	117	347	-491	250	245	-019	109	358	-367	250	350	-092	108	255	-936
250	196	-053	124	353	-650	250	301	-079	108	304	-542	250	351	-094	129	343	-1174
250	197	-058	123	331	-525	250	302	-076	124	362	-547	250	352	-063	110	268	-418
250	198	-061	116	353	-493	250	303	-053	121	362	-500	250	353	-048	086	219	-485
250	199	-072	121	492	-656	250	304	-065	123	392	-474	250	354	-043	101	285	-548
250	200	-088	132	487	-961	250	305	-069	121	359	-633	250	355	-041	101	279	-507

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
250	356	-050	104	268	-546	250	408	-139	167	446	-880	250	458	-238	374	917	-2134
250	357	-077	106	270	-595	250	409	-130	156	384	-928	250	459	-198	191	386	-1016
250	358	-098	142	316	-861	250	410	-100	145	335	-945	250	460	-364	237	359	-1686
250	359	-102	146	303	-844	250	411	-093	146	464	-843	250	461	-290	207	308	-1179
250	360	-051	096	252	-431	250	412	-083	138	333	-751	250	462	-167	127	204	-649
250	361	-048	093	275	-322	250	413	-073	123	405	-679	250	463	-136	126	361	-873
250	362	-043	095	280	-391	250	414	-302	360	748	-1649	250	464	-112	109	272	-501
250	363	-044	083	266	-391	250	415	-274	236	635	-1308	250	465	-075	102	245	-409
250	364	-047	086	218	-344	250	416	-379	201	190	-1255	250	466	-091	111	282	-503
250	365	-042	083	249	-324	250	417	-331	202	260	-1193	250	467	-209	280	698	-1924
250	366	-045	085	263	-321	250	418	-172	159	343	-935	250	468	-135	223	536	-1332
250	367	-031	080	216	-353	250	419	-139	146	308	-723	250	469	-327	196	200	-1139
250	368	-053	090	254	-393	250	420	-091	139	336	-877	250	470	-265	165	193	-1378
250	369	-058	102	237	-566	250	421	-068	125	368	-689	250	471	-222	153	238	-950
250	370	-064	109	256	-872	250	422	-080	104	234	-547	250	472	-203	144	258	-798
250	371	-046	089	230	-329	250	423	-314	374	740	-1809	250	473	-167	131	280	-631
250	372	-038	085	275	-303	250	424	-185	212	440	-1203	250	474	-144	124	277	-590
250	373	-043	084	278	-346	250	425	-346	202	227	-1471	250	475	-132	133	282	-636
250	374	-044	091	242	-441	250	426	-310	214	369	-1273	250	476	-115	135	381	-650
250	375	-053	103	321	-399	250	427	-310	207	441	-1322	250	477	-116	142	372	-654
250	376	-046	103	324	-407	250	428	-216	173	301	-608	250	478	-094	120	365	-569
250	377	-045	109	487	-538	250	429	-162	156	301	-921	250	479	-098	133	336	-543
250	378	-046	112	329	-508	250	430	-155	157	292	-767	250	480	-202	284	775	-2210
250	379	-051	106	364	-383	250	431	-112	148	330	-933	250	481	-159	208	661	-1505
250	380	-050	111	350	-370	250	432	-103	142	410	-664	250	482	-207	194	381	-1070
250	381	-043	115	372	-449	250	433	-080	144	343	-797	250	483	-189	192	383	-1133
250	382	-034	100	357	-445	250	434	-089	138	309	-849	250	484	-113	159	355	-782
250	383	-041	106	275	-426	250	435	-091	133	340	-823	250	485	-099	137	372	-605
250	384	-058	122	268	-866	250	436	-269	386	983	-1942	250	486	-095	135	384	-503
250	385	-037	104	264	-482	250	437	-257	253	632	-1365	250	487	-095	129	350	-605
250	386	-047	099	325	-356	250	438	-370	233	364	-1537	250	488	-085	123	287	-595
250	387	-039	103	271	-414	250	439	-303	216	347	-1226	250	489	-076	110	331	-437
250	388	-037	098	331	-304	250	440	-152	176	364	-787	250	490	-092	113	327	-647
250	389	-045	103	304	-421	250	441	-147	119	245	-573	250	491	-141	161	417	-989
250	390	-042	103	306	-407	250	442	-101	140	376	-852	250	492	-118	142	299	-1281
250	391	-046	100	364	-402	250	443	-092	138	319	-619	250	493	-126	137	424	-960
250	392	-042	112	299	-552	250	444	-069	123	376	-482	250	494	-097	125	355	-814
250	393	-045	104	325	-428	250	445	-281	371	727	-212	250	495	-098	142	415	-867
250	394	-036	104	341	-434	250	446	-166	178	431	-265	250	496	-081	116	287	-634
250	395	-040	109	498	-506	250	447	-347	208	225	-1417	250	497	-073	126	362	-545
250	396	-037	114	349	-512	250	448	-298	198	376	-997	250	498	-071	123	353	-482
250	397	-034	118	378	-454	250	449	-267	189	379	-1005	250	499	-063	121	393	-513
250	398	-046	112	380	-491	250	450	-210	172	280	-902	250	500	-064	116	295	-431
250	401	-289	311	505	-112	250	451	-149	158	336	-785	250	501	-064	116	428	-571
250	402	-173	161	382	-112	250	452	-141	147	407	-729	250	502	-059	125	325	-581
250	403	-341	158	175	-1133	250	453	-123	138	311	-715	250	503	-059	111	289	-437
250	404	-332	169	172	-944	250	454	-105	134	338	-750	250	504	-108	130	287	-1062
250	405	-312	165	196	-1107	250	455	-099	131	376	-593	250	505	-101	118	254	-579
250	406	-246	160	227	-1001	250	456	-088	133	343	-699	250	506	-093	109	266	-593
250	407	-162	145	251	-812	250	457	-081	121	282	-370	250	507	-073	106	307	-837

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
2550	508	067	107	310	414	2550	615	261	279	1.070	617	2550	665	061	121	508	511
2550	509	068	113	347	460	2550	616	055	184	623	718	2550	666	064	129	508	512
2550	510	066	108	305	478	2550	617	069	203	883	607	2550	667	076	135	451	551
2550	511	068	107	319	453	2550	618	070	161	539	732	2550	668	075	126	496	583
2550	512	065	106	362	478	2550	619	012	138	602	408	2550	669	077	124	487	613
2550	513	072	122	375	526	2550	620	044	178	714	491	2550	670	082	124	437	551
2550	514	061	107	272	484	2550	621	086	190	763	487	2550	671	026	112	325	382
2550	515	077	128	341	0.225	2550	622	268	274	1.183	602	2550	672	013	114	387	403
2550	516	079	119	285	601	2550	623	222	225	970	462	2550	673	013	116	371	379
2550	517	081	115	346	632	2550	624	223	287	1.189	586	2550	674	021	110	408	377
2550	518	067	099	270	532	2550	625	050	172	459	723	2550	675	027	121	364	401
2550	519	059	116	334	527	2550	626	043	188	783	660	2550	676	047	112	311	426
2550	520	065	106	280	479	2550	627	104	136	355	608	2550	677	053	111	314	434
2550	521	060	111	275	464	2550	628	031	165	591	768	2550	678	066	119	345	582
2550	522	052	110	248	510	2550	629	027	179	763	550	2550	679	080	115	423	550
2550	523	058	110	309	428	2550	630	065	188	843	478	2550	680	027	103	426	424
2550	524	062	111	287	393	2550	631	140	177	940	326	2550	681	028	106	337	336
2550	525	062	109	355	403	2550	632	162	226	1.295	440	2550	682	017	105	352	347
2550	526	074	119	324	510	2550	633	197	251	1.179	452	2550	683	006	113	407	400
2550	527	064	108	271	452	2550	634	180	262	1.161	541	2550	684	018	117	356	525
2550	528	083	116	449	516	2550	635	158	225	918	641	2550	685	014	125	477	418
2550	529	072	119	468	693	2550	636	167	164	462	697	2550	686	032	113	321	432
2550	530	058	099	249	437	2550	637	048	161	587	587	2550	687	048	114	327	416
2550	531	049	101	326	435	2550	638	014	142	580	406	2550	688	069	111	288	477
2550	532	049	106	254	435	2550	639	019	177	799	369	2550	701	059	105	339	450
2550	533	052	100	337	430	2550	640	005	168	991	509	2550	702	045	110	318	365
2550	534	053	108	292	402	2550	641	012	119	557	568	2550	703	047	101	319	388
2550	535	065	106	314	409	2550	642	023	161	767	793	2550	704	021	106	345	383
2550	536	065	105	360	438	2550	643	047	182	831	947	2550	705	018	110	367	351
2550	537	054	113	291	489	2550	644	110	119	249	652	2550	706	020	103	316	384
2550	538	053	112	318	455	2550	645	073	140	351	604	2550	707	054	108	286	504
2550	539	036	103	295	425	2550	646	045	135	418	478	2550	708	020	106	321	361
2550	540	057	086	205	437	2550	647	066	107	362	427	2550	709	053	100	339	417
2550	541	047	113	311	491	2550	648	070	127	363	338	2550	710	055	111	281	552
2550	542	050	110	365	407	2550	649	081	125	402	577	2550	801	063	106	291	537
2550	543	049	115	314	456	2550	650	067	107	311	455	2550	802	044	110	361	535
2550	601	046	127	460	556	2550	651	080	136	487	563	2550	803	059	106	274	544
2550	602	041	169	717	563	2550	652	081	118	302	561	2550	804	066	085	207	324
2550	603	129	198	946	686	2550	653	091	093	233	403	2550	901	060	102	285	490
2550	604	209	234	1.119	709	2550	654	079	113	328	657	2550	902	068	107	281	435
2550	605	284	253	1.069	594	2550	655	075	115	354	565	2550	903	063	115	323	725
2550	606	011	185	772	709	2550	656	076	116	358	728	2550	904	058	110	366	563
2550	607	141	198	839	558	2550	657	077	101	496	458	2550	905	077	121	287	667
2550	608	089	168	555	738	2550	658	079	124	575	639	2550	906	089	105	342	469
2550	609	020	164	672	544	2550	659	086	124	604	628	2550	907	046	107	262	615
2550	610	078	178	808	568	2550	660	065	114	354	649	2550	908	149	136	273	766
2550	611	148	200	948	547	2550	661	069	111	283	428	2550	909	201	171	304	868
2550	612	236	226	973	581	2550	662	068	109	289	495	2550	910	338	187	248	1.109
2550	613	325	276	1.189	599	2550	663	078	111	320	609	2550	911	399	178	135	1.418
2550	614	249	280	1.144	557	2550	664	087	117	336	524	2550	912	173	224	464	1.323

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
250	913	-273	200	276	-1.439	260	131	-011	139	544	-488	260	181	-096	120	251	-682
250	914	-364	217	237	-1.310	260	132	-077	158	436	-898	260	182	-073	113	346	-549
250	915	-677	299	660	-2.091	260	133	-217	213	494	-1.128	260	183	-053	108	378	-521
250	916	-149	187	364	-0.980	260	134	-307	242	472	-1.334	260	184	-018	114	405	-439
250	917	-226	157	271	-0.891	260	135	-399	251	472	-1.475	260	185	-011	122	415	-450
250	918	-146	125	276	-0.680	260	136	-134	127	216	-0.615	260	186	-030	125	440	-685
250	919	-065	133	378	-0.591	260	137	-121	132	3318	-0.647	260	187	-038	136	527	-627
250	920	-105	106	281	-0.559	260	138	-103	122	3355	-0.541	260	188	-096	183	532	-953
250	921	-074	105	259	-0.601	260	139	-040	116	340	-0.490	260	189	-235	234	438	-1.145
250	922	-010	117	374	-0.435	260	140	-004	117	421	-0.399	260	190	-310	216	330	-1.315
250	923	-060	112	342	-0.548	260	141	-014	106	379	-0.408	260	191	-101	120	258	-938
250	924	-065	104	298	-0.394	260	142	-113	180	411	-0.746	260	192	-096	126	290	-822
250	925	-043	102	332	-0.494	260	143	-275	233	477	-1.187	260	193	-080	118	348	-678
250	926	-058	105	314	-0.382	260	144	-381	268	461	-1.948	260	194	-063	122	353	-552
250	927	-059	105	315	-0.372	260	145	-098	111	293	-0.518	260	195	-045	118	383	-520
250	928	-073	091	195	-0.404	260	146	-122	098	193	-0.463	260	196	-041	120	395	-486
250	929	-070	109	273	-0.540	260	147	-062	117	369	-0.515	260	197	-029	134	428	-552
250	930	-068	111	263	-0.497	260	148	-058	114	331	-0.505	260	198	-050	131	470	-645
250	931	-081	119	339	-0.639	260	149	-036	114	356	-0.405	260	199	-052	129	407	-620
250	932	-057	114	415	-0.728	260	150	-019	115	326	-0.575	260	200	-098	166	368	-1.030
260	101	-130	115	220	-0.611	260	151	-007	122	395	-0.408	260	201	-139	168	543	-902
260	102	-129	111	220	-0.611	260	152	-011	124	361	-0.449	260	202	-188	212	730	-1.115
260	103	-060	098	302	-0.400	260	153	-019	127	393	-0.671	260	203	-256	203	324	-1.212
260	104	-037	099	293	-0.374	260	154	-064	160	516	-0.642	260	204	-100	125	287	-783
260	105	-083	108	322	-0.494	260	155	-170	211	513	-1.162	260	205	-104	126	366	-916
260	106	-004	096	409	-0.355	260	156	-259	238	502	-0.989	260	206	-069	114	261	-506
260	107	-003	101	302	-0.464	260	157	-305	219	444	-1.094	260	207	-060	121	440	-450
260	108	-102	128	366	-0.571	260	158	-121	128	274	-0.630	260	208	-035	114	343	-439
260	109	-036	125	430	-0.675	260	159	-119	098	225	-0.430	260	209	-042	108	331	-416
260	110	-114	149	447	-0.968	260	160	-072	114	368	-0.460	260	210	-048	115	368	-559
260	111	-240	173	220	-1.057	260	161	-025	112	385	-0.444	260	211	-050	113	357	-651
260	112	-293	223	300	-1.206	260	162	-002	102	343	-0.421	260	212	-069	123	286	-794
260	113	-424	236	485	-1.311	260	163	-003	107	394	-0.361	260	213	-140	156	251	-875
260	114	-159	147	256	-0.827	260	164	-087	147	340	-0.758	260	214	-176	159	242	-902
260	115	-023	115	366	-0.929	260	165	-203	193	496	-0.882	260	215	-085	101	276	-642
260	116	-115	128	314	-0.651	260	166	-346	220	192	-1.034	260	216	-095	115	205	-647
260	117	-066	114	299	-0.501	260	167	-093	098	183	-0.502	260	217	-084	099	230	-596
260	118	-026	117	409	-0.428	260	168	-085	120	296	-0.516	260	218	-041	095	276	-399
260	119	-035	123	375	-0.498	260	169	-063	088	238	-0.368	260	219	-022	081	241	-304
260	120	-193	192	392	-0.882	260	170	-061	093	320	-0.416	260	220	-015	090	239	-281
260	121	-263	192	336	-1.206	260	171	-052	102	350	-0.451	260	221	-008	090	314	-339
260	122	-307	222	324	-1.147	260	172	-024	101	423	-0.414	260	222	-010	086	281	-378
260	123	-103	122	285	-0.585	260	173	-001	103	553	-0.434	260	223	-020	112	346	-455
260	124	-094	116	236	-0.531	260	174	-056	112	400	-0.485	260	224	-021	095	320	-353
260	125	-062	117	379	-0.487	260	175	-015	136	444	-0.570	260	225	-038	091	300	-381
260	126	-050	113	441	-0.517	260	176	-051	156	414	-0.742	260	226	-052	096	246	-478
260	127	-052	116	310	-0.502	260	177	-214	240	481	-1.029	260	227	-060	097	249	-654
260	128	-004	124	423	-0.458	260	178	-310	278	460	-1.419	260	228	-033	091	292	-441
260	129	-011	126	472	-0.610	260	179	-412	310	563	-1.650	260	229	-024	094	344	-555
260	130	-018	122	381	-0.613	260	180	-100	119	288	-0.515	260	230	-077	101	265	-603

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
260	231	- .087	.106	.226	- .563	260	336	- .113	.113	.235	- .549	260	386	- .077	.107	.328	- .471
260	232	- .013	.091	.513	- .334	260	337	- .108	.112	.246	- .477	260	387	- .071	.109	.249	- .485
260	233	- .026	.110	.452	- .387	260	338	- .093	.092	.204	- .400	260	388	- .070	.103	.322	- .434
260	234	- .016	.111	.421	- .321	260	339	- .082	.106	.304	- .454	260	389	- .069	.098	.275	- .464
260	235	- .025	.113	.399	- .371	260	340	- .079	.106	.342	- .449	260	390	- .057	.102	.291	- .378
260	236	- .022	.089	.443	- .271	260	341	- .084	.092	.192	- .459	260	391	- .067	.101	.310	- .373
260	237	- .057	.104	.274	- .473	260	342	- .081	.115	.261	- .660	260	392	- .058	.100	.280	- .392
260	238	- .081	.137	.288	- .473	260	343	- .086	.117	.271	- .659	260	393	- .057	.110	.333	- .406
260	239	- .019	.108	.380	- .364	260	344	- .102	.096	.220	- .475	260	394	- .069	.117	.321	- .455
260	240	- .016	.106	.357	- .358	260	345	- .090	.113	.277	- .543	260	395	- .069	.114	.338	- .522
260	241	- .023	.109	.373	- .319	260	346	- .079	.109	.270	- .521	260	396	- .071	.118	.311	- .524
260	242	- .037	.116	.460	- .399	260	347	- .088	.089	.234	- .423	260	397	- .069	.120	.304	- .644
260	243	- .026	.107	.461	- .382	260	348	- .078	.106	.302	- .480	260	398	- .086	.142	.325	- 1.176
260	244	- .026	.110	.491	- .362	260	349	- .078	.112	.323	- .546	260	401	- .419	.262	.403	- 1.549
260	245	- .006	.108	.396	- .404	260	350	- .088	.104	.293	- .755	260	402	- .232	.181	.219	- 1.029
260	301	- .107	.112	.252	- .578	260	351	- .085	.126	.378	- .875	260	403	- .251	.147	.178	- .953
260	302	- .089	.126	.324	- .629	260	352	- .099	.110	.285	- .447	260	404	- .248	.143	.142	- .963
260	303	- .078	.119	.308	- .543	260	353	- .086	.086	.215	- .363	260	405	- .243	.151	.373	- .883
260	304	- .085	.125	.314	- .539	260	354	- .071	.102	.301	- .420	260	406	- .209	.143	.145	- 1.049
260	305	- .088	.117	.226	- .524	260	355	- .069	.103	.317	- .405	260	407	- .192	.155	.263	- .897
260	306	- .099	.126	.349	- .547	260	356	- .070	.109	.263	- .531	260	408	- .177	.192	.481	- 1.219
260	307	- .079	.113	.269	- .603	260	357	- .085	.107	.217	- .533	260	409	- .155	.166	.500	- 1.315
260	308	- .120	.136	.350	- .616	260	358	- .079	.130	.326	- .766	260	410	- .139	.172	.410	- .911
260	309	- .106	.124	.274	- .614	260	359	- .087	.134	.326	- .912	260	411	- .143	.177	.745	- 1.191
260	310	- .096	.116	.259	- .514	260	360	- .077	.084	.202	- .441	260	412	- .136	.155	.342	- .796
260	311	- .082	.115	.385	- .476	260	361	- .073	.084	.205	- .396	260	413	- .138	.167	.354	- .976
260	312	- .078	.122	.327	- .519	260	362	- .053	.087	.243	- .317	260	414	- .327	.255	.502	- 1.465
260	313	- .078	.116	.282	- .496	260	363	- .076	.084	.222	- .383	260	415	- .279	.201	.243	- 1.264
260	314	- .077	.105	.254	- .423	260	364	- .062	.085	.240	- .389	260	416	- .259	.171	.291	- 1.108
260	315	- .076	.113	.370	- .583	260	365	- .053	.084	.287	- .357	260	417	- .236	.167	.329	- .876
260	316	- .101	.122	.269	- .610	260	366	- .066	.093	.257	- .417	260	418	- .185	.164	.282	- .995
260	317	- .089	.118	.267	- .523	260	367	- .062	.099	.245	- .519	260	419	- .155	.172	.354	- .992
260	318	- .121	.132	.313	- .679	260	368	- .073	.104	.275	- .453	260	420	- .151	.157	.312	- .789
260	319	- .117	.115	.245	- .548	260	369	- .066	.099	.224	- .453	260	421	- .129	.158	.340	- .721
260	320	- .100	.129	.306	- .583	260	370	- .071	.100	.242	- .439	260	422	- .115	.119	.224	- .598
260	321	- .098	.127	.305	- .580	260	371	- .080	.079	.191	- .368	260	423	- .375	.272	.420	- 1.590
260	322	- .075	.117	.286	- .494	260	372	- .071	.084	.245	- .319	260	424	- .214	.183	.336	- 1.168
260	323	- .063	.092	.268	- .372	260	373	- .077	.088	.273	- .371	260	425	- .234	.179	.247	- 1.056
260	324	- .064	.113	.349	- .467	260	374	- .065	.082	.243	- .364	260	426	- .218	.175	.293	- .973
260	325	- .105	.121	.277	- .516	260	375	- .088	.108	.304	- .576	260	427	- .215	.165	.408	- 1.264
260	326	- .091	.116	.268	- .484	260	376	- .067	.106	.373	- .401	260	428	- .184	.167	.291	- .901
260	327	- .120	.113	.257	- .532	260	377	- .060	.101	.331	- .397	260	429	- .175	.151	.394	- .799
260	328	- .115	.134	.340	- .587	260	378	- .075	.102	.247	- .460	260	430	- .176	.159	.439	- .850
260	329	- .104	.131	.341	- .556	260	379	- .076	.108	.329	- .432	260	431	- .146	.150	.350	- .740
260	330	- .095	.127	.320	- .543	260	380	- .065	.101	.284	- .418	260	432	- .145	.152	.444	- .793
260	331	- .091	.096	.272	- .470	260	381	- .055	.105	.279	- .380	260	433	- .137	.148	.291	- .909
260	332	- .083	.111	.353	- .546	260	382	- .061	.100	.268	- .390	260	434	- .128	.151	.357	- .767
260	333	- .081	.113	.360	- .569	260	383	- .057	.109	.286	- .502	260	435	- .127	.148	.308	- .763
260	334	- .067	.113	.384	- .516	260	384	- .065	.116	.343	- .571	260	436	- .330	.253	.587	- 1.581
260	335	- .067	.089	.194	- .436	260	385	- .081	.134	.270	- 1.171	260	437	- .295	.232	.566	- 1.283

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
260	438	-269	185	375	-963	260	488	-124	118	296	-594	260	538	-050	114	356	-465
260	439	-226	176	339	-911	260	489	-129	122	272	-614	260	539	-059	105	381	-407
260	440	-183	152	458	-855	260	490	-118	124	282	-741	260	540	-087	083	193	-406
260	441	-167	121	299	-708	260	491	-181	169	311	-1259	260	541	-075	103	262	-456
260	442	-134	140	296	-691	260	492	-151	150	245	-1076	260	542	-081	099	244	-463
260	443	-122	140	329	-796	260	493	-138	138	285	-913	260	543	-065	103	260	-367
260	444	-125	147	349	-767	260	494	-136	143	200	-1105	260	601	-046	136	577	-458
260	445	-340	269	555	-1649	260	495	-114	125	277	-813	260	602	-157	167	853	-458
260	446	-231	164	227	-1068	260	496	-122	132	318	-1050	260	603	-232	189	964	-490
260	447	-270	201	314	-1328	260	497	-126	124	301	-541	260	604	-317	202	976	-451
260	448	-250	188	279	-1300	260	498	-114	114	227	-487	260	605	-341	221	1076	-490
260	449	-222	171	331	-897	260	499	-117	115	272	-603	260	606	-123	167	834	-479
260	450	-171	163	331	-953	260	500	-119	111	285	-532	260	607	-299	189	1024	-295
260	451	-170	151	380	-897	260	501	-102	109	280	-516	260	608	-015	146	742	-418
260	452	-158	145	342	-828	260	502	-097	108	234	-583	260	609	-119	153	676	-397
260	453	-154	152	336	-714	260	503	-105	111	222	-541	260	610	-232	189	794	-404
260	454	-140	140	279	-909	260	504	-159	156	225	-1347	260	611	-303	193	949	-277
260	455	-129	146	375	-783	260	505	-135	133	280	-737	260	612	-448	247	1228	-386
260	456	-153	148	281	-862	260	506	-124	128	245	-1380	260	613	-431	239	1388	-273
260	457	-141	151	232	-762	260	507	-136	146	285	-1008	260	614	-335	220	1080	-385
260	458	-338	280	596	-1910	260	508	-114	114	258	-733	260	615	-289	232	1012	-704
260	459	-253	162	196	-1044	260	509	-103	114	277	-546	260	616	-073	154	639	-397
260	460	-254	182	204	-976	260	510	-095	107	243	-466	260	617	-227	174	912	-345
260	461	-219	171	354	-996	260	511	-105	113	236	-476	260	618	-027	180	765	-367
260	462	-171	127	264	-736	260	512	-101	101	248	-569	260	619	-123	137	738	-348
260	463	-164	120	184	-699	260	513	-106	118	243	-584	260	620	-221	180	984	-470
260	464	-159	121	194	-728	260	514	-105	107	258	-448	260	621	-285	197	910	-494
260	465	-128	115	208	-565	260	515	-128	158	353	-1167	260	622	-451	290	1262	-469
260	466	-114	103	269	-608	260	516	-098	132	455	-736	260	623	-377	237	1059	-494
260	467	-276	234	332	-1584	260	517	-139	145	298	-971	260	624	-342	284	1168	-670
260	468	-192	206	555	-1662	260	518	-128	139	351	-799	260	625	-056	166	766	-607
260	469	-250	180	181	-1231	260	519	-118	125	267	-694	260	626	-197	185	893	-429
260	470	-243	178	239	-1226	260	520	-103	113	277	-525	260	627	-010	151	555	-565
260	471	-223	150	247	-971	260	521	-101	112	275	-678	260	628	-117	179	851	-531
260	472	-175	140	302	-854	260	522	-084	109	257	-487	260	629	-191	189	917	-459
260	473	-152	123	244	-633	260	523	-104	109	350	-536	260	630	-240	198	910	-451
260	474	-153	117	232	-663	260	524	-096	109	288	-475	260	631	-312	176	944	-295
260	475	-156	143	260	-678	260	525	-099	104	361	-518	260	632	-339	242	1151	-328
260	476	-147	133	319	-653	260	526	-097	106	282	-465	260	633	-317	265	1205	-387
260	477	-132	128	279	-584	260	527	-095	109	292	-546	260	634	-243	261	1163	-348
260	478	-139	132	282	-685	260	528	-137	132	255	-739	260	635	-211	227	995	-509
260	479	-157	134	304	-745	260	529	-130	141	289	-857	260	636	-063	161	671	-639
260	480	-241	235	467	-1644	260	530	-087	113	287	-497	260	637	-037	159	755	-531
260	481	-242	226	407	-1724	260	531	-084	113	326	-532	260	638	-136	129	743	-202
260	482	-220	203	360	-1691	260	532	-087	114	333	-514	260	639	-173	175	907	-385
260	483	-184	187	299	-1578	260	533	-098	108	265	-442	260	640	-152	196	1028	-436
260	484	-134	137	277	-897	260	534	-088	098	245	-442	260	641	-110	171	789	-368
260	485	-126	134	319	-866	260	535	-096	116	265	-588	260	642	-056	191	866	-593
260	486	-142	133	262	-614	260	536	-096	112	355	-552	260	643	-003	179	747	-626
260	487	-131	122	299	-545	260	537	-061	107	395	-428	260	644	-083	124	365	-529

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
260	645	-012	141	556	-593	260	707	-031	103	357	-382	270	111	-166	184	351	-1317
260	646	-041	140	599	-486	260	708	-044	110	425	-326	270	112	-102	213	558	-997
260	647	-043	119	460	-299	260	709	-073	101	321	-372	270	113	-296	251	633	-1264
260	648	-030	148	595	-427	260	710	-068	099	275	-409	270	114	-237	169	267	-867
260	649	-009	144	512	-546	260	801	-100	108	311	-547	270	115	-239	183	320	-1060
260	650	-028	109	449	-476	260	802	-012	120	435	-498	270	116	-149	133	344	-690
260	651	-066	131	515	-648	260	803	-086	103	256	-482	270	117	-084	124	337	-615
260	652	-075	121	282	-553	260	804	-101	084	182	-410	270	118	-023	123	555	-585
260	653	-060	100	305	-483	260	901	-054	095	251	-391	270	119	-025	127	499	-457
260	654	-035	120	420	-542	260	902	-085	102	255	-417	270	120	-094	182	486	-997
260	655	-026	120	468	-426	260	903	-099	128	278	-726	270	121	-110	205	549	-781
260	656	-034	120	435	-408	260	904	-104	123	297	-759	270	122	-157	203	551	-941
260	657	-031	101	297	-401	260	905	-144	137	244	-673	270	123	-137	131	346	-850
260	658	-052	123	370	-494	260	906	-159	132	225	-693	270	124	-139	125	268	-666
260	659	-070	129	329	-503	260	907	-030	109	422	-339	270	125	-056	115	343	-461
260	660	-047	109	360	-657	260	908	-223	168	199	-1120	270	126	-028	123	447	-392
260	661	-040	109	341	-410	260	909	-187	190	401	-941	270	127	-041	112	309	-435
260	662	-042	113	314	-438	260	910	-261	158	310	-828	270	128	-056	127	531	-332
260	663	-034	110	362	-498	260	911	-360	187	105	-1705	270	129	-092	144	616	-397
260	664	-037	113	424	-404	260	912	-228	191	394	-1069	270	130	-060	126	561	-339
260	665	-033	117	510	-419	260	913	-272	162	169	-1072	270	131	-097	139	541	-405
260	666	-039	120	348	-394	260	914	-408	219	193	-1547	270	132	-066	175	707	-576
260	667	-039	121	505	-423	260	915	-523	254	029	-1749	270	133	-078	202	527	-885
260	668	-032	122	564	-736	260	916	-262	189	287	-1052	270	134	-125	249	672	-1141
260	669	-049	133	583	-771	260	917	-279	149	176	-882	270	135	-242	252	539	-1387
260	670	-067	144	744	-907	260	918	-175	131	203	-599	270	136	-179	142	298	-786
260	671	-042	114	430	-311	260	919	-151	148	293	-822	270	137	-165	140	285	-764
260	672	-049	115	440	-408	260	920	-148	122	294	-601	270	138	-107	125	276	-634
260	673	-077	125	508	-374	260	921	-122	133	385	-678	270	139	-024	118	444	-497
260	674	-090	134	629	-374	260	922	-065	119	325	-676	270	140	-082	132	669	-356
260	675	-068	130	590	-341	260	923	-098	117	277	-473	270	141	-080	107	441	-301
260	676	-039	119	457	-365	260	924	-109	105	216	-486	270	142	-003	205	635	-873
260	677	-002	120	365	-445	260	925	-093	103	228	-479	270	143	-141	234	596	-1257
260	678	-018	112	372	-408	260	926	-096	109	264	-607	270	144	-173	276	961	-1307
260	679	-043	110	439	-450	260	927	-105	106	218	-510	270	145	-135	126	219	-611
260	680	-036	107	405	-292	260	928	-126	095	146	-655	270	146	-138	105	191	-516
260	681	-067	117	537	-384	260	929	-101	112	260	-582	270	147	-061	123	359	-631
260	682	-058	112	463	-257	260	930	-108	119	235	-782	270	148	-025	121	401	-435
260	683	-095	129	647	-257	260	931	-078	144	525	-763	270	149	-016	120	384	-409
260	684	-078	129	583	-292	260	932	-001	159	036	-617	270	150	-037	125	495	-438
260	685	-084	134	541	-302	270	101	-200	128	265	-748	270	151	-082	136	717	-336
260	686	-054	126	503	-282	270	102	-211	151	157	-873	270	152	-077	134	546	-328
260	687	-005	107	448	-264	270	103	-057	108	317	-467	270	153	-108	147	844	-325
260	688	-023	111	415	-384	270	104	-016	105	390	-412	270	154	-044	173	864	-623
260	701	-008	105	323	-458	270	105	-	113	265	-585	270	155	-031	197	518	-992
260	702	-052	135	533	-341	270	106	-043	103	450	-379	270	156	-151	235	687	-975
260	703	-052	131	621	-391	270	107	-062	113	472	-398	270	157	-166	246	654	-1183
260	704	-072	130	752	-343	270	108	-100	139	390	-769	270	158	-164	132	256	-656
260	705	-092	134	681	-284	270	109	-059	144	499	-557	270	159	-165	107	133	-581
260	706	-034	113	450	-213	270	110	-001	159	560	-611	270	160	-087	119	346	-554

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
270	161	-.005	120	528	-.405	270	211	-.030	129	379	-.646	270	316	-.160	129	326	-.781
270	162	-.087	109	536	-.297	270	212	-.063	138	367	-.798	270	317	-.142	123	301	-.658
270	163	-.106	123	675	-.312	270	213	-.149	168	367	-.042	270	318	-.173	143	271	-.926
270	164	-.073	163	713	-.675	270	214	-.169	164	277	-.882	270	319	-.167	115	220	-.556
270	165	-.099	198	464	-.723	270	215	-.110	116	240	-.780	270	320	-.152	129	286	-.559
270	166	-.188	223	603	-1.060	270	216	-.092	103	224	-.631	270	321	-.140	126	297	-.550
270	167	-.105	102	256	-.556	270	217	-.111	098	204	-.772	270	322	-.096	115	347	-.547
270	168	-.098	118	248	-.531	270	218	-.028	098	275	-.436	270	323	-.087	093	240	-.427
270	169	-.045	100	301	-.393	270	219	-.007	091	295	-.322	270	324	-.091	114	297	-.525
270	170	-.034	099	335	-.500	270	220	-.013	090	347	-.331	270	325	-.182	130	221	-.903
270	171	-.009	099	328	-.348	270	221	-.037	089	347	-.299	270	326	-.165	123	222	-.772
270	172	-.042	106	424	-.346	270	222	-.039	096	336	-.345	270	327	-.181	117	248	-.571
270	173	-.075	121	610	-.330	270	223	-.025	117	443	-.397	270	328	-.178	134	317	-.621
270	174	-.039	121	608	-.379	270	224	-.016	088	281	-.340	270	329	-.160	131	300	-.609
270	175	-.075	151	719	-.508	270	225	-.002	103	343	-.392	270	330	-.153	127	294	-.598
270	176	-.065	169	628	-.667	270	226	-.018	107	341	-.511	270	331	-.121	098	277	-.429
270	177	-.038	230	855	-1.208	270	227	-.027	103	290	-.559	270	332	-.107	116	329	-.503
270	178	-.155	276	622	-1.367	270	228	-.045	094	256	-.397	270	333	-.094	118	338	-.523
270	179	-.363	327	639	-1.966	270	229	-.015	093	284	-.354	270	334	-.090	119	334	-.528
270	180	-.135	130	231	-1.153	270	230	-.124	102	236	-.533	270	335	-.065	098	240	-.379
270	181	-.117	134	335	-.724	270	231	-.132	118	177	-.732	270	336	-.187	119	207	-.613
270	182	-.080	123	388	-.640	270	232	-.068	101	400	-.274	270	337	-.170	117	227	-.557
270	183	-.048	120	345	-.507	270	233	-.091	120	514	-.298	270	338	-.146	098	238	-.548
270	184	-.019	125	336	-.465	270	234	-.085	121	497	-.313	270	339	-.129	110	330	-.561
270	185	-.037	130	364	-.381	270	235	-.103	120	510	-.307	270	340	-.114	108	336	-.487
270	186	-.025	136	533	-.435	270	236	-.074	092	348	-.327	270	341	-.097	097	185	-.410
270	187	-.012	144	606	-.609	270	237	-.084	124	295	-.667	270	342	-.115	119	263	-.593
270	188	-.067	208	575	-.940	270	238	-.139	145	355	-.923	270	343	-.110	122	256	-.584
270	189	-.231	231	577	-1.077	270	239	-.013	111	326	-.445	270	344	-.179	107	174	-.528
270	190	-.294	223	472	-1.047	270	240	-.051	118	461	-.380	270	345	-.173	123	234	-.557
270	191	-.132	129	330	-.715	270	241	-.064	115	506	-.316	270	346	-.153	116	226	-.508
270	192	-.120	136	262	-1.138	270	242	-.084	111	557	-.232	270	347	-.119	093	178	-.454
270	193	-.095	130	355	-.852	270	243	-.105	125	634	-.298	270	348	-.111	108	213	-.498
270	194	-.072	123	460	-.560	270	244	-.094	117	526	-.237	270	349	-.103	112	262	-.510
270	195	-.030	126	445	-.441	270	245	-.069	116	488	-.356	270	350	-.081	101	220	-.534
270	196	-.017	120	450	-.457	270	246	-.134	127	216	-.116	270	351	-.103	123	242	-.700
270	197	-.013	134	464	-.671	270	247	-.136	132	437	-.580	270	352	-.172	119	194	-.492
270	198	-.022	130	383	-.603	270	248	-.107	129	290	-.593	270	353	-.121	099	187	-.445
270	199	-.021	145	410	-.634	270	249	-.131	141	393	-.684	270	354	-.124	112	244	-.497
270	200	-.074	169	583	-.857	270	250	-.136	141	252	-.916	270	355	-.106	110	234	-.497
270	201	-.143	186	364	-.943	270	251	-.164	140	302	-.843	270	356	-.096	110	224	-.505
270	202	-.218	214	476	-1.259	270	252	-.128	129	305	-.593	270	357	-.085	103	226	-.703
270	203	-.284	210	411	-1.176	270	253	-.194	157	310	-.901	270	358	-.102	127	319	-.115
270	204	-.138	141	280	-1.188	270	254	-.165	146	277	-.829	270	359	-.106	132	325	-.295
270	205	-.128	134	271	-1.208	270	255	-.144	131	260	-.572	270	360	-.113	083	142	-.417
270	206	-.092	122	427	-.676	270	256	-.135	115	262	-.605	270	361	-.115	090	187	-.417
270	207	-.066	119	315	-.525	270	257	-.117	122	324	-.644	270	362	-.110	091	298	-.424
270	208	-.011	111	386	-.384	270	258	-.120	119	241	-.535	270	363	-.100	090	182	-.429
270	209	-.010	121	422	-.432	270	259	-.095	116	281	-.574	270	364	-.100	090	234	-.438
270	210	-.019	119	406	-.466	270	260	-.100	119	289	-.469	270	365	-.091	085	227	-.352

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
270	366	- .091	.094	.213	- .500	270	418	- .214	.155	.197	- .973	270	468	- .235	.175	.330	-1 .035
270	367	- .081	.088	.231	- .401	270	419	- .196	.158	.248	-1 .044	270	469	- .221	.146	.272	-1 .026
270	368	- .083	.090	.273	- .407	270	420	- .206	.158	.225	-1 .084	270	470	- .230	.141	.185	-1 .080
270	369	- .079	.094	.190	- .431	270	421	- .244	.182	.239	-1 .059	270	471	- .218	.138	.282	-1 .848
270	370	- .076	.102	.253	- .624	270	422	- .212	.148	.321	-1 .007	270	472	- .179	.120	.289	-1 .812
270	371	- .145	.101	.160	- .602	270	423	- .270	.201	.276	-1 .599	270	473	- .205	.120	.260	-1 .662
270	372	- .146	.105	.232	- .515	270	424	- .236	.158	.411	-1 .037	270	474	- .189	.118	.206	-1 .571
270	373	- .134	.093	.147	- .446	270	425	- .200	.153	.292	-1 .876	270	475	- .187	.140	.348	-1 .838
270	374	- .109	.086	.142	- .412	270	426	- .189	.147	.220	-1 .828	270	476	- .196	.131	.219	-1 .738
270	375	- .116	.114	.241	- .674	270	427	- .189	.143	.287	-1 .775	270	477	- .211	.130	.237	-1 .807
270	376	- .099	.099	.186	- .414	270	428	- .186	.144	.321	-1 .014	270	478	- .206	.142	.300	-1 .860
270	377	- .095	.097	.211	- .464	270	429	- .201	.152	.301	-1 .952	270	479	- .199	.151	.276	-1 .008
270	378	- .127	.102	.177	- .503	270	430	- .199	.163	.274	-1 .908	270	480	- .243	.179	.341	-1 .423
270	379	- .136	.113	.270	- .537	270	431	- .218	.169	.284	-1 .945	270	481	- .217	.176	.390	-1 .117
270	380	- .096	.110	.250	- .564	270	432	- .219	.148	.235	-1 .800	270	482	- .218	.160	.339	-1 .046
270	381	- .079	.110	.296	- .488	270	433	- .190	.150	.402	-1 .919	270	483	- .199	.168	.242	-1 .550
270	382	- .082	.107	.231	- .581	270	434	- .204	.153	.296	-1 .967	270	484	- .212	.147	.232	-1 .811
270	383	- .089	.116	.270	- .730	270	435	- .254	.192	.265	-1 .066	270	485	- .198	.135	.233	-1 .802
270	384	- .084	.115	.296	- .483	270	436	- .285	.214	.277	-1 .462	270	486	- .184	.129	.196	-1 .809
270	385	- .087	.116	.306	- .542	270	437	- .234	.170	.306	-1 .174	270	487	- .209	.136	.200	-1 .807
270	386	- .119	.103	.289	- .478	270	438	- .210	.154	.259	-1 .909	270	488	- .229	.131	.193	-1 .754
270	387	- .118	.105	.211	- .519	270	439	- .192	.152	.287	-1 .825	270	489	- .229	.141	.205	-1 .920
270	388	- .100	.106	.231	- .461	270	440	- .203	.137	.274	-1 .710	270	490	- .195	.138	.263	-1 .774
270	389	- .093	.103	.231	- .446	270	441	- .197	.123	.316	-1 .735	270	491	- .293	.187	.202	-1 .455
270	390	- .083	.106	.307	- .431	270	442	- .213	.148	.279	-1 .877	270	492	- .281	.195	.302	-1 .397
270	391	- .087	.102	.255	- .422	270	443	- .221	.162	.287	-1 .847	270	493	- .254	.179	.268	-1 .288
270	392	- .076	.093	.230	- .419	270	444	- .212	.174	.295	-1 .102	270	494	- .249	.168	.264	-1 .362
270	393	- .094	.111	.255	- .466	270	445	- .253	.191	.320	-1 .739	270	495	- .238	.151	.224	-1 .933
270	394	- .093	.104	.283	- .483	270	446	- .233	.136	.174	-1 .850	270	496	- .217	.152	.204	-1 .935
270	395	- .087	.105	.221	- .513	270	447	- .202	.155	.280	-1 .894	270	497	- .199	.141	.217	-1 .146
270	396	- .082	.108	.293	- .618	270	448	- .195	.144	.240	-1 .821	270	498	- .249	.134	.224	-1 .797
270	397	- .091	.125	.289	- .659	270	449	- .191	.141	.282	-1 .938	270	499	- .215	.145	.183	-1 .883
270	398	- .108	.133	.267	- .918	270	450	- .201	.152	.367	-1 .906	270	500	- .229	.136	.175	-1 .792
270	401	- .363	.187	.236	-1 .751	270	451	- .200	.132	.198	-1 .706	270	501	- .194	.127	.202	-1 .692
270	402	- .268	.144	.152	- .898	270	452	- .174	.133	.268	-1 .675	270	502	- .224	.133	.273	-1 .647
270	403	- .247	.137	.173	- .902	270	453	- .199	.145	.257	-1 .111	270	503	- .217	.132	.261	-1 .613
270	404	- .232	.131	.229	- .828	270	454	- .207	.138	.282	-1 .736	270	504	- .253	.170	.217	-1 .276
270	405	- .229	.133	.262	- .750	270	455	- .191	.144	.262	-1 .799	270	505	- .283	.195	.221	-1 .661
270	406	- .217	.139	.300	- .891	270	456	- .213	.149	.216	-1 .761	270	506	- .306	.188	.237	-1 .536
270	407	- .229	.147	.238	-1 .003	270	457	- .251	.166	.253	-1 .065	270	507	- .287	.205	.227	-1 .620
270	408	- .238	.173	.464	- .863	270	458	- .283	.223	.223	-1 .522	270	508	- .281	.176	.226	-1 .172
270	409	- .214	.168	.316	-1 .089	270	459	- .224	.134	.178	-1 .977	270	509	- .290	.164	.180	-1 .935
270	410	- .214	.170	.364	-1 .073	270	460	- .210	.147	.225	-1 .853	270	510	- .238	.144	.156	-1 .094
270	411	- .208	.173	.341	-1 .344	270	461	- .195	.142	.218	-1 .822	270	511	- .243	.151	.302	-1 .982
270	412	- .201	.159	.320	-1 .480	270	462	- .202	.109	.223	-1 .582	270	512	- .204	.131	.185	-1 .707
270	413	- .209	.174	.250	-1 .192	270	463	- .176	.112	.174	-1 .615	270	513	- .197	.122	.213	-1 .695
270	414	- .322	.235	.382	-1 .797	270	464	- .212	.116	.141	-1 .765	270	514	- .184	.129	.205	-1 .626
270	415	- .246	.160	.243	- .923	270	465	- .201	.135	.246	-1 .672	270	515	- .260	.230	.378	-1 .971
270	416	- .200	.140	.309	- .777	270	466	- .219	.124	.157	-1 .904	270	516	- .197	.194	.359	-1 .468
270	417	- .216	.152	.252	-1 .087	270	467	- .256	.196	.331	-1 .890	270	517	- .260	.201	.420	-1 .281

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
270	518	-229	173	246	-1.070	270	625	223	203	1.032	-339	270	675	180	149	722	-240
270	519	-239	191	324	-1.572	270	626	363	206	1.047	-203	270	676	131	128	679	-200
270	520	-202	144	275	-1.114	270	627	151	168	1.078	-428	270	677	084	120	513	-335
270	521	-187	134	288	-0.894	270	628	247	197	1.136	-373	270	678	039	117	429	-342
270	522	-168	134	302	-0.769	270	629	330	205	1.210	-218	270	679	-009	114	368	-430
270	523	-160	126	209	-0.707	270	630	385	210	1.247	-142	270	680	113	119	695	-239
270	524	-143	117	250	-0.533	270	631	527	170	1.247	-054	270	681	157	134	672	-235
270	525	-138	132	293	-0.594	270	632	568	218	1.312	-148	270	682	126	114	565	-312
270	526	-129	120	288	-0.557	270	633	506	233	1.363	-295	270	683	216	134	747	-182
270	527	-136	120	278	-0.592	270	634	388	216	1.180	-360	270	684	197	149	818	-270
270	528	-202	154	228	-1.310	270	635	319	190	1.124	-368	270	685	223	150	757	-243
270	529	-194	142	307	-1.049	270	636	031	166	1.654	-474	270	686	138	135	646	-275
270	530	-118	113	241	-0.625	270	637	141	171	1.877	-322	270	687	051	124	487	-380
270	531	-140	110	275	-0.778	270	638	261	144	1.863	-168	270	688	-003	114	469	-326
270	532	-154	117	205	-0.664	270	639	327	182	1.962	-227	270	701	054	113	581	-281
270	533	-186	137	224	-0.748	270	640	340	200	1.072	-252	270	702	132	126	745	-263
270	534	-158	125	237	-0.752	270	641	338	190	1.288	-204	270	703	172	128	583	-231
270	535	-181	157	338	-0.892	270	642	248	217	1.251	-385	270	704	189	129	684	-180
270	536	-119	127	302	-0.659	270	643	135	198	1.018	-831	270	705	188	135	613	-238
270	537	-076	107	250	-0.521	270	644	057	126	1.522	-723	270	706	125	116	516	-233
270	538	-078	108	275	-0.461	270	645	010	141	1.716	-734	270	707	-007	106	363	-347
270	539	-057	099	236	-0.362	270	646	087	137	1.638	-507	270	708	122	115	535	-220
270	540	-091	091	211	-0.408	270	647	130	115	1.776	-218	270	709	-118	108	247	-451
270	541	-096	098	206	-0.443	270	648	126	144	1.842	-404	270	710	-095	096	230	-424
270	542	-135	112	209	-0.549	270	649	101	148	1.609	-424	270	801	-137	122	349	-632
270	543	-129	110	212	-0.544	270	650	050	120	1.540	-336	270	802	-051	150	793	-401
270	601	-182	149	640	-0.401	270	651	042	141	1.507	-667	270	803	-123	106	221	-544
270	602	-268	179	954	-0.564	270	652	070	135	1.456	-566	270	804	-098	087	194	-398
270	603	-301	191	1.098	-0.298	270	653	006	102	1.333	-405	270	901	-066	100	285	-402
270	604	-344	199	1.062	-0.272	270	654	022	120	1.439	-428	270	902	-149	118	229	-546
270	605	-313	199	1.983	-0.535	270	655	032	121	1.516	-452	270	903	-180	135	227	-889
270	606	-292	211	1.113	-0.396	270	656	030	124	1.548	-430	270	904	-171	138	271	-737
270	607	-442	195	1.244	-0.175	270	657	023	110	1.467	-424	270	905	-211	140	248	-884
270	608	-181	202	1.094	-0.518	270	658	032	137	1.625	-554	270	906	-224	143	204	-893
270	609	-249	181	1.088	-0.325	270	659	098	145	1.675	-682	270	907	-141	121	606	-246
270	610	-410	210	1.256	-0.251	270	660	002	117	1.483	-501	270	908	-291	160	145	-218
270	611	-499	202	1.190	-0.188	270	661	004	113	1.452	-362	270	909	-074	194	725	-721
270	612	-572	240	1.347	-0.177	270	662	015	111	1.369	-421	270	910	-145	171	362	-813
270	613	-490	217	1.305	-0.207	270	663	023	125	1.477	-432	270	911	-303	157	147	-124
270	614	-431	213	1.261	-0.261	270	664	011	123	1.423	-430	270	912	-219	148	272	-096
270	615	-309	195	1.035	-0.405	270	665	005	123	1.434	-432	270	913	-221	132	299	-952
270	616	-257	203	1.278	-0.351	270	666	014	120	1.553	-373	270	914	-345	165	126	-080
270	617	-392	220	1.355	-0.228	270	667	050	124	1.557	-555	270	915	-363	203	140	-416
270	618	-195	205	1.973	-0.414	270	668	005	128	1.436	-719	270	916	-321	162	255	-951
270	619	-287	166	1.984	-0.334	270	669	033	180	1.823	-135	270	917	-315	160	145	-963
270	620	-387	199	1.207	-0.266	270	670	075	176	1.669	-935	270	918	-196	115	141	-661
270	621	-446	206	1.295	-0.167	270	671	126	116	1.538	-301	270	919	-224	139	329	-718
270	622	-558	238	1.531	-0.145	270	672	151	128	1.603	-372	270	920	-220	124	276	-769
270	623	-406	177	1.041	-0.191	270	673	180	140	1.707	-280	270	921	-210	138	203	-938
270	624	-340	208	1.166	-0.401	270	674	191	131	1.740	-209	270	922	-137	131	328	-794

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
270	923	-161	128	238	-635	280	141	184	127	703	-197	280	191	-172	150	323	-973
270	924	-146	120	266	-628	280	142	199	204	909	-516	280	192	-161	140	273	-894
270	925	-110	112	263	-540	280	143	102	233	1.061	-733	280	193	-105	141	377	-1.024
270	926	-123	128	347	-606	280	144	099	284	1.259	-945	280	194	-067	146	522	-682
270	927	-158	121	314	-748	280	145	-152	118	194	-593	280	195	-014	127	577	-375
270	928	-190	106	123	-671	280	146	-173	109	218	-549	280	196	-000	137	612	-492
270	929	-128	130	368	-821	280	147	-038	121	421	-483	280	197	-018	132	519	-654
270	930	-202	137	255	-855	280	148	-005	131	592	-544	280	198	-009	136	427	-483
270	931	-095	192	701	-1.205	280	149	030	129	558	-419	280	199	-013	126	441	-411
270	932	-080	203	1.084	-968	280	150	128	153	695	-396	280	200	-013	133	605	-960
280	101	-224	129	205	-797	280	151	153	160	853	-324	280	201	-074	175	522	-913
280	102	-248	148	141	-931	280	152	190	159	710	-320	280	202	-161	202	548	-1.188
280	103	-042	109	415	-419	280	153	232	183	842	-391	280	203	-167	203	485	-892
280	104	-041	117	437	-384	280	154	203	192	911	-819	280	204	-179	152	226	-1.234
280	105	-092	117	410	-488	280	155	144	210	955	-861	280	205	-193	161	263	-1.243
280	106	-115	129	619	-298	280	156	099	259	938	-735	280	206	-120	132	413	-709
280	107	-146	131	639	-296	280	157	008	253	995	-824	280	207	-075	131	524	-691
280	108	-056	144	475	-699	280	158	-163	123	244	-786	280	208	-007	120	373	-461
280	109	-144	148	708	-437	280	159	-178	107	196	-645	280	209	-006	123	584	-404
280	110	-147	180	826	-521	280	160	-063	129	288	-510	280	210	-001	120	466	-442
280	111	-036	156	428	-595	280	161	040	138	491	-530	280	211	-006	123	407	-635
280	112	-105	213	792	-908	280	162	162	130	719	-230	280	212	-024	136	476	-630
280	113	-035	277	910	-1.007	280	163	204	136	703	-212	280	213	-081	147	344	-911
280	114	-259	167	186	-869	280	164	200	162	708	-286	280	214	-105	165	494	-866
280	115	-285	192	195	-1.046	280	165	120	210	876	-762	280	215	-142	109	172	-628
280	116	-158	127	280	-595	280	166	010	249	872	-868	280	216	-164	120	196	-686
280	117	-045	131	416	-502	280	167	-152	109	207	-711	280	217	-133	100	206	-576
280	118	-096	132	593	-408	280	168	-148	132	244	-761	280	218	-054	096	316	-344
280	119	-106	136	751	-412	280	169	037	112	426	-454	280	219	-012	088	286	-325
280	120	-102	186	749	-858	280	170	019	121	502	-447	280	220	-003	085	295	-278
280	121	-042	208	778	-763	280	171	029	122	568	-503	280	221	-028	084	321	-252
280	122	-107	217	849	-694	280	172	088	127	597	-346	280	222	-035	089	314	-302
280	123	-160	126	296	-695	280	173	127	141	657	-398	280	223	-030	105	391	-352
280	124	-152	121	309	-577	280	174	103	138	703	-434	280	224	-022	095	361	-340
280	125	-040	117	375	-439	280	175	151	178	1.073	-815	280	225	-026	093	344	-267
280	126	-024	137	583	-444	280	176	176	190	915	-710	280	226	-006	097	347	-399
280	127	-008	131	572	-502	280	177	128	220	931	-1.205	280	227	-008	101	350	-590
280	128	-127	146	731	-444	280	178	093	274	994	-1.164	280	228	-080	096	250	-460
280	129	-187	156	769	-508	280	179	-112	360	924	-1.718	280	229	-029	089	276	-422
280	130	-148	156	754	-414	280	180	-167	145	323	-1.078	280	230	-146	112	191	-635
280	131	-206	177	883	-362	280	181	-164	132	235	-784	280	231	-161	108	156	-679
280	132	-217	195	883	-501	280	182	-083	127	398	-587	280	232	-082	094	514	-238
280	133	-120	199	796	-735	280	183	039	145	544	-541	280	233	-099	112	537	-332
280	134	-128	249	931	-742	280	184	033	149	770	-433	280	234	-109	118	518	-318
280	135	-055	290	1.047	-950	280	185	081	150	689	-357	280	235	-095	115	591	-327
280	136	-181	142	294	-772	280	186	070	150	803	-460	280	236	-095	098	419	-294
280	137	-188	142	326	-836	280	187	078	157	759	-420	280	237	-124	125	223	-722
280	138	-093	120	345	-561	280	188	040	185	895	-957	280	238	-172	138	265	-780
280	139	-019	133	521	-436	280	189	099	238	709	-907	280	239	-040	106	314	-427
280	140	-155	145	769	-304	280	190	-130	208	812	-1.243	280	240	-031	114	403	-352

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
280	241	.058	.110	.382	-.309	280	346	-.176	.106	.181	-.568	280	396	-.122	.113	.244	-.496
280	242	.073	.113	.554	-.294	280	347	-.149	.086	.191	-.480	280	397	-.117	.125	.308	-.632
280	243	.109	.108	.504	-.251	280	348	-.129	.101	.230	-.515	280	398	-.138	.121	.201	-.761
280	244	.086	.108	.465	-.243	280	349	-.129	.106	.235	-.550	280	401	-.249	.142	.153	-.988
280	245	.071	.116	.507	-.457	280	350	-.133	.098	.130	-.585	280	402	-.236	.129	.153	-.909
280	301	-.130	.110	.205	-.537	280	351	-.132	.125	.226	-.724	280	403	-.195	.121	.183	-.671
280	302	-.148	.134	.248	-.920	280	352	-.218	.109	.124	-.618	280	404	-.185	.113	.167	-.689
280	303	-.143	.128	.243	-.644	280	353	-.187	.091	.120	-.510	280	405	-.207	.121	.337	-.678
280	304	-.132	.135	.403	-.595	280	354	-.161	.106	.258	-.544	280	406	-.184	.111	.193	-.638
280	305	-.147	.136	.236	-.813	280	355	-.137	.108	.287	-.666	280	407	-.201	.122	.212	-.718
280	306	-.164	.133	.300	-.679	280	356	-.132	.115	.235	-.712	280	408	-.233	.158	.311	-1.136
280	307	-.142	.125	.297	-.557	280	357	-.145	.106	.168	-.674	280	409	-.231	.157	.209	-.952
280	308	-.197	.148	.208	-.988	280	358	-.144	.137	.244	-1.254	280	410	-.226	.164	.286	-1.027
280	309	-.187	.137	.225	-.711	280	359	-.145	.144	.276	-1.118	280	411	-.214	.158	.343	-.964
280	310	-.166	.131	.244	-.680	280	360	-.165	.095	.138	-.492	280	412	-.211	.157	.255	-.970
280	311	-.147	.122	.289	-.625	280	361	-.156	.100	.206	-.468	280	413	-.206	.158	.300	-.988
280	312	-.134	.118	.275	-.563	280	362	-.151	.095	.152	-.442	280	414	-.235	.174	.330	-1.571
280	313	-.127	.119	.304	-.577	280	363	-.161	.094	.164	-.504	280	415	-.211	.142	.393	-.796
280	314	-.114	.116	.304	-.498	280	364	-.162	.099	.140	-.562	280	416	-.188	.128	.227	-.650
280	315	-.116	.114	.239	-.530	280	365	-.145	.092	.159	-.529	280	417	-.197	.142	.236	-.913
280	316	-.166	.117	.225	-.646	280	366	-.114	.088	.152	-.400	280	418	-.206	.147	.230	-.879
280	317	-.148	.112	.245	-.607	280	367	-.128	.094	.164	-.621	280	419	-.219	.145	.214	-.795
280	318	-.182	.126	.257	-.772	280	368	-.130	.104	.167	-.572	280	420	-.209	.143	.182	-.896
280	319	-.157	.107	.186	-.845	280	369	-.111	.095	.159	-.619	280	421	-.225	.165	.311	-.946
280	320	-.146	.124	.249	-.862	280	370	-.107	.100	.238	-.499	280	422	-.216	.136	.159	-.788
280	321	-.140	.123	.228	-.823	280	371	-.193	.109	.174	-.593	280	423	-.192	.140	.246	-.876
280	322	-.110	.115	.262	-.515	280	372	-.208	.110	.150	-.650	280	424	-.200	.145	.326	-.826
280	323	-.100	.096	.229	-.455	280	373	-.198	.107	.148	-.576	280	425	-.183	.141	.315	-.708
280	324	-.104	.118	.297	-.532	280	374	-.171	.105	.150	-.610	280	426	-.177	.136	.264	-.843
280	325	-.173	.125	.257	-.659	280	375	-.159	.107	.286	-.521	280	427	-.180	.126	.187	-.579
280	326	-.158	.121	.257	-.614	280	376	-.155	.113	.213	-.498	280	428	-.174	.130	.238	-.699
280	327	-.182	.097	.111	-.558	280	377	-.139	.113	.220	-.500	280	429	-.192	.133	.232	-.843
280	328	-.177	.115	.157	-.609	280	378	-.209	.134	.208	-.767	280	430	-.209	.133	.233	-.890
280	329	-.162	.112	.169	-.555	280	379	-.200	.134	.169	-.714	280	431	-.219	.142	.159	-1.061
280	330	-.154	.109	.161	-.525	280	380	-.131	.130	.373	-.552	280	432	-.221	.141	.194	-.915
280	331	-.131	.087	.184	-.457	280	381	-.105	.116	.319	-.484	280	433	-.218	.153	.249	-.910
280	332	-.116	.107	.316	-.486	280	382	-.124	.112	.296	-.466	280	434	-.228	.151	.204	-.907
280	333	-.111	.111	.293	-.520	280	383	-.141	.122	.238	-.630	280	435	-.246	.156	.254	-.806
280	334	-.118	.121	.248	-.591	280	384	-.128	.117	.236	-.683	280	436	-.205	.135	.223	-.747
280	335	-.112	.095	.207	-.512	280	385	-.129	.123	.243	-.945	280	437	-.205	.136	.247	-.788
280	336	-.205	.110	.117	-.597	280	386	-.192	.126	.192	-.654	280	438	-.182	.132	.228	-.799
280	337	-.185	.108	.139	-.553	280	387	-.168	.115	.148	-.677	280	439	-.185	.136	.244	-.816
280	338	-.153	.090	.170	-.460	280	388	-.145	.111	.157	-.575	280	440	-.190	.130	.240	-.718
280	339	-.137	.109	.265	-.541	280	389	-.132	.124	.252	-.519	280	441	-.204	.110	.153	-.582
280	340	-.131	.110	.293	-.469	280	390	-.111	.115	.336	-.470	280	442	-.212	.148	.269	-.864
280	341	-.118	.087	.191	-.401	280	391	-.117	.109	.238	-.507	280	443	-.232	.167	.307	-1.101
280	342	-.119	.109	.249	-.486	280	392	-.110	.109	.261	-.528	280	444	-.227	.156	.199	-1.192
280	343	-.120	.113	.272	-.578	280	393	-.125	.112	.297	-.501	280	445	-.197	.147	.263	-1.117
280	344	-.224	.096	.050	-.590	280	394	-.138	.111	.222	-.590	280	446	-.211	.119	.182	-.986
280	345	-.264	.112	.188	-.625	280	395	-.134	.113	.261	-.560	280	447	-.184	.135	.279	-.706

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
280	448	-184	138	218	-807	280	498	-270	140	158	-813	280	603	289	180	919	-272
280	449	-175	130	241	-681	280	499	-249	126	201	-747	280	606	408	226	1242	-242
280	450	-183	142	286	-711	280	500	-264	134	132	-783	280	607	582	229	1373	-124
280	451	-197	130	301	-636	280	501	-247	122	127	-606	280	608	342	216	1197	-368
280	452	-188	120	182	-782	280	502	-269	130	218	-802	280	609	418	208	1216	-308
280	453	-205	138	208	-807	280	503	-269	137	125	-802	280	610	514	220	1248	-171
280	454	-218	140	231	-782	280	504	-348	188	204	-1680	280	611	570	209	1241	-183
280	455	-228	138	253	-830	280	505	-336	166	165	-1263	280	612	617	234	1578	-025
280	456	-224	138	169	-777	280	506	-322	189	187	-1324	280	613	561	219	1593	-111
280	457	-233	156	284	-902	280	507	-309	170	278	-1225	280	614	371	181	1133	-198
280	458	-200	147	234	-1094	280	508	-309	152	091	-1224	280	615	294	180	957	-319
280	459	-215	109	171	-736	280	509	-300	147	228	-880	280	616	375	198	1136	-231
280	460	-172	126	341	-686	280	510	-310	162	194	-1249	280	617	475	205	1278	-175
280	461	-169	126	244	-598	280	511	-307	166	112	-1324	280	618	356	204	1200	-282
280	462	-199	102	123	-589	280	512	-277	145	214	-907	280	619	387	180	1012	-068
280	463	-191	098	173	-575	280	513	-237	141	181	-799	280	620	455	217	1210	-203
280	464	-224	108	120	-669	280	514	-248	133	162	-722	280	621	492	223	1230	-166
280	465	-186	120	184	-685	280	515	-246	203	323	-1764	280	622	504	216	1219	-115
280	466	-230	117	123	-763	280	516	-216	171	246	-1168	280	623	350	141	938	-167
280	467	-212	121	164	-947	280	517	-253	203	293	-1768	280	624	270	160	936	-509
280	468	-212	147	226	-802	280	518	-226	163	297	-1076	280	625	342	199	1011	-234
280	469	-212	108	143	-694	280	519	-215	160	253	-1215	280	626	439	204	1189	-152
280	470	-200	118	175	-713	280	520	-214	142	279	-914	280	627	265	178	1010	-400
280	471	-193	106	210	-561	280	521	-223	138	176	-776	280	628	341	204	1382	-279
280	472	-181	107	205	-566	280	522	-214	131	293	-747	280	629	394	205	1412	-231
280	473	-189	103	212	-628	280	523	-191	128	197	-680	280	630	432	205	1407	-200
280	474	-198	104	201	-634	280	524	-167	116	228	-536	280	631	517	178	1144	-021
280	475	-203	131	200	-616	280	525	-156	114	277	-585	280	632	528	208	1271	-073
280	476	-217	131	252	-732	280	526	-164	121	313	-557	280	633	451	206	1393	-172
280	477	-216	141	225	-852	280	527	-187	126	216	-803	280	634	329	187	1045	-290
280	478	-235	140	181	-874	280	528	-255	160	192	-1214	280	635	252	142	712	-232
280	479	-264	136	189	-904	280	529	-216	146	197	-1121	280	636	083	165	685	-550
280	480	-223	142	234	-1114	280	530	-159	124	273	-727	280	637	161	170	821	-441
280	481	-213	136	295	-1060	280	531	-190	130	201	-850	280	638	253	144	821	-169
280	482	-220	137	245	-933	280	532	-213	132	214	-809	280	639	336	195	982	-170
280	483	-198	132	216	-877	280	533	-275	172	121	-1307	280	640	339	160	957	-209
280	484	-218	130	238	-671	280	534	-211	136	234	-776	280	641	246	178	899	-393
280	485	-218	128	295	-723	280	535	-232	166	243	-1273	280	642	131	162	786	-549
280	486	-225	123	279	-662	280	536	-137	118	302	-572	280	643	024	116	438	-477
280	487	-231	115	150	-628	280	537	-092	129	307	-427	280	644	016	137	654	-443
280	488	-240	129	182	-682	280	538	-078	112	336	-435	280	645	084	135	735	-396
280	489	-263	126	207	-802	280	539	-071	107	224	-440	280	646	131	112	620	-248
280	490	-262	138	202	-754	280	540	-096	090	301	-530	280	647	140	143	773	-360
280	491	-268	157	277	-1067	280	541	-131	111	299	-644	280	648	133	154	707	-355
280	492	-272	165	208	-1367	280	542	-177	134	225	-601	280	649	076	124	641	-474
280	493	-268	171	166	-1300	280	543	-171	119	797	-157	280	650	022	141	392	-468
280	494	-261	161	360	-1360	280	601	-295	139	1134	-248	280	651	030	121	381	-397
280	495	-238	148	240	-881	280	602	-330	185	1209	-363	280	652	003	099	575	-480
280	496	-252	138	146	-751	280	603	-329	189								
280	497	-277	133	151	-874	280	604	-324	188								

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
280	655	.036	.120	.526	-.416	280	903	-.216	.141	.253	-.916	290	121	.237	.229	1.062	-.574
280	656	.049	.126	.618	-.406	280	904	-.214	.146	.274	-.832	290	122	.335	.232	1.004	-.640
280	657	.025	.104	.615	-.415	280	905	-.234	.146	.214	-.855	290	123	.177	.116	.180	-.554
280	658	-.040	.126	.497	-.585	280	906	-.240	.137	.163	-.907	290	124	.185	.124	.216	-.643
280	659	.106	.127	.399	-.661	280	907	-.227	.149	.736	-.244	290	125	.020	.129	.528	-.552
280	660	.010	.114	.384	-.425	280	908	-.275	.149	.163	-.946	290	126	.085	.148	.901	-.430
280	661	.019	.112	.372	-.474	280	909	-.148	.224	.914	-.683	290	127	.046	.148	.762	-.393
280	662	.035	.110	.421	-.415	280	910	-.083	.189	.653	-.563	290	128	.206	.167	.866	-.303
280	663	.043	.109	.514	-.355	280	911	-.256	.147	.139	-.918	290	129	.255	.176	1.123	-.333
280	664	.032	.121	.430	-.445	280	912	-.197	.126	.298	-.801	290	130	.225	.172	.913	-.365
280	665	.011	.123	.586	-.465	280	913	-.202	.123	.177	-.865	290	131	.308	.192	.948	-.285
280	666	-.006	.136	.579	-.682	280	914	-.273	.145	.115	-1.456	290	132	.340	.199	1.033	-.315
280	667	.039	.133	.517	-.539	280	915	-.262	.134	.111	-1.033	290	133	.292	.232	1.097	-.649
280	668	.012	.135	.621	-.539	280	916	-.301	.140	.136	-.862	290	134	.305	.252	1.160	-.834
280	669	.008	.176	.735	-.990	280	917	-.293	.150	.113	-1.015	290	135	.315	.302	1.200	-.712
280	670	.066	.169	.527	-.928	280	918	-.199	.110	.156	-.678	290	136	.192	.136	.238	-.773
280	671	.121	.114	.539	-.282	280	919	-.242	.148	.215	-.744	290	137	.205	.130	.183	-.732
280	672	.144	.122	.552	-.296	280	920	-.210	.117	.182	-.946	290	138	.070	.116	.402	-.489
280	673	.181	.128	.712	-.222	280	921	-.207	.138	.162	-1.285	290	139	.047	.133	.514	-.495
280	674	.170	.127	.618	-.267	280	922	-.186	.139	.343	-.710	290	140	.239	.166	.821	-.225
280	675	.193	.135	.796	-.182	280	923	-.191	.128	.230	-.716	290	141	.288	.153	.773	-.181
280	676	.127	.120	.599	-.299	280	924	-.183	.119	.190	-.676	290	142	.336	.192	1.025	-.470
280	677	.085	.118	.507	-.284	280	925	-.151	.126	.298	-.577	290	143	.385	.246	1.120	-.522
280	678	.038	.117	.499	-.370	280	926	-.140	.134	.354	-.649	290	144	.346	.278	1.267	-.203
280	679	.016	.112	.316	-.459	280	927	-.208	.122	.150	-.758	290	145	.165	.118	.212	-.561
280	680	.139	.126	.596	-.244	280	928	-.216	.114	.121	-.965	290	146	.205	.116	.168	-.718
280	681	.160	.128	.653	-.254	280	929	-.121	.135	.572	-.595	290	147	.007	.128	.450	-.451
280	682	.149	.116	.726	-.218	280	930	-.232	.140	.164	-.820	290	148	.071	.150	.569	-.456
280	683	.213	.137	.710	-.191	280	931	-.112	.195	.748	-1.234	290	149	.076	.133	.559	-.484
280	684	.242	.150	.026	-.195	280	932	-.060	.217	.985	-.659	290	150	.167	.163	.839	-.445
280	685	.203	.134	.774	-.214	290	101	-.223	.129	.166	-.755	290	151	.277	.189	.991	-.298
280	686	.167	.128	.649	-.205	290	102	-.277	.149	.122	-.978	290	152	.271	.182	.957	-.422
280	687	.068	.109	.403	-.306	290	103	.011	.113	.417	-.405	290	153	.307	.210	1.092	-.414
280	688	.006	.106	.413	-.341	290	104	.101	.129	.730	-.347	290	154	.339	.198	1.040	-.429
280	701	.057	.107	.467	-.323	290	105	.044	.116	.560	-.424	290	155	.319	.216	.994	-.518
280	702	.144	.125	.555	-.241	290	106	.173	.134	.886	-.245	290	156	.361	.264	1.186	-.665
280	703	.212	.135	.700	-.180	290	107	.221	.147	.850	-.289	290	157	.253	.278	1.147	-.865
280	704	.221	.142	.782	-.186	290	108	.010	.155	.642	-.569	290	158	.177	.124	.166	-.663
280	705	.204	.137	.746	-.251	290	109	.258	.184	.891	-.382	290	159	.194	.105	.101	-.723
280	706	.148	.118	.642	-.224	290	110	.278	.196	.895	-.490	290	160	.050	.119	.372	-.530
280	707	.016	.109	.401	-.366	290	111	.078	.171	.707	-.544	290	161	.082	.139	.631	-.354
280	708	.142	.122	.573	-.231	290	112	.271	.214	1.140	-.586	290	162	.250	.147	.739	-.184
280	709	.184	.128	.230	-.880	290	113	.222	.254	.084	-1.233	290	163	.290	.168	.859	-.218
280	710	.139	.118	.197	-.608	290	114	.233	.148	.232	-.857	290	164	.314	.173	.916	-.348
280	801	.154	.122	.376	-.697	290	115	.299	.178	.284	-1.211	290	165	.364	.233	1.205	-.336
280	802	.050	.139	.712	-.401	290	116	.124	.127	.338	-.696	290	166	.266	.255	.994	-.504
280	803	.131	.107	.235	-.519	290	117	.013	.131	.463	-.492	290	167	.158	.106	.214	-.665
280	804	.114	.088	.170	-.450	290	118	.179	.147	.844	-.355	290	168	.194	.138	.191	-.838
280	901	.044	.106	.279	-.405	290	119	.198	.160	.980	-.400	290	169	.004	.110	.359	-.444
280	902	.162	.115	.198	-.588	290	120	.279	.187	.994	-.407	290	170	.047	.132	.477	-.417

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
290	171	.083	.126	.557	-.479	290	221	.057	.093	.399	-.243	290	326	-.150	.120	.268	-.544
290	172	.154	.139	.621	-.308	290	222	.041	.090	.354	-.231	290	327	-.164	.085	.129	-.473
290	173	.232	.156	.912	-.288	290	223	.054	.114	.500	-.324	290	328	-.168	.103	.176	-.565
290	174	.197	.153	.981	-.354	290	224	.052	.089	.433	-.262	290	329	-.150	.102	.192	-.532
290	175	.271	.206	.982	-.502	290	225	.052	.100	.451	-.279	290	330	-.143	.101	.190	-.507
290	176	.256	.232	1.233	-.518	290	226	.044	.092	.351	-.334	290	331	-.140	.089	.148	-.477
290	177	.256	.232	1.123	-.752	290	227	.034	.101	.327	-.375	290	332	-.138	.106	.200	-.503
290	178	.279	.252	1.242	-.716	290	228	-.077	.100	.341	-.428	290	333	-.133	.109	.212	-.529
290	179	.161	.361	1.253	-2.164	290	229	.039	.092	.257	-.411	290	334	-.154	.124	.203	-.523
290	180	-.170	.132	.251	-.748	290	230	-.155	.101	.155	-.581	290	335	-.143	.095	.171	-.591
290	181	-.187	.140	.256	-.851	290	231	-.216	.119	.095	-.728	290	336	-.184	.113	.225	-.645
290	182	-.058	.133	.440	-.520	290	232	-.089	.096	.469	-.231	290	337	-.166	.112	.250	-.613
290	183	.013	.149	.593	-.447	290	233	.106	.105	.506	-.256	290	338	-.157	.087	.152	-.480
290	184	.112	.167	.773	-.325	290	234	.116	.110	.504	-.209	290	339	-.152	.104	.176	-.560
290	185	.154	.176	.850	-.357	290	235	.103	.109	.508	-.351	290	340	-.146	.106	.203	-.510
290	186	.167	.169	1.155	-.293	290	236	.109	.091	.402	-.168	290	341	-.149	.092	.154	-.461
290	187	.169	.169	.754	-.343	290	237	-.141	.116	.224	-.685	290	342	-.150	.115	.195	-.590
290	188	.158	.186	.991	-.618	290	238	-.216	.144	.186	-.980	290	343	-.148	.120	.217	-.653
290	189	.086	.218	.839	-.703	290	239	-.029	.117	.378	-.476	290	344	-.191	.095	.141	-.514
290	190	.060	.197	.740	-.621	290	240	-.029	.118	.547	-.327	290	345	-.171	.112	.198	-.546
290	191	-.198	.147	.265	-.816	290	241	.068	.111	.575	-.348	290	346	-.158	.108	.182	-.527
290	192	.211	.155	.241	-.1047	290	242	.085	.106	.449	-.294	290	347	-.158	.091	.116	-.518
290	193	.091	.136	.461	-.633	290	243	.113	.126	.520	-.349	290	348	-.150	.111	.178	-.609
290	194	.033	.139	.584	-.529	290	244	.110	.109	.466	-.220	290	349	-.145	.115	.195	-.615
290	195	.053	.129	.500	-.326	290	245	.109	.128	.603	-.291	290	350	-.155	.098	.147	-.509
290	196	.067	.149	.801	-.425	290	301	-.136	.105	.214	-.624	290	351	-.155	.124	.218	-.694
290	197	.086	.151	.722	-.413	290	302	-.161	.133	.265	-.640	290	352	-.195	.123	.275	-.582
290	198	.097	.137	.565	-.441	290	303	-.170	.134	.250	-.721	290	353	-.188	.094	.107	-.500
290	199	.088	.142	.606	-.413	290	304	-.164	.121	.229	-.640	290	354	-.170	.111	.162	-.555
290	200	.073	.145	.621	-.538	290	305	-.162	.127	.247	-.751	290	355	-.155	.110	.219	-.541
290	201	.052	.148	.562	-.517	290	306	-.155	.119	.197	-.629	290	356	-.163	.109	.195	-.550
290	202	.020	.172	.693	-.615	290	307	-.161	.118	.217	-.565	290	357	-.149	.093	.134	-.351
290	203	.011	.183	.594	-.1038	290	308	-.168	.126	.276	-.773	290	358	-.142	.119	.222	-.767
290	204	.200	.143	.328	-.937	290	309	-.162	.122	.207	-.654	290	359	-.134	.126	.263	-.834
290	205	.237	.167	.282	-.1047	290	310	-.152	.117	.254	-.611	290	360	-.158	.093	.165	-.513
290	206	.111	.130	.411	-.586	290	311	-.141	.112	.169	-.556	290	361	-.169	.095	.135	-.525
290	207	.061	.126	.425	-.618	290	312	-.135	.112	.214	-.571	290	362	-.155	.096	.153	-.475
290	208	.033	.119	.601	-.354	290	313	-.131	.113	.266	-.496	290	363	-.178	.098	.205	-.549
290	209	.042	.121	.500	-.333	290	314	-.129	.116	.269	-.507	290	364	-.169	.098	.151	-.482
290	210	.022	.121	.463	-.371	290	315	-.122	.118	.262	-.572	290	365	-.150	.094	.127	-.459
290	211	.040	.119	.501	-.379	290	316	-.154	.120	.230	-.692	290	366	-.154	.099	.175	-.486
290	212	.029	.122	.543	-.494	290	317	-.146	.119	.232	-.649	290	367	-.172	.099	.189	-.471
290	213	.023	.123	.475	-.728	290	318	-.170	.127	.213	-.979	290	368	-.152	.101	.238	-.514
290	214	.005	.140	.421	-.564	290	319	-.144	.096	.155	-.507	290	369	-.140	.106	.219	-.549
290	215	.161	.104	.140	-.677	290	320	-.144	.113	.229	-.580	290	370	-.151	.098	.174	-.700
290	216	.197	.128	.140	-.715	290	321	-.135	.114	.242	-.568	290	371	-.235	.110	.127	-.806
290	217	.155	.110	.231	-.747	290	322	-.119	.110	.232	-.504	290	372	-.223	.109	.118	-.653
290	218	.056	.096	.420	-.413	290	323	-.122	.101	.198	-.464	290	373	-.241	.107	.070	-.679
290	219	.012	.090	.413	-.337	290	324	-.129	.122	.268	-.537	290	374	-.211	.103	.125	-.605
290	220	.009	.091	.403	-.296	290	325	-.157	.122	.227	-.568	290	375	-.181	.115	.154	-.547

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
290	376	-148	117	306	-589	290	428	-162	130	291	-660	290	478	-192	126	211	-655
290	377	-149	115	238	-534	290	429	-163	120	253	-610	290	479	-193	125	210	-666
290	378	-201	119	165	-820	290	430	-182	123	203	-643	290	480	-183	129	238	-1057
290	379	-230	137	210	-762	290	431	-180	127	248	-741	290	481	-211	131	142	-970
290	380	-165	129	273	-676	290	432	-180	126	235	-636	290	482	-191	122	224	-945
290	381	-113	118	299	-522	290	433	-183	138	330	-734	290	483	-191	126	185	-923
290	382	-172	120	212	-615	290	434	-180	129	205	-643	290	484	-186	120	190	-693
290	383	-176	126	210	-971	290	435	-191	137	201	-1212	290	485	-185	115	316	-685
290	384	-156	125	187	-825	290	436	-181	140	233	-833	290	486	-205	118	144	-593
290	385	-160	124	273	-708	290	437	-185	136	195	-796	290	487	-198	112	256	-618
290	386	-196	125	238	-587	290	438	-171	123	251	-575	290	488	-201	111	160	-654
290	387	-198	123	289	-624	290	439	-167	120	238	-653	290	489	-204	123	146	-622
290	388	-187	123	187	-802	290	440	-177	112	206	-571	290	490	-219	124	172	-714
290	389	-180	130	240	-736	290	441	-176	097	166	-585	290	491	-241	147	163	-1282
290	390	-118	121	313	-568	290	442	-183	124	245	-773	290	492	-217	127	212	-899
290	391	-134	124	245	-615	290	443	-197	132	231	-848	290	493	-223	137	339	-1296
290	392	-137	114	210	-498	290	444	-198	137	204	-921	290	494	-223	128	194	-718
290	393	-150	113	268	-512	290	445	-181	135	252	-719	290	495	-225	126	261	-741
290	394	-163	119	237	-591	290	446	-202	115	164	-736	290	496	-222	131	148	-667
290	395	-158	114	286	-500	290	447	-166	130	385	-585	290	497	-216	119	179	-633
290	396	-143	114	257	-660	290	448	-161	124	296	-592	290	498	-230	118	167	-613
290	397	-153	119	193	-636	290	449	-168	122	252	-579	290	499	-230	118	138	-652
290	398	-165	134	227	-827	290	450	-164	117	214	-644	290	500	-234	119	179	-729
290	401	-193	117	175	-1000	290	451	-176	136	208	-677	290	501	-226	126	113	-659
290	402	-197	112	247	-806	290	452	-175	134	260	-662	290	502	-227	126	218	-695
290	403	-168	106	154	-601	290	453	-193	113	224	-567	290	503	-221	126	307	-769
290	404	-168	107	207	-611	290	454	-192	123	162	-592	290	504	-274	157	159	-1418
290	405	-193	103	123	-791	290	455	-200	121	197	-879	290	505	-270	164	177	-1478
290	406	-181	100	137	-539	290	456	-189	118	254	-649	290	506	-260	146	165	-1217
290	407	-189	110	166	-621	290	457	-185	127	208	-906	290	507	-261	151	121	-1008
290	408	-182	137	241	-734	290	458	-176	132	273	-871	290	508	-248	121	195	-712
290	409	-184	143	256	-635	290	459	-181	106	151	-771	290	509	-288	135	118	-895
290	410	-173	137	251	-755	290	460	-180	117	197	-582	290	510	-279	137	169	-877
290	411	-168	138	295	-765	290	461	-171	120	226	-709	290	511	-263	134	157	-975
290	412	-173	141	324	-835	290	462	-178	097	166	-595	290	512	-254	124	129	-690
290	413	-183	143	322	-873	290	463	-201	104	127	-818	290	513	-240	133	184	-813
290	414	-186	133	237	-899	290	464	-200	095	146	-505	290	514	-232	138	154	-828
290	415	-178	144	237	-762	290	465	-153	096	148	-498	290	515	-264	197	269	-1930
290	416	-170	139	277	-659	290	466	-198	104	121	-651	290	516	-236	154	256	-1092
290	417	-184	121	225	-782	290	467	-176	110	230	-686	290	517	-261	179	208	-2319
290	418	-180	130	174	-673	290	468	-189	123	218	-785	290	518	-253	149	308	-1158
290	419	-183	129	202	-938	290	469	-183	103	171	-620	290	519	-231	152	166	-1121
290	420	-169	122	300	-678	290	470	-183	104	130	-623	290	520	-247	132	100	-1014
290	421	-178	131	209	-964	290	471	-177	108	146	-797	290	521	-267	137	161	-878
290	422	-172	104	121	-813	290	472	-174	100	121	-558	290	522	-238	134	217	-665
290	423	-170	123	282	-1087	290	473	-183	092	099	-565	290	523	-232	132	161	-707
290	424	-184	129	289	-831	290	474	-196	097	130	-565	290	524	-209	118	170	-584
290	425	-164	123	282	-635	290	475	-171	109	195	-590	290	525	-221	129	168	-684
290	426	-163	125	318	-704	290	476	-188	114	181	-593	290	526	-227	131	267	-749
290	427	-169	121	218	-701	290	477	-199	121	243	-632	290	527	-221	140	245	-784

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
290	528	266	137	129	878	290	635	204	151	674	285	290	685	158	127	661	251
290	529	273	133	282	323	290	636	164	182	664	478	290	686	110	114	585	283
290	530	198	135	227	848	290	637	198	179	629	309	290	687	025	108	491	275
290	531	224	134	208	648	290	638	240	143	842	160	290	688	035	117	424	462
290	532	239	129	203	661	290	639	232	176	813	232	290	701	024	107	386	348
290	533	289	152	119	019	290	640	219	188	807	301	290	702	098	117	523	370
290	534	239	135	190	000	290	641	201	154	782	176	290	703	160	131	666	221
290	535	277	178	185	506	290	642	113	174	803	360	290	704	162	130	567	223
290	536	198	139	313	858	290	643	027	157	629	435	290	705	151	128	607	248
290	537	151	133	351	712	290	644	052	117	542	436	290	706	123	111	569	225
290	538	112	113	250	498	290	645	054	137	608	515	290	707	046	108	378	464
290	539	102	113	259	549	290	646	074	128	547	413	290	708	130	118	546	258
290	540	123	096	217	478	290	647	092	111	498	411	290	709	199	126	175	735
290	541	146	112	203	518	290	648	066	138	658	576	290	710	163	120	240	567
290	542	227	138	222	753	290	649	037	147	779	549	290	801	219	138	248	910
290	543	188	118	151	617	290	650	066	126	475	411	290	802	022	154	597	539
290	601	356	171	918	200	290	651	090	145	412	602	290	803	179	119	182	662
290	602	329	192	057	360	290	652	010	131	552	460	290	804	156	108	145	532
290	603	303	199	079	320	290	653	044	106	461	469	290	901	034	109	380	438
290	604	285	182	969	489	290	654	041	128	521	642	290	902	163	113	205	535
290	605	212	175	820	377	290	655	039	129	514	463	290	903	207	135	149	152
290	606	471	250	248	275	290	656	028	135	641	521	290	904	202	131	226	918
290	607	515	250	266	299	290	657	005	118	505	392	290	905	207	134	197	981
290	608	403	233	215	330	290	658	131	148	627	574	290	906	230	130	199	885
290	609	457	244	357	378	290	659	046	150	608	700	290	907	303	149	795	157
290	610	496	237	405	183	290	660	046	121	454	342	290	908	229	142	146	911
290	611	333	238	400	201	290	661	049	116	506	429	290	909	367	216	105	402
290	612	531	250	419	206	290	662	046	112	438	315	290	910	231	189	930	525
290	613	452	225	395	283	290	663	057	119	537	379	290	911	267	155	103	952
290	614	277	189	962	431	290	664	030	117	475	446	290	912	175	112	193	733
290	615	202	164	822	473	290	665	009	118	539	486	290	913	180	117	243	933
290	616	472	217	433	137	290	666	036	124	676	541	290	914	235	134	238	975
290	617	518	223	487	139	290	667	077	123	446	705	290	915	231	131	207	930
290	618	438	248	342	301	290	668	024	121	371	577	290	916	258	139	146	830
290	619	487	214	183	111	290	669	056	168	838	939	290	917	259	142	098	917
290	620	523	255	346	170	290	670	130	163	623	926	290	918	178	101	180	555
290	621	539	258	332	161	290	671	121	114	538	346	290	919	200	136	251	782
290	622	462	231	281	201	290	672	113	116	588	228	290	920	180	102	129	695
290	623	311	153	765	185	290	673	147	120	562	245	290	921	186	107	182	632
290	624	219	171	764	343	290	674	135	112	532	300	290	922	193	132	260	840
290	625	462	249	312	395	290	675	130	127	539	381	290	923	246	132	147	806
290	626	505	249	309	306	290	676	086	117	577	255	290	924	259	143	153	817
290	627	380	201	000	244	290	677	046	118	417	368	290	925	228	136	178	715
290	628	417	238	110	374	290	678	003	119	451	406	290	926	231	151	227	071
290	629	441	234	164	263	290	679	042	115	296	531	290	927	261	142	147	771
290	630	455	233	180	208	290	680	131	112	581	333	290	928	258	110	073	871
290	631	496	197	214	010	290	681	152	119	542	227	290	929	214	138	294	856
290	632	478	236	353	107	290	682	131	117	648	202	290	930	252	133	132	079
290	633	390	227	246	205	290	683	153	118	702	233	290	931	178	177	928	226
290	634	277	195	017	276	290	684	168	126	772	158	290	932	033	202	025	552

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
300	101	230	115	152	718	300	151	313	195	1048	266	300	201	195	155	833	398
300	102	326	152	099	989	300	152	329	196	1028	206	300	202	153	146	896	367
300	103	060	133	558	516	300	153	404	185	1031	330	300	203	155	167	811	517
300	104	158	153	740	302	300	154	448	208	1147	407	300	204	236	148	171	063
300	105	005	148	680	523	300	155	439	223	1171	268	300	205	294	159	154	052
300	106	243	157	812	323	300	156	432	235	1211	285	300	206	096	126	453	551
300	107	263	163	833	305	300	157	461	283	1572	471	300	207	022	133	458	488
300	108	077	170	670	544	300	158	202	130	329	747	300	208	076	132	679	349
300	109	330	205	999	381	300	159	240	111	100	694	300	209	095	126	548	303
300	110	358	208	014	300	300	160	058	135	458	639	300	210	109	128	772	294
300	111	182	201	969	458	300	161	083	153	774	439	300	211	130	142	705	365
300	112	365	217	098	388	300	162	280	152	785	179	300	212	108	127	572	314
300	113	373	251	125	823	300	163	365	152	166	114	300	213	101	123	674	315
300	114	236	140	205	798	300	164	385	156	889	002	300	214	074	121	481	340
300	115	342	182	152	051	300	165	462	215	156	486	300	215	233	119	095	690
300	116	136	134	334	606	300	166	425	217	117	251	300	216	270	121	093	855
300	117	003	129	435	540	300	167	196	106	167	559	300	217	222	111	090	756
300	118	233	158	775	198	300	168	246	147	176	852	300	218	047	102	350	382
300	119	272	177	863	354	300	169	002	113	476	445	300	219	013	094	331	288
300	120	302	183	854	228	300	170	073	128	754	483	300	220	046	098	608	393
300	121	391	247	356	293	300	171	113	124	537	292	300	221	093	101	431	242
300	122	475	221	238	468	300	172	202	153	750	278	300	222	095	093	489	188
300	123	191	115	248	603	300	173	288	171	915	199	300	223	084	118	451	278
300	124	256	154	176	906	300	174	283	154	862	197	300	224	102	098	457	258
300	125	018	128	537	400	300	175	378	215	161	352	300	225	121	098	484	184
300	126	106	171	762	528	300	176	372	216	221	408	300	226	090	098	507	198
300	127	067	146	633	491	300	177	386	227	108	398	300	227	093	099	440	220
300	128	253	186	938	369	300	178	379	223	097	360	300	228	102	101	198	700
300	129	299	184	984	337	300	179	377	267	264	175	300	229	051	095	302	323
300	130	288	185	908	278	300	180	198	136	258	803	300	230	244	117	151	704
300	131	359	208	031	203	300	181	229	143	178	039	300	231	285	137	140	785
300	132	421	213	081	173	300	182	038	122	410	481	300	232	143	102	464	234
300	133	368	210	265	360	300	183	058	144	545	406	300	233	148	122	500	291
300	134	431	245	322	649	300	184	182	155	761	224	300	234	145	112	569	273
300	135	434	284	260	501	300	185	281	184	934	313	300	235	149	109	542	245
300	136	215	126	186	686	300	186	257	176	910	290	300	236	142	102	533	214
300	137	243	147	225	853	300	187	279	172	929	277	300	237	193	131	208	728
300	138	096	120	373	616	300	188	263	180	927	382	300	238	309	153	101	082
300	139	044	144	599	465	300	189	252	210	942	394	300	239	071	119	320	513
300	140	279	179	990	255	300	190	235	217	977	640	300	240	037	120	611	331
300	141	320	162	002	133	300	191	235	144	157	839	300	241	093	127	522	291
300	142	387	198	150	325	300	192	252	149	152	024	300	242	120	123	566	306
300	143	350	214	066	414	300	193	070	138	533	613	300	243	173	136	668	242
300	144	463	274	360	472	300	194	003	138	504	585	300	244	161	144	834	245
300	145	212	128	231	777	300	195	108	134	616	367	300	245	185	139	784	182
300	146	247	116	081	738	300	196	120	139	748	343	300	301	182	102	197	597
300	147	023	146	559	533	300	197	169	155	842	310	300	302	182	121	175	645
300	148	106	162	873	364	300	198	174	145	716	328	300	303	180	126	201	770
300	149	110	139	651	352	300	199	187	173	889	350	300	304	173	122	245	741
300	150	232	183	946	338	300	200	165	139	687	276	300	305	171	128	304	650

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
300	306	193	119	180	641	300	356	219	115	170	696	300	408	168	133	245	694
300	307	172	122	255	548	300	357	232	104	098	712	300	409	170	126	239	939
300	308	202	114	195	609	300	358	260	129	204	939	300	410	184	146	372	674
300	309	192	128	242	631	300	359	193	135	221	936	300	411	181	125	281	695
300	310	192	121	195	678	300	360	193	104	156	604	300	412	176	118	276	660
300	311	153	116	240	501	300	361	194	112	159	581	300	413	182	122	243	624
300	312	153	118	245	556	300	362	211	092	149	487	300	414	196	135	231	956
300	313	157	114	237	566	300	363	197	102	110	535	300	415	195	130	269	818
300	314	164	116	177	490	300	364	203	102	107	638	300	416	188	126	239	694
300	315	154	118	235	576	300	365	208	101	154	597	300	417	189	123	301	604
300	316	186	118	159	648	300	366	250	099	072	664	300	418	181	115	260	617
300	317	179	117	169	644	300	367	225	110	085	620	300	419	167	118	183	597
300	318	178	117	225	753	300	368	220	098	103	676	300	420	195	124	266	779
300	319	175	094	117	526	300	369	194	102	132	582	300	421	189	125	185	652
300	320	167	112	197	600	300	370	184	098	152	511	300	422	194	107	218	720
300	321	160	113	195	602	300	371	249	110	073	762	300	423	159	135	304	640
300	322	150	114	237	590	300	372	243	109	100	584	300	424	184	141	363	823
300	323	179	099	117	532	300	373	276	113	013	815	300	425	163	127	257	698
300	324	167	118	187	638	300	374	225	105	161	620	300	426	159	129	235	1002
300	325	170	117	200	644	300	375	230	119	167	786	300	427	180	120	240	616
300	326	173	116	199	666	300	376	194	113	163	624	300	428	174	115	202	597
300	327	155	094	080	528	300	377	193	112	173	586	300	429	166	125	257	729
300	328	182	112	151	665	300	378	212	137	218	993	300	430	177	123	200	633
300	329	171	110	161	541	300	379	225	131	194	773	300	431	175	126	312	628
300	330	174	109	154	530	300	380	167	129	230	622	300	432	177	119	207	643
300	331	190	093	083	438	300	381	198	119	295	602	300	433	185	130	164	763
300	332	174	112	145	554	300	382	211	116	201	636	300	434	176	127	269	672
300	333	162	115	163	555	300	383	225	123	165	677	300	435	179	125	276	607
300	334	202	134	173	668	300	384	201	128	201	704	300	436	197	134	157	935
300	335	173	107	122	675	300	385	210	138	161	945	300	437	195	122	245	939
300	336	176	122	197	632	300	386	239	116	101	768	300	438	188	133	291	817
300	337	167	121	194	513	300	387	208	125	245	735	300	439	185	141	199	839
300	338	206	095	126	572	300	388	184	120	211	620	300	440	185	131	257	743
300	339	201	113	189	604	300	389	185	119	153	663	300	441	178	093	181	503
300	340	192	117	220	505	300	390	186	113	192	543	300	442	191	137	259	882
300	341	189	092	070	506	300	391	225	120	201	650	300	443	196	123	200	664
300	342	172	114	160	586	300	392	268	117	284	668	300	444	179	122	183	770
300	343	162	117	216	596	300	393	218	113	137	610	300	445	177	125	225	701
300	344	225	106	208	636	300	394	221	111	123	640	300	446	192	108	146	643
300	345	196	124	302	656	300	395	206	119	161	574	300	447	186	129	275	637
300	346	201	116	239	585	300	396	198	123	206	750	300	448	160	117	286	593
300	347	225	095	100	536	300	397	196	140	219	781	300	449	166	114	237	608
300	348	192	115	216	578	300	398	250	138	124	602	300	450	176	126	204	757
300	349	187	118	248	571	300	401	181	105	151	601	300	451	184	126	207	764
300	350	191	101	141	545	300	402	215	112	172	847	300	452	176	116	207	629
300	351	175	124	230	707	300	403	172	107	158	578	300	453	183	117	280	590
300	352	211	137	225	770	300	404	164	102	156	620	300	454	188	111	183	562
300	353	235	099	089	708	300	405	178	109	182	750	300	455	175	115	170	564
300	354	220	115	123	740	300	406	168	100	154	549	300	456	198	120	229	672
300	355	218	115	137	738	300	407	145	096	259	547	300	457	181	117	217	613

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
300	458	-182	132	180	-809	300	508	-241	136	182	-911	300	615	120	155	703	-429
300	459	-194	125	126	-571	300	509	-215	125	198	-708	300	616	467	246	1275	-475
300	460	-183	122	263	-647	300	510	-211	119	258	-629	300	617	486	244	1300	-395
300	461	-158	113	196	-544	300	511	-231	128	136	-699	300	618	499	234	1398	-167
300	462	-184	097	136	-509	300	512	-210	121	245	-692	300	619	511	194	1134	-097
300	463	-183	102	156	-615	300	513	-192	124	240	-669	300	620	520	233	1362	-165
300	464	-193	098	206	-564	300	514	-208	124	146	-721	300	621	525	233	1362	-113
300	465	-180	101	072	-602	300	515	-215	160	223	-1968	300	622	341	202	1115	-212
300	466	-188	099	143	-576	300	516	-225	147	312	-1474	300	623	201	156	795	-220
300	467	-165	109	218	-701	300	517	-230	142	165	-797	300	624	121	171	752	-371
300	468	-167	123	228	-669	300	518	-205	137	175	-950	300	625	490	256	1417	-614
300	469	-170	108	263	-574	300	519	-231	150	237	-1252	300	626	504	253	1450	-289
300	470	-153	097	234	-485	300	520	-233	135	266	-1109	300	627	479	210	1149	-329
300	471	-165	100	127	-596	300	521	-238	123	189	-846	300	628	489	250	1294	-330
300	472	-177	099	127	-569	300	522	-231	118	135	-684	300	629	495	250	1305	-280
300	473	-181	104	175	-663	300	523	-235	125	133	-720	300	630	497	246	1319	-204
300	474	-184	103	218	-526	300	524	-262	135	223	-727	300	631	466	184	1083	-011
300	475	-182	122	279	-841	300	525	-231	130	297	-722	300	632	395	211	1258	-172
300	476	-183	119	187	-742	300	526	-226	128	177	-739	300	633	274	193	1025	-342
300	477	-176	116	235	-610	300	527	-205	132	266	-924	300	634	171	166	919	-488
300	478	-176	112	192	-600	300	528	-304	168	164	-1279	300	635	101	122	559	-270
300	479	-186	113	192	-574	300	529	-311	167	151	-1194	300	636	298	218	1197	-456
300	480	-177	130	220	-551	300	530	-279	162	141	-1130	300	637	314	213	1182	-341
300	481	-172	128	261	-874	300	531	-268	127	089	-745	300	638	292	153	941	-119
300	482	-180	120	317	-851	300	532	-241	127	199	-696	300	639	261	169	1053	-179
300	483	-177	124	244	-943	300	533	-251	131	117	-776	300	640	214	160	980	-219
300	484	-167	120	235	-612	300	534	-247	133	105	-988	300	641	146	127	728	-295
300	485	-184	123	202	-725	300	535	-354	200	171	-1478	300	642	055	140	690	-544
300	486	-188	112	143	-567	300	536	-296	165	271	-1030	300	643	018	129	521	-607
300	487	-189	121	214	-615	300	537	-231	143	270	-727	300	644	144	124	632	-293
300	488	-160	105	183	-502	300	538	-165	123	214	-595	300	645	149	145	681	-402
300	489	-178	117	211	-629	300	539	-141	123	370	-548	300	646	148	134	740	-341
300	490	-199	119	190	-638	300	540	-200	102	132	-600	300	647	114	109	594	-218
300	491	-188	129	254	-792	300	541	-195	130	281	-762	300	648	066	129	543	-347
300	492	-197	134	351	-1106	300	542	-249	144	216	-858	300	649	016	130	511	-474
300	493	-201	131	169	-1460	300	543	-217	122	188	-898	300	650	043	099	433	-359
300	494	-208	130	244	-1019	300	601	-357	171	886	-248	300	651	104	121	448	-740
300	495	-187	125	274	-827	300	602	-284	196	873	-621	300	652	061	120	462	-364
300	496	-195	117	203	-666	300	603	-296	184	1021	-402	300	653	078	113	436	-612
300	497	-184	116	169	-624	300	604	-208	162	853	-385	300	654	084	128	489	-506
300	498	-198	122	258	-616	300	605	-132	164	740	-378	300	655	067	126	718	-599
300	499	-184	121	214	-578	300	606	-513	241	1286	-443	300	656	025	124	477	-603
300	500	-200	119	283	-631	300	607	-485	250	1304	-309	300	657	025	102	325	-390
300	501	-178	115	229	-593	300	608	-459	243	1283	-309	300	658	079	124	472	-537
300	502	-181	123	216	-638	300	609	-468	218	1182	-362	300	659	125	127	369	-584
300	503	-205	130	196	-778	300	610	-522	257	1315	-257	300	660	063	131	462	-404
300	504	-227	132	174	-1012	300	611	-446	214	1160	-138	300	661	083	123	558	-389
300	505	-229	147	198	-1481	300	612	-466	225	1265	-257	300	662	088	129	600	-377
300	506	-195	123	204	-721	300	613	-419	212	1130	-190	300	663	073	117	445	-307
300	507	-217	129	188	-876	300	614	-201	167	846	-306	300	664	040	112	485	-397

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
300	665	-.000	.118	.391	-.394	300	913	-.188	.107	.170	-.645	310	131	.425	.245	1.248	-.278
300	666	-.040	.104	.292	-.424	300	914	-.244	.123	.159	-.836	310	132	.409	.246	1.354	-.284
300	667	-.096	.108	.259	-.438	300	915	-.247	.135	.254	-.984	310	133	.383	.233	1.221	-.273
300	668	-.037	.114	.350	-.520	300	916	-.247	.140	.212	-.903	310	134	.465	.264	1.296	-.270
300	669	-.078	.139	.421	-.845	300	917	-.292	.149	.179	-.859	310	135	.438	.260	1.402	-.463
300	670	-.150	.145	.287	-1.065	300	918	-.191	.101	.099	-.629	310	136	-.268	.142	.197	-.954
300	671	-.132	.124	.613	-.333	300	919	-.210	.122	.184	-.685	310	137	-.328	.164	.277	-1.181
300	672	-.145	.115	.641	-.286	300	920	-.178	.095	.119	-.543	310	138	-.144	.138	.628	-.673
300	673	-.159	.130	.618	-.216	300	921	-.182	.104	.190	-.528	310	139	.022	.147	.535	-.372
300	674	-.132	.124	.665	-.220	300	922	-.228	.129	.282	-.740	310	140	.272	.209	.966	-.343
300	675	-.124	.131	.592	-.253	300	923	-.237	.142	.121	-.991	310	141	.313	.170	.866	-.210
300	676	-.082	.121	.555	-.297	300	924	-.284	.164	.159	-1.306	310	142	.357	.214	1.086	-.190
300	677	-.043	.116	.695	-.335	300	925	-.253	.143	.150	-.796	310	143	.392	.242	1.286	-.607
300	678	-.003	.116	.411	-.417	300	926	-.256	.141	.206	-.981	310	144	.418	.270	1.296	-.561
300	679	-.065	.110	.348	-.452	300	927	-.229	.131	.176	-.717	310	145	-.203	.144	.202	-.714
300	680	-.171	.109	.574	-.189	300	928	-.254	.117	.101	-.838	310	146	-.332	.146	.228	-.852
300	681	-.188	.125	.745	-.190	300	929	-.223	.132	.174	-.769	310	147	-.065	.160	.676	-.491
300	682	-.172	.124	.814	-.134	300	930	-.216	.129	.149	-.732	310	148	.157	.187	.886	-.448
300	683	-.162	.128	.615	-.285	300	931	-.175	.146	.459	-.777	310	149	.141	.158	.723	-.379
300	684	-.153	.121	.622	-.275	300	932	-.024	.183	.715	-.602	310	150	.277	.221	1.129	-.378
300	685	-.145	.116	.549	-.190	310	101	-.195	.126	.210	-.708	310	151	.346	.233	1.071	-.282
300	686	-.105	.124	.592	-.251	310	102	-.399	.202	.084	-1.087	310	152	.351	.211	1.145	-.250
300	687	-.001	.112	.445	-.297	310	103	-.119	.151	.635	-.341	310	153	.410	.228	1.232	-.223
300	688	-.070	.120	.339	-.469	310	104	-.215	.177	.865	-.274	310	154	.436	.241	1.248	-.212
300	701	-.017	.116	.453	-.364	310	105	-.070	.161	.670	-.449	310	155	.454	.238	1.242	-.287
300	702	-.102	.120	.556	-.248	310	106	-.257	.170	.975	-.301	310	156	.424	.239	1.226	-.366
300	703	-.143	.127	.686	-.267	310	107	-.268	.189	1.069	-.263	310	157	.431	.249	1.386	-.408
300	704	-.167	.126	.684	-.211	310	108	-.117	.198	.947	-.603	310	158	-.226	.132	.320	-.757
300	705	-.157	.117	.513	-.242	310	109	-.306	.219	1.053	-.372	310	159	-.312	.137	.099	-.927
300	706	-.145	.113	.369	-.259	310	110	-.336	.230	1.202	-.404	310	160	-.118	.134	.363	-.606
300	707	-.069	.104	.317	-.402	310	111	-.194	.215	.968	-.516	310	161	-.036	.170	.805	-.532
300	708	-.169	.119	.549	-.171	310	112	-.348	.235	1.218	-.381	310	162	.292	.171	.882	-.151
300	709	-.229	.121	.179	-.757	310	113	-.347	.242	1.294	-.439	310	163	.341	.179	1.007	-.151
300	710	-.192	.118	.314	-.636	310	114	-.253	.138	.211	-.743	310	164	.377	.186	.969	-.108
300	801	-.326	.170	.136	-1.032	310	115	-.402	.182	.180	-1.107	310	165	.398	.184	1.014	-.132
300	802	-.055	.199	1.021	-.629	310	116	-.179	.119	.307	-.611	310	166	.398	.219	1.188	-.304
300	803	-.266	.143	1.145	-.924	310	117	-.043	.126	.407	-.555	310	167	.166	.120	.266	-.592
300	804	-.209	.110	.141	-.595	310	118	-.210	.174	1.115	-.299	310	168	-.288	.166	.192	-1.108
300	901	-.060	.114	.299	-.590	310	119	-.260	.188	.925	-.386	310	169	.046	.134	.538	-.363
300	902	-.204	.122	.258	-.835	310	120	-.264	.191	.862	-.269	310	170	.130	.150	.717	-.300
300	903	-.233	.140	.239	-.933	310	121	-.323	.238	1.076	-.471	310	171	.135	.132	.608	-.293
300	904	-.222	.117	.237	-.773	310	122	-.402	.226	1.212	-.307	310	172	.280	.176	.924	-.191
300	905	-.211	.114	.185	-.810	310	123	-.202	.133	.203	-.669	310	173	.361	.172	.918	-.243
300	906	-.236	.122	.184	-.740	310	124	-.367	.214	.271	-.448	310	174	.326	.180	.892	-.373
300	907	-.358	.162	.084	-.159	310	125	-.071	.166	.681	-.515	310	175	.398	.241	1.298	-.350
300	908	-.250	.133	.192	-.831	310	126	-.182	.210	.983	-.465	310	176	.408	.226	1.179	-.241
300	909	-.436	.186	1.130	-.130	310	127	-.121	.176	.953	-.402	310	177	.384	.227	1.128	-.212
300	910	-.353	.152	.861	-.221	310	128	-.289	.221	1.113	-.301	310	178	.413	.226	1.318	-.452
300	911	-.297	.149	.080	-1.118	310	129	-.339	.227	1.129	-.330	310	179	.367	.240	1.216	-.812
300	912	-.184	.118	.173	-.907	310	130	-.343	.219	1.086	-.241	310	180	-.259	.157	.182	-1.045

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
310	181	-305	175	168	-1.219	310	231	-334	145	084	-1.023	310	336	-257	138	138	-870
310	182	003	145	487	-581	310	232	-210	116	788	-1.146	310	337	-234	134	139	-759
310	183	126	170	703	-425	310	233	-200	129	648	-2.220	310	338	-243	103	049	-667
310	184	286	204	046	-220	310	234	-211	124	716	-1.132	310	339	-227	123	118	-653
310	185	341	209	050	-219	310	235	-184	129	694	-2.114	310	340	-204	126	161	-676
310	186	374	210	064	-254	310	236	-176	101	546	-1.105	310	341	-205	096	110	-531
310	187	383	221	076	-185	310	237	-204	140	217	-6.773	310	342	-193	119	218	-629
310	188	370	219	113	-189	310	238	-335	168	127	-1.095	310	343	-175	122	235	-681
310	189	339	213	060	-247	310	239	-051	115	366	-4.220	310	344	-291	111	014	-765
310	190	298	195	057	-392	310	240	-068	123	589	-2.293	310	345	-250	129	115	-803
310	191	279	154	228	-1.093	310	241	-147	133	633	-2.223	310	346	-242	120	116	-759
310	192	309	173	148	-1.175	310	242	-216	149	846	-1.194	310	347	-254	097	084	-640
310	193	040	148	598	-686	310	243	-249	164	964	-3.348	310	348	-202	118	198	-716
310	194	068	155	779	-4.472	310	244	-279	153	062	-1.170	310	349	-201	121	185	-778
310	195	185	168	804	-4.440	310	245	-239	145	808	-2.220	310	350	-238	099	071	-592
310	196	244	182	946	-3.112	310	301	-225	105	667	-6.334	310	351	-221	122	171	-636
310	197	276	183	963	-2.777	310	302	-226	124	153	-7.556	310	352	-281	140	199	-800
310	198	291	181	879	-1.556	310	303	-209	124	210	-7.732	310	353	-293	112	121	-654
310	199	274	181	007	-3.449	310	304	-217	128	238	-6.889	310	354	-259	124	215	-651
310	200	294	178	000	-3.61	310	305	-205	126	220	-6.886	310	355	-228	121	243	-632
310	201	297	191	268	-1.192	310	306	-229	122	171	-6.692	310	356	-225	121	224	-689
310	202	239	177	972	-5.40	310	307	-216	113	213	-6.117	310	357	-250	103	038	-662
310	203	196	172	977	-4.23	310	308	-232	118	134	-6.778	310	358	-226	128	129	-731
310	204	270	163	174	-1.037	310	309	-226	123	157	-6.442	310	359	-204	132	181	-831
310	205	332	183	231	-1.236	310	310	-217	122	221	-5.883	310	360	-258	115	088	-852
310	206	091	135	559	-5.337	310	311	-211	121	168	-5.993	310	361	-231	107	082	-628
310	207	020	142	618	-4.338	310	312	-213	106	127	-5.539	310	362	-237	093	128	-564
310	208	147	137	675	-3.113	310	313	-202	116	166	-5.552	310	363	-245	099	042	-579
310	209	205	161	876	-2.67	310	314	-202	114	160	-6.222	310	364	-253	108	099	-802
310	210	207	160	846	-2.335	310	315	-183	112	196	-5.559	310	365	-243	100	049	-616
310	211	241	163	828	-2.556	310	316	-211	119	326	-6.334	310	366	-239	101	099	-686
310	212	209	154	912	-2.338	310	317	-205	119	343	-6.330	310	367	-239	100	083	-647
310	213	170	143	745	-5.09	310	318	-227	119	084	-7.223	310	368	-216	096	080	-541
310	214	136	146	660	-3.72	310	319	-219	107	090	-7.668	310	369	-209	095	145	-619
310	215	263	130	225	-8.117	310	320	-209	126	131	-8.777	310	370	-201	099	126	-607
310	216	363	147	083	-1.034	310	321	-197	125	139	-8.443	310	371	-229	107	123	-607
310	217	225	106	149	-6.73	310	322	-177	120	137	-5.559	310	372	-223	103	097	-626
310	218	017	106	398	-4.81	310	323	-200	101	124	-6.449	310	373	-199	101	147	-604
310	219	091	112	515	-2.73	310	324	-188	121	213	-6.449	310	374	-238	100	075	-585
310	220	123	116	620	-2.62	310	325	-210	121	189	-6.336	310	375	-248	121	117	-700
310	221	168	117	664	-2.06	310	326	-215	121	193	-6.338	310	376	-252	124	117	-729
310	222	166	112	560	-1.75	310	327	-232	104	080	-5.579	310	377	-231	119	130	-673
310	223	191	139	693	-2.69	310	328	-223	123	140	-6.226	310	378	-201	131	243	-822
310	224	201	125	677	-3.31	310	329	-197	120	184	-5.573	310	379	-211	129	215	-769
310	225	198	126	809	-2.37	310	330	-200	118	180	-5.571	310	380	-196	116	170	-553
310	226	171	114	662	-1.86	310	331	-235	097	113	-5.81	310	381	-240	114	245	-642
310	227	124	101	491	-2.44	310	332	-219	117	213	-6.07	310	382	-240	117	147	-692
310	228	103	096	280	-5.06	310	333	-197	120	212	-5.94	310	383	-237	125	179	-710
310	229	036	102	391	-3.86	310	334	-215	127	214	-7.22	310	384	-221	128	163	-797
310	230	258	119	107	-8.84	310	335	-207	106	124	-6.47	310	385	-237	127	156	-817

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
310	386	-221	128	222	-727	310	438	-202	136	248	-720	310	488	-186	112	136	-530
310	387	-222	124	229	-967	310	439	-206	125	264	-792	310	489	-202	115	171	-640
310	388	-202	114	201	-615	310	440	-203	118	181	-628	310	490	-221	121	131	-694
310	389	-212	112	205	-588	310	441	-207	103	118	-592	310	491	-173	129	232	-1041
310	390	-219	113	114	-652	310	442	-215	126	197	-779	310	492	-170	127	273	-1078
310	391	-226	119	158	-706	310	443	-209	118	209	-712	310	493	-173	121	229	-1090
310	392	-236	117	100	-664	310	444	-224	115	149	-646	310	494	-171	114	230	-1679
310	393	-234	110	117	-621	310	445	-226	125	133	-825	310	495	-183	120	235	-1557
310	394	-235	124	117	-762	310	446	-216	109	142	-744	310	496	-175	115	204	-1632
310	395	-220	124	169	-744	310	447	-217	136	199	-749	310	497	-180	103	187	-1564
310	396	-215	121	198	-611	310	448	-219	131	219	-810	310	498	-172	114	212	-1599
310	397	-190	131	213	-824	310	449	-218	125	199	-659	310	499	-178	115	195	-1589
310	398	-234	137	236	-774	310	450	-220	123	160	-680	310	500	-191	117	250	-1634
310	401	-196	110	180	-641	310	451	-230	130	229	-712	310	501	-178	114	215	-1512
310	402	-240	116	114	-700	310	452	-232	122	207	-680	310	502	-208	113	229	-1597
310	403	-206	109	147	-564	310	453	-228	128	254	-751	310	503	-237	124	145	-1654
310	404	-202	116	135	-716	310	454	-249	119	163	-786	310	504	-188	126	229	-1147
310	405	-206	108	128	-606	310	455	-212	118	195	-679	310	505	-190	126	172	-1619
310	406	-199	115	224	-628	310	456	-250	122	182	-743	310	506	-186	126	210	-1808
310	407	-190	108	156	-630	310	457	-240	119	123	-642	310	507	-181	116	160	-1599
310	408	-204	141	248	-833	310	458	-251	157	175	-922	310	508	-180	122	222	-1766
310	409	-200	118	157	-653	310	459	-227	099	133	-632	310	509	-183	120	247	-1726
310	410	-216	129	200	-751	310	460	-253	150	179	-884	310	510	-179	123	184	-1624
310	411	-216	132	244	-888	310	461	-234	130	222	-672	310	511	-180	114	190	-1542
310	412	-216	122	153	-727	310	462	-222	103	092	-670	310	512	-187	115	195	-1738
310	413	-223	122	191	-692	310	463	-220	106	160	-541	310	513	-215	124	158	-1699
310	414	-213	131	225	-799	310	464	-239	107	097	-660	310	514	-227	119	136	-1778
310	415	-213	136	326	-743	310	465	-187	090	082	-518	310	515	-195	137	243	-1219
310	416	-219	134	209	-729	310	466	-233	092	114	-543	310	516	-194	134	248	-1058
310	417	-210	133	324	-727	310	467	-189	109	142	-601	310	517	-188	122	205	-1982
310	418	-213	123	237	-683	310	468	-170	123	213	-635	310	518	-197	133	203	-1724
310	419	-187	120	262	-606	310	469	-191	104	171	-527	310	519	-224	138	212	-1825
310	420	-236	127	198	-761	310	470	-190	099	119	-549	310	520	-209	118	179	-1571
310	421	-228	122	148	-656	310	471	-191	105	130	-625	310	521	-199	118	188	-1602
310	422	-209	097	137	-512	310	472	-205	103	090	-563	310	522	-204	116	195	-1748
310	423	-193	122	177	-623	310	473	-207	102	181	-663	310	523	-205	119	177	-1609
310	424	-208	132	245	-779	310	474	-227	108	126	-572	310	524	-229	120	146	-1837
310	425	-183	126	223	-637	310	475	-196	117	183	-572	310	525	-223	125	205	-1660
310	426	-197	128	209	-774	310	476	-202	112	176	-713	310	526	-215	127	164	-1633
310	427	-195	125	207	-653	310	477	-216	118	186	-595	310	527	-231	130	266	-1697
310	428	-205	125	227	-651	310	478	-209	112	111	-588	310	528	-257	152	114	-1231
310	429	-195	123	212	-716	310	479	-217	105	167	-602	310	529	-278	155	136	-1032
310	430	-187	120	225	-649	310	480	-183	127	247	-804	310	530	-270	169	204	-1303
310	431	-196	120	169	-586	310	481	-190	127	174	-774	310	531	-229	138	107	-1998
310	432	-207	121	194	-573	310	482	-191	126	190	-734	310	532	-227	147	166	-1142
310	433	-203	119	282	-582	310	483	-187	122	199	-593	310	533	-220	138	166	-1992
310	434	-207	111	158	-641	310	484	-188	112	230	-539	310	534	-231	135	293	-1859
310	435	-220	110	151	-599	310	485	-197	120	179	-736	310	535	-341	196	176	-1476
310	436	-213	124	148	-676	310	486	-189	108	145	-577	310	536	-292	178	133	-1115
310	437	-227	144	272	-860	310	487	-192	114	195	-572	310	537	-253	142	241	-1781

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
310	538	196	130	219	759	310	645	138	171	784	736	310	707	093	107	273	523
310	539	186	138	204	854	310	646	173	137	740	361	310	708	205	131	681	129
310	540	195	106	143	590	310	647	141	106	607	224	310	709	187	117	199	657
310	541	198	130	245	746	310	648	078	122	616	362	310	710	227	116	125	621
310	542	185	126	220	618	310	649	009	119	565	438	310	801	275	167	176	129
310	543	200	123	266	667	310	650	050	097	278	371	310	802	029	180	776	570
310	601	204	201	834	728	310	651	120	119	283	583	310	803	227	143	196	799
310	602	200	195	917	522	310	652	061	155	609	730	310	804	208	101	127	609
310	603	136	167	727	575	310	653	070	128	561	511	310	901	098	110	257	454
310	604	085	172	733	603	310	654	108	120	616	336	310	902	257	125	195	770
310	605	020	156	584	522	310	655	089	113	528	271	310	903	259	124	152	091
310	606	355	255	316	437	310	656	042	109	396	357	310	904	260	123	100	958
310	607	351	265	273	426	310	657	016	089	264	331	310	905	244	112	112	765
310	608	352	244	180	611	310	658	088	108	264	482	310	906	273	124	164	777
310	609	399	236	122	830	310	659	128	113	234	524	310	907	324	192	017	194
310	610	381	237	173	334	310	660	065	143	540	687	310	908	265	133	154	014
310	611	341	229	098	334	310	661	088	139	538	548	310	909	417	194	110	141
310	612	318	218	160	290	310	662	113	124	602	311	310	910	295	171	915	226
310	613	224	202	898	348	310	663	098	119	498	387	310	911	349	172	089	273
310	614	060	158	630	470	310	664	053	114	450	302	310	912	247	130	092	916
310	615	006	147	496	514	310	665	008	113	460	370	310	913	216	106	084	667
310	616	361	255	228	440	310	666	050	113	336	515	310	914	275	135	183	851
310	617	390	242	239	348	310	667	096	112	271	588	310	915	279	136	141	407
310	618	370	247	160	507	310	668	049	111	329	489	310	916	239	133	216	750
310	619	367	203	051	404	310	669	074	126	292	588	310	917	315	148	099	985
310	620	354	240	158	362	310	670	149	124	198	619	310	918	222	107	089	596
310	621	359	237	125	347	310	671	161	126	647	362	310	919	253	122	196	692
310	622	173	181	723	400	310	672	163	120	627	206	310	920	221	104	085	731
310	623	065	131	603	361	310	673	161	121	673	203	310	921	215	110	229	679
310	624	002	148	602	481	310	674	153	125	649	247	310	922	246	115	134	881
310	625	379	251	227	791	310	675	144	129	585	436	310	923	204	113	204	631
310	626	396	239	213	480	310	676	083	123	636	301	310	924	239	126	101	854
310	627	383	208	084	291	310	677	027	116	423	312	310	925	243	142	127	988
310	628	390	241	224	413	310	678	007	113	426	374	310	926	224	124	128	823
310	629	387	229	217	281	310	679	065	119	419	409	310	927	192	112	161	594
310	630	392	220	175	156	310	680	246	146	854	126	310	928	245	098	075	679
310	631	368	186	175	140	310	681	264	149	890	227	310	929	228	118	147	861
310	632	280	204	302	298	310	682	231	137	785	178	310	930	199	115	222	704
310	633	152	188	086	447	310	683	170	123	642	253	310	931	181	125	428	940
310	634	052	168	765	548	310	684	161	123	650	216	310	932	103	143	778	081
310	635	008	115	470	380	310	685	126	124	609	246	320	101	165	116	221	695
310	636	224	198	995	507	310	686	085	119	520	335	320	102	393	196	168	126
310	637	253	196	053	530	310	687	013	116	442	480	320	103	221	166	809	299
310	638	281	162	904	160	310	688	106	118	344	469	320	104	365	179	009	209
310	639	236	177	046	280	310	701	006	104	444	296	320	105	187	168	744	363
310	640	170	167	083	328	310	702	076	114	491	311	320	106	373	179	116	204
310	641	118	128	724	249	310	703	129	117	570	290	320	107	397	179	109	475
310	642	018	141	562	383	310	704	142	114	585	211	320	108	196	188	837	516
310	643	056	132	556	509	310	705	166	117	658	236	320	109	389	201	155	313
310	644	116	146	690	621	310	706	170	113	606	173	320	110	408	202	096	193

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
320	111	.293	.197	1.114	-.362	320	161	.082	.176	.746	-.458	320	211	.282	.167	.944	-.163
320	112	.466	.220	1.213	-.304	320	162	.336	.157	.875	-.197	320	212	.285	.164	.904	-.208
320	113	.416	.214	1.312	-.399	320	163	.437	.188	1.019	-.207	320	213	.237	.184	.964	-.343
320	114	.250	.142	1.151	-.839	320	164	.427	.188	1.059	-.219	320	214	.186	.158	.849	-.294
320	115	.493	.211	.210	-1.251	320	165	.454	.167	1.051	-.013	320	215	.305	.128	.116	-.865
320	116	.231	.135	.164	-.767	320	166	.425	.184	1.125	-.104	320	216	.373	.143	.061	-.963
320	117	.039	.133	.533	-.486	320	167	.160	.143	.309	-.628	320	217	.274	.103	.059	-.688
320	118	.247	.158	.921	-.309	320	168	.358	.195	.258	-1.123	320	218	.008	.116	.554	-.399
320	119	.282	.186	.920	-.251	320	169	.108	.149	.769	-.424	320	219	.113	.105	.466	-.210
320	120	.282	.176	1.015	-.306	320	170	.232	.152	.790	-.275	320	220	.135	.111	.552	-.200
320	121	.333	.210	1.105	-.313	320	171	.195	.139	.886	-.249	320	221	.220	.122	.806	-.118
320	122	.384	.205	1.167	-.314	320	172	.401	.158	.926	-.079	320	222	.232	.113	.625	-.089
320	123	.186	.136	.260	-.694	320	173	.481	.163	1.068	-.004	320	223	.231	.137	.741	-.286
320	124	.423	.234	.260	-1.462	320	174	.416	.169	1.038	-.086	320	224	.237	.119	.742	-.136
320	125	.160	.186	.916	-.690	320	175	.505	.201	1.139	-.126	320	225	.224	.116	.810	-.096
320	126	.324	.208	1.030	-.556	320	176	.506	.199	1.243	-.006	320	226	.195	.116	.705	-.180
320	127	.218	.193	1.068	-.372	320	177	.519	.230	1.351	-.142	320	227	.158	.124	.635	-.303
320	128	.419	.202	1.170	-.246	320	178	.523	.213	1.271	-.172	320	228	.105	.109	.281	-.594
320	129	.475	.219	1.289	-.217	320	179	.464	.225	1.225	-.220	320	229	.031	.103	.320	-.471
320	130	.403	.205	1.155	-.126	320	180	.305	.187	.309	-1.014	320	230	.306	.116	.042	-.722
320	131	.502	.211	1.273	-.144	320	181	.409	.201	.169	-1.474	320	231	.364	.125	.045	-.833
320	132	.472	.198	1.320	-.084	320	182	.044	.153	.739	-.517	320	232	.265	.117	.771	-.074
320	133	.495	.239	1.333	-.181	320	183	.195	.172	.813	-.312	320	233	.254	.129	.729	-.143
320	134	.517	.225	1.458	-.251	320	184	.411	.201	1.156	-.167	320	234	.247	.127	.729	-.140
320	135	.500	.237	1.429	-.166	320	185	.494	.211	1.271	-.070	320	235	.218	.129	.758	-.160
320	136	.293	.146	.196	-.892	320	186	.480	.198	1.239	-.084	320	236	.207	.112	.701	-.148
320	137	.485	.200	.218	-1.097	320	187	.522	.217	1.400	-.144	320	237	.234	.150	.224	-.745
320	138	.172	.128	.412	-.634	320	188	.496	.208	1.637	-.029	320	238	.368	.169	.136	-1.146
320	139	.022	.136	.542	-.384	320	189	.425	.190	1.071	-.218	320	239	.061	.121	.489	-.524
320	140	.335	.190	1.004	-.202	320	190	.380	.180	1.073	-.199	320	240	.085	.124	.586	-.299
320	141	.377	.166	.910	-.171	320	191	.308	.185	.295	-1.055	320	241	.168	.127	.617	-.231
320	142	.379	.184	1.062	-.251	320	192	.404	.191	.262	-1.278	320	242	.233	.140	.936	-.177
320	143	.416	.218	1.249	-.197	320	193	.001	.160	.704	-.671	320	243	.273	.153	.322	-.106
320	144	.422	.227	1.172	-.235	320	194	.142	.160	.785	-.371	320	244	.309	.154	.894	-.138
320	145	.191	.149	.268	-.716	320	195	.275	.184	.988	-.249	320	245	.328	.155	.819	-.107
320	146	.411	.170	.116	-1.055	320	196	.325	.182	1.024	-.161	320	301	.268	.103	.049	-.703
320	147	.157	.178	.798	-.447	320	197	.372	.188	1.090	-.166	320	302	.265	.118	.128	-.772
320	148	.320	.208	1.038	-.401	320	198	.378	.185	1.166	-.176	320	303	.262	.119	.137	-.710
320	149	.228	.191	1.070	-.352	320	199	.418	.202	1.217	-.081	320	304	.267	.120	.148	-.659
320	150	.389	.210	1.170	-.279	320	200	.387	.196	1.080	-.181	320	305	.261	.124	.268	-.700
320	151	.477	.228	1.153	-.271	320	201	.357	.187	1.243	-.156	320	306	.275	.118	.122	-.671
320	152	.478	.213	1.240	-.112	320	202	.350	.191	1.136	-.183	320	307	.277	.121	.072	-.647
320	153	.508	.224	1.235	-.197	320	203	.306	.186	.949	-.310	320	308	.285	.114	.128	-.669
320	154	.523	.230	1.375	-.225	320	204	.287	.168	.341	-.973	320	309	.263	.113	.176	-.707
320	155	.517	.237	1.365	-.352	320	205	.407	.195	.356	-1.165	320	310	.276	.120	.103	-.652
320	156	.499	.228	1.296	-.237	320	206	.087	.140	.509	-.524	320	311	.257	.110	.127	-.623
320	157	.504	.231	1.257	-.173	320	207	.047	.164	.905	-.439	320	312	.251	.123	.161	-.755
320	158	.278	.145	.214	-.739	320	208	.207	.151	.804	-.191	320	313	.253	.117	.125	-.647
320	159	.426	.148	.115	-.996	320	209	.273	.148	.887	-.180	320	314	.246	.118	.166	-.621
320	160	.159	.150	.309	-.656	320	210	.280	.162	1.027	-.164	320	315	.232	.119	.146	-.618

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
320	316	253	116	159	601	320	366	283	094	024	736	320	418	259	123	158	715
320	317	252	116	172	613	320	367	298	115	043	794	320	419	248	120	154	678
320	318	268	116	085	658	320	368	266	107	077	651	320	420	260	118	080	660
320	319	274	094	027	587	320	369	268	111	099	679	320	421	273	113	075	645
320	320	258	110	096	612	320	370	277	110	092	649	320	422	247	099	083	590
320	321	253	112	092	634	320	371	277	108	115	783	320	423	234	131	300	744
320	322	254	111	130	595	320	372	299	111	054	815	320	424	255	138	180	894
320	323	253	094	075	670	320	373	267	109	062	688	320	425	237	132	217	693
320	324	234	112	138	728	320	374	287	101	073	901	320	426	217	128	201	693
320	325	268	116	146	767	320	375	284	114	075	841	320	427	233	131	278	701
320	326	260	114	149	761	320	376	286	120	103	804	320	428	231	136	172	780
320	327	320	107	006	705	320	377	279	123	048	721	320	429	239	124	212	684
320	328	300	125	061	756	320	378	262	131	195	703	320	430	241	127	206	673
320	329	283	126	125	720	320	379	264	126	142	822	320	431	251	128	145	700
320	330	276	124	118	685	320	380	245	126	238	733	320	432	241	129	162	698
320	331	263	088	007	550	320	381	276	128	131	778	320	433	247	125	164	907
320	332	237	107	118	566	320	382	279	129	122	000	320	434	259	123	106	691
320	333	225	111	131	600	320	383	276	129	142	895	320	435	261	131	172	934
320	334	232	116	138	653	320	384	266	141	181	827	320	436	248	134	143	764
320	335	253	105	101	630	320	385	280	136	147	831	320	437	248	141	256	755
320	336	319	137	105	834	320	386	263	137	236	852	320	438	235	136	204	881
320	337	300	137	113	833	320	387	256	131	140	861	320	439	239	140	165	780
320	338	315	110	003	812	320	388	259	119	124	705	320	440	263	130	143	721
320	339	284	123	091	734	320	389	247	114	181	602	320	441	247	104	026	578
320	340	260	122	114	821	320	390	280	123	112	698	320	442	275	129	103	809
320	341	276	098	038	701	320	391	273	134	126	881	320	443	271	123	108	703
320	342	257	119	140	808	320	392	277	118	133	689	320	444	258	120	123	739
320	343	254	124	153	853	320	393	276	114	064	700	320	445	237	132	139	760
320	344	361	108	056	870	320	394	286	125	167	815	320	446	250	107	109	650
320	345	329	128	064	826	320	395	277	131	095	798	320	447	248	134	156	739
320	346	361	120	063	778	320	396	275	138	126	012	320	448	228	118	225	818
320	347	366	127	059	797	320	397	259	144	220	846	320	449	242	119	213	755
320	348	264	151	188	862	320	398	282	132	132	849	320	450	227	117	212	658
320	349	231	153	208	886	320	401	223	105	109	563	320	451	261	129	162	689
320	350	279	095	024	617	320	402	238	107	106	656	320	452	243	126	193	720
320	351	261	117	120	699	320	403	233	109	114	592	320	453	256	123	218	699
320	352	312	125	046	788	320	404	219	103	132	670	320	454	283	117	100	683
320	353	350	114	016	826	320	405	240	107	152	722	320	455	255	117	109	641
320	354	312	125	096	805	320	406	218	105	114	691	320	456	263	118	187	660
320	355	289	124	194	707	320	407	247	108	073	630	320	457	273	114	072	641
320	356	272	123	188	711	320	408	255	123	158	951	320	458	274	135	123	837
320	357	303	095	057	626	320	409	234	127	145	864	320	459	295	118	065	809
320	358	283	116	131	676	320	410	248	121	172	722	320	460	281	138	111	935
320	359	273	121	153	741	320	411	258	125	115	752	320	461	286	140	218	902
320	360	302	114	029	891	320	412	230	110	158	671	320	462	266	098	053	602
320	361	287	112	089	818	320	413	258	115	156	664	320	463	275	101	085	674
320	362	290	105	036	647	320	414	230	127	170	703	320	464	297	103	029	723
320	363	260	121	027	242	320	415	244	135	198	822	320	465	251	092	022	569
320	364	285	100	094	629	320	416	232	135	236	743	320	466	299	100	009	664
320	365	284	109	032	666	320	417	243	128	172	764	320	467	205	105	142	573

WD	TAP	CPNEAN	CPRMS	CPNAX	CPMIN	WD	TAP	CPNEAN	CPRMS	CPNAX	CPMIN	WD	TAP	CPNEAN	CPRMS	CPNAX	CPMIN
320	468	-212	119	236	-621	320	518	-240	128	182	-706	320	625	329	224	1.105	-307
320	469	-227	106	106	-571	320	519	-222	115	178	-597	320	626	358	209	1.070	-318
320	470	-231	106	132	-639	320	520	-245	115	120	-644	320	627	348	195	1.077	-310
320	471	-253	107	043	-629	320	521	-233	115	139	-632	320	628	371	220	1.210	-833
320	472	-249	106	127	-692	320	522	-232	126	182	-636	320	629	339	210	1.115	-388
320	473	-238	104	071	-620	320	523	-243	110	133	-659	320	630	347	198	1.035	-242
320	474	-278	106	078	-690	320	524	-258	113	107	-801	320	631	304	143	1.787	-100
320	475	-228	119	172	-674	320	525	-248	111	069	-722	320	632	197	149	1.735	-245
320	476	-248	124	137	-732	320	526	-281	116	113	-618	320	633	049	132	1.554	-370
320	477	-259	121	123	-741	320	527	-269	121	163	-675	320	634	054	124	1.470	-498
320	478	-258	115	124	-638	320	528	-310	161	119	-966	320	635	094	105	1.338	-503
320	479	-288	117	179	-704	320	529	-337	159	158	-1.181	320	636	193	213	1.911	-655
320	480	-208	115	197	-617	320	530	-318	174	196	-1.202	320	637	227	221	1.925	-662
320	481	-212	121	215	-645	320	531	-256	140	131	-1.091	320	638	283	138	1.870	-133
320	482	-227	121	183	-713	320	532	-259	148	188	-1.265	320	639	241	144	1.804	-238
320	483	-215	121	204	-624	320	533	-275	144	177	-1.798	320	640	151	134	1.669	-292
320	484	-232	125	146	-725	320	534	-249	134	285	-1.045	320	641	063	106	1.451	-305
320	485	-218	117	223	-605	320	535	-395	223	117	-1.830	320	642	030	120	1.391	-454
320	486	-222	126	133	-640	320	536	-334	154	074	-1.366	320	643	099	119	1.285	-570
320	487	-233	118	146	-635	320	537	-297	142	124	-1.848	320	644	091	157	1.594	-576
320	488	-237	118	119	-644	320	538	-243	128	170	-920	320	645	125	193	1.739	-704
320	489	-275	124	110	-682	320	539	-236	128	213	-712	320	646	189	144	1.651	-348
320	490	-294	126	279	-741	320	540	-253	115	088	-720	320	647	158	106	1.515	-195
320	491	-205	122	216	-769	320	541	-262	136	178	-902	320	648	086	119	1.458	-377
320	492	-211	121	201	-667	320	542	-244	139	188	-837	320	649	008	117	1.394	-463
320	493	-189	118	208	-728	320	543	-238	131	192	-740	320	650	062	095	1.270	-371
320	494	-205	127	198	-692	320	601	-093	173	736	-430	320	651	128	116	1.251	-484
320	495	-207	121	159	-718	320	602	-091	164	684	-402	320	652	068	189	1.714	-682
320	496	-209	117	171	-585	320	603	-080	157	831	-437	320	653	071	144	1.500	-547
320	497	-234	115	268	-614	320	604	-009	143	640	-467	320	654	132	132	1.560	-408
320	498	-214	116	184	-559	320	605	-053	130	548	-493	320	655	107	117	1.469	-408
320	499	-224	121	257	-622	320	606	-287	246	1.132	-585	320	656	047	109	1.384	-310
320	500	-267	115	177	-624	320	607	-267	202	1.998	-352	320	657	025	088	1.302	-364
320	501	-261	124	205	-661	320	608	-303	222	1.142	-569	320	658	099	108	1.260	-522
320	502	-293	129	101	-701	320	609	-330	206	1.042	-371	320	659	151	113	1.215	-586
320	503	-297	127	145	-769	320	610	-320	198	1.970	-451	320	660	066	151	1.691	-583
320	504	-222	133	184	-718	320	611	-311	194	1.140	-421	320	661	101	150	1.722	-590
320	505	-231	132	140	-844	320	612	-250	186	922	-341	320	662	134	116	1.722	-311
320	506	-225	128	188	-677	320	613	-140	159	731	-484	320	663	096	110	1.521	-323
320	507	-230	126	152	-673	320	614	-017	140	638	-547	320	664	051	103	1.414	-301
320	508	-225	122	226	-615	320	615	-097	133	333	-557	320	665	003	106	1.431	-382
320	509	-246	130	244	-714	320	616	-299	222	1.304	-479	320	666	061	107	1.257	-467
320	510	-270	124	198	-704	320	617	-338	202	1.279	-397	320	667	120	105	1.310	-637
320	511	-230	118	168	-615	320	618	-343	209	1.037	-314	320	668	069	112	1.281	-479
320	512	-248	129	205	-729	320	619	-396	175	1.086	-267	320	669	098	110	1.431	-471
320	513	-281	124	115	-744	320	620	-360	209	1.176	-421	320	670	153	115	1.255	-562
320	514	-293	125	148	-700	320	621	-356	201	1.163	-295	320	671	154	130	1.785	-281
320	515	-243	121	166	-667	320	622	-099	156	820	-442	320	672	177	123	1.770	-255
320	516	-227	123	144	-726	320	623	-023	108	578	-371	320	673	156	128	1.649	-218
320	517	-227	123	157	-701	320	624	-079	127	574	-504	320	674	148	118	1.715	-232

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
3220	675	111	114	322	237	320	923	257	111	136	637	330	141	375	144	848	044
3220	676	059	108	434	285	320	924	275	128	073	978	330	142	358	165	957	205
3220	677	014	110	526	358	320	925	272	134	179	796	330	143	292	170	906	279
3220	678	017	120	446	554	320	926	269	129	094	974	330	144	249	205	1227	396
3220	679	084	106	322	497	320	927	244	115	077	631	330	145	097	146	465	607
3220	680	301	161	961	149	320	928	263	097	083	682	330	146	305	201	269	943
3220	681	276	138	879	164	320	929	245	122	204	834	330	147	251	211	1028	345
3220	682	281	146	846	144	320	930	221	120	208	673	330	148	369	226	1283	344
3220	683	178	116	657	242	320	931	203	128	268	670	330	149	361	208	1069	301
3220	684	156	115	616	180	320	932	170	126	462	648	330	150	512	214	1211	208
3220	685	124	112	728	200	330	101	124	112	267	524	330	151	502	255	1343	301
3220	686	067	113	421	339	330	102	271	202	424	105	330	152	517	215	1240	190
3220	687	041	102	391	352	330	103	283	171	915	252	330	153	515	227	1396	239
3220	688	130	108	229	542	330	104	423	190	1065	235	330	154	530	222	1222	092
3220	701	010	111	402	435	330	105	278	165	908	376	330	155	525	219	1404	159
3220	702	066	111	425	304	330	106	404	175	122	070	330	156	486	213	1147	524
3220	703	132	118	527	253	330	107	389	173	091	118	330	157	419	205	1137	198
3220	704	164	118	671	211	330	108	250	175	959	355	330	158	225	150	331	831
3220	705	173	133	729	279	330	109	395	199	1270	281	330	159	433	166	211	1028
3220	706	199	120	704	177	330	110	419	189	1088	299	330	160	123	168	552	674
3220	707	118	110	268	488	330	111	322	186	1031	211	330	161	074	175	855	517
3220	708	284	137	788	126	330	112	396	200	1108	250	330	162	353	176	968	138
3220	709	242	128	120	697	330	113	314	180	1001	250	330	163	416	190	1040	136
3220	710	259	113	138	632	330	114	211	138	238	669	330	164	430	162	920	140
3220	801	316	161	180	204	330	115	438	227	276	305	330	165	331	148	893	044
3220	802	010	183	845	593	330	116	220	151	416	777	330	166	304	175	954	266
3220	803	266	141	183	926	330	117	007	144	577	522	330	167	035	144	425	613
3220	804	273	110	024	632	330	118	268	161	767	232	330	168	224	227	593	1034
3220	901	125	120	289	580	330	119	287	165	870	285	330	169	207	174	789	298
3220	902	333	124	132	806	330	120	251	158	730	438	330	170	310	155	931	239
3220	903	263	104	090	727	330	121	250	169	877	374	330	171	262	160	895	278
3220	904	280	111	085	774	330	122	234	186	975	280	330	172	439	187	1248	083
3220	905	238	095	080	630	330	123	116	130	350	647	330	173	492	181	1117	041
3220	906	280	106	090	869	330	124	315	248	526	235	330	174	498	176	1126	064
3220	907	381	152	838	058	330	125	279	208	989	328	330	175	556	197	1193	122
3220	908	266	113	094	682	330	126	386	212	316	174	330	176	524	223	1243	083
3220	909	451	183	992	099	330	127	323	193	904	375	330	177	485	207	1358	258
3220	910	305	160	811	215	330	128	436	214	1153	255	330	178	495	221	1363	138
3220	911	343	142	068	314	330	129	455	210	1243	151	330	179	422	226	1433	285
3220	912	288	139	066	102	330	130	434	190	1105	114	330	180	247	230	342	1067
3220	913	232	113	111	755	330	131	493	202	1140	186	330	181	384	232	394	675
3220	914	284	134	132	825	330	132	525	213	1336	178	330	182	118	183	1013	497
3220	915	280	128	246	842	330	133	450	201	1123	150	330	183	303	203	1115	365
3220	916	285	131	128	825	330	134	453	206	1161	178	330	184	465	214	1184	110
3220	917	287	148	061	985	330	135	385	208	1099	469	330	185	503	215	1524	228
3220	918	264	114	049	704	330	136	209	140	240	683	330	186	532	203	1233	013
3220	919	311	129	094	907	330	137	403	202	425	154	330	187	511	211	1418	031
3220	920	255	095	041	606	330	138	125	137	422	673	330	188	492	208	1202	187
3220	921	257	104	099	629	330	139	055	143	540	357	330	189	374	203	1142	221
3220	922	287	114	035	771	330	140	338	161	1032	164	330	190	258	218	1133	285

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
330	191	251	214	324	-1.240	330	241	176	138	832	-310	330	346	288	121	116	-755
330	192	331	229	469	-1.495	330	242	223	148	832	-162	330	347	302	100	067	-584
330	193	034	183	727	-1.602	330	243	301	156	196	-134	330	348	285	125	209	-692
330	194	221	190	1.004	-316	330	244	304	164	987	-227	330	349	265	128	199	-676
330	195	332	181	1.032	-206	330	245	321	172	987	-099	330	350	279	097	099	-634
330	196	389	214	1.064	-174	330	301	274	093	020	-660	330	351	289	121	182	-734
330	197	398	212	1.282	-135	330	302	277	117	107	-747	330	352	316	126	168	-905
330	198	401	197	1.103	-212	330	303	275	116	102	-743	330	353	334	100	026	-703
330	199	410	214	1.331	-230	330	304	283	119	118	-702	330	354	331	116	062	-714
330	200	414	189	1.186	-140	330	305	243	110	143	-636	330	355	310	117	076	-679
330	201	366	206	1.360	-191	330	306	278	110	074	-650	330	356	289	119	119	-693
330	202	292	193	975	-379	330	307	285	111	061	-706	330	357	290	100	036	-712
330	203	195	193	937	-376	330	308	288	132	074	-718	330	358	293	124	109	-816
330	204	244	198	314	-1.111	330	309	282	122	126	-672	330	359	280	129	127	-874
330	205	373	232	530	-1.489	330	310	288	123	129	-714	330	360	314	103	012	-797
330	206	028	177	629	-332	330	311	279	120	114	-639	330	361	305	111	050	-841
330	207	090	189	1.038	-528	330	312	265	113	044	-669	330	362	301	115	031	-641
330	208	240	173	028	-164	330	313	261	119	113	-728	330	363	311	102	066	-723
330	209	263	155	862	-189	330	314	259	121	121	-696	330	364	305	100	054	-818
330	210	314	186	1.105	-220	330	315	268	114	168	-649	330	365	301	103	054	-657
330	211	291	166	1.115	-236	330	316	271	109	097	-701	330	366	297	097	012	-666
330	212	274	167	1.134	-214	330	317	268	110	105	-704	330	367	330	104	026	-744
330	213	221	169	1.003	-308	330	318	288	109	051	-697	330	368	317	108	134	-734
330	214	141	184	805	-479	330	319	284	093	060	-667	330	369	294	106	124	-616
330	215	279	140	167	-894	330	320	286	112	118	-747	330	370	297	109	017	-658
330	216	408	179	162	-1.180	330	321	278	113	111	-730	330	371	293	111	084	-876
330	217	315	109	002	-822	330	322	242	112	109	-639	330	372	288	109	047	-655
330	218	013	139	600	-409	330	323	255	095	080	-557	330	373	306	093	039	-644
330	219	140	126	781	-201	330	324	255	116	166	-636	330	374	282	099	027	-662
330	220	161	114	675	-175	330	325	286	119	141	-702	330	375	289	110	047	-704
330	221	226	124	759	-161	330	326	274	116	150	-664	330	376	290	112	121	-695
330	222	218	113	785	-166	330	327	313	104	022	-737	330	377	287	119	115	-737
330	223	204	127	727	-182	330	328	312	125	089	-787	330	378	280	126	094	-854
330	224	217	113	745	-145	330	329	292	125	111	-744	330	379	275	139	234	-755
330	225	224	118	867	-124	330	330	280	123	121	-724	330	380	253	128	136	-895
330	226	197	132	691	-266	330	331	282	090	019	-697	330	381	269	134	106	-714
330	227	140	129	703	-295	330	332	273	109	064	-762	330	382	299	122	076	-890
330	228	094	109	307	-548	330	333	258	112	096	-758	330	383	306	131	115	-1.227
330	229	002	130	637	-486	330	334	257	116	080	-733	330	384	285	134	129	-817
330	230	268	127	151	-761	330	335	256	099	062	-667	330	385	303	125	069	-810
330	231	358	163	197	-023	330	336	337	126	086	-783	330	386	279	126	277	-824
330	232	273	119	703	-145	330	337	310	126	131	-727	330	387	253	119	255	-661
330	233	236	138	762	-150	330	338	317	096	030	-620	330	388	255	125	147	-697
330	234	265	138	871	-196	330	339	306	115	011	-693	330	389	256	118	145	-675
330	235	214	137	955	-150	330	340	269	118	104	-678	330	390	248	117	110	-706
330	236	205	121	738	-155	330	341	268	095	114	-553	330	391	280	110	073	-640
330	237	208	158	299	-841	330	342	273	119	213	-647	330	392	261	117	149	-691
330	238	375	192	227	-1	330	343	262	124	223	-685	330	393	285	124	206	-764
330	239	062	138	445	-351	330	344	324	104	018	-683	330	394	295	118	169	-714
330	240	091	146	660	-375	330	345	316	128	113	-763	330	395	286	125	104	-788

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
330	396	-293	129	079	-905	330	448	-242	120	155	-679	330	498	-247	110	092	-632
330	397	-282	142	162	-973	330	449	-247	113	106	-657	330	499	-258	111	119	-706
330	398	-288	134	182	-1016	330	450	-264	122	137	-787	330	500	-269	117	148	-709
330	401	-230	100	114	-699	330	451	-263	125	100	-904	330	501	-258	110	093	-709
330	402	-241	109	062	-738	330	452	-254	114	184	-585	330	502	-299	114	196	-780
330	403	-223	103	157	-759	330	453	-261	109	092	-617	330	503	-291	123	076	-699
330	404	-231	104	135	-822	330	454	-262	110	102	-609	330	504	-254	125	114	-754
330	405	-221	101	163	-674	330	455	-270	112	111	-770	330	505	-241	121	172	-687
330	406	-237	098	068	-536	330	456	-276	119	058	-765	330	506	-240	116	177	-656
330	407	-251	097	101	-602	330	457	-280	112	066	-684	330	507	-249	117	193	-732
330	408	-250	117	182	-772	330	458	-302	144	111	-160	330	508	-248	117	126	-661
330	409	-253	122	115	-722	330	459	-272	106	040	-767	330	509	-244	105	098	-573
330	410	-242	112	122	-637	330	460	-295	127	112	-767	330	510	-247	106	098	-566
330	411	-246	123	193	-860	330	461	-290	130	128	-895	330	511	-271	121	145	-664
330	412	-247	104	145	-569	330	462	-277	099	012	-568	330	512	-271	116	086	-790
330	413	-259	107	132	-655	330	463	-284	097	025	-615	330	513	-291	113	079	-705
330	414	-257	128	183	-988	330	464	-292	101	020	-628	330	514	-302	111	041	-692
330	415	-241	125	148	-722	330	465	-264	095	042	-632	330	515	-270	128	156	-730
330	416	-243	119	207	-620	330	466	-308	094	034	-639	330	516	-264	130	138	-947
330	417	-246	118	208	-539	330	467	-219	099	086	-610	330	517	-257	120	106	-793
330	418	-244	111	132	-596	330	468	-226	123	167	-654	330	518	-258	112	065	-661
330	419	-260	116	114	-760	330	469	-228	098	139	-562	330	519	-268	124	149	-692
330	420	-263	120	065	-902	330	470	-233	093	111	-593	330	520	-270	118	123	-668
330	421	-269	112	099	-760	330	471	-257	105	080	-717	330	521	-274	115	075	-739
330	422	-269	098	063	-544	330	472	-247	094	040	-549	330	522	-260	111	106	-607
330	423	-236	128	201	-708	330	473	-251	097	050	-631	330	523	-290	120	113	-714
330	424	-244	138	143	-716	330	474	-258	099	060	-677	330	524	-282	119	138	-683
330	425	-240	122	192	-704	330	475	-255	115	093	-617	330	525	-274	125	156	-848
330	426	-243	130	214	-751	330	476	-253	112	096	-751	330	526	-310	120	475	-768
330	427	-247	126	113	-716	330	477	-263	105	112	-627	330	527	-284	118	171	-796
330	428	-250	125	159	-622	330	478	-267	112	095	-650	330	528	-328	147	200	-871
330	429	-279	128	188	-669	330	479	-262	107	120	-736	330	529	-359	166	118	-1292
330	430	-242	120	143	-624	330	480	-220	115	147	-588	330	530	-317	125	052	-929
330	431	-277	117	077	-739	330	481	-229	114	115	-649	330	531	-283	124	045	-789
330	432	-277	120	084	-699	330	482	-227	113	110	-614	330	532	-268	130	181	-806
330	433	-277	124	099	-816	330	483	-213	106	103	-632	330	533	-265	133	194	-835
330	434	-277	127	134	-713	330	484	-239	111	102	-696	330	534	-255	129	184	-818
330	435	-277	115	138	-721	330	485	-231	115	152	-681	330	535	-376	172	138	-1205
330	436	-282	132	216	-739	330	486	-239	111	102	-662	330	536	-348	142	011	-1013
330	437	-282	141	188	-1005	330	487	-236	113	323	-664	330	537	-306	140	135	-905
330	438	-277	133	128	-818	330	488	-246	106	137	-667	330	538	-263	135	259	-817
330	439	-255	124	166	-728	330	489	-282	117	031	-734	330	539	-270	123	095	-813
330	440	-278	120	046	-779	330	490	-300	113	046	-702	330	540	-277	099	019	-767
330	441	-271	098	046	-663	330	491	-211	106	137	-545	330	541	-290	132	237	-1010
330	442	-271	131	077	-736	330	492	-227	116	223	-613	330	542	-248	139	187	-788
330	443	-283	117	084	-718	330	493	-237	121	169	-637	330	543	-245	133	155	-706
330	444	-284	117	150	-803	330	494	-222	115	130	-711	330	601	-108	181	403	-936
330	445	-261	129	181	-881	330	495	-222	110	167	-682	330	602	-013	160	497	-632
330	446	-244	103	088	-664	330	496	-229	112	175	-626	330	603	-027	137	403	-701
330	447	-253	135	156	-923	330	497	-225	111	133	-688	330	604	-066	134	488	-689

MD	TAP	CPHEAN	CPHRS	CPHAX	CPHIN	MD	TAP	CPHEAN	CPHRS	CPHAX	CPHIN	MD	TAP	CPHEAN	CPHRS	CPHAX	CPHIN
330	605	-	127	364	-	701	330	655	092	113	522	330	903	-	259	096	081
330	606	-	078	247	-	865	330	656	028	103	425	330	904	-	269	107	111
330	607	-	116	193	-	602	330	657	-	045	083	330	905	-	255	092	134
330	608	-	104	214	-	746	330	658	-	117	101	330	906	-	276	098	040
330	609	-	191	184	1.021	518	330	659	-	162	105	330	907	-	453	174	1.115
330	610	-	162	182	837	604	330	660	-	020	177	330	908	-	255	104	052
330	611	-	179	169	826	373	330	661	-	035	199	330	909	-	386	163	1.078
330	612	-	132	145	689	272	330	662	-	107	135	330	910	-	244	148	901
330	613	-	042	128	464	406	330	663	-	093	121	330	911	-	295	115	048
330	614	-	102	112	281	491	330	664	-	030	110	330	912	-	314	139	131
330	615	-	144	111	223	592	330	665	-	028	108	330	913	-	253	109	104
330	616	-	129	226	962	653	330	666	-	085	114	330	914	-	287	127	143
330	617	-	220	193	974	454	330	667	-	158	112	330	915	-	325	134	123
330	618	-	175	241	933	215	330	668	-	091	113	330	916	-	278	122	183
330	619	-	253	153	734	436	330	669	-	132	113	330	917	-	309	123	037
330	620	-	197	192	852	566	330	670	-	196	124	330	918	-	294	106	058
330	621	-	213	174	845	427	330	671	-	163	143	330	919	-	327	130	001
330	622	-	011	122	480	409	330	672	-	155	130	330	920	-	285	099	009
330	623	-	100	090	231	466	330	673	-	162	130	330	921	-	260	090	035
330	624	-	142	108	279	549	330	674	-	133	122	330	922	-	300	107	017
330	625	-	170	223	922	733	330	675	-	112	122	330	923	-	271	123	200
330	626	-	229	196	899	635	330	676	-	040	118	330	924	-	304	126	098
330	627	-	174	181	756	939	330	677	-	013	110	330	925	-	298	124	087
330	628	-	215	212	879	941	330	678	-	045	106	330	926	-	293	128	099
330	629	-	174	210	855	761	330	679	-	122	113	330	927	-	269	111	118
330	630	-	197	188	833	731	330	680	-	316	158	330	928	-	283	092	037
330	631	-	214	122	666	161	330	681	-	290	154	330	929	-	274	111	136
330	632	-	114	126	568	285	330	682	-	298	148	330	930	-	236	112	178
330	633	-	022	115	348	408	330	683	-	163	131	330	931	-	222	121	197
330	634	-	119	112	230	495	330	684	-	150	118	330	932	-	209	122	327
330	635	-	148	089	195	449	330	685	-	103	120	330	101	-	047	116	387
330	636	-	033	231	789	699	330	686	-	047	111	330	102	-	096	201	502
330	637	-	060	247	783	846	330	687	-	067	105	330	103	-	384	171	1.084
330	638	-	187	134	633	340	330	688	-	163	117	330	104	-	459	174	1.020
330	639	-	165	128	626	224	330	701	-	033	116	330	105	-	322	167	894
330	640	-	085	118	527	285	330	702	-	032	123	330	106	-	425	173	1.075
330	641	-	066	090	438	337	330	703	-	102	110	330	107	-	364	162	1.027
330	642	-	078	107	284	496	330	704	-	143	117	330	108	-	248	179	843
330	643	-	123	110	250	558	330	705	-	158	127	330	109	-	351	186	1.256
330	644	-	022	176	628	803	330	706	-	196	127	330	110	-	378	191	1.217
330	645	-	069	225	746	877	330	707	-	145	117	330	111	-	300	195	948
330	646	-	128	154	688	540	330	708	-	226	134	330	112	-	340	193	904
330	647	-	101	107	524	295	330	709	-	275	111	330	113	-	219	179	892
330	648	-	046	116	479	341	330	710	-	250	117	330	114	-	137	144	333
330	649	-	036	110	360	423	330	801	-	338	136	330	115	-	232	251	609
330	650	-	106	090	228	418	330	802	-	048	164	330	116	-	169	169	797
330	651	-	174	112	223	541	330	803	-	277	120	330	117	-	061	151	558
330	652	-	029	224	716	777	330	804	-	301	107	330	118	-	221	181	932
330	653	-	099	170	592	676	330	901	-	086	122	330	119	-	255	158	816
330	654	-	090	142	641	642	330	902	-	332	123	330	120	-	166	144	677

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
340	121	103	156	684	-337	340	171	335	165	937	-107	340	221	236	117	627	-136
340	122	022	164	677	-382	340	172	436	165	1 071	-090	340	222	236	129	829	-148
340	123	027	147	345	-511	340	173	498	175	1 982	-073	340	223	221	128	758	-141
340	124	147	255	667	-1 303	340	174	453	177	1 013	-006	340	224	201	106	635	-153
340	125	413	228	1 134	-242	340	175	491	195	1 225	-064	340	225	176	108	562	-202
340	126	469	235	1 287	-256	340	176	449	192	1 208	-246	340	226	095	118	566	-265
340	127	400	205	1 101	-187	340	177	396	203	1 289	-280	340	227	037	120	744	-335
340	128	467	221	1 286	-194	340	178	383	203	1 081	-293	340	228	034	118	588	-451
340	129	501	203	1 319	-111	340	179	253	198	1 030	-302	340	229	026	118	516	-418
340	130	483	223	1 311	-219	340	180	131	214	619	-1 051	340	230	219	126	243	-721
340	131	478	207	1 296	-128	340	181	241	285	794	-1 350	340	231	320	156	284	-886
340	132	444	193	1 208	-207	340	182	223	209	1 199	-517	340	232	253	121	810	-099
340	133	462	205	1 156	-158	340	183	371	216	1 220	-231	340	233	233	149	857	-160
340	134	391	199	1 200	-291	340	184	496	208	1 152	-124	340	234	220	134	752	-180
340	135	303	201	1 175	-821	340	185	538	207	1 247	-042	340	235	141	135	716	-357
340	136	133	168	364	-619	340	186	508	201	1 284	-002	340	236	144	120	647	-285
340	137	294	259	596	-1 019	340	187	484	182	1 184	-024	340	237	161	141	263	-690
340	138	094	168	707	-882	340	188	436	207	1 120	-155	340	238	320	189	239	-1 147
340	139	120	166	882	-447	340	189	246	190	1 005	-317	340	239	017	138	536	-495
340	140	347	186	1 002	-289	340	190	132	182	822	-454	340	240	130	157	742	-287
340	141	372	151	915	-039	340	191	174	202	503	-1 110	340	241	226	153	821	-276
340	142	316	171	902	-236	340	192	313	284	1 064	-1 380	340	242	295	161	1 008	-134
340	143	197	172	717	-300	340	193	143	185	1 072	-545	340	243	300	165	872	-168
340	144	163	225	1 075	-631	340	194	312	189	1 102	-204	340	244	306	160	1 065	-122
340	145	023	153	439	-659	340	195	374	196	1 082	-113	340	245	326	168	1 032	-197
340	146	096	205	598	-735	340	196	431	204	1 158	-084	340	301	297	099	011	-616
340	147	385	229	1 255	-354	340	197	403	183	1 095	-123	340	302	263	122	206	-685
340	148	472	235	1 405	-260	340	198	439	177	1 173	-165	340	303	290	119	170	-727
340	149	425	197	1 066	-321	340	199	388	189	1 011	-130	340	304	282	116	099	-756
340	150	441	211	1 267	-198	340	200	336	177	1 045	-138	340	305	273	115	090	-778
340	151	476	233	1 323	-308	340	201	338	178	1 193	-165	340	306	301	121	085	-852
340	152	507	205	1 234	-641	340	202	185	182	879	-349	340	307	278	113	153	-680
340	153	518	214	1 262	-323	340	203	063	184	866	-542	340	308	308	117	038	-805
340	154	437	235	1 288	-262	340	204	176	174	434	-1 112	340	309	291	120	072	-648
340	155	457	212	1 372	-244	340	205	287	247	600	-1 336	340	310	278	109	108	-666
340	156	358	206	1 089	-351	340	206	072	176	955	-656	340	311	282	117	062	-743
340	157	261	191	918	-306	340	207	173	170	892	-349	340	312	269	115	081	-697
340	158	147	166	437	-662	340	208	338	184	1 328	-200	340	313	261	115	129	-624
340	159	249	196	609	-843	340	209	302	169	1 061	-229	340	314	269	114	099	-759
340	160	087	176	594	-736	340	210	319	161	1 085	-253	340	315	251	111	092	-607
340	161	117	187	1 030	-423	340	211	360	172	1 006	-195	340	316	295	120	088	-730
340	162	361	155	937	-123	340	212	239	144	771	-230	340	317	286	119	089	-679
340	163	322	162	920	-050	340	213	119	156	863	-442	340	318	306	116	088	-800
340	164	325	155	850	-179	340	214	649	169	825	-502	340	319	288	103	071	-694
340	165	252	143	909	-330	340	215	226	133	158	-824	340	320	291	124	140	-751
340	166	108	161	777	-476	340	216	355	196	273	-1 067	340	321	282	124	149	-705
340	167	077	123	500	-386	340	217	360	120	010	-794	340	322	254	123	160	-663
340	168	098	278	811	-1 448	340	218	104	134	549	-384	340	323	253	103	087	-649
340	169	308	169	873	-290	340	219	185	123	664	-151	340	324	256	125	140	-748
340	170	407	175	1 040	-671	340	220	237	151	802	-143	340	325	282	129	138	-835

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
340	326	-	274	128	142	-	813	340	376	-	302	129	088	-	754	340	428	-	267	124	185	-	735
340	327	-	321	101	012	-	765	340	377	-	313	139	121	-	826	340	429	-	281	127	086	-	725
340	328	-	323	121	058	-	848	340	378	-	265	128	156	-	909	340	430	-	276	127	154	-	750
340	329	-	303	120	080	-	789	340	379	-	264	121	167	-	750	340	431	-	289	126	142	-	834
340	330	-	292	118	082	-	743	340	380	-	243	126	152	-	623	340	432	-	251	120	211	-	715
340	331	-	275	094	041	-	747	340	381	-	254	126	160	-	817	340	433	-	274	131	133	-	723
340	332	-	272	117	120	-1	006	340	382	-	294	147	075	-	937	340	434	-	283	119	096	-	717
340	333	-	254	118	140	-	802	340	383	-	327	143	123	-1	182	340	435	-	300	116	108	-	740
340	334	-	251	120	142	-	884	340	384	-	319	155	158	-	924	340	436	-	291	146	217	-	963
340	335	-	264	092	100	-	607	340	385	-	351	162	086	-1	337	340	437	-	283	137	120	-	755
340	336	-	342	122	068	-	782	340	386	-	261	136	223	-	785	340	438	-	293	131	063	-	787
340	337	-	320	122	092	-	738	340	387	-	270	128	132	-	745	340	439	-	272	137	199	-	727
340	338	-	304	104	007	-	717	340	388	-	262	119	132	-	664	340	440	-	290	129	113	-	717
340	339	-	299	125	090	-	857	340	389	-	254	119	079	-	652	340	441	-	282	097	073	-	616
340	340	-	266	126	145	-	770	340	390	-	260	120	117	-	712	340	442	-	299	123	076	-	800
340	341	-	269	092	059	-	541	340	391	-	257	122	112	-	730	340	443	-	290	125	138	-	854
340	342	-	273	114	133	-	657	340	392	-	270	123	175	-	708	340	444	-	302	126	140	-	785
340	343	-	265	116	152	-	703	340	393	-	292	133	167	-	758	340	445	-	297	136	108	-1	000
340	344	-	375	107	088	-	788	340	394	-	315	145	088	-	936	340	446	-	279	113	064	-	758
340	345	-	371	129	028	-	861	340	395	-	315	143	129	-	970	340	447	-	286	137	144	-	935
340	346	-	341	120	006	-	888	340	396	-	298	144	122	-1	060	340	448	-	280	125	082	-	775
340	347	-	302	096	002	-	736	340	397	-	290	150	163	-	963	340	449	-	271	127	108	-	729
340	348	-	285	116	109	-	783	340	398	-	332	150	089	-1	006	340	450	-	281	133	113	-	913
340	349	-	270	117	145	-	730	340	401	-	266	115	097	-	711	340	451	-	298	123	056	-	797
340	350	-	292	097	009	-	637	340	402	-	274	115	101	-	645	340	452	-	287	123	113	-	736
340	351	-	303	120	076	-	739	340	403	-	244	108	127	-	621	340	453	-	297	119	046	-	744
340	352	-	347	131	055	-	839	340	404	-	251	105	149	-	647	340	454	-	305	122	054	-	742
340	353	-	336	108	030	-	786	340	405	-	259	110	077	-	678	340	455	-	305	124	136	-	723
340	354	-	334	125	045	-	789	340	406	-	275	111	078	-	737	340	456	-	313	119	116	-	701
340	355	-	315	123	048	-	730	340	407	-	288	111	085	-	827	340	457	-	294	116	095	-	752
340	356	-	300	123	072	-	751	340	408	-	281	134	150	-	795	340	458	-	329	150	061	-	992
340	357	-	299	101	048	-	688	340	409	-	292	120	132	-	892	340	459	-	312	122	027	-1	846
340	358	-	306	122	104	-	730	340	410	-	268	120	127	-	664	340	460	-	337	158	070	-1	107
340	359	-	291	125	137	-	720	340	411	-	283	125	076	-	727	340	461	-	325	149	093	-1	077
340	360	-	312	118	041	-1	010	340	412	-	278	116	057	-	769	340	462	-	269	107	095	-	597
340	361	-	321	113	037	-	691	340	413	-	286	120	046	-	741	340	463	-	303	103	067	-	665
340	362	-	335	110	031	-	815	340	414	-	274	139	138	-	997	340	464	-	311	093	014	-	680
340	363	-	292	118	030	-	962	340	415	-	279	132	102	-	816	340	465	-	287	097	043	-	903
340	364	-	313	107	073	-	658	340	416	-	275	134	206	-	751	340	466	-	301	090	001	-	594
340	365	-	339	117	041	-	706	340	417	-	287	132	115	-	753	340	467	-	232	098	092	-	634
340	366	-	376	118	022	-	796	340	418	-	293	125	085	-	751	340	468	-	251	120	224	-	778
340	367	-	392	129	015	-1	024	340	419	-	301	131	129	-	867	340	469	-	258	097	080	-	624
340	368	-	335	119	079	-	835	340	420	-	302	121	134	-	734	340	470	-	257	104	059	-	655
340	369	-	350	118	102	-	844	340	421	-	289	119	090	-	695	340	471	-	270	101	039	-	637
340	370	-	357	116	003	-	844	340	422	-	277	099	077	-	660	340	472	-	267	097	042	-	715
340	371	-	310	116	048	-	939	340	423	-	279	136	183	-	805	340	473	-	276	100	095	-	672
340	372	-	313	113	039	-	758	340	424	-	279	136	176	-	883	340	474	-	280	100	054	-	698
340	373	-	293	102	005	-	698	340	425	-	264	133	134	-	902	340	475	-	270	116	175	-	751
340	374	-	281	098	119	-	607	340	426	-	262	133	222	-	950	340	476	-	270	114	093	-	670
340	375	-	305	126	071	-	754	340	427	-	254	126	088	-	708	340	477	-	286	113	172	-	655

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
340	478	-295	119	.081	-716	340	528	-340	.153	143	-941	340	635	-201	.090	115	-513
340	479	-295	118	.059	-727	340	529	-355	.150	106	-1.238	340	636	-139	.225	736	-1.136
340	480	-202	116	.261	-578	340	530	-321	.143	110	-876	340	637	-116	.249	786	-1.202
340	481	-250	116	.152	-623	340	531	-271	.133	250	-718	340	638	.040	.175	701	-739
340	482	-239	114	.174	-739	340	532	-273	.144	264	-1.018	340	639	.090	.134	702	-649
340	483	-233	108	.123	-664	340	533	-275	.130	157	-1.140	340	640	.027	.115	523	-378
340	484	-233	104	.110	-556	340	534	-265	.128	149	-842	340	641	.069	.093	240	-391
340	485	-252	110	.115	-709	340	535	-410	.203	070	-1.634	340	642	.129	.107	222	-503
340	486	-253	116	.155	-714	340	536	-374	.157	066	-1.027	340	643	.162	.108	174	-552
340	487	-259	104	.111	-561	340	537	-322	.150	161	-1.009	340	644	.257	.188	368	-872
340	488	-264	107	.063	-625	340	538	-265	.138	323	-730	340	645	.215	.242	543	-1.011
340	489	-294	118	.105	-734	340	539	-269	.129	156	-784	340	646	.003	.193	541	-772
340	490	-304	115	.048	-705	340	540	-298	.104	065	-658	340	647	.026	.106	356	-316
340	491	-226	106	.150	-590	340	541	-267	.129	246	-939	340	648	.002	.112	366	-397
340	492	-230	116	.190	-604	340	542	-262	.128	142	-710	340	649	.070	.109	262	-484
340	493	-230	109	.140	-634	340	543	-241	.125	173	-677	340	650	.149	.086	132	-420
340	494	-226	110	.093	-610	340	601	-313	.176	206	-861	340	651	.190	.104	147	-526
340	495	-224	110	.180	-547	340	602	-178	.169	447	-846	340	652	.203	.211	586	-1.146
340	496	-240	113	.154	-642	340	603	-102	.120	406	-566	340	653	.154	.193	428	-939
340	497	-243	113	.129	-663	340	604	-139	.120	332	-563	340	654	.017	.171	587	-803
340	498	-221	115	.258	-595	340	605	-170	.111	257	-720	340	655	.053	.126	516	-386
340	499	-275	117	.111	-694	340	606	-191	.252	639	-1.049	340	656	.004	.117	388	-396
340	500	-281	109	.066	-715	340	607	-076	.182	537	-800	340	657	.089	.092	208	-387
340	501	-282	109	.058	-645	340	608	-112	.249	608	-1.039	340	658	.143	.111	234	-521
340	502	-287	112	.088	-666	340	609	-021	.180	591	-718	340	659	.183	.116	228	-602
340	503	-324	117	.059	-771	340	610	-043	.208	589	-983	340	660	.106	.175	625	-831
340	504	-246	126	.222	-820	340	611	-030	.166	581	-601	340	661	.065	.195	562	-1.077
340	505	-241	113	.151	-678	340	612	-023	.131	529	-434	340	662	.044	.131	440	-670
340	506	-243	117	.171	-612	340	613	-058	.114	358	-436	340	663	.041	.118	641	-429
340	507	-250	120	.188	-658	340	614	-165	.116	197	-576	340	664	.012	.109	446	-338
340	508	-240	117	.147	-647	340	615	-193	.110	145	-671	340	665	.044	.104	356	-372
340	509	-256	111	.079	-684	340	616	-128	.233	589	-945	340	666	.110	.108	274	-442
340	510	-249	113	.114	-610	340	617	-016	.200	603	-763	340	667	.179	.117	304	-563
340	511	-260	109	.115	-622	340	618	-030	.251	721	-891	340	668	.116	.109	297	-444
340	512	-268	116	.099	-679	340	619	-082	.187	654	-658	340	669	.149	.102	187	-467
340	513	-303	116	.120	-653	340	620	-001	.231	682	-1.039	340	670	.215	.121	234	-777
340	514	-322	125	.068	-861	340	621	-052	.201	656	-848	340	671	.069	.142	600	-413
340	515	-251	116	.193	-694	340	622	-070	.121	319	-455	340	672	.091	.142	702	-469
340	516	-277	130	.127	-746	340	623	-180	.098	142	-506	340	673	.114	.119	546	-413
340	517	-258	123	.089	-810	340	624	-199	.119	202	-642	340	674	.089	.113	496	-311
340	518	-269	122	.134	-677	340	625	-059	.250	686	-908	340	675	.064	.118	498	-335
340	519	-254	114	.195	-633	340	626	-037	.231	699	-853	340	676	.007	.115	397	-363
340	520	-269	121	.114	-665	340	627	-029	.190	683	-634	340	677	.030	.108	368	-368
340	521	-279	123	.116	-702	340	628	-070	.213	884	-913	340	678	.054	.106	294	-442
340	522	-248	108	.147	-582	340	629	-005	.222	830	-648	340	679	.125	.110	317	-535
340	523	-272	116	.110	-627	340	630	-055	.191	790	-566	340	680	.270	.163	854	-210
340	524	-273	115	.042	-697	340	631	-081	.127	515	-323	340	681	.266	.145	112	-164
340	525	-283	110	.039	-662	340	632	-020	.128	449	-420	340	682	.265	.150	837	-202
340	526	-276	124	.106	-725	340	633	-093	.116	258	-508	340	683	.136	.134	634	-223
340	527	-293	126	.230	-682	340	634	-171	.113	182	-574	340	684	.108	.114	509	-248

MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	MD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
340	685	068	121	548	319	350	101	024	127	636	330	350	151	463	224	1.182	-182
340	686	021	110	390	296	350	102	117	190	935	554	350	152	505	210	1.109	-210
340	687	072	097	244	394	350	103	397	168	925	217	350	153	408	195	1.455	-187
340	688	174	115	224	651	350	104	457	175	1.044	149	350	154	378	193	1.114	-208
340	701	048	122	336	439	350	105	303	164	898	222	350	155	377	206	1.074	-297
340	702	028	114	443	335	350	106	391	168	966	248	350	156	238	208	937	-502
340	703	091	121	478	332	350	107	324	155	927	207	350	157	126	186	817	-465
340	704	124	132	584	297	350	108	231	185	859	267	350	158	042	181	547	-641
340	705	134	134	700	252	350	109	308	184	1.047	355	350	159	068	230	627	-794
340	706	178	134	624	278	350	110	281	177	983	288	350	160	017	207	946	-602
340	707	157	120	237	613	350	111	246	188	983	592	350	161	183	196	938	-510
340	708	250	150	853	193	350	112	238	185	1.061	414	350	162	330	169	860	-259
340	709	250	121	081	732	350	113	056	146	546	473	350	163	372	158	911	-233
340	710	248	118	223	616	350	114	073	150	418	613	350	164	250	144	715	-197
340	801	304	140	132	846	350	115	074	254	769	949	350	165	064	140	532	-375
340	802	067	167	685	658	350	116	028	226	808	657	350	166	078	190	652	-864
340	803	262	128	182	699	350	117	106	160	741	455	350	167	119	141	599	-354
340	804	318	115	010	803	350	118	209	152	786	198	350	168	132	262	937	-1110
340	901	060	147	419	671	350	119	231	164	834	234	350	169	370	179	1.082	-230
340	902	303	122	179	761	350	120	121	151	620	449	350	170	403	190	1.045	-156
340	903	291	107	040	707	350	121	009	143	511	452	350	171	385	163	921	-270
340	904	305	106	035	763	350	122	167	147	366	693	350	172	446	165	1.037	-011
340	905	292	101	006	662	350	123	046	163	702	462	350	173	444	167	989	-026
340	906	305	107	037	719	350	124	118	264	1.112	1.021	350	174	406	179	952	-148
340	907	407	162	997	022	350	125	424	222	1.191	434	350	175	465	200	1.166	-163
340	908	291	109	013	687	350	126	498	236	1.286	303	350	176	391	179	1.031	-157
340	909	278	150	978	218	350	127	409	210	1.179	165	350	177	298	187	1.132	-345
340	910	148	127	617	287	350	128	476	227	1.180	225	350	178	241	181	947	-299
340	911	337	128	065	207	350	129	434	198	1.130	172	350	179	103	181	805	-578
340	912	357	160	141	529	350	130	431	218	1.207	167	350	180	035	189	616	-892
340	913	292	110	110	828	350	131	392	210	1.155	200	350	181	070	305	886	-1254
340	914	303	128	134	915	350	132	361	198	1.073	198	350	182	291	222	1.117	-657
340	915	336	146	155	1.026	350	133	372	227	1.216	282	350	183	392	217	1.300	-234
340	916	326	128	082	889	350	134	251	195	1.031	350	350	184	495	199	1.173	-028
340	917	338	127	160	1.055	350	135	124	195	843	461	350	185	433	193	1.352	-041
340	918	280	105	134	648	350	136	038	179	596	697	350	186	446	183	1.097	-205
340	919	334	132	087	981	350	137	056	275	920	954	350	187	390	178	993	-241
340	920	283	100	033	624	350	138	010	207	1.043	681	350	188	317	177	930	-193
340	921	290	100	004	622	350	139	186	179	888	341	350	189	145	180	935	-385
340	922	317	120	044	917	350	140	311	184	860	353	350	190	000	175	772	-540
340	923	283	130	154	739	350	141	332	143	798	116	350	191	111	195	654	-994
340	924	307	134	120	1.153	350	142	226	169	927	335	350	192	135	284	814	-1241
340	925	274	140	126	750	350	143	074	166	604	477	350	193	205	213	1.160	-388
340	926	296	136	096	925	350	144	094	230	858	1.037	350	194	291	177	925	-306
340	927	280	129	116	826	350	145	073	177	686	461	350	195	382	189	1.374	-222
340	928	326	109	009	722	350	146	076	197	733	724	350	196	366	180	1.165	-108
340	929	290	127	137	706	350	147	447	236	1.279	250	350	197	352	174	1.089	-187
340	930	260	125	138	659	350	148	515	232	1.361	173	350	198	350	177	1.047	-144
340	931	249	132	289	820	350	149	443	211	1.164	118	350	199	357	181	994	-122
340	932	223	121	162	626	350	150	478	215	1.138	286	350	200	293	173	983	-284

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
3550	201	236	167	805	-233	3550	306	326	135	058	-876	3550	356	371	151	020	-898
3550	202	103	177	738	-750	3550	307	322	133	146	-783	3550	357	352	116	045	-976
3550	203	005	174	574	-530	3550	308	309	125	123	-860	3550	358	351	135	086	-1066
3550	204	147	165	343	-1070	3550	309	307	115	051	-721	3550	359	336	136	106	-1009
3550	205	197	264	873	-1179	3550	310	299	137	133	-805	3550	360	291	108	043	-712
3550	206	099	176	926	-568	3550	311	283	127	156	-724	3550	361	306	112	038	-723
3550	207	198	155	939	-434	3550	312	291	112	156	-653	3550	362	337	113	030	-832
3550	208	307	162	931	-147	3550	313	270	111	187	-613	3550	363	308	096	005	-622
3550	209	296	152	971	-129	3550	314	276	117	111	-730	3550	364	298	102	018	-662
3550	210	280	156	941	-106	3550	315	265	121	157	-719	3550	365	328	110	013	-946
3550	211	280	154	841	-139	3550	316	308	124	044	-878	3550	366	405	124	050	-906
3550	212	242	152	880	-143	3550	317	301	123	067	-818	3550	367	411	137	053	-1010
3550	213	066	152	598	-517	3550	318	348	135	214	-895	3550	368	389	117	088	-809
3550	214	005	155	638	-580	3550	319	303	111	066	-732	3550	369	382	109	065	-804
3550	215	213	148	161	-979	3550	320	294	131	158	-790	3550	370	374	120	033	-756
3550	216	225	191	488	-1023	3550	321	291	131	173	-799	3550	371	269	107	030	-723
3550	217	337	116	622	-763	3550	322	265	126	225	-790	3550	372	286	110	036	-650
3550	218	111	130	581	-309	3550	323	301	103	052	-915	3550	373	270	103	059	-599
3550	219	215	126	657	-164	3550	324	292	121	142	-902	3550	374	261	102	025	-757
3550	220	213	121	683	-216	3550	325	333	126	014	-917	3550	375	287	122	148	-716
3550	221	236	124	668	-103	3550	326	327	124	021	-859	3550	376	263	123	128	-780
3550	222	210	111	625	-209	3550	327	357	110	047	-814	3550	377	300	131	101	-624
3550	223	210	140	783	-234	3550	328	350	127	029	-933	3550	378	218	120	170	-608
3550	224	192	106	598	-175	3550	329	339	125	037	-833	3550	379	231	115	103	-597
3550	225	162	116	626	-118	3550	330	330	123	035	-856	3550	380	205	118	161	-618
3550	226	084	106	582	-293	3550	331	307	104	024	-668	3550	381	215	117	229	-691
3550	227	011	112	409	-379	3550	332	295	123	149	-910	3550	382	297	118	071	-1040
3550	228	025	132	734	-399	3550	333	279	123	204	-761	3550	383	344	141	062	-1087
3550	229	055	128	746	-367	3550	334	280	125	178	-780	3550	384	363	170	085	-1192
3550	230	231	148	116	-538	3550	335	302	111	084	-793	3550	385	376	171	088	-1055
3550	231	304	176	331	-1100	3550	336	382	149	034	-1101	3550	386	236	116	179	-741
3550	232	215	103	608	-103	3550	337	369	148	049	-997	3550	387	232	112	128	-569
3550	233	198	132	728	-150	3550	338	339	112	042	-730	3550	388	201	117	174	-581
3550	234	167	131	803	-221	3550	339	322	128	065	-772	3550	389	207	109	094	-608
3550	235	118	120	586	-358	3550	340	297	127	084	-708	3550	390	224	119	149	-636
3550	236	074	115	475	-257	3550	341	291	101	040	-693	3550	391	218	123	168	-604
3550	237	135	151	357	-772	3550	342	289	119	111	-776	3550	392	233	122	179	-688
3550	238	301	191	354	-1260	3550	343	280	121	126	-767	3550	393	258	124	161	-976
3550	239	018	127	472	-441	3550	344	368	118	006	-889	3550	394	299	142	089	-976
3550	240	090	125	565	-434	3550	345	361	139	078	-848	3550	395	322	149	159	-880
3550	241	222	143	884	-229	3550	346	334	128	076	-742	3550	396	309	144	101	-1136
3550	242	263	151	920	-114	3550	347	338	104	024	-869	3550	397	321	161	191	-1179
3550	243	257	160	857	-216	3550	348	327	128	115	-1105	3550	398	368	166	090	-706
3550	244	257	143	913	-167	3550	349	311	126	137	-1073	3550	401	256	122	101	-783
3550	245	283	153	937	-172	3550	350	310	104	056	-746	3550	402	274	119	222	-721
3550	246	335	116	050	-951	3550	351	310	125	144	-875	3550	403	242	108	136	-675
3550	247	320	128	071	-241	3550	352	370	150	081	-969	3550	404	254	109	089	-709
3550	248	299	126	071	-933	3550	353	392	126	014	-976	3550	405	253	119	106	-747
3550	249	301	118	115	-693	3550	354	383	145	032	-967	3550	406	282	119	074	-702
3550	250	287	116	094	-786	3550	355	377	150	024	-992	3550	407	280	114	074	-702

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
3350	408	-	299	140	196	-	960	3350	438	-	344	163	131	-1	037	3350	508	-	228	111	184	-	645
3350	409	-	293	130	107	-	890	3350	439	-	343	135	004	-1	045	3350	509	-	236	121	128	-	752
3350	410	-	291	129	123	-	958	3350	460	-	354	169	071	-1	110	3350	510	-	233	121	131	-	625
3350	411	-	289	131	284	-	879	3350	461	-	328	150	069	-	883	3350	511	-	267	124	153	-	870
3350	412	-	283	133	142	-	821	3350	462	-	324	103	039	-	618	3350	512	-	263	123	121	-	653
3350	413	-	301	132	105	-	748	3350	463	-	306	108	026	-	776	3350	513	-	319	126	077	-	818
3350	414	-	285	144	147	-	839	3350	464	-	318	100	028	-	633	3350	514	-	336	126	002	-	799
3350	415	-	301	145	140	-	826	3350	465	-	296	101	001	-	638	3350	515	-	260	124	098	-	808
3350	416	-	297	144	135	-	925	3350	466	-	343	115	023	-	686	3350	516	-	239	122	160	-	750
3350	417	-	308	136	240	-	769	3350	467	-	225	101	108	-	670	3350	517	-	266	128	155	-	843
3350	418	-	319	130	091	-	784	3350	468	-	254	120	137	-	705	3350	518	-	245	129	213	-	769
3350	419	-	302	136	154	-	809	3350	469	-	263	102	026	-	670	3350	519	-	237	123	133	-	649
3350	420	-	321	127	308	-	776	3350	470	-	275	107	068	-	693	3350	520	-	244	115	141	-	726
3350	421	-	306	119	037	-	883	3350	471	-	293	113	073	-	786	3350	521	-	251	120	136	-	745
3350	422	-	311	105	071	-	738	3350	472	-	281	111	044	-	736	3350	522	-	257	119	165	-	689
3350	423	-	266	128	106	-	803	3350	473	-	281	103	058	-	658	3350	523	-	279	121	134	-	662
3350	424	-	281	136	126	-	880	3350	474	-	292	108	034	-	631	3350	524	-	275	121	064	-	751
3350	425	-	269	125	111	-	782	3350	475	-	290	116	119	-	670	3350	525	-	281	119	020	-	824
3350	426	-	261	129	160	-	756	3350	476	-	279	125	153	-	663	3350	526	-	282	119	085	-	687
3350	427	-	270	142	108	-1	058	3350	477	-	299	116	094	-	769	3350	527	-	270	117	097	-	744
3350	428	-	269	121	065	-	739	3350	478	-	311	115	025	-	703	3350	528	-	275	125	077	-	645
3350	429	-	287	133	126	-	838	3350	479	-	323	125	119	-	762	3350	529	-	288	134	172	-	947
3350	430	-	290	127	147	-	777	3350	480	-	241	109	116	-	651	3350	530	-	262	128	179	-	822
3350	431	-	270	113	119	-	713	3350	481	-	229	114	177	-	749	3350	531	-	229	118	217	-	749
3350	432	-	282	114	205	-	683	3350	482	-	229	109	173	-	614	3350	532	-	227	118	172	-	896
3350	433	-	290	120	030	-	784	3350	483	-	226	105	210	-	560	3350	533	-	220	121	166	-	601
3350	434	-	309	122	083	-	743	3350	484	-	247	118	217	-	678	3350	534	-	231	114	085	-	677
3350	435	-	286	119	152	-	767	3350	485	-	239	110	141	-	727	3350	535	-	362	171	085	-1	242
3350	436	-	293	143	155	-	901	3350	486	-	269	109	082	-	612	3350	536	-	306	150	185	-	884
3350	437	-	300	151	160	-	952	3350	487	-	270	110	092	-	626	3350	537	-	269	126	099	-	705
3350	438	-	305	145	124	-1	126	3350	488	-	294	121	136	-	708	3350	538	-	218	111	162	-	640
3350	439	-	289	145	215	-	833	3350	489	-	323	132	094	-	843	3350	539	-	208	118	126	-	614
3350	440	-	307	123	108	-	716	3350	490	-	333	136	055	-	806	3350	540	-	260	097	028	-	614
3350	441	-	299	101	061	-	794	3350	491	-	214	112	185	-	558	3350	541	-	210	121	192	-	787
3350	442	-	295	124	111	-	769	3350	492	-	223	110	108	-	556	3350	542	-	199	112	185	-	585
3350	443	-	305	123	062	-	922	3350	493	-	228	113	162	-	629	3350	543	-	202	112	108	-	687
3350	444	-	311	132	110	-	052	3350	494	-	215	112	118	-	612	3350	601	-	473	175	038	-1	242
3350	445	-	304	152	144	-1	012	3350	495	-	221	108	100	-	564	3350	602	-	302	166	190	-	921
3350	446	-	289	111	016	-	731	3350	496	-	244	109	076	-	596	3350	603	-	186	131	222	-	854
3350	447	-	300	140	095	-	876	3350	497	-	251	119	218	-	679	3350	604	-	196	121	198	-	690
3350	448	-	288	146	225	-	866	3350	498	-	265	110	105	-	666	3350	605	-	209	134	263	-	658
3350	449	-	280	137	182	-	919	3350	499	-	267	120	134	-	760	3350	606	-	412	234	282	-1	186
3350	450	-	287	134	123	-	688	3350	500	-	285	114	111	-	680	3350	607	-	272	217	323	-1	272
3350	451	-	321	131	082	-	853	3350	501	-	286	119	163	-	690	3350	608	-	273	247	450	-1	149
3350	452	-	301	125	090	-	696	3350	502	-	334	140	103	-	821	3350	609	-	165	261	473	-1	031
3350	453	-	311	127	225	-	771	3350	503	-	319	129	087	-	897	3350	610	-	225	225	428	-1	064
3350	454	-	325	125	077	-	804	3350	504	-	240	118	108	-	744	3350	611	-	146	197	385	-	947
3350	455	-	300	132	138	-	827	3350	505	-	234	122	119	-	952	3350	612	-	085	124	360	-	536
3350	456	-	329	126	180	-	729	3350	506	-	234	115	242	-	671	3350	613	-	129	116	233	-	539
3350	457	-	309	118	035	-	874	3350	507	-	238	120	102	-	816	3350	614	-	201	118	229	-	642

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
350	615	-	217	121	173	-	607	350	655	-	007	124	515	-	702	350	707	-	142	104	193	-	582
350	616	-	348	231	393	-	047	350	656	-	025	107	487	-	403	350	708	-	191	122	756	-	179
350	617	-	189	221	415	-	922	350	657	-	115	084	180	-	377	350	709	-	217	120	197	-	637
350	618	-	283	292	467	-	829	350	658	-	140	101	176	-	443	350	710	-	213	121	148	-	608
350	619	-	137	194	445	-	159	350	659	-	171	106	163	-	518	350	801	-	241	124	136	-	709
350	620	-	198	241	542	-	212	350	660	-	157	168	547	-	795	350	802	-	059	139	498	-	680
350	621	-	128	207	545	-	053	350	661	-	148	174	411	-	228	350	803	-	208	117	117	-	610
350	622	-	123	108	230	-	574	350	662	-	008	141	511	-	951	350	804	-	280	095	018	-	562
350	623	-	234	091	119	-	542	350	663	-	019	107	352	-	438	350	901	-	028	159	597	-	558
350	624	-	227	113	185	-	610	350	664	-	006	096	347	-	343	350	902	-	271	134	347	-	753
350	625	-	290	246	376	-	250	350	665	-	049	112	365	-	438	350	903	-	328	118	041	-	320
350	626	-	190	241	396	-	240	350	666	-	104	104	312	-	442	350	904	-	322	115	075	-	911
350	627	-	334	241	320	-	306	350	667	-	145	107	196	-	484	350	905	-	305	120	043	-	964
350	628	-	206	283	547	-	661	350	668	-	110	106	248	-	455	350	906	-	318	118	055	-	005
350	629	-	271	273	542	-	238	350	669	-	148	116	278	-	555	350	907	-	381	161	996	-	047
350	630	-	192	241	531	-	096	350	670	-	185	109	198	-	524	350	908	-	305	114	080	-	078
350	631	-	049	122	355	-	512	350	671	-	036	135	593	-	503	350	909	-	181	150	716	-	276
350	632	-	050	121	371	-	453	350	672	-	054	129	657	-	511	350	910	-	067	117	485	-	299
350	633	-	140	115	206	-	349	350	673	-	083	126	489	-	354	350	911	-	363	133	024	-	966
350	634	-	204	117	202	-	588	350	674	-	070	110	502	-	266	350	912	-	365	156	078	-	166
350	635	-	244	092	115	-	540	350	675	-	050	116	445	-	305	350	913	-	297	129	025	-	986
350	636	-	334	213	358	-	123	350	676	-	005	102	357	-	430	350	914	-	302	130	097	-	906
350	637	-	321	238	520	-	210	350	677	-	028	102	263	-	370	350	915	-	342	134	158	-	959
350	638	-	183	204	352	-	914	350	678	-	057	107	347	-	425	350	916	-	357	135	058	-	901
350	639	-	005	131	399	-	574	350	679	-	117	105	253	-	518	350	917	-	324	121	044	-	108
350	640	-	030	102	332	-	427	350	680	-	232	135	811	-	173	350	918	-	316	101	065	-	675
350	641	-	118	086	190	-	419	350	681	-	227	146	713	-	161	350	919	-	352	133	012	-	246
350	642	-	141	103	204	-	456	350	682	-	216	136	988	-	169	350	920	-	309	099	001	-	610
350	643	-	167	106	196	-	510	350	683	-	094	123	500	-	257	350	921	-	299	107	191	-	661
350	644	-	333	166	115	-	056	350	684	-	068	118	559	-	301	350	922	-	325	119	090	-	906
350	645	-	273	221	409	-	124	350	685	-	045	105	425	-	282	350	923	-	286	117	185	-	662
350	646	-	064	194	401	-	952	350	686	-	009	107	371	-	323	350	924	-	282	122	107	-	803
350	647	-	042	111	263	-	779	350	687	-	075	109	346	-	471	350	925	-	291	119	096	-	783
350	648	-	022	107	311	-	459	350	688	-	154	105	266	-	522	350	926	-	273	127	117	-	811
350	649	-	084	103	266	-	438	350	701	-	047	100	278	-	365	350	927	-	259	119	111	-	779
350	650	-	166	086	217	-	535	350	702	-	010	101	389	-	301	350	928	-	331	101	000	-	674
350	651	-	179	105	276	-	433	350	703	-	043	106	387	-	363	350	929	-	285	119	093	-	702
350	652	-	252	178	373	-	043	350	704	-	081	107	455	-	316	350	930	-	245	114	105	-	639
350	653	-	289	163	220	-	984	350	705	-	088	121	557	-	305	350	931	-	241	120	176	-	704
350	654	-	062	175	516	-	972	350	706	-	118	114	564	-	288	350	932	-	225	120	141	-	828

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN						
52	191	-	135	337	824	-1	779	62	624	-	027	090	254	-	411	74	194	-	237	200	326	-1	426
52	194	-	245	211	437	-1	175	62	666	-	053	109	444	-	288	74	467	-	022	101	377	-	483
52	467	-	063	107	280	-	606	62	667	-	056	105	469	-	314	74	531	-	010	118	350	-	560
52	531	-	000	102	293	-	313	62	915	-	014	105	348	-	460	74	532	-	024	116	317	-	416
52	532	-	002	103	364	-	339	64	191	-	413	387	725	-3	167	74	624	-	029	136	704	-	916
52	624	-	068	097	228	-	422	64	194	-	343	249	221	-2	343	74	666	-	020	110	422	-	363
52	666	-	010	106	380	-	339	64	467	-	029	109	321	-	568	74	667	-	016	105	370	-	355
52	667	-	016	108	341	-	413	64	531	-	031	102	383	-	291	74	915	-	025	113	375	-	515
52	915	-	009	094	358	-	395	64	532	-	021	117	422	-	349	76	191	-	354	293	414	-1	957
54	191	-	183	381	760	-1	931	64	624	-	030	097	331	-	335	76	194	-	221	193	308	-1	352
54	194	-	287	203	270	-1	231	64	666	-	055	106	401	-	340	76	467	-	021	099	328	-	397
54	467	-	065	109	266	-	676	64	667	-	052	118	471	-	320	76	531	-	048	133	366	-	726
54	531	-	017	101	371	-	284	64	915	-	003	123	414	-	504	76	532	-	038	130	361	-	825
54	532	-	010	098	364	-	303	66	191	-	421	364	659	-1	915	76	624	-	036	101	317	-	395
54	624	-	069	100	239	-	667	66	194	-	309	219	325	-1	455	76	666	-	003	108	409	-	422
54	666	-	019	104	371	-	377	66	467	-	026	105	371	-	456	76	667	-	019	114	446	-	380
54	667	-	014	102	360	-	496	66	531	-	022	101	444	-	280	76	915	-	025	114	472	-	546
54	915	-	002	092	322	-	393	66	532	-	017	113	365	-	569	78	191	-	335	288	460	-1	905
56	191	-	215	416	893	-2	410	66	624	-	018	094	310	-	340	78	194	-	190	182	326	-1	201
56	194	-	318	199	256	-1	377	66	666	-	040	105	442	-	277	78	467	-	019	098	369	-	403
56	467	-	053	109	246	-	509	66	667	-	042	110	391	-	356	78	531	-	046	130	393	-	679
56	531	-	017	100	354	-	306	66	915	-	012	111	351	-	425	78	532	-	064	125	325	-	647
56	532	-	019	104	347	-	332	68	191	-	415	330	738	-2	132	78	624	-	034	087	262	-	435
56	624	-	044	094	285	-	355	68	194	-	274	199	349	-1	368	78	666	-	005	111	360	-	356
56	666	-	023	104	388	-	367	68	467	-	022	103	317	-	477	78	667	-	013	107	349	-	409
56	667	-	024	108	327	-	386	68	531	-	019	107	383	-	667	78	915	-	035	106	373	-	481
56	915	-	015	098	285	-	380	68	532	-	018	103	310	-	315	80	191	-	265	243	628	-1	342
58	191	-	291	439	1	022	-1	942	68	624	-	026	099	-	531	80	194	-	199	200	365	-1	588
58	194	-	355	227	319	-1	842	68	666	-	038	106	441	-	304	80	467	-	016	094	315	-	434
58	467	-	057	116	344	-	567	68	667	-	033	110	373	-	443	80	531	-	076	124	315	-	547
58	531	-	024	107	357	-	327	68	915	-	017	110	435	-	492	80	532	-	087	138	343	-	800
58	532	-	028	119	475	-	474	70	191	-	434	347	644	-2	420	80	624	-	030	097	282	-	344
58	624	-	043	103	366	-	393	70	194	-	268	210	239	-1	531	80	666	-	040	108	303	-	371
58	666	-	036	118	409	-	435	70	467	-	026	106	330	-	528	80	667	-	026	117	319	-	442
58	667	-	040	122	493	-	431	70	531	-	011	107	374	-	413	80	915	-	044	113	348	-	542
58	915	-	008	115	374	-	462	70	532	-	008	103	399	-	469	82	191	-	241	245	417	-1	688
60	191	-	327	379	664	-2	130	70	624	-	028	107	316	-	451	82	194	-	174	200	326	-1	559
60	194	-	317	203	333	-1	256	70	666	-	038	106	452	-	352	82	467	-	019	088	284	-	365
60	467	-	052	105	320	-	632	70	667	-	040	102	382	-	277	82	531	-	070	128	280	-	598
60	531	-	030	103	404	-	351	70	915	-	019	113	410	-	526	82	532	-	081	147	418	-	704
60	532	-	024	106	354	-	318	72	191	-	444	315	568	-2	087	82	624	-	039	098	286	-	530
60	624	-	029	086	267	-	377	72	194	-	287	215	363	-1	393	82	666	-	053	110	298	-	451
60	666	-	042	109	410	-	402	72	467	-	024	104	372	-	647	82	667	-	039	115	354	-	474
60	667	-	040	108	343	-	344	72	531	-	002	110	333	-	402	82	915	-	043	120	334	-	591
60	915	-	003	101	310	-	354	72	532	-	013	129	379	-	633	84	191	-	217	243	397	-1	367
62	191	-	376	373	826	-1	882	72	624	-	029	093	344	-	350	84	194	-	140	191	469	-1	354
62	194	-	344	221	160	-1	704	72	666	-	030	105	394	-	295	84	467	-	021	101	297	-	423
62	467	-	030	113	329	-	585	72	667	-	025	109	459	-	421	84	531	-	044	142	542	-	708
62	531	-	031	108	439	-	339	72	915	-	024	118	454	-	673	84	532	-	081	134	323	-	699
62	532	-	034	102	347	-	299	74	191	-	384	285	467	-1	876	84	624	-	044	093	291	-	374

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
84	666	-074	121	297	-424	108	467	-181	102	199	-645	118	667	-330	123	093	-825
84	667	-064	122	313	-523	108	531	-253	102	405	-874	118	915	-230	103	148	-727
84	915	-056	126	392	-1076	108	532	-313	106	417	-2041	120	191	-235	117	141	-716
86	191	-169	224	427	-1598	108	624	-199	106	189	-633	120	194	-222	128	203	-816
86	194	-140	188	330	-1490	108	666	-271	117	256	-721	120	467	-257	104	044	-707
86	467	-029	096	297	-342	108	667	-269	124	166	-696	120	531	-103	261	528	-1365
86	531	-025	124	334	-603	108	915	-220	115	127	-816	120	532	-149	263	513	-1468
86	532	-053	132	396	-600	110	191	-189	129	234	-1139	120	624	-261	107	055	-612
86	624	-044	091	277	-387	110	194	-192	107	176	-541	120	666	-338	116	017	-738
86	666	-079	119	323	-627	110	467	-195	108	173	-511	120	667	-321	130	067	-869
86	667	-056	109	393	-458	110	531	-204	123	446	-1588	120	915	-230	115	068	-874
86	915	-078	116	273	-557	110	532	-306	122	419	-1751	122	191	-236	124	208	-790
88	191	-166	201	463	-1198	110	624	-212	096	095	-518	122	194	-240	118	143	-659
88	194	-117	148	258	-1029	110	666	-285	124	131	-654	122	467	-266	114	086	-640
88	467	-035	089	325	-369	110	667	-289	123	141	-1041	122	531	-057	271	675	-2009
88	531	-031	136	445	-670	110	915	-209	105	150	-741	122	532	-129	257	456	-1650
88	532	-057	135	388	-809	112	191	-217	129	207	-958	122	624	-269	111	063	-712
88	624	-063	097	267	-405	112	194	-220	124	136	-754	122	666	-342	131	073	-786
88	666	-078	110	351	-464	112	467	-232	108	207	-696	122	667	-341	126	059	-849
88	667	-082	116	256	-626	112	531	-235	127	534	-1855	122	915	-243	107	101	-659
88	915	-086	109	277	-561	112	532	-255	133	482	-1883	124	191	-240	122	193	-681
102	191	-159	124	274	-558	112	624	-242	107	107	-645	124	194	-238	117	192	-658
102	194	-155	111	222	-565	112	666	-329	129	242	-774	124	467	-273	115	115	-751
102	467	-139	108	233	-544	112	667	-310	130	114	-779	124	531	-079	276	657	-1771
102	531	-184	284	498	-1705	112	915	-243	118	073	-712	124	532	-066	235	596	-1388
102	532	-241	300	437	-1894	114	191	-203	122	273	-658	124	624	-290	101	073	-641
102	624	-154	100	175	-490	114	194	-209	114	167	-606	124	666	-349	132	052	-985
102	666	-207	133	200	-663	114	467	-224	105	141	-581	124	667	-340	122	007	-814
102	667	-206	119	176	-670	114	531	-178	298	448	-1795	124	915	-259	106	126	-760
102	915	-216	123	152	-789	114	532	-238	309	336	-1903	126	191	-247	120	199	-649
104	191	-158	124	202	-774	114	624	-246	099	103	-621	126	194	-256	117	153	-614
104	194	-162	116	195	-564	114	666	-310	127	082	-705	126	467	-296	113	100	-762
104	467	-148	097	166	-478	114	667	-308	117	020	-685	126	531	-050	265	756	-1490
104	531	-240	301	420	-1909	114	915	-225	104	097	-651	126	532	-089	253	488	-1617
104	532	-273	314	423	-1754	116	191	-231	123	162	-713	126	624	-310	110	004	-654
104	624	-180	101	166	-543	116	194	-231	121	160	-733	126	666	-366	121	013	-763
104	666	-205	123	184	-673	116	467	-249	110	095	-651	126	667	-364	125	057	-797
104	667	-211	120	189	-617	116	531	-180	336	468	-1846	126	915	-266	109	059	-809
104	915	-225	130	136	-958	116	532	-216	300	517	-2047	128	191	-243	120	169	-871
106	191	-175	107	260	-521	116	624	-271	108	110	-623	128	194	-246	134	187	-716
106	194	-177	118	280	-597	116	666	-338	134	090	-726	128	467	-275	114	125	-656
106	467	-165	093	153	-541	116	667	-334	125	082	-952	128	531	-007	250	601	-1725
106	531	-244	331	545	-1890	116	915	-241	109	137	-828	128	532	-049	262	912	-1675
106	532	-249	318	457	-2203	118	191	-208	110	185	-599	128	624	-289	111	034	-686
106	624	-193	107	119	-526	118	194	-221	115	194	-642	128	666	-352	123	077	-848
106	666	-249	113	159	-633	118	467	-238	101	071	-675	128	667	-358	136	135	-900
106	667	-231	121	232	-712	118	531	-132	256	493	-1586	128	915	-257	109	092	-648
106	915	-206	113	144	-677	118	532	-169	269	527	-1842	172	191	-196	117	201	-597
108	191	-181	107	177	-644	118	624	-256	104	079	-602	172	194	-202	123	243	-675
108	194	-190	113	242	-567	118	666	-321	116	049	-874	172	467	-177	153	913	-334

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
172	531	344	178	1.129	-638	182	915	-364	169	279	-1.187	194	532	258	149	863	-1.189
172	532	342	201	1.111	-574	184	191	-126	110	269	-534	194	624	533	232	844	-1.623
172	624	306	137	1.107	-1.370	184	194	-132	105	205	-543	194	666	491	242	889	-1.705
172	666	386	176	1.051	-1.451	184	467	154	161	761	-454	194	667	515	263	125	-2.275
172	667	365	152	1.166	-1.023	184	531	346	173	1.123	-1.175	194	915	370	176	105	-1.615
172	915	309	133	1.125	-980	184	532	311	180	1.116	-7.707	196	191	106	110	268	-6.338
174	191	179	116	1.256	-662	184	624	418	228	251	-1.603	196	194	101	109	284	-4.118
174	194	204	110	1.111	-550	184	666	469	227	0.65	-1.305	196	467	300	216	1.085	-2.295
174	467	159	150	1.706	-510	184	667	449	225	0.65	-1.886	196	531	284	155	900	-1.173
174	531	298	189	1.039	-666	184	915	367	175	283	-1.176	196	532	235	158	980	-2.260
174	532	321	186	1.994	-548	186	191	120	111	280	-1.686	196	624	570	245	0.22	-1.914
174	624	327	144	1.098	-1.173	186	194	127	110	195	-852	196	666	510	273	289	-1.626
174	666	378	166	1.088	-1.344	186	467	154	169	1.081	-3.55	196	667	525	280	233	-1.973
174	667	404	190	1.023	-1.402	186	531	324	166	1.062	-2.117	196	915	361	182	170	-1.187
174	915	324	124	1.065	-1.423	186	532	338	168	1.222	-4.05	198	191	116	120	251	-5.71
176	191	168	111	1.189	-573	186	624	491	228	1.136	-1.666	198	194	104	103	287	-4.96
176	194	176	112	1.206	-560	186	666	474	270	0.96	-2.427	198	467	324	222	1.092	-4.424
176	467	174	146	1.781	-466	186	667	469	276	1.157	-2.334	198	531	246	169	1.025	-2.235
176	531	346	179	1.097	-612	186	915	386	182	1.118	-1.308	198	532	250	161	884	-2.228
176	532	331	179	1.946	-612	188	191	115	104	249	-5.42	198	624	498	218	1.117	-1.588
176	624	346	160	1.138	-1.518	188	194	128	104	231	-4.90	198	666	476	257	2.21	-1.496
176	666	375	155	1.067	-1.015	188	467	137	178	0.940	-3.44	198	667	510	277	1.157	-2.910
176	667	372	181	1.078	-1.161	188	531	366	173	1.224	-2.238	198	915	372	175	1.108	-1.321
176	915	316	139	1.038	-1.201	188	532	305	168	0.988	-1.155	222	191	144	126	262	-8.02
178	191	162	117	1.269	-586	188	624	483	235	0.91	-1.477	222	194	140	123	297	-6.47
178	194	177	119	1.156	-592	188	666	493	252	0.99	-1.626	222	467	540	204	1.144	-6.71
178	467	170	148	1.656	-341	188	667	528	281	0.32	-2.227	222	531	042	163	764	-5.503
178	531	324	173	1.046	-321	188	915	391	175	1.11	-1.260	222	532	038	138	632	-5.59
178	532	370	190	1.260	-492	190	191	109	110	257	-4.77	222	624	238	281	1.017	-8.41
178	624	334	167	1.195	-1.388	190	194	114	104	203	-5.89	222	666	119	164	649	-1.019
178	666	385	183	1.067	-1.274	190	467	173	182	0.943	-3.31	222	667	151	161	570	-9.19
178	667	395	183	1.100	-1.316	190	531	302	171	1.261	-2.227	222	915	334	259	263	-1.593
178	915	355	152	1.099	-1.185	190	532	312	173	1.024	-4.96	224	191	127	127	264	-7.38
180	191	151	120	1.251	-575	190	624	523	234	1.161	-1.626	224	194	127	134	331	-7.02
180	194	151	128	1.268	-637	190	666	501	252	0.34	-1.915	224	467	430	243	1.074	-1.129
180	467	171	148	1.870	-495	190	667	521	292	0.93	-2.571	224	531	009	149	621	-6.77
180	531	326	173	1.004	-496	190	915	381	173	1.129	-1.184	224	532	050	149	516	-6.36
180	532	296	184	1.083	-357	192	191	113	107	250	-6.30	224	624	261	286	1.039	-7.74
180	624	386	201	1.243	-1.590	192	194	116	104	1.190	-4.56	224	666	093	162	545	-1.026
180	666	416	215	1.119	-1.584	192	467	180	180	1.051	-3.46	224	667	136	159	420	-1.018
180	667	403	222	1.134	-1.765	192	531	290	159	1.192	-1.159	224	915	473	326	1.199	-2.010
180	915	324	159	1.101	-1.016	192	532	275	150	0.852	-3.185	226	191	117	130	380	-6.14
182	191	145	120	1.260	-577	192	624	514	215	0.47	-1.585	226	194	125	139	265	-8.74
182	194	150	116	1.232	-541	192	666	513	243	0.22	-1.941	226	467	412	248	1.224	-1.053
182	467	151	155	1.752	-403	192	667	573	316	0.295	-2.923	226	531	004	149	782	-4.35
182	531	342	188	1.022	-449	192	915	376	181	1.108	-1.206	226	532	058	147	511	-6.04
182	532	323	168	1.099	-465	194	191	102	103	1.162	-5.65	226	624	360	285	1.202	-6.27
182	624	397	211	1.145	-1.830	194	194	102	098	1.015	-4.83	226	666	083	144	500	-8.12
182	666	449	221	1.167	-1.761	194	467	245	199	1.015	-4.13	226	667	121	165	549	-1.017
182	667	415	211	1.220	-1.575	194	531	296	158	0.888	-1.136	226	915	572	358	1.162	-2.245

WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN	WD	TAP	CPMEAN	CPRMS	CPMAX	CPMIN
228	191	- .110	.123	.283	- .841	234	666	- .090	.134	.661	- .567	242	531	- .054	.116	.362	- .525
228	194	- .094	.131	.317	- .629	234	667	- .084	.140	.505	- .662	242	532	- .067	.105	.282	- .463
228	467	- .334	.250	1.120	-1.153	234	915	- .906	.382	.027	-2.323	242	624	- .288	.260	1.192	- .774
228	531	- .022	.131	.478	- .633	236	191	- .100	.124	.338	- .619	242	666	- .086	.131	.389	- .678
228	532	- .046	.139	.600	- .548	236	194	- .075	.118	.294	- .556	242	667	- .095	.125	.471	- .564
228	624	- .365	.245	1.066	- .584	236	467	- .095	.309	.947	-1.628	242	915	- .793	.368	.056	-2.335
228	666	- .079	.136	.461	- .646	236	531	- .049	.123	.414	- .426	244	191	- .100	.127	.271	- .717
228	667	- .076	.148	.504	-1.032	236	532	- .065	.116	.532	- .497	244	194	- .068	.119	.347	- .618
228	915	- .583	.352	.134	-1.896	236	624	- .355	.250	1.111	- .448	244	467	- .114	.327	.744	-1.790
230	191	- .094	.115	.360	- .636	236	666	- .082	.135	.483	- .594	244	531	- .057	.111	.291	- .501
230	194	- .085	.126	.309	- .984	236	667	- .086	.135	.754	- .511	244	532	- .060	.104	.300	- .511
230	467	- .239	.271	.878	-1.736	236	915	- .770	.355	.070	-2.226	244	624	- .247	.260	1.040	- .573
230	531	- .027	.123	.558	- .576	238	191	- .102	.115	.241	- .775	244	666	- .106	.122	.449	- .655
230	532	- .054	.129	.856	- .515	238	194	- .083	.117	.383	- .483	244	667	- .103	.128	.502	- .655
230	624	- .406	.238	1.041	- .622	238	467	- .033	.313	.836	-1.489	244	915	- .696	.336	.014	-2.300
230	666	- .074	.128	.406	- .479	238	531	- .056	.108	.380	- .440	246	191	- .091	.126	.309	- .780
230	667	- .091	.139	.550	- .612	238	532	- .069	.106	.409	- .474	246	194	- .075	.115	.283	- .463
230	915	- .614	.342	.070	-2.034	238	624	- .389	.237	1.084	- .558	246	467	- .106	.273	.845	-1.295
232	191	- .110	.113	.313	- .540	238	666	- .101	.128	.826	- .560	246	531	- .051	.109	.337	- .382
232	194	- .084	.128	.471	- .714	238	667	- .099	.123	.417	- .558	246	532	- .066	.106	.309	- .401
232	467	- .198	.260	.964	-1.208	238	915	- .885	.374	.037	-2.249	246	624	- .241	.262	1.159	- .758
232	531	- .049	.110	.500	- .435	240	191	- .097	.115	.261	- .548	246	666	- .085	.120	.550	- .564
232	532	- .068	.122	.753	- .482	240	194	- .080	.111	.391	- .617	246	667	- .094	.128	.464	- .671
232	624	- .358	.231	1.062	- .560	240	467	- .009	.291	.932	-1.685	246	915	- .677	.308	.076	-1.838
232	666	- .093	.131	.590	- .565	240	531	- .054	.111	.365	- .466	248	191	- .101	.140	.373	- .999
232	667	- .092	.146	.738	- .576	240	532	- .067	.105	.344	- .456	248	194	- .054	.121	.490	- .468
232	915	- .867	.399	.041	-2.610	240	624	- .300	.261	1.003	- .597	248	467	- .139	.298	.697	-1.753
234	191	- .112	.123	.290	- .696	240	666	- .105	.128	.474	- .539	248	531	- .050	.110	.357	- .441
234	194	- .082	.121	.351	- .633	240	667	- .090	.134	.478	- .531	248	532	- .052	.112	.313	- .496
234	467	- .150	.293	1.035	-1.716	240	915	- .748	.305	.048	-2.154	248	624	- .228	.237	1.217	- .669
234	531	- .049	.118	.703	- .503	242	191	- .093	.124	.296	- .598	248	666	- .091	.130	.426	- .519
234	532	- .074	.119	.445	- .439	242	194	- .072	.114	.326	- .509	248	667	- .082	.131	.625	- .537
234	624	- .402	.234	1.092	- .758	242	467	- .054	.305	.780	-1.548	248	915	- .622	.291	.069	-2.389