THE CSU DATA SET OF THE FIRE MARINE STRATOCUMULUS IFO

by

Paul F. Hein Stephen K. Cox David P. Duda Thomas A. Guinn Christopher M. Johnson-Pasqua Wayne H. Schubert Thomas B. McKee William L. Smith, Jr. John D. Kleist

Department of Atmospheric Science Colorado State University Fort Collins, Colorado 80523

August 1988

ACKNOWLEDGEMENTS

This research was funded by NASA under grant NAG 1-554 and by ONR under grant N00014-87-K-0228/P00001.

CONTENTS

1 Introduction	1		
2 Instrumentation	2		
2.1 CSU Tethered Balloon Package	2		
2.1.1 Pressure	2		
2.1.2 Wet and Dry Bulb Temperatures	2		
2.1.3 Wind Speed and Direction	2		
2.1.4 Radiation	3		
2.1.5 Cloud Microphysics	5		
2.1.6 Platform Orientation	5		
2.1.7 Video Imagery	9		
2.2 Surface Instrumentation	9		
2.2.1 Wet and Dry Bulb Temperatures	9		
2.2.2 Wind Speed and Direction	9		
2.2.3 Radiation	10		
2.2.4 Cloud Base Height	10		
2.3 Rawinsonde Station	10		
3 Data Description			
A CSU Tethered Balloon Research Summary			
B CLASS Rawinsonde Flight Summary			

LIST OF TABLES

2.1	The angular positions of the upward looking bugeye photodiodes	6		
2.2	The angular positions of the downward looking bugeye photodiodes			
3.1	Variables from the balloon meteorological data logger.	14		
3.2	Variables from the balloon radiation data logger.	15		
3.3	Variables from the balloon FSSP data logger.	17		
3.4	Variables from the surface "H-Frame" data loggers	19		
3.5	Variables from the Multi-Field Of View.	21		
3.6	Header format and data variables of the CLASS rawinsonde	22		

LIST OF FIGURES

2.1	CSU tethered balloon package	4		
2.2	The balloon platform wind vane and propeller and the psychrometers beneath			
	the vane	4		
2.3	The balloon platform upward looking radiometric instrumentation: two pyra-			
	nometers, a pyrgeometer, and a bugeye	6		
2.4	Spectral response of downward looking bugeye	7		
2.5	Spectral response of upward looking bugeye	8		
2.6	The balloon platform FSSP	8		

Chapter 1

INTRODUCTION

This paper provides a description of the Colorado State University (CSU) instrumentation and data collected during the Marine Stratocumulus Intensive Field Observations (MStCu IFO) of the First ISCCP (International Satellite Cloud Climate Program) Regional Experiment (FIRE).

The MStCu IFO was conducted off the California coast at and in the vicinity of San Nicolas Island from 29 June 1987 to 20 July 1987. The MStCu IFO was a coordinated effort utilizing five aircraft, satellite observations, and surface sites. Surface instrumentation was located at the northwest tip of the island, well exposed to the prevailing northwesterly boundary layer winds. Instrumentation deployed at San Nicolas Island included two tethered balloon instrument packages, an instrumented tower, a microwave radiometer, a doppler radar, a doppler sodar, radiometric instrumentation, a sea state sensor, a laser ceilometer, and rawinsondes. These instruments measured fluxes (including radiation flux), up and down radiances, cloud microphysics, aerosols, liquid water profiles, sea state, cloud height, vertical winds, and the basic meteorological variables (temperature, humidity, wind, etc).

Chapter 2 contains a brief description of the instruments in the tethered balloon package, the surface station, and the rawinsonde station. In Chapter 3, the available data sets are described. Appendix A contains a summary of the tethered balloon flights and a brief list of instrument problems. A summary of the CLASS rawinsonde flights is found in Appendix B with a data quality rating for each flight.

Chapter 2

INSTRUMENTATION

2.1 CSU Tethered Balloon Package

The CSU tethered balloon package, shown in Figure 2.1, contained instruments that measured pressure, temperature, humidity, wind, radiation, and cloud droplet size. (Beneath the CSU platform, the Britsh Meteorology Office, BMO, deployed several fast response instrument packages that attached at various heights on the cable. The BMO instruments measured temperature, humidity, and the u, v and w components of the wind with a 20 Hz sampling frequency to measure the turbulent fluxes.)

2.1.1 Pressure

The pressure was measured by a digiquartz pressure transducer, which accurately compensated for the effects of temperature. The transducer has a range from 0 to 1034.21 mb with a repeatability of $\pm 0.005\%$ of the full scale and a hystersis of $\pm 0.005\%$ of the full scale.

2.1.2 Wet and Dry Bulb Temperatures

The wet and dry bulb temperatures were measured by a Cu-Cn thermocouple psychrometer. The instrument has a temperature range from -20° to 80°C with a resolution of ± 0.008 °C. A thermistor psychrometer was also aboard. The temperature range of the thermistor psychrometer is from 0 to 40°C with a resolution of ± 0.1 °C. The psychrometers are seen in Figure 2.2, positioned at the front of the platform beneath the wind vane.

2.1.3 Wind Speed and Direction

The wind was measured with the Wind Monitor Model 05103 by the R.M. Young Company, which consists of a four blade propeller mounted on a wind vane (Fig. 2.2). The propeller has a distance constant of 3.3 m and a threshold sensitivity of 0.7 m/s. Wind speeds between 0 and 60 m/s can be measured. The vane assembly has a threshold sensitivity of 1.0 m/s and a damping ratio of 0.23. The vane measures wind direction relative to the platform from -177.5° to 177.5° with a 5° dead gap. Because the platform was not stationary, a compass was needed along with the vane to find the wind direction. Two Air Inc. latching compasses were aboard. The compasses have a range from -180 to 180° with an accuracy of $\pm 5.0^{\circ}$. Each compass has a dead region of a couple of degrees. The dead region of one compass faced to the back of the platform and the other to the left side (when facing toward the platform front) 90° rotated from the back.

2.1.4 Radiation

The upwelling and downwelling shortwave radiation was measured by four Eppley pyranometers. Two pyranometers measured irradiance in a spectral bandpass from 0.3 to 2.8 μ m and the other two with dark red Schott filter glass domes measured wavelengths from 0.7 to 2.8 μ m. Figure 2.3 shows the two upward looking pyranometers on the platform. The sensitivity of these instruments is nominally 9 microvolts/(W/m²) with an impedance of 650 ohms. The temperature dependence of the instrument is ±1 % over an ambient temperature range from -20° to 40°C. The response time of the pyranometers is 1 second.

The upwelling and downwelling longwave irradiance, 4 to 50 μ m, was measured with two Eppley pyrgeometers (Fig. 2.4). These instruments typically have a sensitivity of 5 microvolts/(W/m²) and an impedance of 700 ohms. Temperature effects cause errors of ± 2 % over a temperature range of -20° to 40°C. The response time of the pyrgeometers is 2 seconds.

The Bugeye, CSU Multidirectional Photodiode Radiometer, (Davis, et al., 1982) measures spatial and temporal variations in radiance patterns. It consists of a hemispherical array of thirteen silicon photodiodes and associated electrical circuitry mounted on an aluminum housing. There were two bugeyes on the platform, one looking up and the other looking down. Figure 2.3 shows the upward looking bugeye. The upward looking



Figure 2.1: CSU tethered balloon package.



Figure 2.2: The balloon platform wind vane and propeller and the psychrometers beneath the vane.

bugeye had diodes with a 10° field of view that were configured as shown in Table 2.1. The diodes on the downward looking bugeye were configured as described in Table 2.2. Each diode of the downward looking bugeye had a 50° field of view. The bugeyes have a range of 360 to 1100 nm using a minimum sensitivity of .01 amps/watt. The diodes of the downward looking bugeye are covered with a blue tinted Schott glass filters. The spectral response of the downward looking bugeye is shown in Figure 2.4. The peak sensitivity of the downward looking bugeye is .14 amps/watt at 400 nm. The spectral response of the upward looking bugeye is shown in Figure 2.5, and the peak sensitivity of the upward looking bugeye is about .50 amps/watt at 925 nm.

2.1.5 Cloud Microphysics

The Particle Measuring System Forward Scattering Spectrometer Probe (FSSP) is an instrument designed to measure the in situ particle size. Particles passing through the FSSP sampling volume will scatter a focused laser beam into the optics aperture where the scattered light measured. The amount of scattered light indicates the size of the particle. The FSSP is shown in Figure 2.6. Particles from 0.5 μ m to 47 μ m can be measured with a size resolution as fine as 0.5 μ m. (At the bottom of Table 3.3, the size ranges available are listed.) It will operate between -40° and 40°C, from 0 to 40,000 feet, and from 0 to 100% relative humidity. The FSSP on the platform relied on the ambient wind to propel the cloud droplets through the FSSP sampling volume.

2.1.6 Platform Orientation

Pitch and roll of the platform were measured with a Sperry Electronic Clinometer. This is an angle measurement system. The total range is from -60° to 60°, and the linear range is between -45° and 45°. Threshold and resolution are .001°, and the operating range is from -40° to 65°C. The time constant is 0.3 seconds and the frequency response is 1.0 Hz.



Figure 2.3: The balloon platform upward looking radiometric instrumentation: two pyranometers, a pyrgeometer, and a bugeye.

Table 2.1: The angular positions of the upward looking bugeye photodiodes. (Azimuth angle of zero degrees is forward looking and the angles increase in value in the clockwise direction as one faces the bugeye dome.)

Detector	Zenith Angle	Azimuth Angle
Number	(degrees)	(degrees)
1	0	
2	30	180
3	30	90
4	30	0
5	30	270
6	60	180
7	60	135
8	60	90
9	60	45
10	60	0
11	60	315
12	60	270
13	60	225

Detector	Zenith Angle	Azimuth Angle
Number	(degrees)	(degrees)
1	0	
2	30	330
3	30	90
4	30	210
5	45	30
6	45	150
7	45	270
8	60	0
9	60	60
10	60	120
11	60	180
12	60	240
13	60	300

Table 2.2: The angular positions of the downward looking bugeye photodiodes. (Azimuth angle of zero degrees is forward looking and the angles increase in value in the clockwise direction as one faces the bugeye dome.)



Figure 2.4: Spectral response of downward looking bugeye.



Figure 2.5: Spectral response of upward looking bugeye.



Figure 2.6: The balloon platform FSSP.

2.1.7 Video Imagery

Images of the upwind sky conditions were obtained by using a video camera and video cassette recorder. The camera operated for 10 seconds and was off for next 10 seconds before repeating this cycle. The time and date were encoded on each frame.

2.2 Surface Instrumentation

The ground-based CSU instruments measured temperature, humidity, wind, radiation, and cloud base height. Visual conditions were preserved with photographs that are taken by a 35 mm camera with the date encoded on each frame.

2.2.1 Wet and Dry Bulb Temperatures

The air temperature and the dew point temperature were obtained by a Campbell Scientific Model 207 containing a Phys-Chemical Research PCRC-11 RH sensor and a Fenwal Electronics UUT 51J1 thermistor configured with a Campbell Scientific CR7 datalogger. The error is generally less than $\pm 0.2^{\circ}$ C over the temperature range -33° to +48°C. However, in a worst case example all of the errors could add up to yield a $\pm 0.4^{\circ}$ C accuracy.

2.2.2 Wind Speed and Direction

Wind speed was sensed by a model O14A Met-One Wind Speed Sensor from Campbell Scientific Inc. It consists a three cup anemometer assembly and a magnet read switch assembly to produce a series of contact closures whose frequency is proportional to wind speed. The maximum operating range is 0-60 m/s with a starting speed of 0.5 m/s. The calibrated range is from 0-50 m/s. The anemometer has an accuracy of $\pm 1.5\%$ and an operational temperature range from -50° to 85°C. The distance constant of the anemometer is less than 15 feet.

Wind direction was obtained by using a Met One O24A wind direction sensor. The sensor uses a light weight air-foil vane and a potentiometer which will produce an output that is proportional to the wind direction. The vane measured the wind direction from 0° to 356° with a dead gap from 357° to 360°. The threshold is 1.0 mph, and the accuracy is $\pm 5^{\circ}$. The standard damping ratio is 0.25. The delay distance is less than 5 feet. The instrument will operate between -50° and 70°C.

2.2.3 Radiation

The shortwave and longwave radiation measurements were performed by two upward looking Eppley pyranometers and an upward looking Eppley pyrgeometer with the same characteristics as those aboard the tethered balloon platform. There was also a multi-field of view radiometer (MFOV) at the site. The MFOV uses 5 silicon photodiodes aligned along a common optical axis. Each photodiode is at the end of a collimator tube. Each tube is a different length to provide five different fields of view (2, 5, 10, 20 and 28°). The instrument is mounted on a LI-COR model LI-2020 solar tracker.

2.2.4 Cloud Base Height

The Visalia CT 12K ceilometer was used to continuously monitor the height of the cloud base. A maximum height of 3657 m (12,000 feet) can be measured. The ceilometer measures the travel time of a series of short GaAs semiconductor laser pulses to the cloud and back. It can be used to monitor several cloud layer heights. The ceilometer will operate between -50° and 50°C and between 0 and 100% relative humidity. It has an internal sampling rate of 10 MHz to achieve 15 m (50 ft) resolution. Accuracy is within 100 feet or 5% whichever is greater.

2.3 Rawinsonde Station

The rawinsonde data was obtained by using a cross-chain Loran atmospheric sounding system (CLASS). As described by Schubert, et al. (1987), CLASS is a portable upper air sounding system contained in a towable trailer. In the trailer are a balloon inflation and launch apparatus, an electronics rack for the reception of the sonde radio frequency (RF) signals, and a desktop computer. A 3 meter tower is located close to the trailer and contains an antenna, preamplifier and surface weather station. The tower consists of two 400 MHz RF antennas, an antenna rotor, an antenna switch, a 400 MHz preamp, and a crossarm which holds the components of the surface weather station. The 400 MHz RF signal from the RS-80L radiosonde is received by the tower antenna and fed to a 500 kHz band width FM receiver manufactured by Communitronics Ltd. Signal outputs are provided for the 7-10 kHz thermodynamic frequencies and the 100 kHz Loran-C frequencies. The thermodynamic frequencies are processed into units of pressure, temperature, and humidity by a Vaisala PP-11 PTU processor. Here the data is displayed and also sent to an RS-232 serial data port for computer access. The Loran-C frequencies are processed by elements of an aircraft Loran-C navigator which has been modified for use by CLASS. The navigator is an ANI-7000 by Advanced Navigation Inc. It can track as many as eight Loran stations at one time. A 200 gram balloon was used for all the rawinsonde flights from San Nicolas Island.

Chapter 3

DATA DESCRIPTION

Campbell Scientific Data Loggers (model 21X) collected the data and saved it on cassette tape. The data were later transferred to streaming tape. The data loggers converted much of the data from Volts to the engineering units (°C, W/m², etc.). To use the data, one must move the data from streaming tape to disk with the program, SYTOS, from Sytron Corporation. The data then can be placed in a desired format by using the Campbell Scientific program, SPLIT. SPLIT will also remove any bad data points. The format of the data on the tapes is nn±dddddss, where nn is a two digit variable index (01, 02,...,99), \pm is a plus or a minus sign, ddddd is a five digit real number, and ss is two spaces. This takes up ten spaces, allowing for eight data variables per 80 character line.

There were three data loggers on the balloon platform: one for the basic meteorological data, another for the radiometric data, and the other for the FSSP data. The list of data variables can be found in Tables 3.1, 3.2, and 3.3. Data were saved every 4 seconds for the meteorological data, every 4, 7, or 8 seconds for the radiometric data (depending on the flight), and every 5 seconds for the FSSP data. (Note the wind speed data is with the radiometric data.)

Another data logger collected the surface data from the instruments on the "H-Frame". The data variable list is found in Table 3.4. Note that there are four separate identification numbers in the data. This is to allow SPLIT to pull out a subset of the data. The data were sampled every 5 seconds and saved every 10 minutes.

The MFOV stored its data on cassette tape in the format (2F5.0,20F5.3,F5.0). Table 3.5 gives the description of the variables. Data were saved every 10 minutes. The ceilometer data was collected on an IBM PC XT. For more information about the ceilometer data see Operation of a Ceilometer During the FIRE Marine Stratocumulus Experiment (Schubert, et al, 1987).

The data from the CLASS rawinsonde system is stored on high density PC floppy disks. Each data file consists of a 7 line header followed by the data records. All records are free format comma delimited ASCII. The data files are named using the launched time as a file name and an .SNI extension (e.g. the 01:12 GMT flight on June 30 is named 06300112.SNI). The format of the files are found in Table 3.6. The quality numbers found in Table 3.6 are variances computed from a running average. It should be noted that the longitude and latitude are computed in different ways depending on signal quality, and thus they may have significant discontinuities. Appendix B contains a summary of the available rawinsonde flights. Table 3.1: Variables from the balloon meteorological data logger. Output was every 4seconds.INDEXNAMEDESCRIPTION

IDEX	NAME	DESCRIPTION
1	ID	Identification number: 0138
2	JD	Julian Day
3	HHMM	Hours and minutes on a 24 hour clock
		(GMT)
4	SEC	Seconds
5	WIND DIR	Wind direction relative to the
		platform $(\pm 177.5^{\circ})$
6	PITCH	Platform pitch $(\pm 45^{\circ})$
7	ROLL	Platform roll $(\pm 45^{\circ})$
8	PSY1 DRY	Thermistor Psychrometer dry bulb output
		(mV)
9	PSY1 DT	Thermistor Psychrometer dry minus wet
		bulb output (mV)
10	BATT VOLT	Platform battery voltage (V)
11	BATT AMPS	Platform battery current-NOT USED
12	PANEL TMP	Internal CR-21X temperature
13	PSY2 DRY	Thermocouple psychrometer dry bulb
		temperature (°C)
14	PSY2 WET	Thermocouple psychrometer wet bulb
		temperature (°C)
15	BOX1 TEMP	Data logger electronics box internal
		temperature (°C)
16	BOX2 TEMP	VCR elctronics box internal
		temperature (°C)
17	AIR TEMP	AM-32 Mux. temperature (°C)
18	RH	Data logger electronics box internal
		relative humidity (percent)
19	COMPASS1	Platform direction compass $\#1 (\pm 180^{\circ})$
20	COMPASS2	Platform direction compass $#2 (\pm 180^{\circ})$
21	PRESS-FQ	Digiquartz pressure transducer output
		(kHz)
22	TEMP-FQ	Digiquartz pressure transducer
		internal temperature output (kHz)
23	PRESS-MB	Pressure output (mb)
24	TEMP-DEG C	Presure transducer internal
		temperature (°C)
25	VCR FLAG	VCR record on/off flag
26	VCR TIME	VCR recording time (hours)

10010 0.2.	·	in the balloon radiation data logger. Output was every 1, 1, 0		
seconds.	NAME	DESCRIPTION		
1	ID	Identification number: 0207		
2	JD	Julian Day		
3	HHMM	Hours and minutes on a 24 hour clock		
		(GMT)		
4	SEC	Seconds		
5	UPBUG1	Upfacing bugeye channel 1 (mV)		
6	UPBUG2	Upfacing bugeye channel 2 (mV)		
7	UPBUG3	Upfacing bugeye channel 3 (mV)		
8	UPBUG4	Upfacing bugeye channel 4 (mV)		
9	UPBUG5	Upfacing bugeye channel 5 (mV)		
10	UPBUG6	Upfacing bugeye channel 6 (mV)		
11	UPBUG7	Upfacing bugeye channel 7 (mV)		
12	UPBUG8	Upfacing bugeye channel 8 (mV)		
13	UPBUG9	Upfacing bugeye channel 9 (mV)		
14	UPBUG10	Upfacing bugeye channel 10 (mV)		
15	UPBUG11	Upfacing bugeye channel 11 (mV)		
16	UPBUG12	Upfacing bugeye channel 12 (mV)		
17	UPBUG13	Upfacing bugeye channel 13 (mV)		
18	DNBUG1	Downfacing bugeye channel 1 (mV)		
19	DNBUG2	Downfacing bugeye channel 2 (mV)		
20	DNBUG3	Downfacing bugeye channel 3 (mV)		
21	DNBUG4	Downfacing bugeye channel 4 (mV)		
22	DNBUG5	Downfacing bugeye channel 5 (mV)		
23	DNBUG6	Downfacing bugeye channel 6 (mV)		
24	DNBUG7	Downfacing bugeye channel 7 (mV)		
25	DNBUG8	Downfacing bugeye channel 8 (mV)		
26	DNBUG9	Downfacing bugeye channel 9 (mV)		
27	DNBUG10	Downfacing bugeye channel 10 (mV)		
28	DNBUG11	Downfacing bugeye channel 11 (mV)		
29	DNBUG12	Downfacing bugeye channel 12 (mV)		
30	DNBUG13	Downfacing bugeye channel 13 (mV)		

Table 3.2: Variables from the balloon radiation data logger. Output was every 4, 7, or 8

		Table 3.2: Continued.
INDEX	NAME	DESCRIPTION
31	FIRUP	Far IR upfacing pyrgeometer (mV)
32	FIRDN	Far IR downfacing pyrgeometer (mV)
33	TOTUP	Total pyranometer upfacing (W/m^2)
34	NIRUP	Near IR upfacing pyranometer (W/m^2)
35	TOTDN	Total pyranometer downfacing (W/m^2)
36	NIRDN	Near IR downfacing pyranometer (W/m^2)
37	ST-UP	Sink temperature of upfacing
		pyrgeometer (V)
38	ST-DN	Sink temperature of downfacing
		pyrgeometer (V)
39	DT-UP	Dome temperature of upfacing
		pyrgeometer (V)
40	DT-DN	Dome temperature of downfacing
		pyrgeometer (V)
41	FUNK	Funk net radiometer (mV)
42	BUGETTE	Upfacing photodiode (mV)
43	LU	Longwave upfacing pyrgeometer (W/m^2)
44	LD	Longwave downfacing pyrgeometer (W/m^2)
45	WIND SP	Wind speed (m/s)

Table 3.3	· Variable	s from the balloon FSSP data logger. Output was every 5 seconds.			
1	ID	Identification number: 0102			
2	JD	Iulian Day			
3	ннмм	Hours and minutes on a 24 hour clock			
· ·		(GMT)			
4	SEC	Seconds			
5	BIN 0	FSSP size channel 0 number of			
		particles			
6	BIN 1	FSSP size channel 1 number of			
7	BIN 2	FSSP size channel 2 number of			
		particles			
8	BIN 3	FSSP size channel 3 number of			
		particles			
9	BIN 4	FSSP size channel 4 number of			
		particles			
10	BIN 5	FSSP size channel 5 number of			
		particles			
11	BIN 6	FSSP size channel 6 number of			
		particles			
12	BIN 7	FSSP size channel 7 number of			
10	DINO	particles			
13	BIN 8	FSSF size channel 8 number of			
14	BIN O	FSSP size channel 0 number of			
14	DIN 9	narticles			
15	BIN 10	FSSP size channel 10 number of			
10	2111 10	particles			
16	BIN 11	FSSP size channel 11 number of			
		particles			
17	BIN 12	FSSP size channel 12 number of			
		particles			
18	BIN 13	FSSP size channel 13 number of			
		particles			
19	BIN 14	FSSP size channel 14 number of			
		particles			
20	BIN 15	FSSP size channel 15 number of			
		particles			

	INDEX	NAME	DESCRIPTION
	21	STROBES	Number of real particles counted
			during the scan
	22	TOT STBS	Total number of particles (real or
Table 3.3: Continued.			false) sensed by the FSSP
	23	RANGE	Range codes to determine the range of
			particles for the FSSP to sense
			(00 = 2 - 47 fm, 01 = 2 - 32 fm,
			02 = 1 - 16 fm, 03 = 0.5 - 8 fm)

Table 3.4: Variables from the surface "H-Frame" data loggers. Data were sampled every5 seconds with output being sent every 10 minutes.INDEXNAMEDESCRIPTION

DEX	NAME	DESCRIPTION
	-	- first section —
1	ID	Identification number: 0103
2	JD	Julian Day
3	HHMM	Hours and minutes on a 24 hour clock
		(GMT)
4	AV WIND SP	Average wind speed (m/s)
5	MN WVMAG	Mean wind vector magnitude (m/s)
6	MN WIND DIR	Mean wind direction (0 to 359°)
7	SD WIND DIR	Standard deviation of Wind Direction
	_	second section —
1	ID	Identification number: 0208
2	JD	Julian Day
3	HHMM	Hours and minutes on a 24 hour clock
		(GMT)
4	AV TOT-UP V	Average total pyranometer upfacing
		(mV)
5	AV NIR-UP V	Average near IR pyranometer upfacing
		(mV)
6	AV TOT-UP	Average total pyranometer upfacing
		(W/m^2)
7	AV NIR-UP	Average near IR pyranometer upfacing
		(W/m^2)
8	AV FIR-UP	Average longwave pyrgeometer upfacing
		(mV)
9	AV SKT-UP	Average sink temperature of
		pyranometer upfacing (V)
10	AV DMT-UP	Average dome temperature of
		pyranometer upfacing (V)
11	AV LU	Average longwave pyrgeometer upfacing
		(W/m^2)
12	AV SKT-UP K	Average sink temperature of
		pyranometer upfacing (°K)
13	AV DMT-UP K	Average dome temperature of
		pyranometer upfacing (°K)

	Tal	ble 3.4: Continued.
INDEX	NAME	DESCRIPTION
	-	- third section —
1	ID	Identification number: 0217
2	AV TOT-UP V	Standard Deviation of total pyranometer
		upfacing (mV)
3	AV NIR-UP V	Standard Deviation of near IR
		pyranometer upfacing (mV)
4	AV TOT-UP	Standard Deviation of total pyranometer
		upfacing (W/m^2)
5	AV NIR-UP	Standard Deviation of near IR
		pyranometer upfacing (W/m^2)
6	AV FIR-UP	Standard Deviation of longwave
		pyrgeometer upfacing (mV)
7	AV SKT-UP	Standard Deviation of the sink
		temperature of pyranometer upfacing (V)
8	AV DMT-UP	Standard Deviation of the dome
		temperature of pyranometer upfacing (V)
9	AV LU	Standard Deviation longwave
		pyrgeometer upfacing (W/m^2)
	-	- fourth section —
1	ID	Identification number: 0224
2	JD	Julian Day
3	HHMM	Hours and minutes on a 24 hour clock
		(GMT)
4	AV AT	Average air temperature (°C)
5	AV R/H	Average relative humidity (percent)
6	SD AT	Standard deviation of air temperature
		(°C)
7	SD R/H	Standard deviation of relative
		humidity (percent)
8	AV SPAT	Average air temperature (°C)-Spare

Table 3.5: Variables from the Multi-Field Of View. Output was every 10 minutes. INDEX VARIABLE DESCRIPTION

- 1 Julian Day
- 2 Hours and minutes on a 24 hour clock (GMT)
- 3 Average of 28° field of view (V)
- 4 Average of 20° field of view (V)
- 5 Average of 10° field of view (V)
- 6 Average of 5° field of view (V)
- 7 Average of 2° field of view (V)
- 8 Standard deviation of 28° field of view (V)
- 9 Maximum of 28° field of view (V)
- 10 Minimum of 28° field of view (V)
- 11 Standard deviation of 20° field of view (V)
- 12 Maximum of 20° field of view (V)
- 13 Minimum of 20° field of view (V)
- 14 Standard deviation of 10° field of view (V)
- 15 Maximum of 10° field of view (V)
- 16 Minimum of 10° field of view (V)
- 17 Standard deviation of 5° field of view (V)
- 18 Maximum of 5° field of view (V)
- 19 Minimum of 5° field of view (V)
- 20 Standard deviation of 2° field of view (V)
- 21 Maximum of 2° field of view (V)
- 22 Minimum of 2° field of view (V)
- 23 Battery voltage (V)

Table 3.6: Header format and data variables of the CLASS rawinsonde. The header contains: Line 1 Field Description Site (SNI) 1 2 Year 3 Month and day (mmdd) 4 Time (hhmm in GMT) 5 Site longitude (degrees) 6 Site latitude (degrees) Line 2 Field Description Data type (CLASS DATA) 1 2 Version (78) Lines 3-6 Operator's comments. Line 7 (surface observation) Field Description Time (seconds) 1 2 Height (meters) 3 Pressure (millibars) 4 Temperature (°C) Dewpoint temperature (°C) 5 6 Relative humidity (%) 7 u wind speed (m/s) v wind speed (m/s) 8 The data records contain: Field Description 1 Time (seconds) 2 Height (meters) Pressure (millibars) 3 4 Temperature (°C) 5 Dewpoint temperature (°C) 6 Relative humidity (%) 7 u wind speed (m/s) 8 v wind speed (m/s) 9 Pressure quality 10 Temperature quality 11 Humidity quality 12 u wind quality v wind quality 13 14 Longitude (degrees) 15 Latitude (degrees)

REFERENCES

- Cox, S.K., D.S. McDougal, D.A. Randall, and R.A. Schiffer, 1987: FIRE-the first ISCCP regional experiment. Bull. Amer. Meteor. Soc., 68, 114-118.
- Davis, J.M., C. Vogel, and S.K. Cox, 1982: Multidirectional photodiode array for measurement of solar radiances. Rev. Sci. Instrum., 53, 667-673.
- Randall, D.A., J.A. Coakley, Jr., C.W. Fairall, R.A. Kropfli, and D.H. Lenschow, 1984: Outlook for reseach on subtropical marine stratiform clouds. Bull. Amer. Meteor. Soc., 65, 1290-1301.
- Schubert, W.H., P.E. Ciesielski, T.B. McKee, J.D. Kleist, S.K. Cox, C.M. Johnson-Pasqua, and W.L. Smith, 1987: Analysis of boundary layer sounding data from the FIRE Marine Stratocumulus Project: FIRE volume 2. Atmos. Sci. Paper No. 419, Colorado State University, Ft. Collins, 101 pp.
- Schubert, W.H., S.K. Cox, P.E. Ciesielski, and C.M. Johnson- Pasqua, 1987: Operation of a ceilometer during the FIRE marine stratocumulus experiment: FIRE volume 3. Atmos. Sci. Paper No. 420, Colorado State University, Ft. Collins, 34 pp.

Appendix A

CSU TETHERED BALLOON RESEARCH SUMMARY

5 July 1987 First Flight 2 hours long

This was a test flight. (The flight was delayed many days because strong winds prevented the balloon from being inflated.)

PROBLEMS: FSSP data was missing its least significant bit.

7 July 1987 Second Flight 9 hours 52 minutes long

The balloon was launched at 07:45 PDT. The Britsh Meteorology Office (BMO) attached six packages as the balloon was taken to 2400 ft. BMO did four 68 minute runs while the CSU package was above cloud. At 13:25 PDT CSU begins two soundings with 5 minute legs at each 300 ft level.

PROBLEMS: FSSP data was missing its least significant bit. Wet bulb wicks appeared to have a problem. The bugeye gain might have been set too high.

8 July 1987 Third Flight 6.5 hours long

The balloon launch was at 07:30 PDT. Four BMO packages were deployed at 100 ft intervals just below the CSU package. Four 20 constant level runs were done with the packages near cloud top (about 935 mb). The balloon was brought down in 200 ft steps with 20 minutes at each level.

PROBLEMS: FSSP data was missing its least significant bit. The bugeye gain was too high.

9 July 1987 Fourth Flight 4.0 hours long

The balloon was launched at 08:31 PDT and went into a very deep cloud with a top near 950 meters. It was drizzling. The flight was shortened because BMO could not get its highest package above cloud top.

PROBLEMS: FSSP data was missing its least significant bit. The downward-looking bugeye was full of water. The thermistor psychrometer was inoperative due to a broken wire.

10 July 1987 Fifth Flight 10.0 hours long

The balloon launch was at 08:34 PDT into a very deep boundary layer (about 1000 m). Because of the deep boundary layer BMO packages were not placed on the balloon. The CSU package stepped upward in 300 ft intervals with 20 minutes at each level. Several 15 minute legs at 50 ft intervals were performed near cloud top on the descent.

PROBLEMS: Downward-looking bugeye channel #13 was bad.

11 July 1987 Sixth Flight 9.5 hours long

The balloon was launched at 13:35 PDT for an afternoon and evening flight. BMO deployed six packages, but took off the lowest one because there was some difficulty in getting the balloon above cloud top. BMO did two 64 minute runs and after that CSU steps down with eleven 20 minute legs.

PROBLEMS: Downward-looking bugeye channel #13 was bad.

12 July 1987 Seventh Flight 1.0 hour long

The balloon launch was at 03:40 PDT, but at about 930 mb slack developed in the cable. The balloon, carrying the CSU and four BMO packages, was brought down quickly. It was decided that the balloon could no longer lift both the CSU and BMO packages.

PROBLEMS: The balloon had little lift.

13 July 1987 Eighth Flight 11.5 hours long

The balloon was launched at 09:20 PDT with only the CSU package. Cloud top was near 960 mb. Sixteen 20 minute legs were run in the cloud layer and nine more in the subcloud layer.

PROBLEMS: FSSP was missing every other pair of channels.

13-14 July 1987 Ninth Flight 6.5 hours long

The balloon was launched at 21:45 PDT with the CSU package for a night mission. A low cloud top still persisted. Twenty constant level legs were performed in the boundary layer.

PROBLEMS: FSSP shifted its output to the lower end of the spectrum.

Appendix B

CLASS RAWINSONDE FLIGHT SUMMARY

Flight		Begin	End	Maximum	(Quality	
Number	Date	Time(GMT)	Time(GMT)	Altitude (km)	Wind	Temp/Hum	
0	June 29	01:12:03	01:28:28	2.0	poor	poor	
1	June 30	11:55:00	13:37:39	21.5	fair	good	
2	June 30	23:51:28	01:41:48	24.1	fair	good	
3	July 1	12:16:51	13:28:37	18.7	fair	good	
4	July 1	20:05:16	20:58:01	13.0	poor	good	
5	July 1	23:11:39	00:15:45	16.6	fair	good	
6	July 2	12::			poor	poor	
7	July 2	17:50:00		20.7	fair	good	
8	July 2	22:53:39	23:52:14	16.8	good	good	
9	July 3	12:08:46	13:24:00	39.4	fair	good	
10	July 3	18:08:34	19:24:02	21.1	fair	good	
11	July 4	00:36:55	02:00:34	7.1	good	good	
12	July 4	12:15:10	13:38:41	21.6	poor	good	
13	July 5	00:34:11	01:48:03	19.7	fair	good	
14	July 5	11:58:40	13:07:09	18.9	good	good	
15	July 6	01:45:48	03:01:10	19.5	poor	good	
16	July 6	12:14:14	13:32:45	18.8	fair	good	
17	July 6	16:07:18	17:35:41	21.0	good	good	
18	July 6	23:50:14	00:15:17		poor	poor	
19	July 7	11:19:34	12:33:38	19.9	fair	good	
20	July 8	00:11:58	01:21:07	20.0	poor	good	
21	July 8	12:11:57	13:14:15	18.8	poor	good	
22	July 9	11:54:19	12:53:09	17.9	fair	good	
23	July 9	18:14:58	19:27:51	20.0	poor	good	
24	July 10	01:15:14	02:39:12	20.8	fair	good	
25	July 10	12:22:51	13:11:10	9.6	good	good	
26	July 10	15:50:39	17:00:19	19.6	good	good	
27	July 10	18:00:56	19:37:41	22.0	fair	good	
28	July 10	20:06:53	21:14:59	20.4	good	good	
29	July 10	21:59:53	23:05:08	20.0	fair	good	

Flight		Begin	End	Maximum	Quality	
Number	Date	Time(GMT)	Time(GMT)	Altitude	Wind	Temp/Hum
				(km)		- /
30	July 11	00:05:46	01:27:35	20.8	poor	good
31	July 11	02:00:25	03:12:40	20.1	poor	good
32	July 11	03:53:52	05:16:38	21.1	fair	good
33	July 11	06:16:41	07:26:30	19.5	poor	good
34	July 11	09:51:50	11:06:57	20.2	poor	good
35	July 11	12:12:45	13:27:27	19.2	poor	good
36	July 11	14:10:50	15:21:15	20.6	fair	fair
37	July 11	18:08:30	19:40:40	22.1	fair	good
38	July 11	22:08:06	23:33:40	21.5	poor	fair
39	July 11	23:49:42	01:21:01	22.1	fair	fair
40	July 12	01:54:12	03:12:19	20.8	poor	good
41	July 12	06:10:54	07:32:45	19.5	good	good
42	July 12	12:34:09	14:34:14	21.5	fair	good
43	July 12	15:10:57	16:34:09	21.3	poor	good
44	July 12	10:05:10	11:32:05	19.7	good	good
45	July 12	17:55:31		22.0	good	good
46	July 13	00:05:41	01:27:34	20.4	fair	good
47	July 13	11:54:13	12:58:54	18.2	fair	good
48	July 13	21:20:07	22:50:25	22.8	fair	good
49	July 14	00:14:06	01:30:02	19.3	fair	good
50	July 14	11:58:11	13:02:58	20.0	poor	good
51	July 15	00:15:59	01:09:54	14.9	fair	fair
52	July 15	12:00:54	13:12:57	16.2	poor	fair
53	July 15	17:03:55	18:21:47	20.2	good	good
54	July 15	19:35:49	20:43:39	18.6	poor	good
55	July 16	00:11:18	01:37:34	21.5	good	good
56	July 16	11:39:09	13:31:11	24.2	fair	good
57	July 16	16:00:08	17:17:54	21.6	fair	good
58	July 16	20:04:08	21:29:00	23.6	poor	good
59	July 16	23:42:05	00:59:44	21.3	poor	good
60	July 17	12:06:30	13:31:06	21.0	fair	good
61	July 17	15:58:23	17:09:44	20.7	poor	good
62	July 17	20:02:15	21:24:24	22.0	fair	good
63	July 18	00:20:31	01:32:37	20.6	poor	good
64	July 18	12:06:33	13:43:42	21.7	poor	good
65	July 18	15:57:44	17:07:40	20.3	good	good
66	July 18	19:51:33	21:27:11	22.0	fair	good
67	July 19	00:19:47	02:08:49	24.0	good	good
68	July 19	12:01:01	13:25:58	21.6	fair	good
69	July 19	16:08:32	17:48:35	23.1	fair	good
70	July 19	20:15:35	21:28:17	21.1	DOOL	good