

WILDFIRE MITIGATION PLAN

For Brian Butler Residence
235 Reindeer Drive, Ward CO 80481
Docket: SPR - 06 - 081
Inspection date: 8/28/2006



Knowledge to Go Places

Prepared for:

Brian Butler
2651 County Road 702
Hanceville, AL 35077
Phone: 720-323-1099

Prepared by:

Nicole Palestro
Boulder District
Phone: (303) 823-5774

Boulder District

5625 Ute Highway
Longmont, Colorado 80503-9130
(303) 823-5774

PURPOSE OF A WILDFIRE MITIGATION PLAN

The purpose of a Wildfire Mitigation plan is to give guidelines to reduce wildfire hazards around a home or other structures through fuels reduction. It is a document to inform urban interface home owners of the dangers and responsibilities of living in the interface. This plan will help outline the initial and ongoing fuels reduction needed to create and maintain an effective wildfire defensible space. However, having a wildfire mitigation plan, implementation of a defensible space thinning, and following all the recommendations as outlined in this plan does not guarantee that your home will survive a wildland fire; however, in combination they will give your home the best potential probability to survive a wildland fire.

SITE LOCATION AND PROPERTY DESCRIPTION

The property is located at Section 29, Township 2N, and Range 72W, Lot# 24, Santazakers. The fire protection district is the Indian Peaks Fire Protection District (303-459-3452). There will be a new residence with a detached garage and a smaller cabin built on the site. The lot is .69 acres in size and has a ~2-6% slope with a northeast aspect. The residence is at 8,800 feet in elevation, and has total of 1500 square feet. The proposed building site is on a ridge and it is a relatively dry site. The main road to the east of the residence will create a small natural barrier that may help stop or slow the spread of a surface/crown fire on the site.

CONSTRUCTION DESIGN AND MATERIALS

The proposed house has a relatively simple design with a simple roofline and is oriented with an east aspect. The roofing material will consist of metal. The exterior wall material is to be log. Soffits are to be 3/4" thick hardboard. The structure has 10 medium sized windows with the primary viewing direction being toward the south and east side of the structure. Windows will be double glazed with low e-coating and tempered glass where required. Frames will be made of wood. Exterior doors are to be 1-3/4", fire-rated, and made of wood. The one deck will be constructed of wood materials and supported by logs. The deck will be open underneath and isolated from the surrounding landscape with crushed rock over a polyester weed barrier. This material will be spread underneath the entire deck surface and to 2' past the drip-lines of the deck. The propane tank will be buried approximately 80 feet east of the residence. Utilities for the property will be buried from a pole located ~55 feet to the southwest of the residence. The septic field is located ~35 feet to the southeast of the residence. A well will be located ~110 feet to the east of the residence.

DRIVEWAY ACCESS FOR EMERGENCY VEHICLES

Access to the property from Lyons, take Hwy 7 west to Hwy 72 then south to Reindeer Drive (west). The proposed driveway will create a great deal of additional site disturbance or soil compaction and will require the removal of many trees. The driveway is 12 feet wide with a vertical clearance of 13'6" and a grade that is less than 12%. The driveway is approximately 74 feet long therefore no turn around will be required. The driveway is less than 400 feet therefore no pull-outs will be required.

EMERGENCY WATER SUPPLY FOR FIRE FIGHTING

The water source will be from a 1,800 gallon fire (community cistern). The cistern will have a dry hydrant connection with a 6 inch NH threaded connection and cap. A contribution will be made to the fire protection district community cistern fund. Contact the Indian Peaks Fire Protection District (303-459-3452) for more information and specific details.

FUELS REDUCTION

All trees to be removed are marked with blue spray paint. All trees that are to remain within zones 1 and 2 will be unmarked. If the property is less than 1 acre it may not have zones marked due to boundary interference. Harvested wood that remains on site will be stacked at least 30 feet from the house and at the same elevation when possible. Slash from the harvest will be hauled off site. Note that if you decide to burn piles, you must obtain a valid Open Burning Permit from the Boulder County Environmental Health Department (303-441-1180) and notify your local fire protection district (Indian Peaks Fire Protection District (303-459-3452)).

DEFENSIBLE SPACE ZONES AND FOREST MANAGEMENT

The site has a dominant overstory consisting of Lodgepole pine (*Pinus contorta*) with a Lodgepole pine (*Pinus contorta*), Ponderosa Pine (*Pinus ponderosa*), Limber Pine (*Pinus flexilis*) component. The understory consists of a sparse cover of native grasses (smooth wildrye (*Elymus glaucus*) (10%), shrubs (common juniper (*Juniperus communis*), kinnikinnick (*Arctostaphylos uva-ursi*) (20%) and forbs. The remainder of the forest floor is of rock and heavy pine needles. The area is predominantly fuel model 4 with ground fuels consisting of grasses, forbs and heavy needle litter. Fuel model 4 is best described by thick stands of "dog haired" lodgepole pine. This model consists of stands of smaller diameter trees with continuous closed crowns. There may be high amounts of dead limbs retained on the lower portion of the trees. There may also be high amounts of woody and needle litter associated with the stand. This model occurs in the areas of thick continuous regeneration or suppressed small diameter trees, in the montane zone. There is no sign of any current insect and disease problems on the property at the time of inspection.

There are three defensible space zones to be created around the structure(s) on the site. Please note that it is possible that one or more of these zones will cross over the subject property onto adjacent properties. Property boundaries must be respected; mitigation work is not required beyond immediate boundaries. However, landowners are encouraged to contact and work with neighbors if property lines limit the ability to mitigate within the prescribed area. Defensible space is a benefit, not only to the individual but also to the community as a whole.

Zone 1 - Starts at the foundation and extends out 15 feet in all directions from the outside edge of the structure(s). Zone 1 is broken down into three segments:

Zone 1A - Consists of the structure(s) themselves and the area immediately adjacent to and surrounding the structure(s) on all sides. A three-foot wide, non-flammable strip will be created using decorative stone over a polyester weed barrier material. This strip will also extend back under, and out to, two feet past the drip line of any decks.

Zone 1B - Extends out from Zone 1A. In this zone, all highly flammable vegetation is to be removed. Any large dead woody material on the ground will also be removed. Firewise plants will be used for landscaping and re-vegetation. Grasses will be irrigated when possible and mowed to a maximum height of 6 to 8 inches twice per growing season to a distance of 30 feet from the structure.

Zone 1C - This zone extends out from Zone 1B to 15 feet from the house. All understory trees (ladder fuels) will be removed as marked. These are small seedling and sapling size trees that can be ladders for fire to get in the crowns of the larger trees. A few of the larger, healthy trees are to be retained for screening. All remaining trees in this zone will be pruned to a height of 10 feet. They must be well spaced so that the crowns are not touching (10 foot minimum crown spacing). No trees will overhang the house or decks, unless approved by Boulder County or CSFS as "part of the structure" with additional fuels reduction around those trees to insure the defensible space integrity. Trees should be at least 15 feet away from the house on all sides, and a minimum of 10 feet from chimneys.

Zone 2 - This zone extends out from Zone 1C, and acts as a transition zone between the heavily thinned areas near the house to the existing forest setting. It extends down slope between 100-170 feet depending upon slope steepness. Zone 2 also extends on either side of the structure a minimum of 100 feet and behind the house between 70-100 feet assuming no boundary restrictions. Tree spacing begins as in Zone 1C and gradually decreases as you approach the outer edge of the zone. Thinning and crown spacing becomes greater in areas of steep slopes. Ladder fuels and poor quality, suppressed and/or diseased trees, 6 to 8 inches in diameter, make up the majority of the removals. The remaining mature trees will be pruned to a height of 10 feet at the intersection of Zones 1 and 2 with limbing reduced in height to 6 feet as you approach Zone 3. If there are any questions pertaining to slope and the changes in thinning spacing and distance regulations please refer to www.colostate.edu/Depts/CSFS/ and find the *Quick Facts 6.302 Creating Wildfire Defensible Space*.

Zone 3 - This zone extends out from Zone 2 to the edge of the property. It may extend out to areas that are not part of the immediate mitigation efforts. In this zone, a few thicker clumps of trees are acceptable, as well as some unpruned trees near the outer edge. Thinning in this zone adds some protection, but is aimed more at forest health. Trees that are of poor quality or form, or have insect or disease infestations, should be removed. Slash in this zone can be lopped and scattered and/or piled for wildlife use.

- Thin suppressed trees and trees with disease and insect infestations and retain the larger, healthier trees.
- Snags should be retained for wildlife.
- Some slash in this zone can be lopped and scattered and/or piled for wildlife enhancement and shelter.
- Large amounts of slash should be disposed of by chipping, hauling to an approved site, or burning.
- For burning permits, check with your local fire protection district.

MAINTENANCE AND RECOMMENDATIONS

As detailed in fact sheet 6.302, *Creating Wildfire Defensible Zones*, an important factor that determines a structure's ability to survive wildfire is defensible space. Defensible space is a maintained area around a structure where fuels (flammable materials) are modified to slow the possible spread of wildfire to the structure, as well as from the structure to the surrounding areas. Defensible space provides a place where structure protection and fire suppression operations may occur. Wildfire hazard mitigation work breaks up fuel continuity, potentially decreasing a wildfire's intensity, and for more effectiveness should be completed beyond a home's defensible space, zone 1 and 2, area into zone 3.

In addition to the above recommendations, several other measures can be taken to make your home more fire safe and add an additional measure of safety for your family. While not required through site plan review, the following measures should be undertaken to maintain the home and defensible space in the future.

- Maintain your defensible space yearly; contact your local forester for a 5-year maintenance inspection
- Establish an escape route and safety zone with the aid of your local fire protection district
- Keep firewood at least 30 feet away from buildings; clear weeds and grass from around pile
- Do not stack fresh cut wood against live trees – this could invite unwanted insects
- When possible, maintain an irrigated green space; mow grasses 6" to 8" high
- Connect, and have available, a minimum of 50 feet of garden hose with an adjustable nozzle
- Have an emergency evacuation plan in place (included in wildfire mitigation plan)
- Be aware of fire danger, check the Boulder Fire Weather website at www.crh.hoaa.gov/den/fireindx.html
- Keep driveways and property address marked with reflective easy to see signs
- Maintain screens on foundations, soffit vents, roof vents, and attic openings
- Get rid of unnecessary accumulations of debris and trash from yards
- Keep tools such as shovels, rakes, ladders, and axes available and ready for use
- Clean debris from the roof and gutters at least two times annually
- Check screens and maintain spark arresters on chimneys annually
- Avoid storing combustibles under decks such as wood piles, scrap lumber, and fuels

DEFINITIONS

Aspect – Exposure. The direction a slope faces.

Canopy – The cover of branches and foliage formed collectively by crowns of adjacent trees.

Crown – Branches and foliage of a tree.

Dominant fuel type – Matter that would carry a fire, found on the ground.

Fuel Model – A number system that identifies the types of fuels found on the property that will directly influence fire behavior

Fire danger - An assessment of both fixed and variable factors of the fire environment, which determine the ease of ignition, rate of spread, difficulty of control, and the fire impact.

Fire hazard - The potential fire behavior for a fuel type, regardless of the fuel type's weather-influenced fuel moisture content or its resistance to fireguard construction. Assessment is based on physical fuel characteristics, such as fuel arrangement, fuel load, condition of herbaceous vegetation, and presence of elevated fuels.

Fire management - The activities concerned with the protection of people, property and forest areas from wildfire and the use of prescribed burning for the attainment of forest management and other land use objectives, all conducted in a manner that considers environmental, social and economic criteria.

Fire risk - The probability or chance of fire starting determined by the presence and activities of causative agents.

Fire season - The period(s) of the year during which fires are likely to start, spread and do damage to values-at-risk sufficient to warrant organized fire suppression; a period of the year set out and commonly referred to in fire prevention legislation. In B.C. the fire season is considered to extend from April 1 to October 31.

Fuel continuity – The proximity of fuels to each other. Helps determine if a fire can sustain itself.

Forest ecology - The relationships between forest organisms and their environment.

Forest health - A forest condition that is naturally resilient to damage; characterized by biodiversity, it contains sustained habitat for timber, fish, wildlife, and humans, and meets present and future resource management objectives.

Ladder fuels - Fuels that provide vertical continuity between the surface fuels and crown fuels in a forest stand, thus contributing to the ease of torching and crowning.

Limb (verb) –To remove the branches from a tree.

New forestry - A philosophy or approach to forest management that has as its basic premise the protection and maintenance of ecological systems. In new forestry the ecological processes of natural forests are used as a model to guide the design of the managed forest.

Noxious weeds - Any weed so designated by the Weed Control Regulations and identified on a regional district noxious weed control list.

Overstory – The tree species that forms the uppermost forest layer (dominant and co-dominant).

Snag – Standing dead tree, often used by wildlife such as woodpeckers, owls, and other various mammals.



Annual fire safety checklist

- Thin trees and brush properly within defensible space.
- Remove trash and debris from defensible space.
- Remove trees growing through a porch or other portions of a structure.
- Clear leaves and debris from the roof and gutters of structures.
- Remove branches that overhang a chimney or roof.
- Stack firewood uphill from a home or on a contour away from the home.
- Use noncombustible roof materials.
- Place shutters, fire curtains or heavy drapes on windows.
- Place screens on foundation and eave vents.
- Enclose sides of stilt foundations and decks.
- Use a chimney screen or spark arrester in fireplaces.
- Clear vegetation from around fire hydrants, cisterns, propane tanks, etc.
- Make sure that an outdoor water supply is available with a hose, nozzle and pump.
- Post address signs that are clearly visible from the street or road.
- Make sure that driveways are wide enough for fire trucks and equipment.
- Check with appropriate highway agencies to make sure load limits are posted on bridges and for the appropriate protocol for posting load limits for bridges on private property.
- Install and test smoke detectors.
- Practice a family fire drill and evacuation plan.

Evacuation tips

- If a wildfire is threatening your area, listen to the radio for updated reports and evacuation information.
- Confine pets to one room and make plans to take care of them in the event of evacuation.
- Arrange for temporary housing with a friend or relative whose home is outside the threatened area. Leave a note in a prominent place in your home that says where and how you can be contacted.
- If your home is threatened by wildfire, you will be contacted and advised by law enforcement officers to evacuate. If you are not contacted or you decide to stay and help defend your home, evacuate pets and family members who are not needed to protect your home.
- Remove important documents, mementos, etc. from the possible fire area.
- Choose an evacuation route away from the fire if possible. Watch for changes in the speed and direction of the fire and smoke.

- Take a disaster supply kit containing:

- Drinking water.
- A change of clothing and footwear for each family member.
- Blanket or sleeping bag for each person.
- First-aid kit and prescription medications.
- Emergency tools including a battery-powered radio, flashlight and extra batteries.
- Extra set of car keys and credit cards, cash or traveler's checks.
- Extra pairs of eyeglasses or other special items for infants, elderly or disabled family members.

Defending your home

Whether you choose to stay to defend your home or to evacuate, complete as many of the following preparations as possible.

- DO NOT JEOPARDIZE YOUR LIFE. NO MATERIAL ITEM IS WORTH A LIFE.
- Wear fire-resistant clothing and protective gear.
- Remove combustible materials from around structures.
- Close or cover outside vents and shutters.
- Position garden hoses to reach the entire house, but do not turn the water on until it is needed. Hoses should have an adjustable nozzle.
- Place large, full water containers around the house. Soak burlap sacks, small rugs or large rags in the containers.
- Place a ladder against the roof of the house on the opposite side of the approaching wildfire. Place a garden hose near the ladder, prepared as described previously.
- Place portable pumps near available water supplies, such as pools, hot tubs, creeks, etc.
- Close all windows and doors. Do not lock them.
- Close all inside doors.
- Turn on a light in each room and all outside lights. Leave them on even during daylight hours.
- Fill tubs, sinks and similar containers with water.
- Shut off gas supplies to structures at outside meters. Shut off propane supplies at the outside meter of the tank.
- Remove curtains made of lace, nylon or other light materials. Close blinds, heavy drapes and fire resistant window covers.
- Move overstuffed furniture into the center of the house, away from windows and sliding doors.
- Cars should be parked in the garage, facing out. Close the windows of the vehicle but do not lock the doors. Leave the keys in the ignition.
- Close the garage door but leave it unlocked. Disconnect automatic garage door openers.

For additional copies of these checklists, visit www.colostate.edu and search for wildfire, view the Colorado State Cooperative Extension fact sheet on [Forest Home Fire Safety](#), or contact the local Cooperative Extension office usually listed under the county government section of your local phone book.

(Information provided by Colorado State University Cooperative Extension and the Colorado State Forest Service.)

Safety Zone Guidelines

A Safety Zone is an area that in the event of a wildland fire you could survive the passing fire without the aid of a fire shelter. A natural safety zone could be an area already burned clean by the fire (in the black), rock areas where flashy fuels are absent, or large bodies of water. A manmade safety zones could be pre-constructed sites such as clear cuts. It should be close enough to your home to consider escape time to reach the safety zone. They should not be located upslope or downwind of the fire or in heavy fuels.

1. Avoid locations that are downwind from the fire.
2. Avoid locations that are in chimneys, saddles, or narrow canyons.
3. Avoid locations that require a steep uphill escape route.
4. Take advantage of heat barriers such as lee side of ridges, large rocks, or solid structures.
5. Burn out safety zones prior to flame front approach.
6. For radiant heat only, the distance separation between you and the flames must be at least four times the maximum flame height. This distance must be maintained on all sides, if the fire has ability to burn completely around the safety zone. Convective heat from wind and/or terrain influences will increase this distance requirement.


Calculations Assuming No Slope and No Wind

<u>Flame Heights</u>	<u>Distance separation</u>	<u>Area in Acres</u>
10 feet	40 feet	1/10 acre
20 feet	80 feet	1/2 acre
50 feet	200 feet	3 acres
75 feet	300 feet	7 acres
100 feet	400 feet	12 acres
200 feet	800 feet	50 acres

Note: Distance separation is the radius from the center of the safety zone to the nearest fuels. When fuels are present that will allow the fire to burn on all sides of the safety zone this distance must be doubled in order to maintain effective separation in front, to the sides, and behind the person.

Area in Acres is calculated to allow for distance separation on all sides for a three person family and a vehicle. One acre is approximately the size of a football field or exactly 208 feet x 208 feet.

Example: Given a fire with 10 foot flame heights (no wind or slope). You would need a minimum of 40 feet between you and the flames. So your total safety zone should be 80 feet x 80 feet. If you are settled into the middle of the safety zone you will have a minimum distance of 40 feet to each edge of the zone.



0 100 200 400 Feet

DIRECTIONS FOR FILLING OUT FORM:

Please fill out as complete as possible and fax to Cory Secher at 303-823-5768 or mail to 5625 Ute Highway, Longmont CO 80503-9130, or bring to scheduled marking appointment.

Any **Bolded** categories will be filled in by the CSFS representative at the time of initial site visit and tree marking for the defensible space. If you have any questions about this form please contact Cory Secher at 303-823-5774 or by email at csecher@lamar.colostate.edu.

Wildfire Mitigation Plan
FIELD DATA FORM

08-29-06
Inspection Date: 3-3-06

Landowner name: BRIAN BUTLER

Mailing address: 2651 COUNTY ROAD 702

City, State, Zip: HANCEVILLE, AL 35077

Site address: 235 REINDEER DRIVE, WARD CO 80481

Phone number: 720-323-1099

Road access: Upon Hwy 7 to Hwy 72 South to Reindeer^{west} (Directions from main access road)

Docket Number: ~~Assessor Acre # R0030528~~
~~Assessor Parcel # 1322790020~~ (SPR, LU, Etc.) **SPR-06-081**

Section: 29

Township: T 2N

Range: R 72W

Legal Description: Lot #24, Santazakers, County of Boulder
Cistern contribution

Minimum size -
W & North
Visual Screening
trees

FPD: Indian Peaks

Dominant fuel type: _____ (Grass/forbs/shrubs/slash/etc)

Dominant overstory: LPP

Co-dominant overstory: LPP

Fuel model type: 9

Slash disposal: hauled (Chipped/hauled/burned/lop-scatter)

Aspect: NE (Direction of slope)

Slope: 2-6%

Elevation: 8800 (feet)

Building site: _____ (Chimney/saddle/valley/ridge/mid-slope)

Site moisture: dry

Natural fire barrier: NONE main level East

Insect & Disease Diagnosis: NONE

Lot size (acres): .69 (Acres)

Number of Structures: 3 (All structures to be present)

Existing Structures: ~~_____~~ (House/barn/garage/etc.)

New Structures: Log cabin/Practice Cabin/Garage (House/Barn/new addition/etc..)

Driveway length: 74 feet (Actual length in feet from road to home)

Driveway trees removed: many (few/many/none)

Home buffer material: decorative stone (Stone/crushed gravel/decorative stone)

House design: simple (simple/complex)

Roof Design: Simple (simple/complex)

Roof material: metal (Asphalt shingles/concrete tiles/metal)

Heavy
Duff
Thick
Cush
King
my little
Greaser
Juniper
Fav
Sheds
Fav
limber

Soffits type: hard board (Plywood/hardboard/cement board)

Siding material: Log (Cement/hardboard/log/stucco/stone/wood)

Windows (#): 10 (approximate number of windows)

Windows Size: medium (On average: small/medium/large)

Windows Frames: Wood (Wood/aluminum/aluminum clad)

Windows Aspect: South + East (Dominant viewing direction)

Window Construction: _____ (Tempered glass/e-coating/etc.)

Door Material: Wood (Wood/steel/fiberglass/composite)

Deck material: Wood (Wood/composite materials)

Deck Description: open (Enclosed/open)

Deck support type: LOGS (Timber posts/logs/steel/concrete/stone) *Flush on back / walk out on front*

Deck buffer material: Crushed rock (Crushed rock/gravel)

Deck weed barrier: Polyester (Fiberglass/polyester)

Structure SQR. FT.: 1500 ft² (Total square feet of structure)

Utility Location: Buried / SW ^{~180'} _{~40'} (Pole/buried: Direction from structure)

Structure aspect: East (Dominant facing direction/view)

Leach field: Southeast / 35 ft (Distance from house, and direction)

Cistern: 80 ft / East West (Distance from house, and direction)

Cistern Type: _____ (Domestic Cistern or Fire Cistern)

Cistern size: 1,800 (gallons)

Well (if applicable): 110 feet East (Distance form house, and direction)

Propane Tank location: 80 ft East (Distance from house and direction)


buried

Make direction

*42
15
57*



★ **235 Reindeer Dr**
Ward, CO 80481-9621, US



All rights reserved. Use Subject to License/Copyright

This map is informational only. No representation is made or warranty given as to its content. User assumes all risk of use and its suppliers assume no responsibility for any loss or delay resulting from such use.

19
 Wym's
 Hwy 7 to Hwy 72
 South to ~~Fountain~~ West
 to Reindeer Dr

Cory Secher

From: "Brian Butler" <brian_pilot@hotmail.com>
To: <csecher@lamar.colostate.edu>
Sent: Thursday, February 16, 2006 7:06 PM
Subject: Fire Mitigation request

Hello Corey,

My name is Brian, and I recently spoke with you regarding the use of your services to write a Boulder County fire mitigation plan. To jog your memory, I'm the guy that works as a pilot, and is only in town a few days per month.

I looked at my schedule, and it appears that I may have some time off beginning March 1st, extending to March 5. I was wondering if you might be available to meet on the property?

A rough outline of my project can be found below:

Area- Lot #24, Santazakers, Ward CO. Address is 235 Reindeer Drive, Ward CO 80481. This address shows up nearly correct on Mapquest.com (only a few hundred yards off). Lot is located on the west side of Reindeer Drive, just past the high point of the road. There is an obvious "Lot #24" sign, along with my name, affixed to a tree. Property lines, home location, driveway, garage, and septic are staked.

Home- roughly 1200 square foot log home. Metal roof, exposed porches, half walk out basement, half crawl space. Heated with wood stove.

Garage- roughly 840 square foot detached garage. Log construction with metal roof. Slab foundation.

Water- plans to drill well sometime in future.

Cistern- I do not know if a cistern is required, or whether I must donate to a publicly managed cistern.

Please let me know what days might work best for you. As yet, I am completely available.

Thank you again for your assistance, and I look forward to working with you shortly.

Sincerely,

Brian Butler
cell 720-323-1099

2/17/2006



37°54'E
44.97'
SEMENT

ENT
4' W
28'

160.0'

70.0'

143.87'

R=200'

DRIVE
R=230'

Pole Location (buried)

septic tank

Main cabin

Prepare Yard

practice cabin


septic leech field

garage

proposed well

Custom 10' well

40 feet to roadway



Cory Secher

From: "Philips, Eric" <ephilips@co.boulder.co.us>
To: "Berry, Millissa" <mberry@co.boulder.co.us>
Cc: <brian_pilot@hotmail.com>; "Nicole Palestro (E-mail)" <csecher@lamar.colostate.edu>
Sent: Tuesday, August 29, 2006 10:50 AM
Subject: RE: SPR-06-081 Butler residence

See my responses.

-----Original Message-----

From: Berry, Millissa
Sent: Friday, August 25, 2006 8:11 AM
To: Philips, Eric
Cc: 'brian_pilot@hotmail.com'
Subject: FW: SPR-06-081 Butler residence

Hi Eric, I am forwarding this to you for Mr. Butler. He submitted something for fire mitigation with his spr submittal but I'm not sure where it's at with you so when you get the chance please read the following email and let us know what your think. Thanks, Millissa

-----Original Message-----

From: Brian Butler [mailto:brian_pilot@hotmail.com]
Sent: Thursday, August 24, 2006 9:38 PM
To: Berry, Millissa
Subject: RE: SPR-06-081 Butler residence

Hello Millissa,

Thanks for sending the e-version. I received the hard copy in the mail just yesterday, and as yet, I only have a few questions, mostly pertaining to the fire mitigation plan.

I had Corey Secher of the Colorado Forest Service come up to the property last April, and at that time, we both walked the area and marked trees that looked like they might pose a wildfire problem, as well as trees that exhibited poor health. His visit, and the marking of the trees, may have been a bit pre-mature in the site plan process, which is my fault.

I have learned that Corey is no longer with the CFS, and that Nicole has now assumed his role. We have spoken a few times, and she has agreed to take over where Corey left off, and complete the written fire mitigation plan.

My questions are then...

1) Are the trees that Corey marked for removal sufficient, or should I have Nicole visit the property a second time? IE- Did Mr. Philips have a chance to look at the property? Any other recommendations, besides the visual screening suggestions outlined in the SPR?

8/30/2006

I suggest you might want to have Nicole come up anyway to check what Cory marked. Generally, I have been finding that d-space markings in lodgepole stands have not been sufficient. This isn't anyone's fault per se, it's just that these are difficult stands to mark in as there are generally a great deal of tree removals needed. I have been encouraging "leave tree" markings on sites such as these, but since it looks like Cory did this last year, it may have been before he and I had that discussion.

At any rate, I will need to visit the site to check the tree marking myself (mainly to verify adequate removals while still preserving trees for screening). I usually do this as part of processing your WMP for the Building Permit, which means I need the WMP and a BP must be applied for.

[Eric Philips]

2) I understand that I must complete the fire mitigation plan before requesting any permits, including a grading permit. With this in mind, is it possible for me to get a head-start and remove the trees that encompass the driveway and parking area at this time, or should I wait until the fire mitigation and visual screening plan is complete and accepted?

As long as the building footprint, septic and driveway have been approved as part of a process here (i.e. the SPR process is complete), that is fine. Since your determination letter was issued on August 18th and has a 14 day callup period, this means you will have to wait until after September 1st to start work. As far as the other stuff is concerned, as I mentioned in the previous paragraph, I need to come up to check the site. [Eric Philips]

I left a message for Eric Philips late this afternoon, and doubt he had enough time to look into this. Feel free to forward this email to him if you like.

Thanks again for your help, and have a good weekend.

Brian

>From: "Berry, Millissa" <mberry@co.boulder.co.us>

>To: <brian_pilot@hotmail.com>

>Subject: SPR-06-081 Butler residence

>Date: Thu, 24 Aug 2006 15:49:30 -0600

>

>Hi Brian, In case you haven't gotten this in the mail yet (if being out of town) I've attached the electronic form of your approval for the house proposal. Look it over and let me know if you have any questions. The comment period ends on Sept 1 so I'll let you know if comments from neighbors come in. It is also the deadline for you to appeal anything required. I'll be in touch if anything happens. If it's quiet then I'll be in touch on Sept 1 or 5th (2-4 is Labor Day weekend). Sincerely,
>Millissa Berry - Planner II

>

> <<spr06081butlerDL.pdf>>

8/30/2006